

PAKISTAN NAVY

TENDER BULLETIN

INVITATION TO TENDER TO BE OPENED ON 15-12-2025

TERMS & CONDITION

1. INTERESTED FIRMS/ SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT / PAY ORDER/ CROSSED CHEQUE OF RS. 500/- (NON REFUNDABLE) ALONGWITH THEIR QUOTATION IN FAVOUR OF "PN NONPUBLIC FUND LP DIVISION IT".
2. FOR ANY AMPLIFIED DETAILS, INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON, THROUGH TELEPHONE, VIA EMAIL OR HARD MAIL. DELIVERY TIME OF LOCALLY AVAILABLE AND IMPORTED ITEMS ARE 15 AND 45 DAYS RESPECTIVELY.
3. LAB TESTING CHARGES IF ANY WILL BE BORN BY FIRM.

TENDER BULLETIN

DATE & TIME 12/1/25 1:21 PM INVITATION TO TENDER TO BE OPENED ON 12/15/ 10:00 AM AND ITEM REQ BY

CONDITIONS

1. NON REGISTERED FIRMS/SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT/PAY ORDER EQUAL TO 5% TOTAL VALUE OF QUOTATION IN FAVOUR OF COMMANDER LOCAL PURCHASE DIVISION ALONGWITH THEIR BIDS.

2. FOR ANY AMPLIFIED DETAILS INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON OR THROUGH TELEPHONE. DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND 45 DAYS FOR IMPORTED ITEMS.

3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	DNF92332	6070.7354.06	6130725131850 / UPS 1500 VA	HF TX RX &4KW	1 / EACH/NUMBER	NO DATA AVAILAB LE		GR	ROHDE & SCHWAR Z GMBH & CO.KG MUHLDO RFSTR. 15 D-81671 MUNCHE N		TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
2	DNO91240	526-3696	6620775259155 / SENSOR GP- OIL LEVEL		2 / EACH/NUMBER	N/A					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
3	DN090686	DL-473WDL024-02-07-02 / 473WDL024-02-07-02/ZACR-061-SEW	4110FP3050061 / Anti-corrosion zinc bar (Fresh keeping device)		4 / EACH/NUMBER	473WDL024-02-07-02					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
4	DNO91574	ST2SAAE HENEAE310	5998505314290 / AZIMUTH HOLLOW ENCODER		1 / EACH/NUMBER	N/A					TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
5	DNF91374	210883-1	6655001622479 / EXPENDABLE BATHY PROBE T7	LEANDER CLASS DEPOT PACKAGE	8 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
6	DNF91571	210883-1	6655001622479 /	LEANDER CLASS DEPOT	4 / EACH/N						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			EXPENDABLE BATHY PROBE T7	PACKAGE	UMBER						SPECIFICATION - NO DATA AVAILABLE	
7	DNC914 43	ELEC-2650 / IN 63047/ 2650	623079511027 2 / SEARCH LIGHT HAND HELD (24V DC&230 WATT)	GRIFFON HOVER CRAFT LTD UK	2 / EACH/N UMBER	GEEPAS ®					TECHNICAL SPECIFICATION - 1. Make/ Brand: GEEPAS ® 2. Model: GSL5706 - 30Watt GENERAL SPECIFICATION - 1. Make/ Brand: GEEPAS ® 2. Model: GSL5706 - 30Watt	
8	DNF9157 2	DCC/HFB M/HW/120	673070521320 1 / HDMI CABLE 30M DVI TO HDMI	OPERATOR CONSOLE DCC-2012016 PAKISTAN	4 / EACH/N UMBER	DCC-2012016	NA	Data Communication and Control Pvt. Ltd. 409 Clifton Center, Block 5 Clifton, Khi 021-35363212	DATA COMM		TECHNICAL SPECIFICATION - Make: Dell or HP DISPLAY GENERAL SPECIFICATION - Make: Dell or HP DISPLAY CABLE	
9	SNC933 71	X0000342 0	293012386012 0 / ELBOW TO PLATE-CORE COOLE		1 / EACH/N UMBER	8V 2000 M84					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
10	DNF8956 7	d701-537	613573527071 2 / LUMINAL CELL (PACK OF 6 CELLS)		2 / EACH/N UMBER	NA				PROVIDE ADVANCE SAMPLE IF POSSIBLE	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
11	SNC933 72	X5941450 0018/87	281572530067 1 / EXHAUST PIPE BELOWS		1 / EACH/N UMBER	N/A					TECHNICAL SPECIFICATION - WEIGHT: 13.500KG GENERAL SPECIFICATION - WEIGHT: 13.500 KG	
12	DNF8902 4	FXTM2 32 / ONYX-32	599671514367 4 / MIXER PRE AMPLIFIER (PEAVY)	PA SYSTEM	1 / EACH/N UMBER	FXTM2 32		US		M/S:KYAF CORPORATION,24 NATIONAL T.V. MARKET SOHRAB KHATRA K ROAD SADDAR KARACHI ,TEL: 0092-21-5685654& 5680739	TECHNICAL SPECIFICATION - b. Specification: 32 channels Dual effect processors Digital audio ports interface 600 Ohm Mics supported c. Power Supply 220 V AC single Phase & 24 V DC d. Acceptance criteria 32 Mic should be ON at a time. High gain with no noise and distortion for crystal clear signal reproduction onboard e. Dimensions Height 92 cm approx. Width 64 cm approx. Depth 30 cm approx. Weight 21 kg approx. SOURCE OF AVALIBILITY:KYAF CORPORATION,24 NATIONAL T.V. MARKET SOHRAB KHATRA K ROAD KARACHI.TEL:0092-21-5685654&5680739. GENERAL SPECIFICATION - b. Specification:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											32 channels Dual effect processors Digital audio ports interface 600 Ohm Mics supported c. Power Supply 220 V AC single Phase & 24 V DC d. Acceptance criteria 32 Mic should be ON at a time. High gain with no noise and distortion for crystal clear signal reproduction onboard e. Dimensions Height 92 cm approx. Width 64 cm approx. Depth 30 cm approx. Weight 21 kg approx. SOURCE OF AVAILABILITY:KYAF CORPORATION,24 NATIONAL T.V. MARKET SOHRAB KHATRAK ROAD KARACHI.TEL:0092-21-5685654&5680739.	
13	DNF89256	05-00-0515-00	635071519447 2 / EMERGENCY STOP KIT, LIGHTED	Luggage Scanning Machine size (40)	1 / EACH/NUMBER	XIS-100X	ASTVC180LL740	ASTROPHYSICS INC. UNITED STATES psc91789-5233 tel 9095985488 fax 9095985546 nai 334511+334517+334519+335999+488119	Astrophysics Manufactured		<u>TECHNICAL SPECIFICATION - Security Equipment</u> <u>GENERAL SPECIFICATION - Security Equipment</u>	
14	DNZ92244	301 007 16	431072534008 5 / Crankshaft		1 / EACH/NUMBER	NA					<u>TECHNICAL SPECIFICATION - Hub/Stroke/Course 55 Ø 45 x 603</u> <u>GENERAL SPECIFICATION - Hub/Stroke/Course 55 Ø 45 x 603</u>	
15	DNF92368	R-41056367	614078528914 2 / lithium polymar rechargeable battery for MAVIC AIR 2		5 / EACH/NUMBER	pb2-3500mah-11.55v					<u>TECHNICAL SPECIFICATION - INTELLIGENT FLIGHT BATTERY 3500 MAH TYPE LIPO 3S VOLTAGE 11.55</u> <u>GENERAL SPECIFICATION - INTELLIGENT FLIGHT BATTERY 3500 MAH TYPE LIPO 3S VOLTAGE 11.55</u>	
16	DNF90377	zkx8s	581515171795 8 / zk-teco zk-8s/ZKTECO G3 PLUS biometric finger print reader		1 / EACH/NUMBER	zkx8s/ZK Teco G3 Plus					<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
17	DNF92523	gxt mt + cx 3 kva	599970524633 0 / vertiv ups 3kva/2400w		1 / EACH/NUMBER	GXT MT + CX 3 KVA					<u>TECHNICAL SPECIFICATION - i. Input voltage : 220V ii. Frequency : 50Hz iii. Phase : Single Phase iv. Rating: 3000VA (2700V) v. Output Voltage : 230 Volt vi. Frequency:</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimensión
											50Hz vii. Phase : Single Phase. viii. Operating temp: 0-40°C ix. Battery (external battery bank): 6x 12v 200ah maintenance free BACKUP TIME 30-45 MINUTES <u>GENERAL SPECIFICATION</u> - i. Input voltage : 220V ii. Frequency : 50Hz iii. Phase : Single Phase iv. Rating: 3000VA (2700V) v. Output Voltage : 230 Volt vi. Frequency: 50Hz vii. Phase : Single Phase. viii. Operating temp: 0-40°C ix. Battery (external battery bank): 6x 12v 200ah maintenance free BACKUP TIME 30-45 MINUTES	
18	DNF92511	PANASONIC VACUUM CLEANER / 7540	7910731001845 / VACCUM CLEANER HEAVY DUTY 220V 1300W 50HZ MODEL MC-CL443	IT SELF	1 / EACH/NUMBER	7540 JAPAN					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	
19	DNF90582	210883-1	6655001622479 / EXPENDABLE BATHY PROBE T7	LEANDER CLASS DEPOT PACKAGE	19 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	
20	DNF91967	STABAC SB-500	6110705055051 / UPS 500VA I/P180-240VAC O/P220V 50/60HZ B.U. T1.5HR WITH BATT	TEST EQUIPMENT SATVRN-32	1 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	
21	DNF91891	210883-1	6655001622479 / EXPENDABLE BATHY PROBE T7	LEANDER CLASS DEPOT PACKAGE	1 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	
22	DNO90748	3808616-VOLVO	2990270441646 / SENSOR	VOLVO PENTA ENGINE	1 / EACH/NUMBER	NO DATA AVAILABLE		27		M/S AB VOLVO PENTA. CITY: GOTEBO RG SWEDEN	<u>TECHNICAL SPECIFICATION</u> - - <u>GENERAL SPECIFICATION</u> - -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									GOTEBO RG			
23	DNF90746	SUA1000I/ APC BRAND	613070509030 1 / UPS OF APC BRAND 240V 1000VA B BACKUP TIME 1-1.30 HOURS	UPS	1 / EACH/NUMBER	APC BRAND					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
24	DNF89071	EP104UC	592550534414 3 / BREAKERS MCB 04 POLE 10 AMPS		2 / EACH/NUMBER	N/A					TECHNICAL SPECIFICATION - amperas 10a pole 4 pole minature circuit breaker B10 GENERAL SPECIFICATION - amperas 10a pole 4 pole minature circuit breaker B10	
25	DNJ91666	16510-61a31	294070526787 5 / filter assy oil		1 / EACH/NUMBER	dfa 150 suzuki					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
26	DNF90361	APC BRAND SMC2000I / GX9-2000	613078516675 2 / UPS 2KVA 2H O/P 220V 2000VA	PSS (CCTV SYS)	6 / EACH/NUMBER	APC BRAND/GX9-2000		M/s CETC Mansion, No. 5 Wulutong North Street. Xicheng Districe, Beijing, China	M/s CETC International CO., LTD		TECHNICAL SPECIFICATION - OEM & SOA: M/S CETC Mansion, NO.5 Wulutong North Street. Xicheng Districe, Beijing, China . GENERAL SPECIFICATION - OEM & SOA: M/S CETC Mansion, NO.5 Wulutong North Street. Xicheng Districe, Beijing, China .	
27	DNJ91667	09482-00446	593576525887 0 / SPARK PLUG (DCPR6E)		4 / EACH/NUMBER	N/A					TECHNICAL SPECIFICATION - OEM & MAKE: PAK SUZUKI CO LTD GENERAL SPECIFICATION - OEM & MAKE: PAK SUZUKI CO LTD	
28	DNF92858	33010319	414099260927 2 / FAN SPEED TRANSDUCER		1 / EACH/NUMBER	NA					TECHNICAL SPECIFICATION - FAN SPEED TRANSDUCER GENERAL SPECIFICATION - FAN SPEED TRANSDUCER	
29	DNF91963	Q101848	6130TY520087 3 / POWER SUPPLY Q4	METAL ANALYZER	1 / EACH/NUMBER	Q4 TASMAN	Q0195	Bruker AXS GmbH Karisruhe Germany Phone +49(0)721-50997-0 Fax +49(0)721-50997 E.mail: info@bruker-axs.de www.bruker.com	BRUKER GERMAN Y		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
30	DNO92027	319-6217.	534071526851 7 / CONNECTOR AS		2 / EACH/NUMBER	C9.3					TECHNICAL SPECIFICATION - CONNECTOR AS GENERAL SPECIFICATION - CONNECTOR AS	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
31	DNO92026	332-0296	662077524994 4 / SENSOR GP-PRESSURE		1 / EACH/NUMBER	C9.3					TECHNICAL SPECIFICATION - SENSOR GP-PRESSURE GENERAL SPECIFICATION - SENSOR GP-PRESSURE	
32	DNF87255	L-30	451078529091 9 / Hot Water Tap		10 / EACH/NUMBER	FS-30B					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
33	DNF91442	HID RP40	581071527971 1 / HID ICLASS R40 SE reader		1 / EACH/NUMBER	hid					TECHNICAL SPECIFICATION - ζ RFID card reader ζ HID iClass SE reader ζ R40/ U90 GENERAL SPECIFICATION - ζ RFID card reader ζ HID iClass SE reader ζ R40/ U90	
34	DNF91449	A6301-02	614071521961 7 / 12- VOLT BATTERY (LI-ION)	ANALYZER 6320 PA/VA USA	50 / EACH/NUMBER	A6320/PA	1408630658	1832 MIDPARK ROAD, SUIT 102, KNOXVILLE, TN (USA) 37921 TEL: 9546485528	M/s WINDROCK USA		TECHNICAL SPECIFICATION - 12VOLT BATTERY GENERAL SPECIFICATION - 12VOLT BATTERY	
35	DN090690	CSA-150-SEW / FFF1	534078527963 2 / ISOMETRIC COMPOSITE SACRI FICIAL ANODE (150 OD = 190 Ømm, ID = 153 Ømm)		3 / EACH/NUMBER	215ZF907-12-0					TECHNICAL SPECIFICATION - NSX-FHYJ-HZ3 1.0 MPa DN 150 OD = 190 (Ømm), ID = 153 (Ømm), Length of sleeve = 50 (mm) GENERAL SPECIFICATION - NSX-FHYJ-HZ3 1.0 MPa DN 150 OD = 190 (Ømm), ID = 153 (Ømm), Length of sleeve = 50 (mm)	
36	DNZ88543	2000001424	444077520691 6 / Filter Element (Main Hydraulic Pump)	De Donge Excavator B-Type BA 700 Netherlands	10 / EACH/NUMBER	N/A	5082	Shipyard De Donge Flushing Head Office, Harbour No. 5910 Vlissingen-Oost P.O. Box 240, 4460AE Goes, The Netherlands Tel.: (+31) 113.613.100, Fax.: (+31) 113.613.190 E-mail: info@shipyarddedonge	De Donge Flushing Shipyard (DFY)		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
37	SNS93760	3076126	291501498091 3 / Barrel & Plunger	Injector	2 / EACH/NUMBER	3609962	0	4155 QUEST WAY MEMPHIS	CUMMINS INC.		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
38	DNF92363	TFBLI2002/LPB-MP5E-17	611570520759 3 / BATTERIES (20V4AH) LITHIUM POLYMER	G-3 SIMULATOR 2017 PAK	1 / EACH/NUMBER	2017	NA	M/S SOFT INOVATION SYSTEM 34-A/2, 1st FLOOR LUXURY HOTEL, LALAZAR OFF. MT KHAN ROAD KARACHI +9221385610277	M/S SOFT INNOVATIVE SYSTEMS		TECHNICAL SPECIFICATION - BTTERY REQUIRED FOR SIMULATOR GENERAL SPECIFICATION - BTTERY REQUIRED FOR SIMULATOR	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
39	DNO90748	3808616-VOLVO	2990270441646 / SENSOR	VOLVO PENTA ENGINE	1 / EACH/NUMBER	NO DATA AVAILABLE		AB VALVO PENTA SE 40508 GOTHENBURG SWEDEN	VALVO PENTA		TECHNICAL SPECIFICATION -- GENERAL SPECIFICATION --	
40	DNF88524	BM7500 / IMEI: 358419070009444	6530705205216 / SVAS TAB	SVAS SYSTEM BM7500 PAKISTAN	1 / SET	BM7500	NY-SVAS-08	M/S C Digital, House No 275-C, Street No 13, Chaklala Scheme III, Rawalpindi Tel 051-5155790-92, Fax 051-5133789	INDIGENOUS PAK		TECHNICAL SPECIFICATION - SVAS TAB (Customized with NADRA compatible bar code reader and biometric scanner module, software and hardware included) with secure date SIM including one year date charges, service, warranty configuration and installation. OEM, ARATEK BIOMATRIC CO LTD TAIWAN E-MAIL SALES@ARATEK.CO TEL:886-5-2501-0001 GENERAL SPECIFICATION - SVAS TAB (Customized with NADRA compatible bar code reader and biometric scanner module, software and hardware included) with secure date SIM including one year date charges, service, warranty configuration and installation. OEM, ARATEK BIOMATRIC CO LTD TAIWAN E-MAIL SALES@ARATEK.CO TEL: 886-5-2501-0001	
41	DNF89986	SURTA1500XL	6130016539076 / POWER SUPPLY APC SMART -UPS ON-LINE , 1500VA 120V		1 / EACH/NUMBER	SRT1500 XLA/SURTA1500XL					TECHNICAL SPECIFICATION - APC SMART -UPS ON-LINE , 1500VA 120V, 6X5-15R NEMA OUTLETS SMART SLOTEXTENDED RUN TIME GENERAL SPECIFICATION - APC SMART -UPS ON-LINE , 1500VA 120V, 6X5-15R NEMA OUTLETS SMART SLOTEXTENDED RUN TIME	
42	DNC90131	ELEC-2650 / IN 63047/ 2650	6230795110272 / SEARCH LIGHT HAND HELD (24V DC&230 WATT)	GRIFFON HOVER CRAFT LTD UK	25 / EACH/NUMBER	GEEPAS®					TECHNICAL SPECIFICATION - 1. Make/ Brand: GEEPAS® 2. Model: GSL5706 - 30Watt GENERAL SPECIFICATION - 1. Make/ Brand: GEEPAS® 2. Model: GSL5706 - 30Watt	
43	DNF91829	210883-1	6655001622479 / EXPENDABLE BATHY	LEANDER CLASS DEPOT PACKAGE	8 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	