

**RESTRICTED**

**REGISTERED / IMMEDIATE**

Central Avn Spares Depot (EME)

Dhamial Camp Rawalpindi

Telephone: 8018 - 35580


81201-EME / LP/25-26 / IT-11

23 Nov 2025

To: Mr. Rizwan Mehmood,  
(Assistant Director - II)  
Public Procurement Regulatory Authority  
1<sup>st</sup> Floor FBC Building near State Bank,  
Sector G-5/2, Islamabad

Subject: **Local Purchase of Aviation Stores**

Central Aviation Spares Depot (EME) Invitation Tenders no 81201-EME/LP/25-26/  
IT-11/PPRA dated 23 Nov 2025 (copy attached) may be uploaded on PPRA for procurement of  
stores, please.

 Maj  
OIC LP Branch  
(Muhammad Zubair)

**RESTRICTED**

**CENTRAL AVIATION SPARES DEPOT (EME)**  
**QASIM ARMY AVIATION BASE, DHAMIAL CAMP RAWALPINDI**  
**TENDER NOTICE**

1. Sealed tender is invited from reputed firms possessing NTN certificates for supply of under mentioned items. Procurement will be carried out in the light of PPRA rules. **Quantity mentioned in tender is approximate requirement for complete financial year, however purchase quantity can be increased or decreased.** Being shelf life items purchase order will be placed in batches / packages in reduced quantity as per immediate requirements / needs. Firms should avoid quoting exorbitant rates.

| Ser | Tender No                                  | Detail of Required Stores | No of Items                            | Delivery Period                                   | Date and Time of Tender |                         |
|-----|--|---------------------------|--|---|-------------------------|-------------------------|
|     |  |                           |  |   | Submission              | Opening                 |
| a.  | 81201-EME/LP/25-26/IT-11 dated 23 Nov 2025 | Cap Bldg/EXP / MISC Items | (List attached as Annexure A,B,C,D & E | 30 Days Local Stores & 90 Days For Foreign Stores | 11 Dec 2025 at 1030 Hrs | 11 Dec 2025 at 1100 Hrs |

2. **Submission of Offers by the Firms.**

- a. Quoted rates must be valid up to **30 Jun 2026**.
- b. Delivery Period should be 1 x month for local and 3 x months for imported items.
- c. Those firms which are having pending deliveries of last financial year will not be allowed to participate in tender.
- d. **Bids of registered firms having valid MI-Dte security clearance will only be accepted.**
- e. Firm must quote items in separate envelopes clearly marked "Technical Offer" and Commercial Offer" in separate categories Anx wise as given below. **IT number must be mentioned on both envelopes: -**

| Category              | Heading on Envelop (Technical)                 | Heading on Envelop (commercial)                 |
|-----------------------|--|---|
| Cap Bldg / MISC Items | <b>Annexure A,B,C,D &amp; E</b><br>(Technical) | <b>Annexure A,B,C,D &amp; E</b><br>(Commercial) |

- f. **Technical Offer.** The offer must include the following information which will be evaluated by a board:-
  - (1) Brand name, specification, country of origin.
  - (2) The source / firm authorization for all branded items to be imported by the firms. The firms are also requested to provide authorization / license to import these items.
  - (3) Validity of offer should be upto **30 Jun 2026**.
  - (4) Delivery period for each item must be mentioned on the quote. Delivery period will start from the date of issuance of POs, if firm considers that delivery will not be possible within 1 x month for local and 3 x months for foreign items. Firm should approach this office before expiry of delivery period.
  - (5) The purchaser can waive off any of the conditions stipulated in this tender inquiry and reserve the right to accept or reject thereto.
  - (6) Bidders should note that decision of Commandant CASD (EME), Dhamial Camp, Rawalpindi will be final in respect of acceptance / rejection of the offers.
  - (7) All samples and supplies will be subject to tests and inspections either by the board of officers constituted for the purpose and any cost incurred on tests / inspections and stores consumed in the same will be borne by the suppliers. Depot may test /

- inspect samples before placing of purchase orders.
- (8) During warranty period (if stores supplied is/ are backed by warranty), if a faults occurs in supplied stores then supplier will be responsible to either rectify the faults communicated or get the faulty parts replaced within 7 (seven) days of the receipt of information in this regard from the purchaser at his specified places which can be other than the place of delivery of stores. In case supplier fails to rectify the faults or replace the faulty parts in a specified time then purchaser will have the right to take disciplinary action against the supplier and also impose penalty if considered necessary / appropriate.
  - (9) During warranty period it will be the responsibility of the supplier to carry out periodic maintenance of supplied stores as prescribed by the manufacturers free of cost as purchasers specified places which can be other than the place of delivery of stores.
  - (10) In case of an item has no specifications, drawing or approved sample then a board of officers appointed for the purpose will decide its acceptable standards.
  - (11) Make / model / brand and country of origin of stores must be mentioned where applicable.
  - (12) Manufacturer certificate of branded items must be provided.
  - (13) Prices / rates will be quoted on delivery basis at locations all over Pakistan.
  - (14) Prices / rates will be inclusive of all applicable taxes / duties.
  - (15) Prices / rates quoted must be as per accounting unit.
  - (16) More than one manufacturer / model may also be quoted giving separate price of each manufacturer / model.
  - (17) Prices / rates will be quoted in Pakistani currency.
  - (18) Part delivery / part payment will not be accepted / made.
  - (19) Payment will be made after acceptance of ordered stores.
  - (20) If stores are not delivered within delivery period, penalty will be imposed.
  - (21) Items should be packed properly at the time of delivery as per standard packing regime.
  - (22) Participation by authorized representatives of concerned firms is mandatory, absence may entail in rejection of bids. In case representative cannot attend the opening proceedings of tender, prior written intimation is mandatory for consideration to accept the bids.
  - (23) Technical detail may be sought out by firms.

g. **Commercial Offer.** This offer must include the item wise rate and total amount of stores to be offered. This offered will only be open after acceptance of technical offer.

- (1) **Opening date / time of commercial offer shall be communicated to all participants, whose technical offers have been accepted / qualified on the completion of technical evaluation.**
- (2) As far as possible Price(s) / Rate(s) must be quoted against each item, where prices / rates are not being quoted this should be reflected by words " NOT QUOTED "
- (3) List of store(s) (hard copy) will be submitted duly typed, (not hand written) signed and duly stamped on each paper or else offer will be rejected.
- (4) Quoted rates are only valid on firm's letter head.
- (5) No change should be made in soft copy of tender inquiry provided (list of stores and bidders should fill prices) / rates in front of the items without deleting / amending any column / row and without disturbing the serial numbers.

3. **Additional Documents Requirement.** Firm shall also submit following documents along with technical offer to participate in tender.





- a. Photocopy of registration with Govt agencies / certificate of clearance with services headquarter.





- b. Attested copy of registration certificate issued by Sales Tax Department, copy of NTN certificate.
  - c. Attested photocopy of CNIC of MD.
  - d. Certificate that firm is neither defaulter nor blacklisted by any Govt Org directly or indirectly.
  - e. Undertaking for adequate financial capability to the value of tender.
  - f. Attested bank statement for last one year (for firms not yet register with CASD).
  - g. **Each bid should accompany 5% of the bid amount of items as earnest money (COMPULSORY)** in the shape of PAY ORDER / BANK DRAFT in the name of commandant CASD. Tender without earnest money will not be entertained.
  - h. Detail of works experience with Govt / Semi Govt Org if any (desirable documents but not mandatory).
  - i. **Tender fee amounting to Rs. 3,000/-** per tender..
4. **Purchasers Right.** Purchasers do not pledge to accept the lowest or any tender and reserves the right of accepting the whole or any part of the offer made. Firm will be given purchase orders after completion of above formalities. **LD charges will be imposed on weekly basis after expiry of delivery period.**
5. **Date and time of receipt of tender.** Tender must reach this depot / dropped in tender box placed at main gate CASD (EME) Rawalpindi by time and date as specified in para a above. This office will not accept any excuse of delay occurring in post. Tender received after appointed / fixed time will not be entertained.
6. **Additional details required for each item separately**
- a. Rate including taxes / duties.
  - b. Delivery period of each item.
  - c. Offer validity till **30 June 2026**.
  - d. Performance guarantee.
  - e. Clarify shipping plan (By Air / Sea).
  - f. Specify warranty period.

For further details contact.






Phone: 051-5686289 or Visit Web site [www.ppra.org.pk](http://www.ppra.org.pk)






799 EME Bn Cap Bldg

| S/No | Part No / Alt Part No | Nomenclature  | A/U | Qty | Remarks/Addl Info  | Picture   |
|------|-----------------------|---|-----|-----|--|---|
| 1.   | AVN-GSE-8003          | HY DUTY RACKS ADJUSTABLE SHELVES AND COLUMNS  | Nos | 14  | 8ft x 4ft x 1 ft with adjustable height  |    |
| 2.   | AVN-GSE-8004          | EXPENDABLES RACK  | Nos | 8   | 8ft x 4ft x 1 ft with 2ft spaced height  |    |
| 3.   | AVN-GEN TOOLS-02      | WORKING STA FOR AIRFRAME WORKSHOP / HANGER (METAL TABLES WITH ELECTROSTATIC MATS, TOOLS HODLERS AND ELEC POWER SUP) | Nos | 17  | Steel or heavy duty alloy framed with laminated or stainless steel tops L x 8ft, W x 3ft , Loading capacity 200-500 kg, draws 3-4, tools rack, ESD protection & inbuilt pwr supply |   |
| 4.   | AVN-GSE-3995          | WKSP WORK STOOL   | Nos | 16  | Adjustable height, 360° swivel, cushioned or wooden seat   |  |






| S/No | Part No / Alt Part No | Nomenclature    | A/U | Qty | Remarks/Addl Info   | Picture   |
|------|-----------------------|-----------------|-----|-----|---|---|
| 5.   | GP-GENSTO-19777       | OFFICE CABINETS | Nos | 13  | Steel cabinet in 4-5 drawers, loading capacity 30-50 kg per shelf & 6ft height  |    |
| 6.   | TPN-PPE-704-001       | PPE GOOGLES     | Nos | 7   | Incl helmet, safety goggles, ear protection, gloves, high visibility vest, safety shoes, steel helmet and stand with hooks for qick acces |    |
| 7.   | TPN-PPE-704-003       | PPE GLOVES      | Nos | 7   | Incl helmet, safety goggles, ear protection, gloves, high visibility vest, safety shoes, steel helmet and stand with hooks for qick acces |   |
| 8.   | TPN-PPE-704-004       | PPE MASK        | Nos | 7   | Incl helmet, safety goggles, ear protection, gloves, high visibility vest, safety shoes, steel helmet and stand with hooks for qick acces |  |













| S/No | Part No / Alt Part No | Nomenclature   | A/U | Qty | Remarks/Addl Info   | Picture   |
|------|-----------------------|--|-----|-----|---|---|
| 9.   | TPN-PPE-704-006       | PPE EYE SAFETY FOR WELDER  | Nos | 7   | Incl helmet, safety goggles, ear protection, gloves, high visibility vest, safety shoes, steel helmet and stand with hooks for quick access |    |
| 10.  | TPN-PPE-704-008       | SAFETY BOOTS FOR WELDER AND CARPENTER                                  | Nos | 7   | Incl helmet, safety goggles, ear protection, gloves, high visibility vest, safety shoes, steel helmet and stand with hooks for quick access |    |
| 11.  | DH1012B               | ALLEN KEY 3/32"  | Nos | 4   | Short Arm hex key set- GGG-K-275  |    |
| 12.  | TPN-WB-704-001        | ESD WORK SHOP TABLE WITH STEEL TOP ( LIGHT GREY MAT COLOUR (RAL 7045)) | Nos | 4   | Non Conductive / antistatic mats made of 2-3 mm thick rubber or vinyl, surface resistance 10Ω   |   |
| 13.  | AVN-NIV-E-19          | ELEC CUTTING SAW   | Nos | 1   | H x 3ft, L x 5ft, fixed wood cutting saw & Pwr input 220VAC   |  |





| S/No | Part No / Alt Part No | Nomenclature   | A/U | Qty | Remarks/Addl Info  | Picture   |
|------|-----------------------|--|-----|-----|--|---|
| 14.  | DCB780C2              | DEWALT DRILLING MACHINE WITH ADDITIONAL BATTERY DCB 780C218V | Nos | 1   | Drill machine with different bits size set, pwr cable 100ft & input pwr 220 VAC.                 |    |
| 15.  | AVN-NIV-B-57          | BENCH VICE   | Nos | 2   | Table with fix vice, H x 2.5-3ft, w x 3ft, L x 5ft and 2 x Draws                                 |    |
| 16.  | AVN-P-240             | PORTABLE AIR COMPRESSOR (3 HP)                               | Nos | 4   | Air compressor with capacity of 2000 CFM, pressure of 145 psi & powered by 200 kw electric motor |    |
| 17.  | 4920-01-185-6215      | WASH UNIT  | EA  | 1   | Tank capacity 10 lits with two connect hot/cold water, L x 6ft & H x 4ft.                        |   |
| 18.  | EME-25366             | GRINDING CUTTING MACHINE                                     | Nos | 1   | Metal cutting machine with motor op, 100ft elctric cable & pwr input 220VAC.                     |  |







| S/No | Part No / Alt Part No | Nomenclature                  | A/U | Qty | Remarks/Addl Info  | Picture   |
|------|-----------------------|-------------------------------|-----|-----|--|---|
| 19.  | AVN-503-T-3828        | PORTABLE WELDING PLANT        | Nos | 1   | Portable welding plant with 100ft electric cable & 220VAC pwr input.                                     |    |
| 20.  | DW-812                | HAND GRINDER MACHINE          | Nos | 1   | Metal surface smoothing machine with motor op, 100ft electric cable & pwr input 220VAC.                  |    |
| 21.  | TPN-Desk-704-001      | COMPUTER TABLE WITH CHAIR     | Nos | 5   | Computer Table made of metal or laminated wood with lockable drawers & office Chair                      |    |
| 22.  | TPN/704/DHE/01        | AIR CONDITION AC              | Nos | 1   | 1.5 ton cooling capacity of about 24000 BTU/hr, pwr input 220 VAC, wall mounted & remote control         |   |
| 23.  | HMI-1022              | DIGITAL DISPLAY COMPUTER ASSY | Nos | 5   | Core i7 13th Gen all in one computer 1 x LCD with built in CPU space, intel 24" screen, 8 GB RAM, 512 GB |  |

| S/No | Part No / Alt Part No | Nomenclature                                   | A/U | Qty | Remarks/Addl Info  | Picture   |
|------|-----------------------|--|-----|-----|--|---|
| 24.  | KG/PKG-3797           | FIRE EXTINGUISHER BALLS (AFO)                  | Nos | 15  | weight - 1.3 kg, used for A, B & C type fire.  |    |
| 25.  | AVN-NIV-L-12          | LADDER FOLDING ALUMINUM 2 x STEPS, 2 FT HEIGHT | Nos | 8   | Height 4ft qty-1<br>Height 6ft qty-1   |    |
| 26.  | AVN-GSE-4056          | VACUUM CLEANER                                 | Nos | 3   | Pwr input 220VAC and hose length 10ft  |    |
| 27.  | RBL4000               | RED BOX 28 VDC                                 | Nos | 2   | Pwr input 220VAC and Output 28 VDC   |   |
| 28.  | AVN-GSE-210           | TOWING BAR                                     | Nos | 4   | 4 x towing bars for each cat of ac B-350 part no 01-1109-0010<br>Cessna 208 local mfr<br>Cessna 206 local mfr<br>SMK local mfr |  |


| S/No | Part No / Alt Part No | Nomenclature                     | A/U | Qty | Remarks/Addl Info   | Picture   |
|------|-----------------------|----------------------------------|-----|-----|---|---|
| 29.  | AVN-GSE-44107         | E-PUBLICATION SYSTEM             | Nos | 8   | Stand-alone PC, keyboard, mouse, mannual / books shelves & 100ft electric cable |    |
| 30.  | AVN-GSE-9008          | COWLING / FAIRING RACKS          | Nos | 9   | H x 6ft,W x 5ft depth 3,5ft, L x 8ft & 3 shelves                                |    |
| 31.  | AVN-GSE-30003         | SMD LTS STAND                    | Nos | 6   | Variable height, moving base, max height 10ft with 100ft electric cable         |    |
| 32.  | AVN-GSE-12135         | INDUSTRIAL FANS                  | Nos | 8   | 3ft dia, 120W, portable moving stand with 100ft electric wire                   |   |
| 33.  | BC-97600-15           | RESTER SEAT UNIT COMBO 4/3 SEATS | Nos | 30  | Made of mild steel & wood, H x 2.5ft, backrest 4ft & L x 6ft.                   |  |


| S/No | Part No / Alt Part No | Nomenclature  | A/U | Qty | Remarks/Addl Info                                 | Picture   |
|------|-----------------------|---|-----|-----|---|---|
| 34.  | AVN-NIV-E-48          | ELECTRIC WATER COOLER   | Nos | 4   | Two connection hot and cold with pwr input 220VAC |    |
| 35.  | ALM-139-LH18-10       | PNEUMATIC DISTRIBUTION UNIT WITH 3 PORT 100 PSI   | Nos | 6   | Input compressed air with emergency cutoff switch |    |
| 36.  | 34788NI               | RECLAIMER,REFRIGERANT,OEM REF NO 34788NI,AIR CONDITIONING SYSTEM,FW,CESSNA GRAND CARAVAN 208B,BOSCH AUTOMATIVE SERVICE SOLUTIONS INC, USA | Nos | 1   | Auto recovery aircraft AC system servicing        |   |
| 37.  | 634000120             | DCP TROLLEY FIRE EXTINGUISHER   | Nos | 5   | 2 x CO-2 cyl with carring trolley                 |  |

| S/No | Part No / Alt Part No | Nomenclature   | A/U | Qty | Remarks/Addl Info  | Picture   |
|------|-----------------------|--|-----|-----|--|---|
| 38.  | AVN-NIV-A-27          | AC DOCUS FOLDER                                      | Nos | 60  | Legal siz Box file   |    |
| 39.  | AVN-NIV-D-11          | DATA STORAGE DEVICE 1 TERA BYTE                      | Nos | 2   | Data storage capacity 500 GB   |    |
| 40.  | AVN-503-T-3948        | SMALL RACK 4 SHELVES SIZE 8"x10"x2"                  | Nos | 4   | Made of mild steel, H x 6ft, L x 8ft, width 1.5ft, 4 x shelves and weight capacity 30-40 kg. |    |
| 41.  | 6720ZO3519018         | DIGITAL CAMERA SONY 14 MEGA PIXL M/DCS-W610/B (SONY) | Nos | 1   | Camera   |   |
| 42.  | AVN-FFS-786-016       | LCD (SAMSUNG 40 INCH OR EQUIVALENT)                  | Nos | 2   | LCD 40"  |  |








| S/No | Part No / Alt Part No | Nomenclature                                  | A/U | Qty | Remarks/Addl Info  | Picture   |
|------|-----------------------|---|-----|-----|--|---|
| 43.  | 579536 (Rev C)        | TBOs Record Borad                             | Nos | 10  | Panflex 2.5 x 4 with wood frame  |    |
| 44.  | AVN-PS-1000268        | Publications Storage Racks                    | Nos | 6   | Made of matel or wood, H x 8ft, width 3ft depth 2.5ft & 4 x shelves of 2ft |    |
| 45.  | DP-8045               | PANASONIC DIGITAL PRINTER / PHOTOCOPY MACHINE | Nos | 1   | Photocopier machine  |   |
| 46.  | AVN-NIV-C-116         | CHAIR WITH ARM                                | Nos | 20  | Chair with paper arm   |  |














| S/No | Part No / Alt Part No                               | Nomenclature                                 | A/U | Qty | Remarks/Addl Info   | Picture   |
|------|---|--|-----|-----|---|---|
| 47.  | W6/PWF/0217/A<br>0219/NIV-SRS-002/<br>W6/PWF/0164/A | Projecor Panasonic VX-420A                   | Nos | 1   | SONY VPL-VW325ES 4K Cinema Projector  |    |
| 48.  | 902-12900   | PHOTOCELL (BANNER) 3 FT                      | Nos | 10  |   |    |
| 49.  | NIV-SS-1004   | White Board With Stand (6 x4)                | Nos | 2   |   |    |
| 50.  | 20-4504-7000  | Nitrogen / Oxygen Cart                       | Nos | 1   | 4 Cyl fitting cage with monitoring separate gauge & pressure hose 20ft length |   |
| 51.  | NIV-TPN-ADOPTER-0001                                | NITROGEN GAS CYLINDER CHARGING ADOPTER + KEY | Nos | 4   | Made of brass   |  |
| 52.  | AVN-NIV-E-122                                       | Extension Lead W/Board 30                    | Nos | 2   | Power Input 220-240 VAC<br>Cable Leangth - 100 ft                             |  |








| S/No | Part No / Alt Part No | Nomenclature                         | A/U | Qty | Remarks/Addl Info          | Picture   |
|------|-----------------------|--------------------------------------|-----|-----|----------------------------|---|
| 53.  | HC-7000               | HOSELINE PORTABLE AIR<br>CONDITIONER | Nos | 1   | Ground Operating<br>System |  |

299 EME Bn Cap Bldg



| Ser | Part No        | Nomen  | A/U | Mil/ Tech Specs  | Photo   |
|-----|----------------|--|-----|--|---|
| 1.  | 704A94-7508-05 | Hyd Bench Elec Motor   | Nos | Elec Operated (Min Hyd Pressure 60 Bar)  |    |
| 2.  | 6001072-10     | Sling, Lifting Engine, OEM Ref No 6001072-10, GSE, FW, SMSK AC, AMF, AMF, Pakistan     | Nos | Eng lifting sling used for lifting the ac Engine for SMK ac. Req for <b>SMK ac.</b>                                  |    |
| 3.  | 5807045-000    | Bracket Engine Mount, Puller, Oem, Ref no 5807045-000, GSE,FW.SMK, AC, AMF, Pakistan   | Nos | Items req for removal of eng mount. Req for SMK ac.  |    |
| 4.  | 6001007-001    | Alignment Tool, Electronic Equipment   | Nos | Items req for adjusting idle RPM. Req for SMK ac.  |    |
| 5.  | 6003483-100    | Mounting Tool, Nose Gear, OEM Part no 60003483, GSE, SMK, AFM, Pakistan                | Nos | Tool nose gear mounting req for removal/ instl of nose gear assy. Req for SMK ac.                                    |  |
| 6.  | 5807090-000    | Maintenance Platform, OEM Part no 5807090-000, Pakistan Aeronautical Complex, Pakistan | Nos | Central universal trestle is used to support central fuselage of ac when landing legs are removed. Req for SMK ac.   |  |
| 7.  | 6001098-100    | Trestle, Front, OEM Part no 6001098-100, GSE,FW,SMK,AFM, Pakistan                      | Nos | Trestle front is used to support ac when nose wheel a ssy is removed . Different for Msk and SMK ac. Req for SMK ac. |  |

| Ser | Part No          | Nomen  | A/U | Mil/ Tech Specs  | Photo   |
|-----|------------------|--|-----|--|---|
| 8.  | 5942015-100      | Trestle, OEM Ref No 5942015-100, GSE,FW,SMK,AC,AFM, Pakistan | Nos | Req for supporting fuselage while nose wheel is removed. Req for <b>SMK ac</b> .       |    |
| 9.  | 537-883-12655    | Watch Maker Screw Driver                                     | Nos | 16xPcs Precision Screw Driver Watchmaker/ Jewellery Set                                |   |
| 10. | 11-8950-2        | High Tension Lead Tester                                     | Nos | Req for HT lead testing on every 100 hrs insp and any observation of megneto of Msk ac |    |
| 11. | 4940-ZO-153-2022 | Main Plate Form  | Nos | Req for Routine Maint of Ecrl Hels Sample Aval at 299 EME Bn                           |    |
| 12. | 703A95050500     | Hose, Drainage, Oil, MGB and TGB                             | Nos | Flexible Hose  |    |
| 13. | 703A95052001     | Hose Drainage Engine   | Nos | Flexible Hose  |   |
| 14. | 895-20077        | Oxygen Cylinder (Hp)   | Nos | 3000 Psi Pressure<br>Length-5Ft 2in<br>Diameter-10.2 Inch                              |  |








| Ser | Part No         | Nomen  | A/U | Mil/ Tech Specs   | Photo   |
|-----|-----------------|--|-----|---|---|
| 15. | 550-000615      | Nose Gear Wheel Socket 45mm<br>(Socket Insert)         | Nos | <ul style="list-style-type: none"><li>Shape – Hexagonal Socket</li><li>Size – Inner Dia 45mm</li></ul>                                    |    |
| 16. | 5807081-000     | Main Gear Wheel Socket 65mm<br>(Socket Main Wheel Nut) | Nos | <ul style="list-style-type: none"><li>Shape – Hexagonal Socket</li><li>Size – Inner Dia 65mm</li></ul>                                    |    |
| 17. | WRS-ADJ-BRAELET | Antistatic Discharge                                   | Nos | -   |   |
| 18. | 2160BHB         | Snap On Tool Kit                                       | Nos | Detail Att as <b>Appx-I</b>   |    |
| 19. | AVN-GSE-30003   | Smd Light with Stand                                   | Nos | Variable Ht Moveable Base<br>Mx Ht 10 Ft<br>Wire 100 Ft<br>100W LED Light Lamp  |   |
| 20. | G-037005        | Multimeter   | Nos | LCD Screen Display<br>Max Measure Capabilities with High Accuracy<br>Auto and Manual Version<br>DC Voltage 200V<br>AC VVoltage 2V to 750V |  |







| Ser | Part No         | Nomen  | A/U | Mil/ Tech Specs   | Photo   |
|-----|-----------------|--|-----|---|---|
| 21. | AVN-503-T-3803  | Transportation Trolley 5x3 Ft 400 Kg Wt Capacity Caster Wheels | Nos | Widht =1.5 Ft<br>Height=4 Ft<br>2x Front Wheel<br>2x Rear Wheel   |    |
| 22. | AVN-GSE-40005   | Tn Trolley   | Nos | Length=4 Ft<br>Width-2.5 Ft<br>2x Front Mov Wheel<br>2x Rear Wheel  |    |
| 23. | AVN-2019-182    | Elec Wire Switch   | Nos | Operate on 220 V<br>50 Meter Length Wire<br>Both Side Switch Circuit  |    |
| 24. | TPN-GSE-337-OLD | Weight Machine Digital GR                                      | Nos | 400 Lbs   |    |
| 25. | AVN-3-0024      | Tyre Pressure Gauge  | Nos | Digital Dial Display<br>Reads Upto 300 Psi  |   |
| 26. | E-2A            | Cylinder Diffrential Gauge                                     | Nos | Body Type Alumanium of Steel<br>Pressure 0 to 160 Psi<br>Quick Connector Hose<br>Standard Size 0.040 Inch           |  |
| 27. | AVN-GSE-786037  | Trolley  | Nos | Iron Body with Rubber Wheel with Rubber Handle<br>Start Pac Stand Dimension:-<br>L-17 Inch<br>W-8 Inch<br>H-10 Inch |  |





| Ser | Part No      | Nomen                                       | A/U | Mil/ Tech Specs  | Photo   |
|-----|--------------|---|-----|--|---|
| 28. | AVN-NIV-L-12 | Ladder Foding Aluminum 2xSteps, 2 Ft Height | Nos | (max height after folding 4 ft so that can be adjusted in baggage compartment) |  |
| 29. | TPN-GSE-397  | Maint Platform Servicing                    | Nos | Height 4.5 Ft, three Step, Req for Cessna-208B Servicing and Cleaning          |  |








399 EME Bn Cap Bldg





| Ser | Part No      | Nomen  | A/U | Mil/ Tech Specs   | Photo   |
|-----|--------------|--|-----|---|---|
| 1.  | QZ13692      | Tool Imperller Wear, OEM part no QZ13692,RW MI-17          | Nos | Use to check wearness of EAPs impeller fan blade(mm)  |    |
| 2.  | 54416-03/021 | Wrench Torque  | Nos | used for torquing of fuel tank strap with rorque value 07Kgf/CM2  |    |
| 3.  | DPY-0,1-2    | Dynamometer  | Nos | Use for measurement of force applied on Controls.with value of 5 kgf/cm2  |    |
| 4.  | 6360/504     | Decvice for checking plays in joint of tail rotor turn rod | Nos | Use for measurement of shaft and fork play of tail rotor hub  |    |
| 5.  | G3- 109      | Low Frequency  | Nos | udio Sweep Generator delivers precise speaker testing with minimal sine wave distortion, ensuring accurate audiometry results. Equipped with digital display for frequency and amplitude                                |   |
| 6.  | PWC32677-300 | Compressor Wash Unit                                       | Nos | a. 2x Tanks with capacity of 38-40 litres each.<br>b. 3x Pressure gauges having pressure range from 1-160 PSL.<br>c. 3x Open close valve.<br>d. Both tanks are interconnected with adjustable valve with outlet filter. |  |
| 7.  | 8AT-9103-010 | MGB Torque Wrench 135 Kg                                   | Nos | Use for MGB mounting with torque value upto 90kgf/cm2   |  |

| Ser | Part No                 | Nomen   | A/U | Mil/ Tech Specs   | Photo   |
|-----|-------------------------|---|-----|---|---|
| 8.  | IN-11                   | Strain Guage, Checking HEL                                  | Nos | used for cable tention with value of 100kgf/cm2   |    |
| 9.  | 8AT-9102-80             | Torqu Wrench 200 NM ( 20 Kg F/M) with extension (s-19&S-32) | Nos | torquing of MGB mount with torque value 7kgf/cm2  |    |
| 10. | Avn-T-56                | Tyre Pressure Gauge Reads upto 300 PSI (TPG)                | Nos | Used for checking of pressure of Tyres upto 300 PSI   |    |
| 11. | PWC36377-300            | Comp Wash Cart  | Nos | a. 2x Cyl vessels with inside hand pump.<br>b. 2x Pressure gauges instl on cyl vessels.<br>c. Both Cyl are interconnected with adjustable valve.<br>d. Each cyl has 10 lit capacity.<br>e. Hose 6 Mtr length, 5 mm dia and 3 mm thickness are conected the cyl. |    |
| 12. | AVN-GSE-404             | Safety Glasses  | Nos | For ac/hel ground Marshalling   |   |
| 13. | Avn-GSE-406             | Sun Hat   | Nos | Req for air crew  |   |
| 14. | Avn-Tool Hazet 1811-250 | Wire Locking Twister  | Nos | For twisting locking wire   |  |




| Ser | Part No     | Nomen                   | A/U | Mil/ Tech Specs  | Photo   |
|-----|-------------|-------------------------|-----|--|---|
| 15. | Avn-GSE-408 | Ear Muff                | Nos | For as/hel ground marshalling and VIP/VVIP Msn   |  |
| 16. | B-045882    | Air Compressor Portable | Nos | For maintain the pressure of hel wheels in fd Area / op reqmt where power supply not aval. |  |

AAES Cap Bldg






| Ser | Part No          | Nomen  | A/U | Mil/ Tech Specs   | Photo   |
|-----|------------------|--|-----|---|---|
| 1.  | 915-18632        | VXP KIT  | NOS | VXP 2000  |    |
| 2.  | Tab-786-01       | Tab For Exam Sys   | Nos | <ul style="list-style-type: none"> <li>• 256 Gb Memory</li> <li>• With Shock Proof Casing</li> <li>• 1920 x 1200 pixels</li> <li>128 GB</li> <li>More Storage</li> <li>• 2.8 Ghz Processor</li> </ul> |    |
| 3.  | Z9/PZJ/0191/A    | UPS 3000 VA APC (STANDARD BACK UP)   | NOS | APC Smart- UPS 3000VA -LCD RM 2U 120V   |    |
| 4.  | AVN-NIV-B-186    | BTY LEAD ACID 12 VOLT 200 AH   | NOS | Valve Regulated Lead Acid Btys, 12volt, 200AH   |    |
| 5.  | AVN-GEN-4676     | SCISSOR LIFT MANUAL TRAVELLING 12 METTER, RATED LOAD: 500KG, PLATFORM SIZE: 1.8X1.0M, STROKE TIME: 60S | NOS | High Rise Maintenance Platform (extendable)- Max Hight 40'  |  |
| 6.  | ADSE-650-P004    | VACCUM PUMP  | NOS | Hyundai Vacum Pump 0.75Hp (HCPSP0.75-1x1N)  |  |
| 7.  | B40W BP KARACHER | SCRUBBER   | NOS | Numatic 080062 TT4045 220V operated   |  |


| Ser | Part No       | Nomen                     | A/U | Mil/ Tech Specs   | Photo   |
|-----|---------------|---------------------------|-----|---|---|
| 8.  | AVN-GSE-12027 | TOOL KIT (QCI 14XITEMS)   | NOS | REQ FOR AC /HELI , MAINTENANCE<br>• SET OF SPANNER<br>• SET OF SCREW DRIVER<br>• FILLER GAUGE<br>• SCALE<br>• VERNIER CALIPER<br>• STEEL ROLL<br>• MAGENTIC PICKUP TOOL<br>• DINGER CUTTING PLIER<br>• ZINK ALLOY MAGNIFIER<br>• INSP TOOL KIT<br>• FOLDING UTILITY KNIFE<br>• TORCH<br>• FIBER TIP COLOR MARKER<br>• BOX |    |
| 9.  | Avn-GSE-8004  | EXPENDABLE RACKS          | NOS | FOR LAYOUT OF EXP ITEMS<br>• LENGTH 8FT<br>• WIDTH 3FT<br>• HEIGHT 7FT<br>• WITH 5 X SHELVES<br>• LOAD CAPCAITY PER PAYER 0-50 KG, 50-100KG   |    |
| 10. | Avn-GSE-8010  | Bin Racks                 | NOS | • 4x6 ft with Wheels<br>• Including bins of Fol Size:<br>• (6" x 12"<br>• 10"x12"<br>• 12" x 12")   |   |
| 11. | AVN-112346    | HAND LADDER 14' (FOLDING) | NOS | • FOR ACCESS WORK ON AC/HEL<br>• MAX HEIGHT 14FT  |  |



| Ser | Part No        | Nomen                         | A/U | Mil/ Tech Specs   | Photo   |
|-----|----------------|-------------------------------|-----|---|---|
| 12. | TPN-704-MWT-01 | Metal Workshop Table          | NOS | <ul style="list-style-type: none"><li>• WORKING IN SHOP/ HANGER•</li><li>MATLE TABELS TOOL HOLDERS &amp;</li><li>ELECTRICAL POWER SOCKETS. •</li><li>DIMENSION 6' X 4' X 2.5'</li></ul>   |  |
| 13. | 6127139-009    | FIRST KIT BOX                 | Nos | <ul style="list-style-type: none"><li>• FOR USE INDL SAFETY</li><li>• VINYL CARDBOARD BOX 1</li><li>• FIRST AID BOOK 1</li><li>• ANTISEPTIC CREAM 10 GRM 1</li><li>• SAFTEY PIN 10</li><li>• ADHESIVE PLASTER 19X72 MM -10</li><li>• ADHESIVE PLASTER 25X72 MM-5</li><li>• ADHESIVE PLASTER ROUND-3</li><li>• TWEEZER PLASTIC 1</li></ul> |  |
| 14. | AVN-GSE-42002  | FIRE EXTINGUISHER CO2 (20 KG) | NOS | <ul style="list-style-type: none"><li>• CHARGE: 20KG CO2</li><li>• WORKING PR: 50 BAR</li><li>• SAFTEY VALVE: 18.5 5MPA</li><li>• DISCHARGE TIME: 25 SEC</li><li>• DIA CYL: 200MM</li><li>• TESTING : 250 BAR</li><li>• BURSTING PR: 560 BAR</li></ul>  |  |

199 EME Bn Cap Bldg

| Ser | Part No         | Nomen                         | A/U | Mil/ Tech Specs  | Photo   |
|-----|-----------------|-------------------------------|-----|--|---|
| 1.  | 64782           | PULLER,SLIDE HAMMER           | Nos | Puller feature 2.5 lb hammer, 2-way and 3-way heads and 27 inch overall length<br>Used for removal of lower fitting from push pull rod Enstrom hel.<br>Req for 10 yrs insp of Enstrom hel. | <br><small>Figure 2. Jax Type Slide Hammer</small> |
| 2.  | F1/PFA-1791     | FILE FLAT & ROUND (SET OF 12) | Nos | Round file, Flat file, Circular file, Half round file & Tip file<br>se for preparation of job finishing<br>Use for plain the surface of Msk ac cawling<br>* Held files are worn out.       |    |
| 3.  | AVN-TOOL-786-25 | SET OF COMMON SCREW DRIVER    | SET | Req for qual con inspectors for routine maint of AC/Hel.<br>Item pertaining to Msk and SMK ac  |    |
| 4.  | AVN-NIV-H-4     | HACK SAW BLADES               | SET | Thickness from 0.033 to 0.090 inch<br>Req for cutting of wood, metal and plastic   |    |
| 5.  | 5900754-100     | Sunblind Shed                 | Nos | Height 12 ft , Width 6 ft, Length 8 ft<br>Req for parking ac/hel in summer season to avoid fuel vaporization and protect the life of instrument and rubber items                           |    |

|    |      |                           |     |  |  |
|----|------|---------------------------|-----|--|--|
| 6. | 2366 | Search Light SMD 50 Watts | Nos | 50 W lights, Hieght : 8 Ft<br>Req for night insp/ maint<br>Item pertaining to Msk and SMK ac |  |
|----|------|---------------------------|-----|--|--|