



PAKISTAN AIR FORCE OPEN TENDER NOTICES

SEALED TENDERS ARE INVITED BY THE FOLLOWING BASES / UNITS FOR THE SUPPLY / PURCHASE / REPAIR / OVERHAULING OF MENTIONED ITEMS.

S. NO	IT No.	Description of Stores	No of Line Item	U.I. Qty	CAT	Opening Date	Time Period for Performance of Contract	Closing + Opening Time
1	415202P-41 (Re-Tender)	Overhaul / Standard Exchange of UPAZ Pods for Cargo Aircraft	01	EA	FE	23-12-25	Within 06 Months after signing of contracts	1200 Hrs 1300 Hrs
2	437105P-43	Proc of NVR Workstation	01	EA-61	Pak Rs	09-12-25	Within 03 Months after signing of contracts	1200 Hrs 1300 Hrs
3	437073P-43 (Re-Tender)	Proc of Hardware for Computer Centre (Indent item S No 06.07.09, 15.20.21 & 22 Only)	07	EA-Var	Pak Rs	09-12-25	Within 02 to 03 Months after signing of contracts	1300 Hrs 1400 Hrs
4	467328P-46	Proc of Hydraulic Fluid (OX-19)	01	Qt	FE	23-12-25	31 August, 2026	1200 Hrs 1300 Hrs
5	467329P-46	Proc of Lubricating Oil Turbine (OX-27)	01	Qt	FE	23-12-25	31 August, 2026	1300 Hrs 1400 Hrs
6	459804P-45	Bomb 500 Lbs Dummy PB, MK-82	01	EA	Pak Rs	09-12-25	12 Months after signing of contract	1200 Hrs 1300 Hrs

NO 101 ALC, PAF BASE FAISAL 021-99547040
Sealed tenders comprising of single package are invited in Pak rupees from sales tax registered firms for supply of the following items: (Batteries): - Battery 12V 24Amp, Battery 12V 35Amp, Battery 12V 45Amp, Battery 12V 50Amp, Battery 12V 65Amp, Battery 12V 70Amp, Battery 12V 80Amp, Battery 12V 84Amp, Battery 12V 90Amp, Battery 12V 95Amp, Battery 12V 100Amp, Battery 12V 110 Amp, Battery 12V 115Amp, Battery M/FREE 12V 150Amp, Battery 12V 150Amp, Battery 12V 200Amp, Battery 24V 1000Amp. (Tyres): Tyre (MICH) RDL 11.00R20 16PR, Tyre size 1100-20 (16-20 PR) Tyre size 8-25 R15 Tube & FL18PR, Tyre 1000-20 16PLY, Tyre cover outer (FR 300-15), Tyre cover outer size 700-12, Tyre 10 0029 16PLY, Tyre 155/80 R13 OR 175/170 R13, Tyre Size 11.00-20 (16-20 PR), Tyre FRT (2.50-18), Tire (6.00-16-4PR) (NOTE): Two envelopes (01 Technical and 01 Commercial) for each line item is required. Detail specifications (Picture/ Diagram/Make/Manufacturer /Model) of above-mentioned items can be collected from No 101 ALC, PAF (LP Section) Tel No. 021-99547040, Mobile No. 0320-2430995

PAF BASE NUR KHAN (LOG) 03239415715
U/G 100FR, 0.6MM, Copper Cable, 48 Fiber SM DUCT OFC, HDPE PIPE (38MMX50MM), SIM CARD 128K E-LTE Dedicated, Hydraulic Fluid Fire Resistant, Device For Checking Pressure in Wheel Tyre, Chain Dozer L/R (SOW ERROR CODE E8000 & E0250 and complete serviceability) for more information please contact No 0323-941572 (As Req), Note: Technical & Commercial quotations must be packed separately & sealed properly. Technical Specifications for LP Item can be obtained from Logistics Squadron (Mobile No. 03239415715)

Contact Person / Ph No for Detail: For S. No 1 ADP-41 (051-9281361), For S. No 2 & 3 ADP-43 (051-9527715), For S. No 4 & 5 ADP-46 (051-9281366) Reception (051-9280109) (051-9281362), For S. No 6 ADP-45 (051-9281365)

PAF BASE BHOLARI (LOG) 022-9501500
Adapter-Nitrogen Type (P/N TTR917271), Engine Lifting Scale (P/N HLY917323), Coverall Flying (All Sizes), Coverall ENG OFF/MEN (All Sizes) (As Req), For details / specifications please contact on Tel 022-9501500 Ext 2287 and Cell No 03239431715. Quots to send on UMS / Leopard Courier only

CORRIGENDUM OF ENTRIES PUBLISHED IN NEWSPAPERS / PPA WEBSITE

S. NO	IT NO.	NOUN	Amendment in Opening Date		PUBLISHED IN NEWSPAPERS	REMARKS
			FOR	READ		
1	459800P-45 (Extension)	Proc of Osla Weapon Handling Frame	19-11-25	26-11-25	Daily Jang & The Frontier Post Dated: 17-11-25	Opening Date extended
2	459796P-45 (Extension)	Proc of MGL AMOO for SSW Troops	19-11-25	26-11-25	The Express Tribune & Daily Ausaf Dated: 10-11-25	Opening Date extended

PAF BASE MUSHAF (LOG) 040-555-2278
Local Repair of ETT Machine (SOW EGG Patient Cable and ECG Acquisition Module for ETT Machine Model X-Scribe T to Repair, 06 month warranty req), Local Repair of Extreme Fidelity Amplifier MRI (SOW - Repair of XFA for GE 1.5 T MRI), Local Purchase of Heat Exchanger, Local Purchase of Barrel Stainless Steel, Local Purchase of Axial Piston Pump (Ea As Req), Note: Detailed Specifications can be obtained from Log Sqm Mushaf (Sargodha) on telephone 040-555-2278

PAF BASE MINHAS (LOG) 057-9533887
Local Purchase of Emergency Locator Beacon Part No DK120, All types of Battery (Battery Torjan 6V 305AH), All types of Engine Oil, All types of Tyres, All types of thermal / security camera and Hiring of Civil Transport from PAF Base, Minhas to all Cities of Pakistan (As Req), Note: Technical Specs/Scope of work may be obtained from Log Sqm Minhas, Telephone No: 057-9533887, Mobile No. 0323-9414715

۱۔ ٹینڈر میں شمولیت کیلئے مقررہ سبڈ کے مطابق (ٹرانساکشن اور ٹینڈر کی مہلکت) پر مبنی مہلکتیں حاصل کرنا اور پھر اسے پورے طور پر پورا کرنا۔
۲۔ ٹینڈر میں شمولیت کیلئے مقررہ سبڈ کے مطابق (ٹرانساکشن اور ٹینڈر کی مہلکت) پر مبنی مہلکتیں حاصل کرنا اور پھر اسے پورے طور پر پورا کرنا۔
۳۔ ٹینڈر میں شمولیت کیلئے مقررہ سبڈ کے مطابق (ٹرانساکشن اور ٹینڈر کی مہلکت) پر مبنی مہلکتیں حاصل کرنا اور پھر اسے پورے طور پر پورا کرنا۔
۴۔ ٹینڈر میں شمولیت کیلئے مقررہ سبڈ کے مطابق (ٹرانساکشن اور ٹینڈر کی مہلکت) پر مبنی مہلکتیں حاصل کرنا اور پھر اسے پورے طور پر پورا کرنا۔
۵۔ ٹینڈر میں شمولیت کیلئے مقررہ سبڈ کے مطابق (ٹرانساکشن اور ٹینڈر کی مہلکت) پر مبنی مہلکتیں حاصل کرنا اور پھر اسے پورے طور پر پورا کرنا۔
۶۔ ٹینڈر میں شمولیت کیلئے مقررہ سبڈ کے مطابق (ٹرانساکشن اور ٹینڈر کی مہلکت) پر مبنی مہلکتیں حاصل کرنا اور پھر اسے پورے طور پر پورا کرنا۔
۷۔ ٹینڈر میں شمولیت کیلئے مقررہ سبڈ کے مطابق (ٹرانساکشن اور ٹینڈر کی مہلکت) پر مبنی مہلکتیں حاصل کرنا اور پھر اسے پورے طور پر پورا کرنا۔
۸۔ ٹینڈر میں شمولیت کیلئے مقررہ سبڈ کے مطابق (ٹرانساکشن اور ٹینڈر کی مہلکت) پر مبنی مہلکتیں حاصل کرنا اور پھر اسے پورے طور پر پورا کرنا۔
۹۔ ٹینڈر میں شمولیت کیلئے مقررہ سبڈ کے مطابق (ٹرانساکشن اور ٹینڈر کی مہلکت) پر مبنی مہلکتیں حاصل کرنا اور پھر اسے پورے طور پر پورا کرنا۔
۱۰۔ ٹینڈر میں شمولیت کیلئے مقررہ سبڈ کے مطابق (ٹرانساکشن اور ٹینڈر کی مہلکت) پر مبنی مہلکتیں حاصل کرنا اور پھر اسے پورے طور پر پورا کرنا۔

NO 103 AED PAF BASE NUR KHAN (LOG) 051-9527081
AIR136 Soft Preservative Product (KG As Req), ARDROX6025 Cleaning Product (LR As Req), ARDROX396-1E28-1 Water Repellent Product (LR As Req), MASTINOX6856H Protection Product (TN As Req), ALODINE1200 Protective Powder (KG/BX As Req), LOCTITE675F50ML Adhesive (TU As Req), LOCTITE 241 Loctite Resin (Blue) (TU As Req), T2034 (100ML) Adhesive (TU As Req), DCEA608 Trichloroethane (LR As Req), DL206-1L Thinner, Paint Products (CA As Req), MICROBMONITOR2 Fuel Contamination Detection (KT As Req), TEEPOLM20L Detergent, Laundry (LR As Req), DERMOCIF PS Skin Protection Cream (KG As Req), WD40 Water Repellent Product (LR As Req), SILASTIC RTV 732 Adhesive (TU As Req), ARDROX 904A Powder Fluorescent Product (EA As Req), SILASTIC3112RTV5KG Insulating Compound, Electric (LB As Req), 101-250 Adhesive Tape (RL As Req), LOCCOUC N Loquac Activator (BT As Req), Thinner 957 (BT As Req), TP323 Cloth Abrasive (ST As Req), AIR3514 Synthetic Lubrication Oil (CN As Req), MIL-L-23699C Engine Oil Exxon 2380 (EA As Req), AIR247 Graphited Mineral Petroleum (TI As Req), 6113-5001-1L Primer Coating (LR As Req), 10/18/2640 Chain, Welded (RL As Req), 3217 Plug Bumper Rubber (Ea As Req), Tonner (All Types) (Ea As Req), For any query or additional information, please contact Tele (051-952-7081-82)

PAF BASE, MM ALAM (LOG) 0459-232051 EXT 2273/5677
As per PPRPA Rule 36(b) (Single stage 02 envelopes, Technical & Commercial in separate sealed envelope) bearing a bid validity of 90 days are invited from reputed GST - registered firms for various item: (a) Local Purchase of Electro Medical Spare (Power Card Halogen Bulbs 24v/5w, SPO2 Finger Sensor, SPO2 Finger Sensor for Adults, Sensor Cell (Oxygen), Ventilator (02 Cell Butb DC 15V/150W (Colonoscope), Solenoid Valve, Sensor Flow (Drager Vent), ECG Patient Cable, 3 Lead ECG Cable, BP Cuff Connector, Suction Vessel 4000, Oxygen Cell Hamilton C2 Ventil, Power plug 3 Pin, Oxygen Sensor, Filter (Infant Incubator), Heater 110V AC, Filter Pad, Hose Connector, Laryngoscope Bulbs, Maintenance Base Kit (b) Repair of RO Plant Scope of Work; Maintenance / Backwash of RO Plant Required. Removal of all faults / alarms and ensuring smooth functioning of all motors/pump and production of RO Plant sufficient to run Dialysis Machine without any alarm Complete servicing / calibration of RO Plant. 06 months, Warranty Period Required, Note: Detail specification may be obtained from Officer Incharge Log Sqm PAF Base MM Alam Tel 03223145052 Validity of rates minimum up to 90 days are to ensure; Quotation, having validity less than 90 days, will be rejected EDD & Warranty period should be clearly mention on quotation

NO 107 AED PAF BASE FAISAL (LOG) 021-99547321
Following items is required to be Repaired/calibrated through Open Tender: 6625NL-ABI SYSTEM-8 System-8 Diagnostic With Access Scope of Work: Following items are Unserviceable Motherboard, IC, Pin, Tester, Diode Pin Tester, all IC Checking connector 8 Pin & Checking connector 16 Pin, Following items (for Equivalent) are required to be Purchased through Open Tender: 6625NL-FIP-IR/PL650 Flagship Rework Machine, 200-03298-0000 Front Panel Assy, WA-10K Potmeter 10K, KW-ML-4-2145 7 Segment Display (Multi Digit), 6515NL-6003-375 Moion Control Board, 6625NL-X6838372 Main Display PCB, 6625PK0217113 Logic PCB MC150 (GE, LOGIC P7), 10-2135-P1 PCB 2135 (Digital Laser Printer), 2N3904 Transistor NPN TO-92, 5998010117273 CKT Board Assy, 5998NL-05350-60008 Motherboard Power Supply, 5998012361448 CKT Brd Assy, 6625012428952 Strip Line Card Assy, RG-142B/U Coaxial Cable (U/I Mtr), 5998NL-1100-00-3021 Reference Assy, Note: - Purchasing will be undertaken in line with PPRPA Rule 2004. Separate Technical & Financial quotation is required for each single line item. Validity of offer must be 120 days. Warranty period should be clearly mentioned on quotation. Origin / Shipping / Routing of delivered stores must not be from India or Israel through any stage of Manufacturing, Production and Supply. For further technical information, specification and company make, model, please contact on Telephone Nos. 021-99547321, 021-99547379

PAF BASE SHAHBAZ (LOG) 0722-670454 EXT 2257
Portable Ventilator (For Ambulance), UPS Battery 12V 2EAmp For Socom UPS GP4 0 (30KVA), Medical Gases System L/R Repairing of manifold (Qty 02), Pressure gauges and leakage of oxygen points (08 Points), Valve (For LOX Plant), Technical & commercial quotations must be packed separately and sealed properly. Specs may be obtained from Log Sqm at 0323-9439712 0309-8925565 & Office No 0722-670454 Ext 2257

HORSE RIDING SCHOOL PAF ACADEMY ASGHAR KHAN 813-7881
Tifton Grass, Mud, River Sand (Ea As Req), For detail specifications / scope of work any other query please contact No Ext 813-7989, Mobile No 0322-6769725, Veterinary medicines required for Horse Riding School, For detail & List of Medicines any other query please contact No Ext 813-7989, Mobile No 0322-6769725

PAF HOSPITAL ISLAMABAD (LOG) 051-9505818
Local Purchase of items: Humidifier Chamber, Lead Scale, Rack Storage, Strip Sterilization (CAT 6), Crep Paper, Polythene Bags, Fiale Rol (30, 35, 40), Local Repair of items: MRI Machine Small Flux, Only separately Quotes Technical / Financial acceptable. Detail of Items / Specifications / Scope of work may be obtained from Log Ft PAF Hospital Islamabad during working hours. For queries Tel No 051-9505818 may be contacted

PAF HOSPITAL LAHORE (LOG) 042-99505281
Installation of CSSD, Installation of Laundry (As Req), Details for specifications may please be obtained from O vic Log Ft PAF Hospital, Lahore Tel 0320-8878625, 0303-5619294, 042-99505281

PAF AIRMEN ACADEMY KORANGI CREEK (LOG) 021-99533863
Sealed tenders are invited from reputed GST / IT registered firms for following items: Cordless Collar Mic RE 2 Local Purchase (Ea As Req), Anti Corrosive Treatment (All Type of vehicles) Local Repair (Ea As Req), Specifications mentioned above can be obtained from Logistics Squadron, PAF Airmen Academy, Korangi Creek, or on Mobile No 0320-8801716 & 0301-5554902

- TERMS AND CONDITIONS:-**
1. General terms and conditions are mentioned in tender form (F-528A). Forms and tender notices complete details can be downloaded from PAF website "www.paf.gov.pk" or can be obtained from respective Bases/ Log Sqns on working days.
 2. The firm must be GST and professional Tax registered having NTN.
 3. Last date of submission of tenders: **09 DECEMBER, 2025 (1000 hrs)**.
 4. Tenders will be opened on the same day at 1100 hours.
 5. No advance payment will be made and payment will be subject to acceptance of the items by user activity.
 6. Officers Commanding of the mentioned Bases/ Units reserve the right to reject any part or the entire tender on technical grounds.
 7. Quotations must be valid for 90 days.
 8. Sales Tax as applicable must be mentioned separately.
 9. Guarantee / Warranty term / period should also be mentioned.
 10. The agreement will be governed by official secret act. 1923.

PAF BASE PESHAWAR (LOG) 091-9503867
Ventilator L/R (a) Replacement of O2 Sensor Qty-04 (b) Servicing required (As Req), Engine Oil (API CD, SAE 15W-40) (As Req), Note: Detail specification may be obtained from Officer incharge Log Sqm PAF Base, Peshawar, Tel No. 091-9503867, Mobile No. 0323-9411712

PAF HOSPITAL, MASROOR (LOG) 021-99525281
High And Extra Corporal Lithotripter (ESWL) (Repaired), X Ray Machine 600MA (Repaired), Intense Pulse Light with RF (Repaired). For further detail, please contact at 021-99525281

