

PAKISTAN NAVY
TENDER BULLETIN

INVITATION TO TENDER TO BE OPENED ON 09-01-2026

TERMS & CONDITION

1. INTERESTED FIRMS/ SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT / PAY ORDER/ CROSSED CHEQUE OF RS. 500/- ((NON REFUNDABLE) ALONGWITH THEIR QUOTATION.IN FAVOUR OF "PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT".
2. FOR ANY AMPLIFIED DETAILS, INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON, THROUGH TELEPHONE, VIA EMAIL OR HARD MAIL. DELIVERY TIME OF LOCALLY AVAILABLE AND IMPORTED ITEMS ARE 15 AND 45 DAYS RESPECTIVELY.
3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGP95080	CS-WDC09-655-BAA/CMW9U	7125705141418 / 9U WALL MOUNT 19" CABINET	NET WORKING	2 / EACH/NUMBER	NO DATA AVAILABLE		CH	M/S RAISECO M SUITE NO.401A PANURAMA CENTRE 2 RAJA GHAZAN FAR ALI ROAD SADDAR KARACHI PHON NO. 021-35661550-1		<u>TECHNICAL SPECIFICATION - CONTECH BRAND</u> <u>GENERAL SPECIFICATION - CONTECH BRAND</u>	
2	DGP94853		7730705133301 / LED TV 40 INCH	SAMSUNG	1 / EACH/NUMBER	NO DATA AVAILABLE		PK	PAKISTAN	DELIVERY IN ISLAMABAD	<u>TECHNICAL SPECIFICATION - NIL</u> <u>GENERAL SPECIFICATION - NIL</u>	
3	DGP95165	FCLCUUS MO3D	6015785141420 / FIBER PATCH CORD FC/PC TO LC	NET WORKING	4 / EACH/NUMBER	NO DATA AVAILABLE		CH	M/S RAISECO M SUITE NO.401A PANURAMA CENTRE 2 RAJA GHAZAN FAR ALI ROAD SADDAR		<u>TECHNICAL SPECIFICATION - OEM: CHINA MADE</u> <u>GENERAL SPECIFICATION - OEM: CHINA MADE</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									KARACHI PHON NO. 021-35661550 -1			
4	DGP94978		753570513302 1 / LAPTOP COMPUTER	COMPUTER	1 / EACH/NUMBER	fa1082wm		PK	VIDE NHQ LETTER ST-S/3200/8198 DT 23/07/08		TECHNICAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).GENERAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
5	DGP95163	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
								NO 021-34535933 FAX NO : 021-34536441			BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION - SCANNER TYPE</u> FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
6	DGP95161	NIL	7435705140006 / MULTIMEDIA PROJECTOR (4000 LUMENS)	MULTIMEDIA PROJECTOR	1 / EACH/NUMBER	PANASONIC PT-VW360 (4000 LUMENS PROJECTOR) OR ABOVE		PK		PAKISTAN	<u>TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -</u>	
7	DGP91786	260 GSM-+5% 22X28	5895715202228 / MULTI COLOUR CARD SHEET SEPARATERS 260GSM 22X28	FOR PRINTING STY ITEM	8 / PACKET			M/S STACKO COMPANY. KARACHI		LOCAL	<u>TECHNICAL SPECIFICATION - b.</u> Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28" <u>GENERAL SPECIFICATION - b.</u> Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28"	
8	DGP95166		5999795226441 / LED TV 40 INCH	MAXV SMD	1 / EACH/NUMBER			M/S TAIKO UK		M/S TAIKO UK	<u>TECHNICAL SPECIFICATION - MAKE: TCL</u> <u>GENERAL SPECIFICATION - MAKE: TCL</u>	
9	DGP95077	4003DN	7435705138632 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP	COMPUTER	4 / EACH/NUMBER	NO DATA AVAILAB LE		PK		PAKISTAN	<u>TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope,</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE								Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
10	DGP95135	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	1 / EACH/NUMBER	NO DATA AVAILAB LE		PK		PAKISTAN	<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
11	DGP94961	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	1 / EACH/NUMBER	NO DATA AVAILAB LE		PK		PAKISTAN	DELIVERY IN ISLAMABAD <u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
12	DGP92420	NOT AVAILAB LE	931070520076 6 / FIGURE II TARGET PAPER FOR PRATICAL FIRING ON	TARGET PAPER PAKISTAN	2000 / EACH/NUMBER	NA	NIL	ANY SUITABLE PRINTING PRESS PAKISTAN	PRINTIN G PRESS		<u>TECHNICAL SPECIFICATION -</u> length: 4 feet width: 1.5 feet font color: dark/light green black and yellow background: white and grey material used: reinforce paper or light card <u>GENERAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			TARG								length: 4 feet width: 1.5 feet font color: dark/light green black and yellow background: white and grey material used: reinforce paper or light card	
13	DGP94962		773070517439 1 / SAMSUNG/CH ANGHONG RUBA/TCL LED TV 46/49/50/55 INCH	LED TV	1 / EACH/N UMBER			SAMSUNG	SAMSUNG		TECHNICAL SPECIFICATION - SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china <u>GENERAL</u> SPECIFICATION - SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china	
14	DGP95090		773070517439 1 / SAMSUNG/CH ANGHONG RUBA/TCL LED TV 46/49/50/55 INCH	LED TV	2 / EACH/N UMBER			SAMSUNG	SAMSUNG	DELIVERY IN ISLAMABA D	TECHNICAL SPECIFICATION - SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china <u>GENERAL</u> SPECIFICATION - SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china	
15	DGP94829		773070517439 1 / SAMSUNG/CH ANGHONG RUBA/TCL LED TV 46/49/50/55 INCH	LED TV	2 / EACH/N UMBER			SAMSUNG	SAMSUNG		TECHNICAL SPECIFICATION - SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china <u>GENERAL</u> SPECIFICATION - SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china	
16	DGP95089	MFP M130FW / mfp 137fnw4zb 84a	743570512798 4 / PRINTER/SCA NNER HP-2573 PHOTO SMART(3 IN ONE)	PRINTER/SCA NNER	1 / SET	MFP M130fw/M FP 137FNW4 ZB84A		PK	pakistan	DELIVERY IN ISLAMBAD	TECHNICAL SPECIFICATION - NO DATA AVAILABLE <u>GENERAL</u> SPECIFICATION - NO DATA AVAILABLE	
17	DGP94976	E2722H/M 27FW	743570521488 5 / LCD MONITOR 27 inch	Instructor Console	1 / EACH/N UMBER	E2417H (24") /e2722h/F 22P MCR Simulator	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	DELL		TECHNICAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION- 1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL)	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED)GENERAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED)	
18	DGP94975		3610705117912 / SHREDDING MACHINE (HEAVY DUTY)	SHREDDER MACHINE	1 / EACH/NUMBER	ST-12C/ST-12CD					TECHNICAL SPECIFICATION - ST-12C/ST-12CDGENERAL SPECIFICATION - ST-12C/ST-12CD	
19	DGP95087	G2102560 EU	3610705091304 / SHREDDING MACHINE, GBC DUO (SHERED MASTER)		2 / EACH/NUMBER					DELIVERY IN ISLAMBAD	TECHNICAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.GENERAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.	
20	DGP93903		753070500718 2 / WHITE OFFSET PAPER SIZE 50.8CMX76. 2CM GSM 62+5%,62-5%		10 / REAM					..	<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
21	DGP93521	NO DATA AVAILAB LE	005150000068 7 / F(NS)68 FILE COVER BLUE (PAKISTAN NAVY)		11700 / EACH/N UMBER	NO DATA AVAILAB LE				..	<u>TECHNICAL SPECIFICATION - 1.</u> GSM OF CARD 300±5% 2. FILE COVER SIZE LENGTH: 355MM (MIN) WIDTH: 235MM (MIN) HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FALPER FOLD 355 MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS- 381C. I. LENGTH: 355MM (MIN) II. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO.EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTING 7. PACKING I. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. II. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURTHER PACKED IN CARD BOARD BOX. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD. <u>GENERAL</u> <u>SPECIFICATION - 1.</u> GSM OF CARD 300±5% 2. FILE COVER SIZE LENGTH: 355MM (MIN) WIDTH: 235MM (MIN) HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FALPER FOLD 355 MM (MIN) 4. BINDING	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. I. LENGTH: 355MM (MIN) II. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO. EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTING 7. PACKING I. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. II. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURTHER PACKED IN CARD BOARD BOX. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD.	
22	DGP93510	NO DATA AVAILAB LE	0051500000687 / F(NS)68 FILE COVER BLUE (PAKISTAN NAVY)		11140 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - 1. GSM OF CARD 300±5% 2. FILE COVER SIZE LENGTH: 355MM (MIN) WIDTH: 235MM (MIN) HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FALPER FOLD 355 MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. I. LENGTH: 355MM (MIN) II. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO.EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTING 7. PACKING I. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. II. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURTHER PACKED IN CARD BOARD BOX. AS PER SAMPLE TO	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											BE APPROVED BY STATIONARY BOARD. <u>GENERAL SPECIFICATION - 1.</u> GSM OF CARD 300±5% 2. FILE COVER SIZE LENGTH: 355MM (MIN) WIDTH: 235MM (MIN) HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FALPER FOLD 355 MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. I. LENGTH: 355MM (MIN) II. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO. EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTING 7. PACKING I. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. II. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURTHER PACKED IN CARD BOARD BOX. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD.	
23	DGP91551		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91.44CM		25 / REAM					..	<u>TECHNICAL SPECIFICATION - GM 80 (+-) 10 gm</u> <u>GENERAL SPECIFICATION - GM 80 (+-) 10 gm</u>	
24	DGP93746		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91.44CM		25 / REAM					..	<u>TECHNICAL SPECIFICATION - GM 80 (+-) 10 gm</u> <u>GENERAL SPECIFICATION - GM 80 (+-) 10 gm</u>	
25	DGP94002		753070500828 5 / PAPER WHITE		50 / REAM					..	<u>TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			OFFSET GSM 62+5%REAM OF 500 SHEETSB-02 500X707MM								COLOR SHEET GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	
26	DGP938 97		753070500828 5 / PAPER WHITE OFFSET GSM 62+5%REAM OF 500 SHEETSB-02 500X707MM		50 / REAM					..	TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	
27	DGP951 62		753070500828 5 / PAPER WHITE OFFSET GSM 62+5%REAM OF 500 SHEETSB-02 500X707MM		50 / REAM						TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	
28	DGP949 07		753070500828 5 / PAPER WHITE OFFSET GSM 62+5%REAM OF 500 SHEETSB-02 500X707MM		50 / REAM						TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	
29	DGP948 23		753070500828 5 / PAPER WHITE OFFSET GSM 62+5%REAM OF 500 SHEETSB-02 500X707MM		50 / REAM						TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	
30	DGP951 21		753070500828 5 / PAPER WHITE OFFSET GSM 62+5%REAM OF 500 SHEETSB-02 500X707MM		50 / REAM						TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
31	DGP94963		753070500828 5 / PAPER WHITE OFFSET GSM 62+5%REAM OF 500 SHEETSB-02 500X707MM		50 / REAM						TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	
32	DGP91273		751070504923 2 / PAPER OFFSET SIZE 36 1/2 X 33 1/2 INCHS GSM 80 ± 5%,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE		1 / REAM					..	TECHNICAL SPECIFICATION - PAPER OFFSET SIZE 36 1/2 X 33 1/2 INCHS GSM 80 ± 5%,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PAPER OFFSET SIZE 36 1/2 X 33 1/2 INCHS GSM 80 ± 5%,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
33	DGP73888		751070506841 5 / FILE COVER FIBER WITH STEEL CLIP	FOR STATIONERY.	130 / EACH/N UMBER					..	TECHNICAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets GENERAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets	
34	DGP82156		751070506841 5 / FILE COVER FIBER WITH STEEL CLIP	FOR STATIONERY.	75 / EACH/N UMBER					..	TECHNICAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Black / Blue j. Capacity: 500 sheets GENERAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets	
35	DGP86564		751070506841 5 / FILE COVER FIBER WITH STEEL CLIP	FOR STATIONERY.	115 / EACH/NUMBER					..	TECHNICAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets GENERAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets	
36	DGP81090		751070506841 5 / FILE COVER FIBER WITH STEEL CLIP	FOR STATIONERY.	95 / EACH/NUMBER					..	TECHNICAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets GENERAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Black / Blue j. Capacity: 500 sheets	
37	DGP93901	NO DATA AVAILABLE	0050500000374 / PAPER CONTINUOUS COMPUTER 11 PART SIZE 9 1/2"		2850 / SHEET	NO DATA AVAILABLE				..	<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
38	DGP93889	NO DATA AVAILABLE	0050500000223 / PAPER DUPLICATING COLOUR WHITE		433 / REAM	NO DATA AVAILABLE				..	<u>TECHNICAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON</u> <u>GENERAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON</u>	
39	DGP95084	CS-FP2D52D-SC-LC-03	6010785289382 / OPTICAL FIBER CORD (SC-LC Optical Fiber Cord SM 9/125um OS2 G 652D LSZH Duplex 03M)		60 / NUMBERS	SC-LC					<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
40	DGP95074	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
41	DGP94960	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
42	DGP951 26	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>TECHNICAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without	
43	DGP94906	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
44	DGP799 12	KATANA GF66/ GF661161 7	599879528474 2 / LAPTOP; Core i7, 2.4 To 4.6GHZ, 11800H 8 Core, 15.6" FHD, N1920x1080, 512GB NVME SSD,16GB RAM, DDR4, NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY)		2 / EACH/N UMBER	KATANA GF66 11UE-617					<u>TECHNICAL SPECIFICATION</u> - LAPTOP; CORE I7, 2.4 TO 4.6GHZ, 11800H 8 CORE, 15.6" FHD, N1920X1080, 512GB NVME SSD, 16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY) GAMING LAPTOP MSI KATANA GF66 11UE- 617 CORE I7-11800H 8 CORE <u>GENERAL SPECIFICATION</u> - LAPTOP; CORE I7, 2.4 TO 4.6GHZ, 11800H 8 CORE, 15.6" FHD, N1920X1080, 512GB NVME SSD, 16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY) GAMING LAPTOP MSI KATANA GF66 11UE- 617 CORE I7-11800H 8 CORE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
45	DGP95160	MFP M479	743571523491 2 / HP COLOR LASER JET PRO MFP M479 SERIES		1 / EACH/NUMBER	HP COLOR LASER JET PRO MFP M479FDW					TECHNICAL SPECIFICATION - AS PER ATTACHEMETN GENERAL SPECIFICATION - AS PER ATTACHEMETN	
46	DGP94968	C5F92-90981	674078524037 8 / HP LASERJET PRO M402DN/M404DN Printer		2 / EACH/NUMBER	HP LASERJET PRO M402DN					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
47	DGP95236	G2102560 EU	361070509130 4 / SHREDDING MACHINE, GBC DUO (SHRED MASTER)		2 / EACH/NUMBER					DELIVERY AT ISLAMABAD	TECHNICAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs. GENERAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.	
48	DGP951	CORE I5	702570524609		2 / SET	CORE I5					TECHNICAL SPECIFICATION - 1.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	80		1 / PERSONAL COMPUTER (CORE: i5)			12 GEN					CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
49	DGP95200	CP1515N/HP	3610705061120 / HP COLOR	SELF/ANY COMPUTER	1 / EACH/N	CP1515N/HP				DELIVERY AT	TECHNICAL SPECIFICATION - SPECIFICATION: (A)TYPE:COLOR.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
		COLOR LASER 150A PRINTER 4ZB94A	LASER JET CP1515N PRINTER	OR LAPTOP	UMBER	COLOR LASER 150A PRINTER 4ZB94A				ISLAMABA D	(B)PRINT TECHNOLOGY:COLOR LASER. (C)PROCESSOR SPEED: 450 MHZ. (D)STANDARD RAM:96 MB. (E)MAX RAM:352 MB. (F) RESOLUTION:600X600 dpi. (G) PRINT SPEED COLOR:8ppm. (H) PRINT SPEED B/W:12 PPM. PRICE OFLASER JET CP1515 RS:46,490/-.	
50	DGP951 84	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory=	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
51	DGP95199	7535705133021 / LAPTOP COMPUTER	COMPUTER	1 / EACH/NUMBER	fa1082wm	PK			VIDE NHQ LETTER ST-S/3200/8198 DT 23/07/08	DELIVERY AT ISLAMABAD	TECHNICAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).GENERAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
52	DGP95185	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
53	DGP95186	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	5 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N	DELIVERY AT ISLAMABA D	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
54	DGP95229		753070500828 5 / PAPER WHITE OFFSET GSM 62+5%REAM OF 500 SHEETSB-02 500X707MM		50 / REAM						TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	
55	DGP95201	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	2 / EACH/N UMBER	HP Scanner 20G05A/P ro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP	DELIVERY AT ISLAMABA D	TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											SIZE 216 X 297	
56	DGP951 87	M9Z94AA# ABA	599973522793 0 / HP PRO DESK 400 G5 WORKSTATIO N	UFFAQ M9Z94AA#ABA	1 / EACH/N UMBER	HP Pro Desk 400 G5		HP Inc., 1 Depot Close, Singapore ? 109841 Phone: +65 67 407 838	HP, Singapore		TECHNICAL SPECIFICATION - a. HP Pro Desk 400 G5 Tower/ Microtower. b. Intel Core-i5-8500 processor with 9 MB cache. c. HP BIOSphere Gen4. d. Preinstalled Windows 10 Pro 64-bit. e. DDR-4 8 GB RAM f. AMD Radeon R7 430 (2GB Card) g. 500 GB SATA DriveTA AVAILABLE GENERAL SPECIFICATION - a. HP Pro Desk 400 G5 Tower/ Microtower. b. Intel Core-i5-8500 processor with 9 MB cache. c. HP BIOSphere Gen4. d. Preinstalled Windows 10 Pro 64-bit. e. DDR-4 8 GB RAM f. AMD Radeon R7 430 (2GB Card) g. 500 GB SATA DriveTA AVAILABLE	
57	DGP951 81		753070500828 5 / PAPER WHITE OFFSET GSM 62+5%REAM OF 500 SHEETSB-02 500X707MM		50 / REAM						TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	
58	DGP952 38		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											& Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO	
59	DGP93902		7510705042259 / PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	STATIONERY NA10S	2 / REAM						TECHNICAL SPECIFICATION - PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES, VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
60	DGP95361	NIL	5930735277330 / LAPTOP CORE i7 11th Generation		1 / EACH/NUMBER	NIL					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel ® Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes GENERAL SPECIFICATION - 1. CPU Technology= Intel ® Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes	
61	DGP95353	CORE I5	7025705246091 / PERSONAL		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			COMPUTER (CORE: i5)								Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>TECHNICAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	
62	DGP953 16	CORE I5	702570524609 1 / PERSONAL COMPUTER		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			(CORE: i5)								Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
63	DGP953 17		753070500828 5 / PAPER WHITE OFFSET GSM		50 / REAM						<u>TECHNICAL SPECIFICATION</u> - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET <u>GENERAL</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			62+5%REAM OF 500 SHEETSB-02 500X707MM								SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	
64	DGP953 47		753070500828 5 / PAPER WHITE OFFSET GSM 62+5%REAM OF 500 SHEETSB-02 500X707MM		50 / REAM						TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET <u>GENERAL</u> SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	
65	DGP953 56	T-3028P	704570534422 1 / TONER CARTRIDGE original BLACK TOSHIBA		6 / EACH/NUMBER	T-3028P					TECHNICAL SPECIFICATION - TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449GENERAL SPECIFICATION - TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449	
66	DGP917 87		361070500723 7 / PAGE CORD TWIN COMPOSING		20 / KILOGRAMME						TECHNICAL SPECIFICATION - 1. Dimension/ Size etc: 100 meter (approximately) long roll of flexible plastic cord which is used to tie the bundle of papers, set of forms, books and miscellaneous stationery items. 2. Acceptance Criteria Acceptable as sample of Page Cord provided by PNCPP 3. Mode of inspection Joint inspection <u>GENERAL</u> SPECIFICATION - 1. Dimension/ Size etc: 100 meter (approximately) long roll of flexible plastic cord which is used to tie the bundle of papers, set of forms, books and miscellaneous stationery items. 2.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Acceptance Criteria Acceptable as sample of Page Cord provided by PNCPP 3. Mode of inspection Joint inspection	
67	DGP953 62	32D2900	582073520849 6 / 32 INCH LED DISPLAY WITH HDMI & VGA I/P	CCTV System	1 / EACH/N UMBER	32D2900		TCL Electronics Australia Pty Ltd, Address: 797 Springvale Rd, Mulgrave, VIC 3170	M/s TCL Australia		<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
68	DGP903 76	169191937 10 (EXPRESS SERVICE CODE)	743578520521 9 / SVAS WEB TERMINAL (LAPTOP DELL/HP C13)	SVAS SYSTEM NY-SVAS-08 CHINA	1 / SET	NY- SVAS-08	NA	DELL INC 1 DELL WAY. ROUND ROCK, TEXAS CHINA 78682. TEL 1-866- 931-3355	CHINA		<u>TECHNICAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3- 6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON <u>GENERAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3- 6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15	
69	DGP953 58	169191937 10 (EXPRESS SERVICE CODE)	743578520521 9 / SVAS WEB TERMINAL (LAPTOP DELL/HP C13)	SVAS SYSTEM NY-SVAS-08 CHINA	1 / SET	NY- SVAS-08	NA	DELL INC 1 DELL WAY. ROUND ROCK, TEXAS CHINA 78682. TEL 1-866- 931-3355	CHINA		<u>TECHNICAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3- 6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON <u>GENERAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3- 6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
70	DGP95354	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	2 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297</u>	
71	DGP91784		753070500717 3 / PAPER WHITE OFFSET BRIGHT GSM 84+5% 500SHEET A-04 594X841MM		2 / REAM					..	<u>TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% Paper in White color Sheet</u> <u>GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% Paper in White color Sheet</u>	

INVITATION TO TENDER
LOCAL PURCHASE DIVISION

<u>TENDER TYPE:</u>	Normal Tender	LP Division
<u>TENDER No:</u>	DGP94853 / T/1	At NSSD Area
<u>DATE:</u>	23-12-2025	West Wharf Road
<u>LPR No:</u>	DGP94853	Karachi
<u>LPR DATE:</u>	15-12-2025	tele : 58524

The following items are required against local purchases Registered are requested to quote before 09-JAN-2026 before 10:00 AM. Quotation are to be deposited in the quotation box.

<u>PATTERN NO:</u>	7730705133301	<u>PART NO:</u>
--------------------	---------------	-----------------

<u>DESCRIPTION</u>	SAMSUNG LED TV 40 INCHES
--------------------	--------------------------

GENERAL SPECIFICATION:

TECHNICAL SPECIFICATION:

'Q' LED WITH LATEST MODEL

TENDER REMARKS:

DELIVERY IN ISLAMABAD

MAKE:

<u>DENOMINATION:</u>	EACH/NUMBER
----------------------	-------------

<u>QUANTITY:</u>	1
------------------	---

<u>WARRANTY:</u>	01 YEAR
------------------	---------

SUPPLIES
REQUIRED BY:

GROUP OFFICER
PURCHASE DIVISION

QUOTATION TO BE RENDERED AS PER STANDARD INSTRUCTION ON NOTICE BOARD