

RESTRICTED

REGISTERED / IMMEDIATE

Central Avn Spares Depot (EME)
Dhamial Camp Rawalpindi
Telephone: 8018 - 35580
81201-EME / LP /25-26 / IT-13
31 Dec 2025

To: Mr. Rizwan Mehmood,
(Assistant Director - II)
Public Procurement Regulatory Authority
1st Floor FBC Building near State Bank,
Sector G-5/2, Islamabad

Subject: **Local Purchase of Aviation Stores**

Central Aviation Spares Depot (EME) Invitation Tenders no 81201-EME/LP/25-26/
IT-13/PPRA dated 31 Dec 2025 (**copy attached**) may be uploaded on PPRA for procurement of
stores, please.

 Maj
OIC LP Branch
(Muhammad Zubair)

RESTRICTED

Page 2 of 69
CENTRAL AVIATION SPARES DEPOT (EME)
QASIM ARMY AVIATION BASE, DHAMIAL CAMP RAWALPINDI
TENDER NOTICE

1. Sealed tender is invited from reputed firms possessing NTN certificates for supply of under mentioned items. Procurement will be carried out in the light of PPRA rules. **Quantity mentioned in tender is approximate requirement for complete financial year, however purchase quantity can be increased or decreased.** Being shelf life items purchase order will be placed in batches / packages in reduced quantity as per immediate requirements / needs. Firms should avoid quoting exorbitant rates.

Ser	Tender No	Detail of Required Stores	No of Items	Delivery Period	Date and Time of Tender	
					Submission	Opening
a.	81201-EME/LP/25-26/IT-13 dated 31 Dec 2025	Exp, GSE & Cap Bldg	(List attached as Annexure A to G	30 Days Local Stores & 90 Days For Foreign Stores	15 Jan 2025 at 1030 Hrs	15 Jan 2025 at 1100 Hrs

2. **Submission of Offers by the Firms.**

- a. Quoted rates must be valid up to **30 Jun 2026**.
- b. Delivery Period should be 1 x month for local and 3 x months for imported items.
- c. Those firms which are having pending deliveries of last financial year will not be allowed to participate in tender.
- d. **Bids of registered firms having valid MI-Dte security clearance will only be accepted.**
- e. Firm must quote items in separate envelopes clearly marked "Technical Offer" and Commercial Offer" in separate categories Anx wise as given below. **IT number must be mentioned on both envelopes: -**

Category	Heading on Envelop (Technical)	Heading on Envelop (commercial)
Exp, GSE & Cap Bldg	Annexure A & G (Technical)	Annexure A & G (Commercial)

- f. **Technical Offer.** The offer must include the following information which will be evaluated by a board:-
 - (1) Brand name, specification, country of origin.
 - (2) The source / firm authorization for all branded items to be imported by the firms. The firms are also requested to provide authorization / license to import these items.
 - (3) Validity of offer should be upto **30 Jun 2026**.
 - (4) Delivery period for each item must be mentioned on the quote. Delivery period will start from the date of issuance of POs, if firm considers that delivery will not be possible within 1 x month for local and 3 x months for foreign items. Firm should approach this office before expiry of delivery period.
 - (5) The purchaser can waive off any of the conditions stipulated in this tender inquiry and reserve the right to accept or reject thereto.
 - (6) Bidders should note that decision of Commandant CASD (EME), Dhamial Camp, Rawalpindi will be final in respect of acceptance / rejection of the offers.
 - (7) All samples and supplies will be subject to tests and inspections either by the board of officers constituted for the purpose and any cost incurred on tests / inspections and stores consumed in the same will be borne by the suppliers. Depot may test / inspect samples before placing of purchase orders.
 - (8) During warranty period (if stores supplied is/ are backed by warranty), if a faults occurs in supplied stores then supplier will be responsible to either rectify the faults communicated or get the faulty parts replaced within 7 (seven) days of the receipt of information in this regard from the purchaser at his specified places which can be other than the place of delivery of stores. In case supplier fails to rectify the faults or replace the faulty parts in a specified time then purchaser will have the right to take disciplinary action against the supplier and also impose penalty if considered necessary / appropriate.
 - (9) During warranty period it will be the responsibility of the supplier to carry out periodic maintenance of supplied stores as prescribed by the manufacturers free of cost as purchasers specified places which can be other than the place of delivery of stores.
 - (10) In case of an item has no specifications, drawing or approved sample then a board of officers appointed for the purpose will decide its acceptable standards.
 - (11) Make / model / brand and country of origin of stores must be mentioned where applicable.
 - (12) Manufacturer certificate of branded items must be provided.
 - (13) Prices / rates will be quoted on delivery basis at locations all over Pakistan.
 - (14) Prices / rates will be inclusive of all applicable taxes / duties.
 - (15) Prices / rates quoted must be as per accounting unit.
 - (16) More than one manufacturer / model may also be quoted giving separate price of each manufacturer / model.
 - (17) Prices / rates will be quoted in Pakistani currency.

- (18) Part delivery / part payment will not be accepted / made.
- (19) Payment will be made after acceptance of ordered stores.
- (20) If stores are not delivered within delivery period, penalty will be imposed.
- (21) Items should be packed properly at the time of delivery as per standard packing regime.
- (22) Participation by authorized representatives of concerned firms is mandatory, absence may entail in rejection of bids. In case representative cannot attend the opening proceedings of tender, prior written intimation is mandatory for consideration to accept the bids.
- (23) Technical detail may be sought out by firms.

g. **Commercial Offer.** This offer must include the item wise rate and total amount of stores to be offered. This offered will only be open after acceptance of technical offer.

- (1) **Opening date / time of commercial offer shall be communicated to all participants, whose technical offers have been accepted / qualified on the completion of technical evaluation.**
- (2) As far as possible Price(s) / Rate(s) must be quoted against each item, where prices / rates are not being quoted this should be reflected by words " NOT QUOTED "
- (3) List of store(s) (hard copy) will be submitted duly typed, (not hand written) signed and duly stamped on each paper or else offer will be rejected.
- (4) Quoted rates are only valid on firm's letter head.
- (5) No change should be made in soft copy of tender inquiry provided (list of stores and bidders should fill prices) / rates in front of the items without deleting / amending any column / row and without disturbing the serial numbers.

3. **Additional Documents Requirement.** Firm shall also submit following documents along with technical offer to participate in tender.

- a. Photocopy of registration with Govt agencies / certificate of clearance with services headquarter.
- b. Attested copy of registration certificate issued by Sales Tax Department, copy of NTN certificate.
- c. Attested photocopy of CNIC of MD.
- d. Certificate that firm is neither defaulter nor blacklisted by any Govt Org directly or indirectly.
- e. Undertaking for adequate financial capability to the value of tender.
- f. Attested bank statement for last one year (for firms not yet register with CASD).
- g. **Each bid should accompany 5% of the bid amount of items as earnest money (COMPULSORY)** in the shape of PAY ORDER / BANK DRAFT in the name of commandant CASD. Tender without earnest money will not be entertained.
- h. Detail of works experience with Govt / Semi Govt Org if any (desirable documents but not mandatory).
- i. **Tender fee amounting to Rs. 3,000/-** per tender..

4. **Purchasers Right.** Purchasers do not pledge to accept the lowest or any tender and reserves the right of accepting the whole or any part of the offer made. Firm will be given purchase orders after completion of above formalities. **LD charges will be imposed on weekly basis after expiry of delivery period.**

5. **Date and time of receipt of tender.** Tender must reach this depot / dropped in tender box placed at main gate CASD (EME) Rawalpindi by time and date as specified in para a above. This office will not accept any excuse of delay occurring in post. Tender received after appointed / fixed time will not be entertained.

6. **Additional details required for each item separately**

- a. Rate including taxes / duties.
- b. Delivery period of each item.
- c. Offer validity till **30 June 2026**.
- d. Performance guarantee.
- e. Clarify shipping plan (By Air / Sea).
- f. Specify warranty period.

For further details contact.

Phone: 051-5686289 or Visit Web site www.ppra.org.pk

Avn EME Bns

SER	PART NO	NOMENCLATURE	A/U	MIL / TECH SPEC	PIC
1.	MIL-G-27617	FLUOR SILICON GREASE	Kg	BRANDAEROSHELL VOLUM SIZE 1 3 KG	
2.	LOCTITE 272	ADHESIVE	KG	ASTMD5363	
3.	0.3MM	SNAP WIRE 0.3MM	ROL	Detail specs, A/U description and sample/ brand to be confirmed from user orgs	
4.	5006594-000	SOLDERING WIRE	NOS	BRAND STANNOL VOLUM SIZE 1UNIT = 500 G	
5.	EN3628-0.8	LOCK WIRE	ROL	Detail specs, A/U description and sample/ brand to be confirmed from user orgs	
6.	EN3628-0.63	LOCKWIRE	NOS	Detail specs, A/U description and sample/ brand to be confirmed from user orgs	
7.	EXP-01	CARBON BRUSH	EA	Detail specs, A/U description and sample/ brand to be confirmed from user orgs	

SER	PART NO	NOMENCLATURE	A/U	MIL / TECH SPEC	PIC
8.	HU006	HUBER ACRYLIC CLEF.NER	NOS	ACRYLIC TUBE, CLEANER OEM: HUBER OEM REF NO HU006, Req for CESSNA680A,TEXTRON AVIATION USA	
9.	TYPE60	DRY CELL FULL SIZE	NOS	Dry Cell Size Full (D)	
10.	DG-19-OLD	TOILET CHEMICAL	PKT	Flush Toilet Chemical Manufactured/ Catalogued by Bombardier Learjet	
11.	MIL-D-26937	TEEPOL	LTR	MIL-D-26937,USED FOR CLEANING OF ELEC PLUG	
12.	MIL-PRF-81733	Sealant, Corrosion Inhibitor	Kit	PPG Aerospace USA Used for Landing Leg	

SER	PART NO	NOMENCLATURE	A/U	MIL / TECH SPEC	PIC
13.	EC612	ADHESIVE TAPE	Roll	Local brand. Used for gen repair and binding	
14.	Mobil175W-90	Gear, Mobil 1 LS75W-90	Lit	BRAND EXXON MOBILE CORP MIL SPEC API GL-5/MIL-PRF-2105	
15.	6810-00-618-4418	TRICHLOROETHYLENE	Lit	Used for degreasing of metal parts	
16.	AVN-NIV-D-69	DISTILLED WATER	Lit	Local Brand	
17.	7920-ZO-250-0105	PAINT BLUE	Lit	Local Brand	



SER	PART NO	NOMENCLATURE	A/U	MIL / TECH SPEC	PIC
18.	NIV-06 / ASTM D740	METHYL-ETHYL-KETONE (MEK).	Lit	Standard: ASTM D740	
19.	AVN-366-16047-48	ANTI FREEZE	Lit	Brand: Cryotech or Equivalent Anti Ice Fluid	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
1.	F4000W	RM SIEVE	Nos	RM Sieve use for wire protection, Dia 0.50mm is req	
2.	1-000-AV-50	BATTERY 3.6V 1.8 AH	Nos	Battery 3.6 Volt 1.8 Ah of Combination of 3 Cells is req	
3.	1-000-GRP-152	EXHAUST FILTER (HEAT RECOVER FILTER)	Nos	Exhaust Filter (Heat Recover) of 240 x 43 cm is req	
4.	00031024-00	SEAL KIT	Nos	Extension Boom in/out Cylinder seal Kit is req	
5.	00031025-00	SEAL KIT	Nos	Extension Boom Ram Cylinder Seal Kit is req	
6.	1-000-GRP-192	PERFORATED FILM POLYPROLINE (P3) 10M	Mtr	Glass Reinforcement Plastic (GRP) Shop	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
7.	110.05.030.000-00	LANDING BAR DAMPER	Nos	Germany / Geniun	
8.	110.05.050.001-	NOSE DAMPER	Nos	Germany / Geniun	
9.	2912639105B	PRE FUEL FILTER (COPCO 30 KVA)	Nos	UK/Atlas (Imported)	
10.	2912639105C	SEALING WASHER (COPCO 30 KVA)	Nos	UK/Atlas (Imported)	
11.	HSB-63	Shrink Hose	Meter	color black and thickness 1.6 mm is req	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
12.	HSB-46	Shrink Hose	Meter	color black and thickness 6.4 mm is req	
13.	897186	Thermal Conductivity of silica gel	Nos	Item req in 90 ml or larger tube	
14.	CF100-1	Talc	Nos	Item is talcum powder in small packets	
15.	T1301	ETHYLENE GLYCOL MONOMETHYL ETHER,FUEL SYSTEM,OEM PART NO T1301,UAV,CH-4,ALIT,CHINA	Btl	Item demanded for first time	
16.	B-068051	GASKET RING; 12X18	Nos	Oil Sump Gasket Ring C12x8 is req	
17.	ID 8653	Stop Buffer	Nos	Palfinger Crane PK16502C	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
18.	ID 16463	Seal Kit Stabilizer Lifting RAMTD-256 and TD-526 A (Set of 7 Pcs)	Nos	Palfinger Crane PK16502C	
19.	TD578	Sealing Kit for UP	Nos	Palfinger Crane PK16502C	
20.	1-000-MECH-439/ EO061, ED061, EO121, ED1226, ED1227	Main Boom Slaving Cyclinder Seal Kit (Set of 5pcs) O-seal, Piston Seal, O-seal, seal Ring, Guide Ring	Nos	Palfinger Crane PK16502C	
21.	1-000-MECH-454	Rubber for catapult arrester plate	Nos	Mechanical Shop	
22.	2173	Shrink Tube	Nos	Avionic Shop	
23.	ID 8043	Exhaust Hose 3536504031(Steel Material)	Nos	Model: Kirsch Power Generator (15LD315) Brand: Imported	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
24.	EV5056-24V	Actuation of Switch DANFOSS	Nos		
25.	B-070270	Gasket Ring A16x22	Nos	EU/ Khrabeun	
26.	B-066681	Straight Fitting Socket Less Hose and Size 06 45 Aluminum	Nos	USA / Aerquip	
27.	1-000-GRP-79	Rivet 8MM	Nos	Use for fuel tank cover	
28.	ID 6718	Glass Fabric 49 gm	Mtr	Use for grinding purpose	
29.	ID 6720-OLD	Glass Fabric 163 gm	Mtr	Use for fueslage and small parts	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
30.	1-000-GRP-70	Abrasive cloth P80	Mtr	Use for grinding	
31.	1-000-GRP-71	Abrasive cloth P120	Mtr	Use for grinding	
32.	ID 3470	Activator Spray 150 ML	Btl	Use for fast curing super glue	
33.	ID-6728	Celerol Top Coat 10 kg	Mtr	For paint of parts	
34.	ID-7610	Celerol Top Coat Spray	Nos	For paint of parts	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
35.	7796	Glasuirt fine body filler	Kg	Use for filling of parts	
36.	14371-OLD	Silicon Rubber 1050 90G	Tub	Use for rotory valve housing	
37.	ID-8168-OLD	Mast Lubricant Nova PTFE	Ltr	Use for antenna mast 18 KVR	
38.	ID 7773	Mast Lubricant Feroxin DSL	Ltr	Use for antenna mast 18 KVR	
39.	2777	Adhesive Socket	Nos	Use for wire securing	
40.	14370	Dirko (Liquid sealant)	Tub	During Cyl Installation	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
41.	ID-7298-OLD	Ergo Glue 50G	Btl		
42.	CP.MA.00000423.01	Battery, Storage,OEM Pat no CP.MA.00000423.01, Drone System, Mavic 3,Thermal, DJI Headquarters, China	Nos	DJI Mavic 3T battery is req	
43.	B-068466	WRAP;EXHAUST INSULATING WIDE 2" THICKNESS 1/6"	Roll		
44.	ID 3657	CAMLOC-FASTENER	Number	Germany Hardware item use in AV	
45.	ID 3658	CAMLOC-RECEPTACLE	Number	Germany Hardware item use in AV	
46.	ID 1837	RECESSED HEAD RAISED FILISTER HEAD SCREW	Number	Germany SENSOR PLATE FORM (EO & IR)	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
47.	110.04.022.011-00	FLAST LINK	Number	Germany Use in Luna Eng Shop	
48.	ID 7882	BRUSH HOSING	Number	Germany Use in Luna Eng Shop	
49.	ID 1427	NUTS	Number	Germany Hardware item use in AV	
50.	8679	SIMPLE STANDING N BLOCK SIZE 2	Number	Germany NLS	
51.	7073	FALLEN STOPPER SPINLOCK XAS	Number	Germany NLS	
52.	145.12.022.005-00	SPRINGER BLOCK, 8 MM	Number	Germany NLS	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
53.	145.12.022.006-00	SPRINGER BLOCK, 8 MM	Number	Germany NLS	
54.	ID-3087	WASHER (DIN 125-5-200 HV-A2)	Number	Germany NLS	
55.	ID 2989	COUNTERSUNK SCREW WITH HEXAGONAL SOCKET (DIN7991-M5X16-A2-70)	Number	Germany NLS	
56.	ID 1428	HEXAGONAL NUTT WITH CLAMO (DIN 985-M6-A2-70)	Number	Germany NLS	
57.	DIN912-M4X-10.9A2P	SCREW	Number	Germany Hardware item use in AV	
58.	DIN125-A4,3-140HV-A3P	SCREW	Number	Germany Hardware item use in AV	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
59.	DIN6912-M4X10-A2-70	SCREW	Number	Germany Hardware item use in AV	
60.	DIN7985-M3X12-A2-70-H	RECESSED HEAD RAISED FILISTER HEAD SCREW	Number	Germany Hardware item use in AV	
61.	DIN985-M3-A4-70	SELF LOCKING NUT	Number	Germany Hardware item use in AV	
62.	DIN7985-M3X30-A2-70-H	RECESSED HEAD RAISED FILISTER HEAD SCREW		Germany Hardware item use in AV	
63.	DIN985-M3-A2-70	SELF LOCKING NUT	Number	Germany Hardware item use in AV	
64.	DIN7985-M3X25-A2-70-H	RECESSED HEAD RAISED FILISTER HEAD SCREW		Germany Hardware item use in AV	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
65.	DIN7985-M4X16-8.8-H-A2P	RECESSED HEAD RAISED FILISTER HEAD SCREW		Germany Hardware item use in AV	
66.	DIN6797-A3,2-FST	TOOTHED WASHER	Number	Germany Hardware item use in AV	
67.	DIN7985-M3X6-A2-70-H	SCREW	Number	Germany Hardware item use in AV	
68.	3676	RECESSED HEAD RAISED FILISTER HEAD SCREW	Number	Germany SENSOR PLATE FORM (EO & IR)	
69.	ID 4063	SCREW	Number	Germany SENSOR PLATE FORM (EO & IR)	
70.	2724	SPACER SLEEVE	Number	Germany SENSOR PLATE FORM (EO & IR)	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
71.	2723	SPACER SLEEVE	Number	Germany SENSOR PLATE FORM (EO & IR)	
72.	2123	WASHER	Number	Germany SENSOR PLATE FORM (EO & IR)	
73.	4113	RECESSED HEAD RAISED FILISTER HEAD SCREW	Number	Germany SENSOR PLATE FORM (EO & IR)	
74.	110.06.010.016-00	ADJUSTMENT ROD FASTENING DAY LEFT	Number	Germany Hardware item use in AV	
75.	110.06.010.010-00	ADJUSTMENT ROD FASTENING DAY RIGHT	Number	Germany Hardware item use in AV	
76.	ADJUSTMENT ROD	ADJUSTMENT ROD	Number	Germany Hardware item use in AV	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
77.	ID 7237	LOCKING WASHER	Number	Germany Hardware item use in AV	
78.	ID 1841	SCREW	Number	Germany Hardware item use in AV	
79.	1427 (DIN985-MN5-A2-70)	HEXAGONAL NUT WITH CLAMP	Number	Germany Hardware item use in AV	
80.	ID-7299	ERGO GLUE 50 GM	Number	Germany AV	
81.	ID 3907	GROOVED BALL BEARING	Number	Germany CATAPULT	
82.	DIN7994-M5X16-8.8-A2P	COUNTR SUNK HEAD SCREW	Number	Germany GCS/GRS	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
83.	ISO7380-M6X16-8.8A2P	FILISTER HEAD SCRE	Number	Germany GCS/GRS	
84.	DIN982-M6-8-A2P	SELF LOCK NUT	Number	Germany GCS/GRS	
85.	DIN965-M4X16-8.8-H-A2P	SCREW, HEXAGONAL HEAD	Number	Germany GCS/GRS	
86.	DIN7985-M6X16-8.8-H-A2P	CROSSED HEAD SCREW	Number	Germany GCS/GRS	
87.	DIN125-A6,4-140HV-A3P	WASHER	Number	Germany GCS/GRS	
88.	DIN7991-M6X16-8.8-A2P	COUNTER SUNK HEAD SCREW	Number	Germany GCS/GRS	




Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
89.	5819	WASHER (DIN 125-12-200 HV-A2)	Number	Germany NLS	
90.	1475	CYLINDER SCREW WITH HEXAGONAL SOCKET (DIN912-M5X40-A2-70)	Number	Germany NLS	
91.	7093	COUNTERSUNK SCREW WITH HEXAGONAL SOCKET (DIN7991-M6X22-A2-70)	Number	Germany NLS	
92.	1427	SELF LOCKING NUT	Number	Germany REFUELLING SYS	
93.	TD577	Sealing Kit for UP	Nos	Seal Kit for UJP for Main Boom Main Cylinder of LUNA is req	
94.	NIV-09-OLD	SPARE BLADE SMALL (10 PCS)	Nos	blade size is 4 inch, 1 pack consists of set of 10 pcs	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
95.	YC.JG.ZS506186.08	GIMBAL,ARM,MOTORS	NOS	DJI Mavic 2 Pro Complete Gimbal Assy without Camera Lense is req	
96.	BC.EN.SS506356.01	SENSOR MODULE GIMBAL.OEM PART NO.BC.EN.SS506356.01,MATRICE 300,DJI,CHINA	NOS	DJI Mavic 2 Zoom Gimbal Sensor Module is Req	
97.	YC.DZ.AF000042.03	AIRCRAFT LOWER SHELL FAN	NOS	Matrice 300 Aircraft Lower Shell Fan is Req	
98.	AVN-GSE-16402	DC POWER SUPPLY	Nos	5 Amp, 30 V with adjustable voltage knobs (Coarse & Fine Control)	
99.	X-MET8000PTIMUM	DETECTOR, METAL FLAW, ELECTRONIC, XRF, OEM REF NO X-MET8000PTIMUM, UAV, TEST BENCH, HITACHI, JAPAN	Nos	Non-destructive on-site test eqpt to fine deep cracks in subsurface of composite parts. Hitachi Japan	


Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
100.	072-100-091	FLAW DETECTOR, DIGITAL EDDY CURRENT PHASE 3D, OEM REF NO 072-100-091, UAV, TEST BENCH, GENERAL ELECTRONICS, USA	Nos	Non-destructive testing kit to fine surface cracks in composite parts.General Electric USA	

Ser	Part No	Nomenclature	A/U	COO / Brand	Description & Justification	PIC
1.	HA9081986	SCREW DRIVER SET,FLAT TIP AND CROSS TIP,PRICISION,OEM REF NO HA9081986,WHITE FIELDS,CHINA	KIT	China Geniun	Corrosion resistant surface treatment, slip resistant handle Used for assy/ disassy	
2.	XU196478	KEY SET,HEXAGON,WRENCH,T-HANDLE,SET 8 PCS,OEM REF NO XU196478,HAPPY HOME TOOLS,CHINA	SET	China Geniun	Matte and chrome finish surface, comfortable grip Used for assy/ disassy	
3.	JE3321642	TAPE,ADHESIVE,FOAM,DOUBLE SIDED,30MM,20PCS,OEM REF NO JE3321642,3M,USA	NOS	China Geniun	Stable & firm, easy removal, no residual glue left Used for Instl of Avionics Compnents	
4.	D210S	PRINTING MACHINE,LABEL,OEM REF NO D210S,EAZEID,CHINA	NOS	China Geniun	Reliable Printing Quality, Built in cutter, good button feel Taging of Quadcopter Unit name Drone Ser No & Accesries	
5.	WY1155478	SCREWDRIVER,ELECTRIC,46 SCREWDRIVER SET,OEM REF WY1155478,TK CAR TOOLS,CHINA	NOS	China Geniun	Strong motor, 500 mAH Bty, Type C interface Used for assy/ disassy	


Ser	Part No	Nomenclature	A/U	COO / Brand	Description & Justification	PIC
6.	FN3159860	STAND,UAV,OEM REF NO FN3159860,SUPER BOLU TOYS,CHINA	NOS	China Geniun	5 Lvl height adjustment, 360 rotateable, non slip surface Used for assy/ disassy	
7.	DM5078264	OPENING TOOL,PRESS FITTED,SCREEN DISASSEMBLER,OEM REF NO DM5078264,YANHUA HOME,CHINA	NOS	China Geniun	Stainless steel material, easy to use Used for disassy of press fitted assys	
8.	HV2606163	FLUX,SOLDERING,PASTE,OEM REF NO HV2606163,METFJSNY,CHINA	NOS	China Geniun	No Rasidue, No cleaning req Used for soldering work	
9.	WU5377879	SOLDER,PASTE,MULTIPURPOSE,OEM REF NO WU5377879,RYB,CHINA	NOS	China Geniun	Quick & strong wleding, Acid free, Used for soldering work	
10.	UU5711658	SOLDER,PASTE,OEM REF NO UU5711658,FIEJI HOME,CHINA	NOS	China Geniun	Easy application, Durable flux Used for soldering work	
11.	QE2017147	TWEEZERS,STAINLESS STEEL, ,3PCS,OEM REF NO QE2017147,NYC MACHINE,CHINA	SET	China Geniun	Anti slip coating, durable & elega nt design Used for elect work	

Ser	Part No	Nomenclature	A/U	COO / Brand	Description & Justification	PIC
12.	WP50797	DIAGONAL PLIERS CUTTING,HIGH MANGANESE STEEL,OEM REF NO WP50797,PLATO,CHINA	NOS	China Geniun	Light weight, Thin profile, easy handling insulate grip Used during elect work	
13.	UF2220948	BOARD,MAGNETIC,POSITIONING,OEM REF NO UF2220948,XIAOYANEDIAN,CHINA	NOS	China Geniun	Double sided magnetic screw memory pad for efficient storage Used for storage of screws during assy/ disassy	
14.	PJ508011	MAT,SOLDERING,OEM REF NO PJ508011,SUIBOBO,CHINA	NOS	China Geniun	Multilayer, easy to clean, stand high temperature Used for soldering work	
15.	NQ346373	CLIP,STAND,OEM REF NO NQ346373,QD HARD WERE,CHINA	NOS	China Geniun	Adjustable arms, stable welding base used for holding the assy during repair	
16.	FD263769	BOARD,PRACICE,SMD-SMT COMONENTS,OEM REF NO FD263769,AILAD,CHINA	NOS	China Geniun	Glass fiber material, op voltage: $\leq 36 V$, Used for trg pupose	

Ser	Part No	Nomenclature	A/U	COO / Brand	Description & Justification	PIC
17.	XD4258010	DETECTOR,VOLTAGE,PEN,AUTOMOTIVE,OEM REF NO XD4258010,GVDA TOOL,CHINA	NOS	China Geniun	Bty powered, op voltage: ≤ 36 V , Digital display Used to test elect circuits	
18.	FM1448945	TESTER SMD,OEM REF NO FM1448945,UNIT-T,CHINA	NOS	China Geniun	Bty powered, op voltage: ≤ 36 V , Digital display Used to test elect circuits	
19.	WD246615	DRILL BIT SET,COBALT,19PCS,OEM REF NO WD246615,NEW POWER TOOLS,CHINA	SET	China Geniun	Usefull on steel, wool and metal Used for drilling	
20.	GR13657	GRINDER,ELECTRIC,PORTABLE,OEM REF NO GR13657,TIANYI,CHINA	SET	China Geniun	Small handhels, Recharable Used for grinding work	
21.	PROXXON 28492	DRILL,ELECTRIC,PORTABLE,ANGULAR GRINDER,OEM REF NO 28492,PROXXON,GERMANY	NOS	China Geniun	long neck angular drill grinder corded 220V Used for grinding work	

Ser	Part No	Nomenclature	A/U	COO / Brand	Description & Justification	PIC
25.	56194	KEY SET HEX HEAD SCREW METRIC BAAL END 1.5,2,2.5,3,4,5,6,8,&10	NOS	China Geniun	Ball End Hex Screwdriver Bits Set Metric Allen Hex Bit 100 mm Long Magnetic Ball Head Driver Bit Hex Type of Shank Dia Meter 6.35 mm (Hex 1x4") Used for assy/ disassy	
26.	P30003593	SCREWDRIVER SWIVEL KNOB SET OF 43	NOS	China Geniun	Hexagonal Sleeve Suits 1.8x18 cm with H 1.5 H2.0 H2.5 H3.0 mm Used for assy/ disassy	
27.	V1T-33-OLD	SCREWDRIVER SET	SET	China Geniun	BOSCH GO 3 Electrical Screw driver 43 Pcs Bit Kit Torque Range 0.1-5Nm Used for assy/ disassy	
28.	GP-CLO-19150	ANTISTATIC MAT	NOS	China Geniun	ESD Repair Pad Magnetic Mat Silicon repar Mat Sircute Board Solding Pad Heat Resistance 932° F Anti-Static for ESD 450L x 300W mm Used for assy/ disassy	

Ser	Part No	Nomenclature	A/U	COO / Brand	Description & Justification	PIC
29.	667690 1-OLD	SCREW DRIVER CROSSS TIP P1	NOS	France STANLEY	FATMAX Big Handle Pozidriv Screwdriver SKU# 65-319-14,Spec#pz0x75 mm 190L Class Chrome Vanadium (CR-V) Used for assy/ disassy	
30.	JK-6036	STAINLESS JEWELER SCREW DVR SET	SET	China Geniun	No:508 T5 x 25 mm JYD Used for assy/ disassy	
31.	043848,	CORDLESS DRILL MACHINE	NOS	JAPAN BOSCH	BOSCH 35 V with Bit 1 to 14 mm heavy working Used for drilling	
32.	5120ZO3503263	HAND GRINDER 7" HEAVY DUTY	NOS	JAPAN BOSCH	BOSCH 7" Heavy working with iron cutting Disc Set Used for gringer	
33.	LM-GEG-14	DRILL BIT 1 TO 1.5 INCH	NOS	China Geniun	Drill bit set 1 to 1.5" for Iron Working Used in Drill Mech for Drilling	
34.	NIV/29809005	Paint Spray Gun	NOS	China Geniun	High quality Gun for Iron & Wood Working Used for Paint	

Ser	Part No	Nomenclature	A/U	COO / Brand	Description & Justification	PIC
35.	AVN-NIV-C-212	COMPRESSOR HIGH PRESSURE PIPE	FT	China Geniun	Compressor Pipe for high pressure both side hydraulic for Pipe Used for Compressor to Paint Gun	
36.	1446	HEAVY DUTY IRON WORKING BENCH	NOS	China Geniun	Working Bench 3 feet L Used for working	
37.	08L1210	HOT AIR BLOWER (HEAT GUN)	NOS	China Geniun	High quality Gun for paint Used for Heating	
38.	3470ZO3519800	SLIDING DEGREE CUTTER	NOS	JAPAN BOSCH	BOSCH Side Cutter 14 Inch Dia with disc Set Used for iron cutting	
39.	TPN-AVN-GSE-EDN-0001	BENCH ELECTRIC DRILL MACHINE	NOS	JAPAN BOSCH	BOSCH Electric Drill with all Bit Set for Heavy Duty 2 Face Used for hole	
40.	5180ZO3531415	CARPENTER TOOL PLANNER	NOS	JAPAN BOSCH	BOSCH Wood Plainer with Blade Set for Heavy Duty Work Used for wood working	


Ser	Part No	Nomenclature	A/U	COO / Brand	Description & Justification	PIC
41.	GP-GENSTO-03681	SQUARE TRY ENGINEERS STEEL 12"	NOS	China Geniun	Sqaure Steel 12" Scale L Type 2 Pcs Used for Level	
42.	5140ZO3504845	SQUARE STEEL 24 INCH	NOS	China Geniun	Sqaure Steel 14" Scale Type 2 Pcs Used for	
43.	GP-ENGRTA-03132	SAWS HAND WOOD	NOS	China Geniun	Hand Wood Cutter for Heavy Duty Work Used for wood cutting	
44.	7530ZO3532051	Stapler Machine Gun,TS-13H	NOS	China TOTAL	ELCTRIC Chargeable Stapler Machine Gun for heavy work Wood Work	
45.	AVN-2019-181	AIR NAIL PUNCH MACHINE	NOS	JAPAN BOSCH	ELECTRIC Chargeable Nail Punch Machine Gun for heavy work with Nail Box Wood Punch	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
1.	J6066CX	Torque Wrench	Nos	Capacity 150-1000 Lbs	
2.	AVN-GSE-12017	Drill Machine	Nos	Dewalt DCD777B (or alt model) 20V, Drill/ Driver, RPM-0-16000 RPM, 2 speed transmission, LED Light, 2x Batteries (1x spare)	
3.	AVN-GSE-12005	General Purpose Mini Grease Gun Kit	Nos	Working Pressured 4500Psi Max Pressure, 100000 Psi Capacity 600CC, Material 1.2mm Steel Tube + Aluminum Cast	
4.	09119-12008	Ac Strut Pressure Gauge (Nose Ldg Gear Svc Spec Tool)	Nos	<ul style="list-style-type: none"> Nitrogen/ Air Gauge Upto 500-600 Psi Graduation Graduation Difference of 10 Psi b/w 2 Consecutive Graduation Gauge Inlet Outer Dia 13.5mm 4 Way Joint with 2x Joints with Pressured Control Handle 	

5.	Avn-503-T-3919	Screw Driver Drill Machine	Nos	-	
----	----------------	----------------------------	-----	---	--

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
1.	330A67-0522-169	CABLE Electrical	NOS	Tin Plated Copper (Stranded Shielded) Gauge : 22 AWG Voltage : 110 - 220	
2.	6127533-046	SEALING	NOS	Paper Sticker for Tamper Proofing Size : A4 Sheet	
3.	111296-74	BLIND RIVET	NOS	Material : Aluminum Size : 1/8 Inch	
4.	52351CCM050E	NUT,ANCHOR	NOS	Two Lug Fixed Anchor Nut Material : Matallic Center Screw Hole, Size : 5mm Center to Center Distance b/w Mounting Holes : 15mm	
5.	52358CBD050N	NUT ANCHOR	NOS	Two Lug Floating Anchor Nut Material : Matallic Center Screw Hole Size : 5mm Center to Center Distance b/w Mounting Holes : 20mm	

6.	AVN-EXP-44285	BAKING SODA	NOS	Sodium Bicarbonate (NaHCO_3) Commonly Known as Baking Soda A/U in KGs	
7.	AVN-SIGS-4908	BNC Connector	NOS	Material : Copper + Aluminum Type : Solder Free Size : 13 mm Diameter	
8.	ASNE0608-02	BRACKET,CLAMP	NOS	Material : Nylon Dimensions : 12 x 22 mm	
9.	DHS754-150-10	BREADING	MTR	Braided Sleeve Material : NYLON Size : 10 mm Diameter	
10.	985710-040k	CABLE ELECTRICAL	FT	Stranded, Flexible Tin coated copper wire Temp Rating : 240°C Size : 24 AWG Aviation Grade	
11.	985710-060KBLEU	CABLE ELECTRIC	NOS	Stranded, Flexible Tin coated copper wire Temp Rating : 240°C Size : 22 AWG Aviation Grade	

12.	985771-040k10D	CABLE.ELECTRICAL	NOS	Shielded Stranded, Flexible Tin coated copper wire (1 Core) Temp Rating : 240°C Size : 24 AWG Aviation Grade	
13.	985772-100K10D	CABLE ELECTRICAL	NOS	Shielded Stranded, Flexible Tin coated copper wire (2 Core) Temp Rating : 240°C Size : 24 AWG Aviation Grade	
14.	AVN-SIGS-4894	Camera 5 MP HD Dome	NOS	Manufacturer : DAHUA Model : DH-HAC-T1AP15	
15.	DHS771-124-03	CIRCUIT BREAKER 1A	EA	MFR : CROUZET Mfr P.No : 84400048 Rating : 1 Amp Type : Push-Pull Poles : Single Pole	
16.	AVN-SIGS-4893	DC Power Pin	NOS	DC Power Pin MALE Type : Solder Contacts Size : 2.1 x 5.5 mm	
17.	AVN-SIGS-4899	DC Power Supply Variable	NOS	Voltage : 6 to 36 VDC (Variable) Current : 3 Amp	

18.	DHS751-111-06	CAP,BLANKING	NOS	Material : Rubber Internal Dia : 10 mm External Dia : 16 mm For 2 mm Thickness sheet	
19.	3M*	ISOLATOR,MALE	NOS	High Speed USB 2.0 Isolator Supports 480Mbps,12Mbps,1.5Mbps Safety device to protect SSD harddisk against voltage/ current fluctuations	
20.	AVN-503-T-3907	DRILL BIT 3/32"	NOS	Material : Cobalt Size : 3/32" Used For : Sheet Metal	
21.	AVN-Tool-44159	DRILL BIT 5 MM	DOZ	Material : Cobalt Size : 5 MM Used For : Sheet Metal	
22.	AVN-SIGS-4902	LAN Jointer Cu	NOS	RJ45 Coupler for CAT-6 Cable	
23.	DHS711-713.13	LUG, TERMINAL	NOS	Material: Copper, tin coated PVC Insulated Conductor Size : 22 - 18 AWG / 0.5 - 1.0 mm Hole Size : M4	

24.	6127194-037	NUT	NOS	Self Locking Nut Material : Steel with Cadmium Plating Screw Size : 3 mm	
25.	6127194-067	NUT	NOS	Self Locking Nut Material : Steel with Cadmium Plating Screw Size : 5 mm	
26.	6127321-004	NUT,ANCHOR	NOS	Two Lug Floating Anchor Nut Material : Steel Center Screw Hole, Size : 5mm Center to Center Distance b/w Mounting Holes : 10mm Aviation Grade	
27.	MS21075L04N	NUT PLATE	NOS	Two Lug Floating Anchor Nut Material : Steel Center Screw Hole, Size : 4mm Center to Center Distance b/w Mounting Holes : 10mm Aviation Grade	
28.	HGB953046	BTY CELL 3.7V	NOS	Lithium Cell 3V Model : CR1220	
29.	AVN-503490	PARACHUTE BLACK FIRE PROOF	MTR	Fire Retardant Fabric High Temp Resistant 60degree Celsius	

30.	6127426-016	RIVET	LBS	Counter Sunk Head Material : Aluminum Alloy Size : 3/32 Inch Length : 6mm	
31.	6127426-023	RIVET	LBS	Round Head Material : Aluminum Alloy Size : 1/8 Inch Length : 5/16 Inch	
32.	ASNA0080-411A	RIVET	NOS	Material : Aluminum Size : 3/32 Inch	
33.	MS20470-AD4-7	RIVET	NOS	Universal Head Material : Aluminum Alloy Size : 1/8 Inch Length : 7/16 Inch	
34.	MS20426AD3-5	RIVET,SOLID	NOS	Counter Sunk Head Material : Aluminum Alloy Size : 3/32 Inch Length : 5/16 Inch	
35.	MS20426AD3-4	RIVET,SOLID	NOS	Counter Sunk Head Material : Aluminum Alloy Size : 3/32 Inch Length : 1/4 Inch	


36.	6127195-002	RIVE NUT	NOS	Material : Aluminum Alloy Size : 4mm	
37.	209-030-216-71	RUBBER STRIP	NOS	Material : Rubber Width : 1.5 mm Thickness : 2 mm A/U in Meter	
38.	22201BC050003L	SCREW	NOS	Hex Head Material : Stainless Steel Alloy Size : 5mm Length : 12mm	
39.	22201BC050004L	SCREW	NOS	Hex Head Material : Stainless Steel Alloy Size : 5mm Length : 14mm	
40.	22256BC050014L	SCREW	NOS	Counter Sunk Head Material : Stainless Steel Alloy Size : 5mm Length : 14mm	
41.	22271BC040012L	SCREW	NOS	Universal Head Material : Stainless Steel Alloy Size : 4mm Length : 12mm	

42.	22271BC040014L	SCREW	NOS	Universal Head Material : Stainless Steel Alloy Size : 4mm Length : 14mm	
43.	22271BC050014L	SCREW	NOS	Universal Head Material : Stainless Steel Alloy Size : 5mm Length : 14mm	
44.	22271BC050020L	SCREW,MACHINE	NOS	Universal Head Material : Stainless Steel Alloy Size : 5mm Length : 20mm	
45.	6127321-013	SCREW	NOS	Universal Head Material : Stainless Steel Size : 5 mm Length : 45 mm	
46.	6127330-043	SCREW	NOS	Universal Head Material : Stainless Steel Size : 4 mm Length : 14 mm	
47.	6127366-027	SCREW	NOS	Hex Head Material : Stainless Steel Size : 4 mm Length : 12 mm	

48.	6127391-008	SCREW	NOS	Universal Head Material : Stainless Steel Size : 3 mm Length : 12 mm	
49.	MS27039C0805	SCREW, MACHINE	NOS	PAN Head Machine Screw Material : Corrosion Resistant Steel Size : 4mm Length : 3/8 Inch	
50.	MS27039C0808	SCREW, MACHINE, PAN HEAD	NOS	PAN Head Machine Screw Material : Corrosion Resistant Steel Size : 4mm Length : 14 mm	
51.	EN6049-003-04-5	SHEATH, BRAIDED	EA	Braided Sleeve Material : NYLON Size : 5 mm Diameter	
52.	ASNA3012-8581	PLATE	NOS	Aluminum Alloy Sheet Thickness : 1.2 mm	
53.	AVN-SIGs-4919	Shocks Mount	NOS	Material : Rubber Shape : Cylindrical Dia : 30 mm Length : 30 mm Center Hole Dia : 6 mm	

54.	NVG-17-SS15MM	SHRINKABLE SLEEVE 15MM	MTR	Material: Rubber Size : 15 mm Diameter Voltage Rating : 600 V Temp Rating : -40 ° C to 125 ° C	
55.	AVN-EXP-4914	SHRINKABLE SLEEVE 5MM	NOS	Material: Rubber Size : 5 mm Diameter Voltage Rating : 600 V Temp Rating : -40 ° C to 125 ° C	
56.	617812	SPACER	EA	Length : 0.8 Inch Base : 0.2 Inch Diameter Screw Size : 5mm	
57.	AVN-SIGS-4909	Terminal Strip 6 pt DC	NOS	Terminal Block Ratings : 600 V, 25 A Poles : 6 Poles (Dual Row) Size (L x W x H) : 70 x 20 x 15	
58.	610-5F	TOGGLE SWITCH	NOS	2 States ON/OFF Rating : 3A , 250V & 5A , 125V Connection : 6 Pin Mounting Hole Size : 20 mm Dimensions (W x L x H) : 20 x 28 x 45	
59.	23111AG040LE	WASHER	NOS	Material : Stainless Steel Size : 4mm	

60.	23111AG050LE	WASHER FLAT	NOS	Material : Stainless Steel Size : 5mm	
61.	AVN-SIGS-4892	XVR 4.0 DAHUA 265x125x50 MM	NOS	4 CH DVR MFR : DAHUA Dimensions (LxWxH) : 265 x 125 x 50 mm Modified Input/Output Connectors 7 Pin 24 Pin 5 Pin LAN & HDMI	
62.	503CONN-24P	24 PIN CONNECTOR SOCKET	NOS	Model : Y28M-24TK MAKE : Elecbee Pins Type : 24 Pin Solder Mounting Type: Cable Dimensions : 9.84 x 7.87 x 3.94 inches Rated Current : 10 Amp Contact Material : Brass	
63.	52350FBD050N	NUT,ANCHOR	NOS	Material: Metallic Type : Moveable Center hole size : 5mm	
64.	52351CBD040N	NUT ANCHOR	NOS	Material: Metallic Type : Moveable Center hole size : 4mm	

65.	AVN-5032-112	DRILL BIT 1/8"	PKT	Material : Cobalt Size : 1/8" Used For : Sheet Metal	
66.	AVN-5032-113	DRILL BIT 5/32"	NOS	Material : Cobalt Size : 5/32" Used For : Sheet Metal	
67.	DHS711-713-25	LEG TERMINAL	EA	Material: Copper, tin coated PVC Insulated Conductor Size : 14 - 16 AWG / 1.2 - 2.5 mm Hole Size : M5	
68.	AVN-EXP-4910	NYLON STRAP KSS 4? CV-150	NOS	Material : NYLON Length : 4" Operating Temp : -40 degrees to 85 degrees Packing : 100 Pcs	
69.	AVN-EXP-4911	NYLON STRAP KSS 8? CV-350	NOS	Material : NYLON Length : 8" Operating Temp : -40 degrees to 85 degrees Packing : 100 Pcs	
70.	AVN-SIGS-4895	AVCVR Panel Ind It	NOS	Material : Aluminum Size (L x W) : 75 x 45 mm Thickness : 1.2 mm PWR LT and REC LT holes : 10 mm Dia 2x Screw Hole : 4 mm Dia	

71.	DHS713-511.02	SLEEVE SELFSOLDRING	NOS	Size : for 22 to 18 AWG wire / 0.5 - 1.0 mm Length : 40 mm Dia : 2.7 mm	
72.	DHS713-511.03	SLEEVE SELF SOLDERING	NOS	Size : for 16 - 14 AWG wire / 1.5 - 2.5 mm Length : 40 mm Dia : 4.5 mm	
73.	D436-36	SPLICE RED	NOS	Color Code : Red Size : for 14 - 16 AWG wire / 1.5 - 2.5 mm	
74.	AVN-SIGS-4900	Thimble Power Supply	NOS	Material: Copper Insulation: PVC Insulated For 12 VDC Size : for 22 to 18 AWG wire / 0.5 - 1.0 mm	
75.	85100R8	CONNECTOR	NOS	Type : JST-2Pin Female Voltage : 24 VDC	
76.	6161909-000	SOLDERING WIRE	GM	Tin/Lead Composition : 60/40 Thickness : 0.8 mm Weight : 50 Grams per piece	

77.	NVG-17-SP	SOLDERING PASTE	PKT	Weight : 80 Grams per piece High Intensity Joint Good Immersion Manufacturer: DEXLE	
78.	21215TB3215 RIVET B42/4	STEEL RIVET SPECIAL	NOS	Material : Steel Type : Universal Head Thickness : 2.4 mm Length : 15 mm	
79.	WA30Q4BF	CUTTER DISK	NOS	Material: High Speed Steel (HSS) Size: 35 mm Dia Thickness: 0.8 mm	
80.	M9513G	GRINDER	NOS	Material : Carbide Shape : Ball Nose Head Dia = 14 mm Head Length = 25 mm	
81.	5995ZO3520699	LAN Cable Cat-6	NOS	Manufacturer : Dahua Type : CAT-6 UTP Cable	
82.	M39029/31-240	PIN CONNECT MALE	NOS	Required : Pair of Male & Female Model : ARS-9305-CBL (Female) No of pins: 5 Diameter : 17.86 mm Length : 40.49 mm Model : ARS-9305-CBL (Male) Diameter : 16.26 mm Length : 0.64 inch	

83.	Y2-24ZJ	24 PIN CONNECTOR SOCKET	NOS	<p>Model : Y28M-24TK MAKE : Elecbee Pins Type : 24 Pin Solder Mounting Type: Cable Dimensions : 9.84 x 7.87 x 3.94 inches Rated Current : 10 Amp Contact Material : Brass</p>	
84.	0000057014	CONNECTOR	NOS	<p>Model : Y2M-7TK MAKE : HETSCS Pins Type : 7 Pin Solder Mounting Type: Cable Dimensions : 1 x 1 inches Shell Size : 21 mm Operating Temp : -40 to 85 degrees Rated Current : 10 Amp Contact Material : Brass</p>	
85.	AVN-EXP-4912	NYLON STRAP KSS 12? CV-450	NOS	<p>Material : NYLON Length : 12" Operating Temp : -40 degrees to 85 degrees Packing : 100 Pcs</p>	
86.	CM-1BM	LIGHT	NOS	<p>15 x Green lights + 15 x Amber lights LED Voltage : 12 VDC LED Current : 0.02 Amp to 20 mAmp Connector Type : JST-2 Pin Male</p>	
87.	PFP-27-450-1	LIGHT	NOS	<p>15 x Green lights + 15 x Amber lights LED Voltage : 12 VDC LED Current : 0.02 Amp to 20 mAmp Connector Type : JST-2 Pin Male</p>	

Ser	Part No	Nomenclature	A/U	Detailed Spec	Sample Picture
1.	ASNA3045-8618/ 2024T3	Sheet (1.4mm)	Nos	Aluminium Sheet 1.4mm LxW=3x3 ft	
2.	ASNA3045-8628/ 2024T3	Sheet (1.6mm)	Nos	Aluminium Sheet 1.6mm LxW=3x3 ft	
3.	ASNA3010-8618	Sheet (1.4mm)	Nos	Aluminium Sheet 1.4mm LxW=3x3 ft	
4.	ASNA3010-8600	Sheet (1.2mm)	Nos	Aluminium Sheet 1.2mm LxW=3x3 ft	
5.	ASNA3010-8581	Sheet (1.0mm)	Nos	Aluminium Sheet 1.0mm LxW=3x3 ft	

6.	AVN-NIV-X-2	X-Ray Film Developer AGFA	Nos	Only Imported Item will be accepted AGFA G150 X-Ray Developer Single Part hardner free developer 1x liter bottle	
7.	G-335	X-Ray Fixer (Dry)	Nos	Only Imported Item will be accepted AGFA G150 X-Ray Developer Single Part hardner free developer 1x liter bottle	
8.	1158-1	X-Ray Film 10x40 CM AGFA Film Pack of 50 Sheets	Pkt	Only Imported Item will be accepted Industrial grade, AGFA NDT X-Ray film each film six 10x40	
9.	UC-1	Ultrasonic Gel	Kg	Only Imported Item will be accepted ultrage II (high performance ultrasonic couplant) 12 oz bottle COO USA Manufacture P/No. 25-012	
10.	AS012	UVR CLEAR 07 (LACQUER)	Ltr	Andrew	
11.	AVN-366-16047-113	Plum Bum Dust	Kg	(Libras Chemical)	

12.	MS20995C32-Old	Stainless steel lock wire	Nos	Only Imported Item will be Accepted A/U "Nos" refers to Roll of 1 Lbs Brand: Malin Co COO: USA Size / Diameter: 0.032 Inches	
13.	VV-P-236	Petroletum	Can	Only Imported Item will be Accepted A/U Can refers to 1 Lb Can Brand: Armitte Laboratories, Inc COO: USA	
14.	Avn -Exp-4602	Double side Filter Mask	Nos	Only Imported Item will be Accepted Type: 3M 6200 half-face respirator COO: Australia / USA / Poland	
15.	AVN-503869	Leather Gloves	Nos	A in U "Nos" refers to 1 x Pair Local Features: Heat Resistant Size: 9.5 to 10.50 Inches	
16.	STD-1894-OLD	Locking Wire 0.25 Inch /0.6mm	Nos	Only Imported Item will be Accepted A/U "Nos" refers to Roll of 1 Lbs Brand: Malin Co COO: USA Size / Diameter: 0.026 Inches	
17.	Loctite SF 7649	Primer Sealing Compound, OEM REF No. Loctite SF 7649, FW, SMK, Loctite corp USA	CAN	Only Imported Item will be Accepted A/U "CAN" refers to 150 ml Can Brand: Henkel COO: Germany / USA	

18.	Loctite 510	Loctite 510 Acrylic Gasket Sealant 50ml Tube	Tube	Only Imported Item will be Accepted A/U "Tube" refers to 50 ml tube Brand: Henkel COO: Germany / USA	
19.	Avn-503441	Sodium Dichromate	Kg	(Libras Chemical)	
20.	SP 100	Turbine Oil	Ltr	Type: Lubricant Turbine oil used for Test benches Company: CASTROL Size of Container = 200 Ltrs	
21.	AWS 46	Hyd Oil	Ltr	Type: Lubricant Hyd oil used for Test benches Company: CASTROL Size of Container: 200 Ltrs	
22.	OM-15	Hyd Oil	Ltr	Type: Lubricant Desc: Hyd oil used for drag dampers & Drag Damper Test bench Company: ROYCO Size : 1 ltr	
23.	NYCO-65	VASELINE	KG	Vaseline Packing: Tube Company : Nyco Weight : 0.1 Kg	

24.	471-19MM Wide Black	Tape Adhesive	Roll	Adhasive Tape Company : 3M Width : 0.75" Length : 75 Yard Usage: Used on Main Rotor Head & Tail Gear Box Sleeves for Identification	
25.	471-19MM Wide Blue	Tape Adhesive	Roll	Adhasive Tape Company : 3M Width : 0.75" Length : 75 Yard Usage: Used on Main Rotor Head & Tail Gear Box Sleeves for Identification	
26.	471-19MM Wide Red	Tape Adhesive	Roll	Adhasive Tape Company : 3M Width : 0.75" Length : 75 Yard Usage: Used on Main Rotor Head & Tail Gear Box Sleeves for Identification	
27.	471-19MM Wide Yellow	Tape Adhesive	Roll	Adhasive Tape Company : 3M Width : 0.75" Length : 75 Yard Usage: Used on Main Rotor Head & Tail Gear Box Sleeves for Identification	




28.	DX-100DYKEM	Steel Blue	Btl	Dykem Layout Fluid Company : Dykem Size of Bottle : 236 ml Usage: Used on MGB & TGB (Puma Hel) Gear tooth / Gear Pattern for Identification	
29.	LC-03814115190	Caustic Blue Indicator	ltr	Req 100 ML	
30.	LC-0213120-R	Barrium Chloride 10%	Kg	Req: 500ML	
31.	LC-014160.Q	Sodium Flouride	Ltr	(Libras Chemical)	
32.	Avn-Exp-4728	Powder Coating Black (Glass)	Nos	Andrew	
33.	Avn-Exp-4736	Powder Coating Red (Glass)	Nos	AU "Nos" refers to Kg	


34.	Avn-Exp-4738	Powder Coating Orange (Glass)	Nos	AU "Nos" refers to Kg	
35.	Avn-Exp-4741	Powder Coating Dark Brown (Glass)	Nos	AU "Nos" refers to Kg	
36.	Avn-Exp-4745	Powder Coating Golden Yellow (Glass)	Nos	AU "Nos" refers to Kg	
37.	Avn-Exp-4756	Powder Coating Black (Matt)	Nos	AU "Nos" refers to Kg	
38.	Avn-Exp-4758	Powder Coating Light Gray (Matt)	Nos	AU "Nos" refers to Kg	
39.	Avn-Exp-4764	Powder Coating Red (Matt)	Nos	AU "Nos" refers to Kg	

40.	Avn-Exp-4770	Powder Coating Silver (Matt)	Nos	AU "Nos" refers to Kg	
41.	Avn-Exp-4772	Powder Coating Yellow (Matt)	Nos	AU "Nos" refers to Kg	
42.	Avn-Exp-4773	Powder Coating Golden Yellow (Matt)	Nos	AU "Nos" refers to Kg	
43.	Avn-Exp-4774	Powder Coating White (Matt)	Nos	AU "Nos" refers to Kg	
44.	Avn-Exp-4782	Powder Coating Light Brown (Matt)	Nos	AU "Nos" refers to Kg	
45.	MIL-PRF-85285, TYPE I	COATING, POLYURETHANE, AIRCRAFT SUPPORT (MIL-PRF-85285, TYPE I COLOR # 36440)	LTR	Trade Name: Bonderite M-CR 1200S AERO Chemical Conversion Coating (formerly known as Alodine 1200). Henkel Corporation Aerospace Specs: MIL-DTL-81706, Class 1A & 3, Form II.	

46.	LC-0314315.J	TRICHTHLORE ETHYLENE	LTR	for matel components cleaning	
47.	DUREX 1318-B	GREEN VARNISH	LTR	Home brite	
48.	PR1436GB-OLD	COMPOUND	KIT	PPG AEROSPACE Packing Req: Part A: 12 oz (355ml) Part B : 1.1 oz(33ml) ; Kit is comb of part A & part B	
49.	MIL-PRF-7024E	Naphtha Type-II	ML	Packing Required: 60 ltr Can	
50.	DLY-077-128-00	Oil Separator	Nos		
51.	TRS090A3016	Compressor	Nos	Brand: Sanden Japan	

Anx G

Ser	Part No	Nomenclature	A/U	Qty	Mil / Tech Specification	Pic	Remarks
1.	6930ZA1543738	RUDDER,CLS P, WITH OUT TOE BRAKES, BRUNNER, AUSTRALIA, SIMULATOR AIR CRAFT	Nos	1	GER.1097.030E.V002 CLS-P Rudder w/o brakes, black, Heli https://brunner-innovation.swiss/		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
2.	FFS-AS-4302	Garmin G1000 (Flight Simulator) Data Package	Nos	1	EFIS Fly G1000 Nxi Data Package with Professional License Compatiable for P3D https://efisfly.com/		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
3.	AVN-EXP-41822	MS Square Pipe 1-1/2 x 2 16 BG	FT	100	MS Square Pipe 1-1/2 x 2 16 BG (20 ft Length),Full Guage Company: Adam Jee		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
4.	GP-GENSTO-20114	MS Square Pipe	FT	100	MS Square Pipe 3/4 x 3/4 18 BG (20 ft Length), Full Guage Company: Adam Jee		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
5.	ASNA3012-8600	Aluminium Sheet	Nos	10	Aluminium Sheet 0.8 mm Size: 4 x 8 ft, Full Guage		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
6.	G2/PGB/0208/MS	Aluminium Sheet 8FT X 4 FT X 3MM	KG	250	Aluminium Sheet 3 mm Size: 4 x 8 ft, Full Guage		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
7.	A-U4G5	Aluminium Sheet 1.2mm	Nos	10	Aluminium Sheet 1.2 mm Size: 4 x 8 ft, Full Guage		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)

8.	G2/PGB/0009/MS	Aluminium Sheet 8FTX4FTX2MM	KG	180	Aluminium Sheet 2 mm Size: 4 x 8 ft, Full Guage		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
9.	AVN-366-16047-1492	Heat Shrinkable Sleeve 6mm	Mtr	50	Heat shrinable sleeve 6 mm, Compnay: RoHS		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
10.	AVN-EXP-4915	Shrinkable Sleeve 10 mm	NOS	50	Heat shrinable sleeve 10 mm, Compnay: RoHS		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
11.	4002-04-07	RIVET BLIND	Ea	500	Rivet Blind Pkt 1 Kg, Air Craft Standard		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
12.	AVN-NIV-G-60	GOGGLE	Nos	20	Safety glasses with clear lenses are essential indoors. Bollé Safety clear lenses provide 90% light transmission and anti-fog coating., Compnay: Total		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
13.	AVN-NIV-P-3	5 Mint Epoxy	Nos	20	For Joint all materials, 5 Mint Epoxy, Compnay: Permatex		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
14.	Z42/PZZP/1365/A	CONNECTION STRIP	Nos	24	60Amp 12 Way Block Plug In Terminal Strips Wire Connector, Brand: RS		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
15.	Z32/5939-ZO-215-08 08	Connector Strip 15 PIN	Nos	24	Connector strip 100A, Current rating: 100A Interface type: AC/DC both, Brand: RS		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)

16.	704A34412038	Flexible Hose	Nos	25	Used in general-purpose air hoses with dia 3" for various industrial uses. Compnay: Hoses Uk		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
17.	5935-74-216-159	CONNECTOR, PLASTIC, MALE/FEMALE, 3-PIN,220V	Nos	12	220V AC connector includes its voltage and current ratings, physical dimensions and shape, the number of pins, and its contact type, Company: Electronation		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
18.	ANL80	LIMITER VOLTAGE	Nos	24	Limit Switch Specifications · AZ7120 Operating Force : 150g max. Release Force : 40g min · AZ7140		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
19.	GP-SIGTA-05255	Duck Pati Small Size	Nos	20	Duck Pati 40 x 40" refers to a 40mm x 40mm PVC (Poly Vinyl Chloride) slotted cable duct or wiring trunking, typically made of self-extinguishing, high-impact rigid PVC, Company: Stylo		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
20.	3160S28-13-20-201	Seat Rail	Nos	8	High-strength aluminum alloy (7075-T6), titanium alloy (6Al-4V), or stainless steel (AISI 304L), Company: Rail Sys		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
21.	704A34412272	Flexible hose	Nos	30	1-inch flexible hose's technical specifications vary significantly based on its material (e.g., PVC, rubber, stainless steel) and intended use, Compnay: Hoses Uk		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
22.	GB522-903-000	Flexible hose	Nos	30	2-inch flexible hose's technical specifications vary significantly based on its material (e.g., PVC, rubber, stainless steel) and intended use, Compnay: Hoses Uk		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)

23.	0-22-8473-005-C	12 Pin Connecting Male / Female	Nos	48	12-pin JST connector's technical specifications, such as current and voltage ratings, temperature range, and wire gauge, vary significantly depending on the JST series (e.g., XH, PH, GH), Company: Electronation		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
24.	WBJ-239/SL	LED GREEN	Nos	50	5mm Green Diffused led Light Emitting Diode		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
25.	GSM-297	LED GREEN	Nos	50	5mm Green Diffused led Light Emitting Diode		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
26.	NVG-17-4G	LED GREEN 4MM	Nos	50	4mm Green Diffused led Light Emitting Diode		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
27.	NVG-17-SI160W	SOLDERING IRON 60 W	Nos	5	60 Watt Soldering Iron 230 Volts, Proskit		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
28.	GP-F1/PFA-1694	Cutter Plier	Nos	12	Pro'sKit or Eclipse PM-737, Grip Type: Ergonomic		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)
29.	P30001401	Plier 8 Inch	Nos	6	Pro'sKit 1PK-052DS Combination/Lineman's Plier: A 200mm lineman's plier with a dual handle.		Sample / Broucher / Details be submitted with qoute (Qoute without tech specs/broucher will be rejected)

30.	LC-011803-175	COPPER WIRE MOUNTING WIRE 0.10 MM	KG	10	Festo connecting cable, such as the Festo SME-8M-DS-24V-K-5,0-OE or Festo KMYZ-2-24-5-LE, It is a 4-core shielded cable designed for signal transmission.		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
31.	5930-01-013-2461	Rotary Switch	Nos	18	Switches have different numbers of positions and speeds, such as 4-position, 3-speed. They are designed for use with a variety of voltage systems, such as 120V-250V.		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
32.	6130ZO3530289	POWER SUPPLY, 30V, 5 AMPARE, 8103, LODESTAR	Nos	20	Industrial Power Supply, 30V, 5 AMPARE, 8103, Company: LODESTAR		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
33.	B-071231	CONNECTOR; PLUG 26 PIN CABLE MOUNT WITH BACK SHELL	Nos	24	CONNECTOR; PLUG 26 PIN CABLE MOUNT WITH BACK SHELL		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
34.	GP-SIGTA-06797	POWER PLUG 15 AMP CON	Nos	24	POWER PLUG 15 AMP CON		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
35.	Z32/5935-ZO-215-08 05	CONNECTOR MALE 20 PIN	Nos	24	CONNECTOR MALE 20 PIN		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
36.	B-000359	CONNECTOR; D-TYPE 09 PIN SOCKET CABLE MOUNTP/N 205203-3	Nos	24	Bakelite 9pin Vacuum Tube Socket Testing Saver For 6DJ8 12AX7 ECC83 B339 CV492 6L13 12AU7 ECC82 B329 CV491 Hifi Tube AMP DIY 2PC		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)

37.	10778	NAIL WIRE 2-1/2X10 SWG	KG	10	Ideal for general interior wood construction and fastening where head concealment isn't a priority.		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
38.	10777	NAIL WIRE 2X12 SWG	KG	10	Ideal for general interior wood construction and fastening where head concealment isn't a priority.		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
39.	5315ZO3502534	NAIL WOOD 1.5"	KG	10	Ideal for general interior wood construction and fastening where head concealment isn't a priority.		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
40.	10784	NAIL WIRE 1"	KG	10	Ideal for general interior wood construction and fastening where head concealment isn't a priority.		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
41.	330A25-2152-21	PANNEL, SLIDING RH	Nos	24	12-inch sliding channel's, a ball-bearing mechanism for smooth movement, a load capacity varying from 20-35kg		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
42.	AVN-EXP-43989	Wooden Screw Philip 1/2"	DOZ	40	Stainless Steel, length of 1/2 inch (25mm) and a specified diameter such as #6 or #8 gauge		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
43.	AVN-EXP-43991	Wooden Screw Philip 3/4"	DOZ	40	Stainless Steel, length of 3/4 inch (25mm) and a specified diameter such as #6 or #8 gauge		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
44.	AVN-EXP-43992	Wooden Screw Philip 1"	DOZ	40	Stainless Steel, length of 1 inch (25mm) and a specified diameter such as #6 or #8 gauge		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)

45.	AVN-EXP-43990	Wooden Screw Philip 5/8"	DOZ	40	Black Cross Flat Head Wood Screws pack of 100pcs 5/8 x 6 size		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
46.	MS24621-7	SCREW SELF TAPING	NOS	500	Black Cross Flat Head Wood Screws pack of 100pcs 1 x 8 size		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
47.	AVN-UPH-5032294	WOODEN SCREW	Pkt	5	Black Cross Flat Head Wood Screws pack of 100pcs 1 x 6 size		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
48.	AVN-EXP-43993	WOODEN SCREW PHILIP 1-1/2"	DOZ	40	Black Cross Flat Head Wood Screws pack of 100pcs 1.5 x 8 size		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
49.	AVN-EXP-43994	WOODEN SCREW PHILIP 2"	DOZ	40	Black Cross Flat Head Wood Screws pack of 100pcs 2 x 8 size		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
50.	330A65-4036-21	ANGLE BRACKET	Nos	50	Iron. Finish :Zinc Plated. Colour : Silver, 2"		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
51.	MS9592-016	ANGLE BRACKET	Nos	50	Iron. Finish :Zinc Plated. Colour : Silver, 3"		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
52.	FFS-CI-5028	VMD 93 Dry Graphite Lock Lubricant Spray	Nos	20	GRAPHITE LOCK GREASE SPRAY ML.200 "93" Company:VMD		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)

53.	AVN-503883	MASTER MOLTY FOAM SHEET 4'X22'X22'	Nos	5	MASTER MOLTY FOAM SHEET 4 X 22 X 22, Company; Molty Foam		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
54.	AVN-NIV-H-115	HINGES 3/4"X18 BG	FT	50	HINGES 3/4"X18 BG Wide Stainless Steel Piano Hinge Continuous Hinge		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
55.	AVN-NIV-R-216	RUBBER SHOES	NOS	10	Rubber Long Shoes With Steel Toe, Size 8, 9, 10		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
56.	AVN-NIV-S-513	SURGICAL TAPE	Nos	25	3M Medical Securement Tapes & Wraps		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
57.	8415-00268	GLOVES	Prs	50	Cotton Gloves , Built-in warm Lining fleece, nylon & windproof polyester offers enhanced warmth Zipped closure ensures a snug fit.		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)
58.	AVN-366-16047-1449	RUBBER GLOVES	Prs	50	RUBBER GLOVES, Orcoa Resuable and Washing Latex Rubber Hand Long Sleeve Gloves		Sample / Broucher / Details be submitted with quote (Quote without tech specs/broucher will be rejected)