

PAKISTAN NAVY
TENDER BULLETIN

INVITATION TO TENDER TO BE OPENED ON 06-02-2026

TERMS & CONDITION

1. INTERESTED FIRMS/ SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT / PAY ORDER/ CROSSED CHEQUE OF RS. 500/- (NON REFUNDABLE) ALONGWITH THEIR QUOTATION IN FAVOUR OF "PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT".

2. FOR ANY AMPLIFIED DETAILS, INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON, THROUGH TELEPHONE, VIA EMAIL OR HARD MAIL. DELIVERY TIME OF LOCALLY AVAILABLE AND IMPORTED ITEMS ARE 15 AND 45 DAYS RESPECTIVELY.

3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGP96871	260 GSM-+5% 22X28	589571520222 8 / MULTI COLOUR CARD SHEET SEPARATERS 260GSM 22X28	FOR PRINTING STY ITEM	2 / PACKET			M/S STACKO COMPANY. KARACHI	LOCAL		TECHNICAL SPECIFICATION - b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28" GENERAL SPECIFICATION - b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28"	
2	DGP96865	PCR90106745	752070528044 6 / PLOTTER PAPER SIZE: 42" (1067 MM) X 35 to 50 m, GSM 90 ± 5%		5 / ROLL	HP DESIGNJET T1708					TECHNICAL SPECIFICATION - PLOTTER PAPER SIZE: 42" (1067 MM) X 35 TO 50 M, GSM 90 ± 5% NOTE: DETAIL SPECS ATTACHED GENERAL SPECIFICATION - PLOTTER PAPER SIZE: 42" (1067 MM) X 35 TO 50 M, GSM 90 ± 5% NOTE: DETAIL SPECS ATTACHED	
3	DGP96886	NO DATA AVAILABLE	057559002492 3 / TP ROLL 3-PLY WHITE P-P COMPLETE WITH TWO TIME CARBON PAPER	TELEPRINTER	450 / ROLL						TECHNICAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 3 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM ± 5%. 4. QUALITY OF	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: TWO LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM $\pm$ 5%. 7. BRAND OF CARBON PAPER: KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 21 METER $\pm$ 01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD. <u>GENERAL SPECIFICATION</u> - TECHNICAL DATA OF TP ROLL 3 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM $\pm$ 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: TWO LAYER OF CARBON PAPER. 6. GSM OF	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											CARBON PAPER: 22 GSM $\pm$ 5%. 7. BRAND OF CARBON PAPER:KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 21 METER $\pm$ 01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.	
4	DGP96867		057559901339 2 / TP-ROLL 01 PLY	TP ROLL	250 / ROLL						<u>TECHNICAL SPECIFICATION -</u> technical data of tp roll 01 ply 1- paper : pearl white printing paper. 2- quality/strength of paper: high/good STRENGTH OF PAPER. 3- gsm of paper: 63 $\pm$ 5%. 4-width of roll: 8.25 inch 5- length of roll: 78 meter $\pm$ 01 meter,in ONE PIECE REQUIRED ONLY. 6- dia of inner core spool: 01 inch. 7- DIA OF outer CORE SPOOL: 1.20 INCH. 8- LENGTH OF CORE SPOOL: 8.25 inch. 9- end protection of core spool by: PLASTic cover on both end of core SPOOL. 10- end indicator to be marked- end INDicator in red colour or green COLOUR. 11- packing - each tp roll WRAPPED/PACKED IN POLYTHENE BAG AND FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 12- tender	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											sample- as per sample to be APPROVED BY STATIONARY BOARD. <u>GENERAL SPECIFICATION</u> - technical data of tp roll 01 ply 1- paper : pearl white printing paper. 2- quality/strength of paper: high/good STRENGTH OF PAPER. 3- gsm of paper: 63 ± 5%. 4- width of roll: 8.25 inch 5- length of roll: 78 meter ± 01 meter, in ONE PIECE REQUIRED ONLY. 6- dia of inner core spool: 01 inch. 7- DIA OF outer CORE SPOOL: 1.20 INCH. 8- LENGTH OF CORE SPOOL: 8.25 inch. 9- end protection of core spool by: PLASTic cover on both end of core SPOOL. 10- end indicator to be marked- end INDicator in red colour or green COLOUR. 11- packing - each tp roll WRAPPED/PACKED IN POLYTHENE BAG AND FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 12- tender sample- as per sample to be APPROVED BY STATIONARY BOARD.	
5	DGP96870		361070500569 7 / CARD ALABASTER GSM 290 +5% SIZE 22X28 PKT 100 SHEETS		2 / PACKET						<u>TECHNICAL SPECIFICATION</u> - weight of alabaster card: (290 + _ 5%) size: (22" x 28") each packet contains 100 sheets as per sample provided by pncpp card will accepted after test printing <u>GENERAL SPECIFICATION</u> - weight of alabaster card: (290 + _ 5%) size: (22" x 28") each packet contains 100 sheets as per sample provided by pncpp card will accepted after test printing	
6	DGP96883		753070500718 2 / WHITE OFFSET PAPER SIZE 50.8CMX76. 2CM GSM 62+5%,62-5%		7 / REAM						<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	
7	DGP968		753070501619		2 /						<u>TECHNICAL SPECIFICATION</u> - NO	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	84		9 / WHITE OFFSET PAPER 20" X30" VRG 84 GSM +/-5%		REAM						DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
8	DGP968 82	RE-INSTATED VIDE STY MEMO 010601	753070506586 8 / FORM F (PA) 27 IPA JACKET FLDR (REINST ST-S/1901/GEN 28022001		1500 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
9	DGP968 77		753070506924 7 / ART CARD WHITE 260GSM SIZE 22"X28" (100 SHEET PER PACKET)	IDENTITY CARDS	1 / PACKET						TECHNICAL SPECIFICATION - LENGTH 22" WIDTH 28" 260 GSM ± 5% White Color Paper printed With Black Ink Card Sheet GENERAL SPECIFICATION - LENGTH 22" WIDTH 28" 260 GSM ± 5% White Color Paper printed With Black Ink Card Sheet	
10	DGP968 79	NO DATA AVAILABLE	753070505960 0 / embossed IVORY CARD WHITE FOR EMBOSING 200GSM+ 5% SIZE 55.8 CM X 71CM		4 / PACKET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - Embossed Ivory Card 200 GSM ± 5% Size: 55.8x71 cm SIZE 55.8 CM X 71CMGENERAL SPECIFICATION - Embossed Ivory Card 200 GSM ± 5% Size: 55.8x71 cm SIZE 55.8 CM X 71CM	
11	DGP968 80	NIL	753070510404 7 / OFF SET PAPER COLOUR PEACH 90GSM SIZE 18X23 INCH	FOR F(RP)-ER-64A	55 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
12	DGP968 73		753070503321 8 / NHQ MAIN FILE COVER F (NS)68 A		6700 / EACH/NUMBER						TECHNICAL SPECIFICATION - 1. GSM OF CARD: 300+5% 2. FILE COVER SIZE: a. LENGTH: 355MM (MIN) b. WIDTH: 235MM (MIN) c. HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FLAPPER FOLD: 355MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											OXFORD BLUE NO.105 OF BS-381C. a. LENGTH: 355MM (MIN) b. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO. EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTENING. 7. PACKING: a. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. b. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURHTER PACKED IN CARD BOARD BOX. 8. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD. <u>GENERAL SPECIFICATION - 1.</u> GSM OF CARD: 300+5% 2. FILE COVER SIZE: a. LENGTH: 355MM (MIN) b. WIDTH: 235MM (MIN) c. HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FLAPPER FOLD: 355MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. a. LENGTH: 355MM (MIN) b. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO. EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTENING. 7. PACKING: a. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. b. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURHTER PACKED IN CARD BOARD BOX. 8. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD. <u>TECHNICAL SPECIFICATION - 1.</u>	
13	DGP96874		753070503321		2000 / EACH/N							

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			9 / NHQ BRANCH FILE COVER F-(NS) 68B FOR BINDING CLOTHING EYELET		UMBER						GSM OF CARD: 300+5% 2. FILE COVER SIZE: a. LENGTH: 355MM (MIN) b. WIDTH: 235MM (MIN) c. HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FLAPPER FOLD: 355MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. a. LENGTH: 355MM (MIN) b. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO. EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTENING. 7. PACKING: a. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. b. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURHTER PACKED IN CARD BOARD BOX. 8. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD. <u>GENERAL SPECIFICATION - 1.</u> GSM OF CARD: 300+5% 2. FILE COVER SIZE: a. LENGTH: 355MM (MIN) b. WIDTH: 235MM (MIN) c. HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FLAPPER FOLD: 355MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. a. LENGTH: 355MM (MIN) b. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO. EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTENING. 7. PACKING: a. ONLY	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. b. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURTHER PACKED IN CARD BOARD BOX. 8. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD.	
14	DGP968 63		751070504923 0 / PAPER OFFSET GSM80 ± 5 % SIZE 30X40 INCHES ,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE		1 / REAM						<u>TECHNICAL SPECIFICATION -</u> PAPER OFFSET GSM80 ± 5 % SIZE 30X40 INCHES ,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE <u>GENERAL SPECIFICATION -</u> PAPER OFFSET GSM80 ± 5 % SIZE 30X40 INCHES , VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
15	DGP968 62		751070504923 1 / PAPER OFFSET 80 GSM± 5 % SIZE 20X36 INCHES ,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE		4 / REAM						<u>TECHNICAL SPECIFICATION -</u> PAPER OFFSET 80 GSM± 5 % SIZE 20X36 INCHES ,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE <u>GENERAL SPECIFICATION -</u> PAPER OFFSET 80 GSM± 5 % SIZE 20X36 INCHES , VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
16	DGP968 78		751070506841 5 / FILE COVER FIBER WITH STEEL CLIP	FOR STATIONERY.	145 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - a.</u> Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets <u>GENERAL SPECIFICATION -</u> a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets	
17	DGP968 64		751070504225 6 / PLAIN PAPER (OFFSET) VRG SHEET 80 GSM ± 5% SIZE 914MMX1016MM OR 36X40 INCHES,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	STATIONERY NA10S	2 / REAM						<u>TECHNICAL SPECIFICATION - PLAIN PAPER(OFFSET) VRG SHEET 80 GSM ± 5% SIZE 914MMX1016MM OR 36X40 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE</u> <u>GENERAL SPECIFICATION - PLAIN PAPER (OFFSET) VRG SHEET 80 GSM ± 5% SIZE 914MMX1016MM OR 36X40 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE</u>	
18	DGP968 61		751070504225 9 / PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	STATIONERY NA10S	2 / REAM						<u>TECHNICAL SPECIFICATION - PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES, VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE</u> <u>GENERAL SPECIFICATION - PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE</u>	
19	DGP968 68	NO DATA AVAILAB E	005050000009 7 / PAPER DUPLICATING OFF WHITE COLOUR		499 / REAM	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON</u> <u>GENERAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON</u>	
20	DGP968	NO DATA	005050000021		20000 /	NO DATA					<u>TECHNICAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	85	AVAILABLE	9 / PAPER PRINTING COMPUTER WHITE NCRPAPER3PLY(F8)		SET	AVAILABLE					SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 500 SETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 500 SETS IN EACH BOX	
21	DGP96881	NO DATA AVAILABLE	0050500000223 / PAPER DUPLICATING COLOUR WHITE		500 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
22	DGP96869	NO DATA AVAILABLE	0050500000223 / PAPER DUPLICATING COLOUR WHITE		500 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
23	DGP96960	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											(WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
24	DGP96876	Q1414B	9310705292390 / chart / PLOTTER PAPER SIZE: 40" / 42" X 18 TO 25 M, GSM 120 to 150 ± 5%		5 / ROLL	nil					<u>TECHNICAL SPECIFICATION</u> - SIZE: 40" / 42" X 18 TO 25 M, GSM 120 TO 150 ± 5% <u>GENERAL SPECIFICATION</u> - SIZE: 40" / 42" X 18 TO 25 M, GSM 120 TO 150 ± 5%	
25	DGP96866	NO DATA AVAILABL E	0575590024923 / TP ROLL 3-PLY WHITE P- P COMPLETE WITH TWO TIME CARBON PAPER	TELEPRINTER	540 / ROLL						<u>TECHNICAL SPECIFICATION</u> - TECHNICAL DATA OF TP ROLL 3 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											GSM $\pm$ 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: TWO LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM $\pm$ 5%. 7. BRAND OF CARBON PAPER:KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 21 METER $\pm$ 01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD. <u>GENERAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 3 PLY 1.</u> PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM $\pm$ 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: TWO LAYER OF	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM ± 5%. 7. BRAND OF CARBON PAPER:KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 21 METER ± 01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.	
26	DGP97034		753570513302 1 / LAPTOP COMPUTER	COMPUTER	1 / EACH/NUMBER	fa1082wm		PK	VIDE NHQ LETTER ST- S/3200/81 98 DT 23/07/08		<u>TECHNICAL SPECIFICATION -</u> HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION). <u>GENERAL SPECIFICATION -</u> HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
27	DGP972 27	NIL	743570513180 5 / PLAIN PAPER COPIER TOSHIBA STUDIO 206	-	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
28	DGP970 35	LQ-310	702576520513 1 / EPSON PRINTER	NS-2021 ENCRYPTER	1 / EACH/N UMBER	LQ 310	N/A	3.5 OWA 3-CHOME SUWA-SHI NAGANO - KEN 392-8502 JAPAN		SEIKO EPSON CORPOR ATION	TECHNICAL SPECIFICATION - LQ-310 ENCRYPTOR PRINTER GENERAL SPECIFICATION - LQ-310 ENCRYPTOR PRINTER	
29	DGP969 87	260 GSM- +5% 22X28	589571520222 8 / MULTI COLOUR CARD SHEET SEPARATERS 260GSM 22X28	FOR PRINTING STY ITEM	17 / PACKE T			M/S STACKO COMPANY. KARACHI		LOCAL	TECHNICAL SPECIFICATION - b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28" GENERAL SPECIFICATION - b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28"	
30	DGP971 32	M855DN/M 750DN (D3L09A)	589571520222 9 / DYE CUTTING FOR COLOUR SEPARATER	FOR PRINTING	24 / EACH/N UMBER			LOCAL SUPPLIER		IMPORTE D BEST QUALITY	TECHNICAL SPECIFICATION - Make: Wooden mounted board for fixing of sharp blades for cutting of multi colour card sheets (separators) ,h Size of wooden mounted board 5 x 8 inches ,h Different sizes best	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											quality sharp iron blades as per quantity demanded Manufacturing item Wooden mounted board for fixing of sharp blades for cutting of multicolor card sheets (separators) alongwith Lamination of 2500 multicolor separators and stars size (10.5 x 8 inch) Size of wooden mounted board 5 x 8 inches Size of blades: 8 x 1 inch Size of blades: 7.5 x 1 inch Size of blades: 7 x 1 inch Size of blades: 6.5 x 1 inch Size of blades: 6 x 1 inch Size of blades: 5.5 x 1 inch Size of blades: 5 x 1 inch Size of blades: 4.5 x 1 inch Size of blades: 4 x 1 inch Size of blades: 3.5 x 1 inch Size of blades: 3 x 1 inch Size of blades: 2.5 x 1 inch Size of blades: 2 x 1 inch Size of blades: 1.5 x 1 inch Size of blades: 1 x 1 inch Size of blades: 0.5 x 1 inch Parent equipment be indicated: Heidelberg Letter Press Printing Machine GENERAL SPECIFICATION _ Make: Wooden mounted board for fixing of sharp blades for cutting of multi colour card sheets (seperators) _h Size of wooden mounted board 5 x 8 inches _h Different sizes best quality sharp iron blades as per quantity demanded Manufacturing item Wooden mounted board for fixing of sharp blades for cutting of multicolor card sheets (separators) alongwith Lamination of 2500 multicolor separators and stars size (10.5 x 8 inch) Size of wooden mounted board 5 x 8 inches Size of blades: 8 x 1 inch Size of blades: 7.5 x 1 inch Size of blades: 7 x 1 inch Size of blades: 6.5 x 1 inch Size of blades: 6 x 1 inch Size of blades: 5.5 x 1 inch Size of blades: 5 x 1 inch Size of blades: 4.5 x 1 inch Size of blades: 4 x 1 inch Size of blades: 3.5	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											x 1 inch Size of blades: 3 x 1 inch Size of blades: 2.5 x 1 inch Size of blades: 1.5 x 1 inch Size of blades: 1 x 1 inch Size of blades: 0.5 x 1 inch Parent equipment be indicated: Heidelberg Letter Press Printing Machine	
31	DGP97032	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	2 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
32	DGP97225	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	7 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
33	DGP96779	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro	COMPUTER	2 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE								Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
34	DGP972 24		773070517439 1 / SAMSUNG/CH ANGHONG RUBA/TCL LED TV 46/49/50/55 INCH	LED TV	3 / EACH/N UMBER			SAMSUNG	SAMSUN G	q led with latest model	<u>TECHNICAL SPECIFICATION -</u> SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china <u>GENERAL</u> <u>SPECIFICATION -</u> SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china	
35	DGP970 31	E2722H/M 27FW	743570521488 5 / LCD MONITOR 27 inch	Instructor Console	1 / EACH/N UMBER	E2417H (24") /e2722h/F 22P MCR Simulator	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	DELL		<u>TECHNICAL SPECIFICATION - VX</u> 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION- 1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED) <u>GENERAL</u> <u>SPECIFICATION - VX 2781 MH</u> WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI- GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED)	
36	DGP969 90	NO DATA AVAILABL E	0051PK506118 7 / BINDER SMALL SIZE 8	FOR STATIONERY.	200 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION -</u> Required Size of title cover for printing of Hazard Identification and Risk Management (HIRM) Guide Book is 9.25 x 6 inches Cover binder	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											small without steel clip 2 Size 10.30 x 8 inches 2 Best quality rexine with golden foil printing (Data for printing of title will be provided by PNCPP A. Complete item / store description: Cover binder small without steel clip Size of cover binder: 10.30 x 8 inches Quality / Thickness of straw board with rexine: 4mm Golden steel corners at the edges of the cover binders Color of rexine: Black Best quality imported rexine with golden foil printing (Data for printing of title will be provided by PN Central Printing Press. NAVCOM: 56050 / 021- 48506050) b. Detailed Specifications / Technical Data / Testing / Acceptance Criteria be mentioned As Above Sample has been provided. Supply will be accepted according to the approved sample. <u>GENERAL SPECIFICATION</u> - Required Size of title cover for printing of Hazard Identification and Risk Management (HIRM) Guide Book is 9.25 x 6 inches Cover binder small without steel clip 2 Size 10.30 x 8 inches 2 Best quality rexine with golden foil printing (Data for printing of title will be provided by PNCPP A. Complete item / store description: Cover binder small without steel clip Size of cover binder: 10.30 x 8 inches Quality / Thickness of straw board with rexine: 4mm Golden steel corners at the edges of the cover binders Color of rexine: Black Best quality imported rexine with golden foil printing (Data for printing of title will be provided by PN Central Printing Press. NAVCOM: 56050 / 021- 48506050) b. Detailed Specifications / Technical Data / Testing / Acceptance Criteria be mentioned As Above Sample has	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											been provided. Supply will be accepted according to the approved sample.	
37	DGP97133		361070504530 3 / POSITIVE PLATE ROLAND OFFSET size: 925X740X0. 3MM(BRND FUJI)		5 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION -</u> SIZE: 925X740X0.3MM(BRND FUJI) <u>GENERAL SPECIFICATION - SIZE:</u> 925X740X0.3MM(BRND FUJI)	
38	DGP97131		361070500569 9 / P/BRD BLU (PUR H/DYED) GSM240+ _5% SZ B-02 (500X707MM) PKT100SHT.		5 / PACKE T						<u>TECHNICAL SPECIFICATION - NO</u> DATA AVAILABLE <u>GENERAL</u> <u>SPECIFICATION - NO DATA</u> AVAILABLE	
39	DGP97123		361070500719 7 / POSITIVE PLATE SIZE 510 x 400 x 0.15 mm		350 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION -</u> Spec: Positive Plate(aluminium coated sheet) is pre- sentized plate that used in offset printing and it is pretreated with a light-sensitive coating. Required Size: 510 x 400 x 0.15 mm <u>GENERAL</u> <u>SPECIFICATION - Spec: Positive</u> Plate(aluminium coated sheet) is pre- sentized plate that used in offset printing and it is pretreated with a light-sensitive coating. Required Size: 510 x 400 x 0.15 mm	
40	DGP96985		753070500718 2 / WHITE OFFSET PAPER SIZE 50.8CMX76. 2CM GSM 62+5%, 62-5%		20 / REAM						<u>TECHNICAL SPECIFICATION - NO</u> DATA AVAILABLE <u>GENERAL</u> <u>SPECIFICATION - NO DATA</u> AVAILABLE	
41	DGP97036	NO DATA AVAILABL E	773070508858 3 / LED TV 32 INCH	TELEVISION	3 / EACH/N UMBER	tcl				Q LED WITH LATEST MODEL	<u>TECHNICAL SPECIFICATION - NO</u> DATA AVAILABLE <u>GENERAL</u> <u>SPECIFICATION - NO DATA</u> AVAILABLE	
42	DGP93916	NO DATA AVAILABL E	773070508858 3 / LED TV 32 INCH	TELEVISION	2 / EACH/N UMBER	tcl					<u>TECHNICAL SPECIFICATION - NO</u> DATA AVAILABLE <u>GENERAL</u> <u>SPECIFICATION - NO DATA</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											AVAILABLE	
43	DGP96983	NIL	764070511028 1 / PERSONEL FOLDER FOR RECORD KEEPING OF CPOS/SAILOR S	NIL(AUTH;ST- S/3922 24 DEC 04	80 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - 1.</u> Size of Folder a. Length: 365 mm $\pm$ 1 mm b. Width: 260 MM $\pm$ 1 MM c. Width of Folding Portion: 35 MM $\pm$ 1 MM 2. Material: a. Outer and inner cover: Textured Raxin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm $\pm$ 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm $\pm$ 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm $\pm$ 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Rexin : Navy blue <u>GENERAL SPECIFICATION - 1.</u> Size of Folder a. Length: 365 mm $\pm$ 1 mm b. Width: 260 MM $\pm$ 1 MM c. Width of Folding Portion: 35 MM $\pm$ 1 MM 2. Material: a. Outer and inner cover: Textured Raxin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm $\pm$ 0.2 mm d. Inner lining of	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											front side of cover: Card board hard thick 4.5 mm± 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm ± 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Rexin : Navy blue	
44	DGP970 41	NIL	764070511028 1 / PERSONEL FOLDER FOR RECORD KEEPING OF CPOS/SAILOR S	NIL(AUTH;ST- S/3922 24 DEC 04	550 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - 1.</u> Size of Folder a. Length: 365 mm ± 1 mm b. Width: 260 MM ± 1 MM c. Width of Folding Portion: 35 MM ± 1 MM 2. Material: a. Outer and inner cover: Textured Raxin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm ± 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm± 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm ± 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 65 mm b. Inner Pocket left hand	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Rexin : Navy blue GENERAL SPECIFICATION - 1. Size of Folder a. Length: 365 mm ± 1 mm b. Width: 260 MM ± 1 MM c. Width of Folding Portion: 35 MM ± 1 MM 2. Material: a. Outer and inner cover: Textured Raxin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm ± 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm ± 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm ± 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Rexin : Navy blue TECHNICAL SPECIFICATION - NO DATA AVAILABLE	
45	DGP969 89	NO DATA AVAILABL	046150000002 6 / BUTTER-		160 / SHEET	NO DATA AVAILAB						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		E	PAPER			LE					<u>SPECIFICATION - NO DATA AVAILABLE</u>	
46	DGP97000	NO DATA AVAILABLE	0051500000509 / FORM F (MD)54 X RAY COVER SIZE 15" X 18"		7750 / EACH/NUMBER	NO DATA AVAILABLE					<u>TECHNICAL SPECIFICATION -</u> SIZE : width: 15" length: 18" COLOR ; BROWN PRINTING INK ; BLACK ON FRONT SIDE GSM ;275 ± 5 % Item Specification :F(MD)-54 COVER FOR X-RAY FILMS <u>GENERAL SPECIFICATION -</u> SIZE : width: 15" length: 18" COLOR ; BROWN PRINTING INK ; BLACK ON FRONT SIDE GSM ;275 ± 5 % Item Specification :F(MD)-54 COVER FOR X-RAY FILMS	
47	DGP97083	NO DATA AVAILABLE	9310705078897 / WOOD FREE PRINTING PAPER WHITE,	FOR PNCPP	10 / REAM						<u>TECHNICAL SPECIFICATION -</u> packing detail: EACH REAM CONTAINS 500 SHEETS size sheet: (25.5"x36") weight of PAPER= gsm 75±5% <u>GENERAL SPECIFICATION -</u> packing detail: EACH REAM CONTAINS 500 SHEETS size sheet: (25.5"x36") weight of PAPER= gsm 75±5%	
48	DGP97226		7490705041308 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/NUMBER	CPM 25					<u>TECHNICAL SPECIFICATION -</u> TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO <u>GENERAL SPECIFICATION -</u> TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO	
49	DGP970		702570505746		1 /						<u>TECHNICAL SPECIFICATION - 1.</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	33		1 / TONNER FOR LASER JET III		EACH/NUMBER						HP 147A Black Original Laser Jet Toner Cartridge (P/N W1470A) for HP Laser Jet Enterprise M611 Printer 2. Average cartridge yield 10,500 pages 3. Dimensions (l x w x d) 380 x 180 x 270 mm 4. Weight 2.1 KG 5. UPC Code 194441304671 <u>GENERAL SPECIFICATION</u> - 1. HP 147A Black Original Laser Jet Toner Cartridge (P/N W1470A) for HP Laser Jet Enterprise M611 Printer 2. Average cartridge yield 10,500 pages 3. Dimensions (l x w x d) 380 x 180 x 270 mm 4. Weight 2.1 KG 5. UPC Code 194441304671	
50	DGP97242		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91.44CM		35 / REAM						<u>TECHNICAL SPECIFICATION</u> - GM 80 (+-) 10 gm <u>GENERAL SPECIFICATION</u> - GM 80 (+-) 10 gm	
51	DGP97043		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91.44CM		27 / REAM						<u>TECHNICAL SPECIFICATION</u> - GM 80 (+-) 10 gm <u>GENERAL SPECIFICATION</u> - GM 80 (+-) 10 gm	
52	DGP96986		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91.44CM		30 / REAM						<u>TECHNICAL SPECIFICATION</u> - GM 80 (+-) 10 gm <u>GENERAL SPECIFICATION</u> - GM 80 (+-) 10 gm	
53	DGP96993	NO DATA AVAILABLE	005050000009 6 / PAPER-DRAWING-AMMONIA SENSITIZED SZ:1.016MX18.288M GSM75+-5%		15 / ROLL	NO DATA AVAILABLE					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
54	DGP97021	NO DATA AVAILAB E	005050000009 7 / PAPER DUPLICATING OFF WHITE COLOUR		150 / REAM	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION -</u> Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON <u>GENERAL SPECIFICATION -</u> Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
55	DGP96991	NO DATA AVAILAB E	005050000011 4 / PAPER, TYPING, LARGE, GSM40±5%, WHITE, REAMOF500S HEET,SIZEA-04 210X297MM.		438 / REAM	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
56	DGP96992	NO DATA AVAILAB E	005050000011 7 / PAPER PRINTING WHITE 56GSM +5% SIZEA2 420MMX594M M.		141 / REAM	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION -</u> SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10. <u>GENERAL SPECIFICATION -</u> SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10.	
57	DGP97240	NO DATA AVAILAB E	005050000021 4 / Paper Printing Computer NCR Paper 2 PLY		58333 / SET	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION -</u> SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON <u>GENERAL SPECIFICATION -</u> SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON	
58	DGP97239	NO DATA AVAILAB E	005050000021 5 / PAPER PRINTING COMPUTER WHITE NCR PAPER 3PLY	FAN FOLDED SPOCKET ON BOTH SIDES	41250 / SET	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION -</u> SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX <u>GENERAL</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			FAN FOLDED SPOCKE								<u>SPECIFICATION -</u> SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX	
59	DGP972 41	NO DATA AVAILAB L E	005050000021 6 / PAPER PRINTING COMPUTER WHITE 9X12		41250 / SHEET	NO DATA AVAILAB L E					<u>TECHNICAL SPECIFICATION -</u> SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX <u>GENERAL SPECIFICATION -</u> SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX	
60	DGP972 43	NO DATA AVAILAB L E	005050000021 8 / PAPER PRINTING COMPUTER WHITE SIZE381X280M MNCRPAPER2 PLY(F8)		17197 / SHEET	NO DATA AVAILAB L E					<u>TECHNICAL SPECIFICATION -</u> SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 1000 SHEETS IN EACH BOX <u>GENERAL SPECIFICATION -</u> SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 1000 SHEETS IN EACH BOX	
61	DGP970 28	NO DATA AVAILAB L E	005050000022 3 / PAPER DUPLICATING COLOUR WHITE		500 / REAM	NO DATA AVAILAB L E					<u>TECHNICAL SPECIFICATION -</u> LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON <u>GENERAL SPECIFICATION -</u> LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
62	DGP970 30	943W8EA	702170533294 4 / HP Laptop i5-fd0346nia.		1 / BOX	Intel® Core™ i7-1355U up to 5.0 GHz					<u>TECHNICAL SPECIFICATION -</u> HP LAPTOP CORE I5 IT SPECIFICATION S.NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5-(14TH GENERATION OR ABOVE) 2. SYSTEM MEMORY: MINIMUM 12/ 16 GB RAM 3.HARD DISC : 1 TB SSD 4.DISPLAY : 15.6" OR ABOVE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											5.WEBCAM: YES 6.GRAPHICS: INTEL UHD GRAPHICS 7. WIRELESS CONNECTIVIT: YES 8. BLUETOOTH: YES 9.WARRANTY: MINIMUM 01 YEARS WARRANTY 10.OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION)GENERAL SPECIFICATION - HP LAPTOP CORE I5 IT SPECIFICATION S.NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5-(14TH GENERATION OR ABOVE) 2. SYSTEM MEMORY: MINIMUM 12/ 16 GB RAM 3.HARD DISC : 1 TB SSD 4.DISPLAY : 15.6" OR ABOVE 5.WEBCAM: YES 6.GRAPHICS: INTEL UHD GRAPHICS 7. WIRELESS CONNECTIVIT: YES 8. BLUETOOTH: YES 9.WARRANTY: MINIMUM 01 YEARS WARRANTY 10.OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION)	
63	DGP972 23	943W8EA	702170533294 4 / HP Laptop i5-fd0346nia.		1 / BOX	Intel® Core™ i7-1355U up to 5.0 GHz					<u>TECHNICAL SPECIFICATION - HP LAPTOP CORE I5 IT SPECIFICATION S.NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5-(14TH GENERATION OR ABOVE) 2. SYSTEM MEMORY: MINIMUM 12/ 16 GB RAM 3.HARD DISC : 1 TB SSD 4.DISPLAY : 15.6" OR ABOVE 5.WEBCAM: YES 6.GRAPHICS: INTEL UHD GRAPHICS 7. WIRELESS CONNECTIVIT: YES 8. BLUETOOTH: YES 9.WARRANTY: MINIMUM 01 YEARS WARRANTY 10.OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION)GENERAL SPECIFICATION - HP LAPTOP CORE I5 IT SPECIFICATION S.NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											I5-(14TH GENERATION OR ABOVE) 2. SYSTEM MEMORY: MINIMUM 12/ 16 GB RAM 3.HARD DISC : 1 TB SSD 4.DISPLAY : 15.6" OR ABOVE 5.WEBCAM: YES 6.GRAPHICS: INTEL UHD GRAPHICS 7. WIRELESS CONNECTIVIT: YES 8. BLUETOOTH: YES 9.WARRANTY: MINIMUM 01 YEARS WARRANTY 10.OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION)	
64	DGP967 80	943W8EA	702170533294 4 / HP Laptop i5-fd0346nia.		1 / BOX	Intel® Core™ i7-1355U up to 5.0 GHz					TECHNICAL SPECIFICATION - HP LAPTOP CORE I5 IT SPECIFICATION S.NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5-(14TH GENERATION OR ABOVE) 2. SYSTEM MEMORY: MINIMUM 12/ 16 GB RAM 3.HARD DISC : 1 TB SSD 4.DISPLAY : 15.6" OR ABOVE 5.WEBCAM: YES 6.GRAPHICS: INTEL UHD GRAPHICS 7. WIRELESS CONNECTIVIT: YES 8. BLUETOOTH: YES 9.WARRANTY: MINIMUM 01 YEARS WARRANTY 10.OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION)GENERAL SPECIFICATION - HP LAPTOP CORE I5 IT SPECIFICATION S.NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5-(14TH GENERATION OR ABOVE) 2. SYSTEM MEMORY: MINIMUM 12/ 16 GB RAM 3.HARD DISC : 1 TB SSD 4.DISPLAY : 15.6" OR ABOVE 5.WEBCAM: YES 6.GRAPHICS: INTEL UHD GRAPHICS 7. WIRELESS CONNECTIVIT: YES 8. BLUETOOTH: YES 9.WARRANTY: MINIMUM 01 YEARS WARRANTY 10.OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION)	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
65	DGP96778	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
66	DGP96875	CORE I5	702570524609		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1.</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			1 / PERSONAL COMPUTER (CORE: i5)								CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1. CPU</u> Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
67	DGP972 13	CORE I5	702570524609 1 / PERSONAL		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1. CPU</u> Technology= Intel® Core i5	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			COMPUTER (CORE: i5)								Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
68	DGP970 27	CORE I5	702570524609 1 / PERSONAL COMPUTER		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			(CORE: i5)								Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</u>	
69	DGP968 60	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
70	DGP972 22	T-3028P	704570534422 1 / TONER CARTRIDGE original BLACK TOSHIBA		3 / EACH/NUMBER	T-3028P					<u>TECHNICAL SPECIFICATION</u> - TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											E-STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449GENERAL SPECIFICATION - TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449	
71	DGP95575		7025705131682 / LED TV 43 INCH	LED TV 36	1 / EACH/NUMBER			PK	PAKISTAN	..	TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
72	DGP95165	FCLCUUSMO3D	6015785141420 / FIBER PATCH CORD FC/PC TO LC	NET WORKING	4 / EACH/NUMBER	NO DATA AVAILAB LE		CH	M/S RAISECO M SUITE NO.401A PANURAMA CENTRE 2 RAJA GHAZAN FAR ALI ROAD SADDAR KARACHI PHON NO. 021-35661550 -1	..	TECHNICAL SPECIFICATION - OEM: CHINA MADE GENERAL SPECIFICATION - OEM: CHINA MADE	
73	DGP93901	NO DATA AVAILAB LE	0050500000374 / PAPER CONTINUOUS COMPUTER 11 PART SIZE 9 1/2"		2850 / SHEET	NO DATA AVAILAB LE				..	TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
74	DGP86488		3610705007237 / PAGE CORD TWIN COMPOSING		20 / KILOGRAMME					..	TECHNICAL SPECIFICATION - 1. Dimension/ Size etc: 100 meter (approximately) long roll of flexible plastic cord which is used to tie the bundle of papers, set of forms, books and miscellaneous stationery items. 2. Acceptance Criteria Acceptable as	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											sample of Page Cord provided by PNCPP 3. Mode of inspection Joint inspection <u>GENERAL SPECIFICATION</u> - 1. Dimension/ Size etc: 100 meter (approximately) long roll of flexible plastic cord which is used to tie the bundle of papers, set of forms, books and miscellaneous stationery items. 2. Acceptance Criteria Acceptable as sample of Page Cord provided by PNCPP 3. Mode of inspection Joint inspection	
75	DGP81090		7510705068415 / FILE COVER FIBER WITH STEEL CLIP	FOR STATIONERY.	95 / EACH/NUMBER					..	<u>TECHNICAL SPECIFICATION</u> - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets <u>GENERAL SPECIFICATION</u> - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets	
76	DGP94007	50AU7000	7730705132179 / TV LCD 46/49 INCH	-	1 / EACH/NUMBER	50AU7000		PK		AUTHORITY LETTER # NS-5/9205/SS C/NHQ/07 DT 24/05/08	<u>TECHNICAL SPECIFICATION</u> - S. No Technical Specification Technical Data a. View Angle 178" b. Brightness 500cd/m2 c. Size 46/49 Inch d. Response Time 5ms e. Brand Samsung f. Screen Type LED g. Smart TV Yes h. HDMI 3 j. USB 2 k. Operating System Tizen l. Width x Height x Depth (With stand) 46"= 71.64cm x 26.13 cm 49"= 110.28cm x 63.78cm x 5.91cm m. Warranty 01 Year n. Model 46 Inch LED HD TV (UA46F6100AR) 49 Inch LED HD TV (949N5300) p. Resolution (Pixels)	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											1920 x 1080 q. Color Black <u>GENERAL SPECIFICATION -</u> S.No Technical Specification Technical Data a. View Angle 178" b. Brightness 500cd/m2 c. Size 46/49 Inch d. Response Time 5ms e. Brand Samsung f. Screen Type LED g. Smart TV Yes h. HDMI 3 j. USB 2 k. Operating System Tizen l. Width x Height x Depth (With stand) 46"= 71.64cm x 26.13 cm 49"= 110.28cm x 63.78cm x 5.91cm m. Warranty 01 Year n. Model 46 Inch LED HD TV (UA46F6100AR) 49 Inch LED HD TV (949N5300) p. Resolution (Pixels) 1920 x 1080 q. Color Black	

INVITATION TO TENDER
LOCAL PURCHASE DIVISION

LP Division
At NSSD Area
West Wharf Road
Karachi
tele : 58524

TENDER TYPE:

Normal Tender

TENDER No:

DGP95187 / T/3

DATE:

23-01-2026

LPR No:

DGP95187

LPR DATE:

22-12-2025

The following items are required against local purchases Registered are requested to quote before 06-FEB-2026 before 10:00 AM. Quotation are to be deposited in the quotation box.

PATTERN NO:

5999735227930

PART NO:

M9Z94AA#ABA

DESCRIPTION

HP PRO DESK 400 G5 WORKSTATION

GENERAL SPECIFICATION:

TECHNICAL SPECIFICATION:

- a. HP Pro Desk 400 G5 Tower/ Microtower.
- b. Intel Core-i5-8500 processor with 9 MB cache.
- c. HP BIOSphere Gen4.
- d. Preinstalled Windows 10 Pro 64-bit.
- e. DDR-4 8 GB RAM

TENDER REMARKS:

MAKE:

DENOMINATION:

EACH/NUMBER

QUANTITY:

1

SUPPLIES
REQUIRED BY:

GROUP OFFICER
PURCHASE DIVISION
QUOTATION TO BE RENDERED AS PER STANDARD INSTRUCTION ON NOTICE BOARD

INVITATION TO TENDER
LOCAL PURCHASE DIVISION

LP Division
At NSSD Area
West Wharf Road
Karachi
tele : 58524

TENDER TYPE: Normal Tender
TENDER No: DGP95575 / T/2
DATE: 23-01-2026
LPR No: DGP95575
LPR DATE: 31-12-2025

The following items are required against local purchases Registered are requested to quote before 06-FEB-2026 before 10.00 AM. Quotation are to be deposited in the quotation box.

PATTERN NO: 7025705131682 PART NO:

DESCRIPTION LED TV 43 INCH

GENERAL SPECIFICATION:

TECHNICAL SPECIFICATION:

'Q' LED WITH LATEST MODEL

TENDER REMARKS:

MAKE:
DENOMINATION: EACH/NUMBER
QUANTITY: 1
WARRANTY: 01 YEAR
SUPPLIES REQUIRED BY:

GROUP OFFICER
PURCHASE DIVISION

QUOTATION TO BE RENDERED AS PER STANDARD INSTRUCTION ON NOTICE BOARD

INVITATION TO TENDER
LOCAL PURCHASE DIVISION

TENDER TYPE: Normal Tender
TENDER No: DGP94007 / T/3
DATE: 23-01-2026
LPR No: DGP94007
LPR DATE: 02-12-2025

LP Division
At NSSD Area
West Wharf Road
Karachi
tele : 58524

The following items are required against local purchases Registered are requested to quote before 06-FEB-2026 before 10:00 AM. Quotation are to be deposited in the quotation box.

PATTERN NO: 7730705132179

PART NO:

DESCRIPTION TV LCD 46/49 INCH

GENERAL SPECIFICATION:

TECHNICAL SPECIFICATION:

'Q' LED WITH LATEST MODEL

ENDER REMARKS:

MAKE:

DENOMINATION:

QUANTITY: 01

WARRANTY: 01 YEAR

SUPPLIES
REQUIRED BY: