

PAKISTAN NAVY
TENDER BULLETIN

INVITATION TO TENDER TO BE OPENED ON 13-02-2026

TERMS & CONDITION

1. INTERESTED FIRMS/ SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT / PAY ORDER/ CROSSED CHEQUE OF RS. 500/- (NON REFUNDABLE) ALONGWITH THEIR QUOTATION IN FAVOUR OF "PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT".

2. FOR ANY AMPLIFIED DETAILS, INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON, THROUGH TELEPHONE, VIA EMAIL OR HARD MAIL. DELIVERY TIME OF LOCALLY AVAILABLE AND IMPORTED ITEMS ARE 15 AND 45 DAYS RESPECTIVELY.

3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGP974 10		773070513330 1 / LED TV 40 INCH	SAMSUNG	1 / EACH/NUMBER	NO DATA AVAILABLE		PK	PAKISTAN		<u>TECHNICAL SPECIFICATION -</u> <u>NIL</u> <u>GENERAL SPECIFICATION -</u> <u>NIL</u>	
2	DGP975 34	NIL	773070513890 6 / smart led 40 INCH	LCD 41 INCH SONY	1 / EACH/NUMBER	SONY/TC L/LG		JP	SONY JAPAN		<u>TECHNICAL SPECIFICATION -</u> android smart led tv <u>GENERAL SPECIFICATION -</u> android smart led tv	
3	DGP974 69		773070516072 2 / LED TV 65 INCH	TV 60"	1 / EACH/NUMBER			M/S AB ELECTRONICS-SHOP NO 1 CLIFTON VIEW APARTMENT NEAR III TALWAR KARACHI.	M/S AB ELECTRONICS/SAMSUNG		<u>TECHNICAL SPECIFICATION -</u> null <u>GENERAL SPECIFICATION -</u> null	
4	DGP975 37	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		<u>TECHNICAL SPECIFICATION -</u> SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION -</u> SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
5	DGP973 17	NIL	743570513180 5 / PLAIN PAPER	-	1 / EACH/NUMBER	NO DATA AVAILABLE		PK	PAKISTAN		<u>TECHNICAL SPECIFICATION - -</u> <u>GENERAL SPECIFICATION - -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			COPIER TOSHIBA STUDIO 206									
6	DGP97293	NIL	752070513253 0 / FILE COVER	NIL	600 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N		TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
7	DGP97314		599979522644 1 / LED TV 40 INCH	MAXV SMD	1 / EACH/N UMBER			M/S TAIKO UK	M/S TAIKO UK		TECHNICAL SPECIFICATION - MAKE: TCLGENERAL SPECIFICATION - MAKE: TCL	
8	DGP97545		599979522644 1 / LED TV 40 INCH	MAXV SMD	2 / EACH/N UMBER			M/S TAIKO UK	M/S TAIKO UK		TECHNICAL SPECIFICATION - MAKE: TCLGENERAL SPECIFICATION - MAKE: TCL	
9	DGP97280	NIL	753070513742 3 / FAX ROLL PANASONIC SIZE 210M- 30M	PPC	20 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N		TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
10	DGP97471	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	6 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port BothGENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
11	DGP97533	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp	COMPUTER	2 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port BothGENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages,	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			laser jetm402N/HP LASER JET PRO M402DNE								Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
12	DGP974 04	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	5 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
13	DGP975 41	32D2900	582073520849 6 / 32 INCH LED DISPLAY WITH HDMI & VGA I/P	CCTV System	2 / EACH/N UMBER	32D2900		TCL Electronics Australia Pty Ltd, Address: 797 Springvale Rd, Mulgrave, VIC 3170		M/s TCL Australia	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
14	DGP975 38	NIL	773070521489 2 / LED TV 55 INCH	F-22P SIMULATOR	1 / EACH/N UMBER	NIL	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111		SONY	TECHNICAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K6600UG/KD55X70000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9 GENERAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K6600UG/KD55X70000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9	
15	DGP974 07	5UP-LO- 5T	597571517795 0 / UTP PATCH CORD 5METERS	CNA LAN NETWORK	50 / EACH/N UMBER	CAT 6 RJ45		3M USA		3M USA	TECHNICAL SPECIFICATION - 3M USA M/S INBOX TECHNOLOGIES PVT LTD KARACHI GENERAL SPECIFICATION - 3M USA M/S INBOX TECHNOLOGIES PVT LTD	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											KARACHI	
16	DGP97283	NO DATA AVAILABLE	0050546001368 / PAPER DUPLICATING GSM 75+5% COLOUR WHITE A-04		276 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
17	DGP97294		0462599432395 / PAPER WRAPING WATER PROOF WD. 36"LG.100YD PER ROL 2PLY INTO 1		150 / METER						TECHNICAL SPECIFICATION - a. GSM: 100-120 b. Width: 01 meter c. Length: 100 meter per roll d. Colour: Brown GENERAL SPECIFICATION - a. GSM: 100-120 b. Width: 01 meter c. Length: 100 meter per roll d. Colour: Brown	
18	DGP97296	NO DATA AVAILABLE	0462500000025 / PAPER WRAPPING KRAFT BROWN SIZE: 30X45X0.005		500 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 30 INCH WIDTH: 45 INCH THICKNESS: 0.005 INCH WEIGHT: 65 GSM + 5% PACKING: 1000 SHEET IN BOX GENERAL SPECIFICATION - SIZE: LENGTH: 30 INCH WIDTH: 45 INCH THICKNESS: 0.005 INCH WEIGHT: 65 GSM + 5% PACKING: 1000 SHEET IN BOX	
19	DGP97406		7435705127029 / ODF(12-PORT)WITH COUPLER ALONGWITH ACCESSORIES AND INSTALLATION	STANDALONG COMPONENT	2 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
20	DGP97409		7435705127034 / MEDIA CONVERTER (FIBER TO ETHERNET) ALONGWITH ACCESS- SEE F8	STANDALONG COMPONENT ROUTER CISCO 3825	2 / EACH/NUMBER	UN-1000-SS-A 2RJ45					TECHNICAL SPECIFICATION - Brand: ULTRA NET GENERAL SPECIFICATION - Brand: ULTRA NET	
21	DGP97470		7490705041308 / PLAIN	OFFICE MACHINE	1 / EACH/NUMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			PAPER COPIER STANDARIZED MEDIUM DUTY		UMBER						MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA e STUDIO GENERAL <u>TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A-----</u> (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA e STUDIO	
22	DGP97308		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91.44CM		25 / REAM						<u>TECHNICAL SPECIFICATION - GM 80 (+-) 10 gm</u> <u>GENERAL SPECIFICATION - GM 80 (+-) 10 gm</u>	
23	DGP97290		753070500974 1 / PAPER COMPUTER 8X11 INCH PART II		300 / SHEET						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
24	DGP97288		753070500974 2 / PAPER COMPUTER 8X10 INCH PART II		100 / SHEET						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
25	DGP97287		753070500981 2 / PAPER COMPUTER 8X11.5" 1PART		75 / SHEET						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
26	DGP97302	NO DATA AVAILABLE	005050000010 2 / PAPER GRAPH TRANSPARENT 50.8CMX101.		570 / SHEET	NO DATA AVAILABLE					<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			6CM GSM 65 5% 1"=10SQR									
27	DGP973 01	NO DATA AVAILABL E	005050000010 7 / PAPER ROLL FOR ADDING LISTING MACHINE DIA 2-1/4"		40 / ROLL	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
28	DGP973 05	NO DATA AVAILABL E	005050000037 4 / PAPER CONTINUOUS COMPUTER 11 PART SIZE 9 1/2"		870 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
29	DGP973 00	NO DATA AVAILABL E	005050000021 3 / PAPER PRINTING COMPUTER WHITE 1 PLY 9	ON BOTH SIDES, 60GSM±5% SIZE241X305M M(MIN)	40 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX	
30	DGP973 09	NO DATA AVAILABL E	005050000021 4 / Paper Printing Computer NCR Paper 2 PLY		58333 / SET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON	
31	DGP972 86	NO DATA AVAILABL E	005050000021 5 / PAPER PRINTING COMPUTER WHITE NCR PAPER 3PLY FAN FOLDED SPOCKE	FAN FOLDED SPOCKET ON BOTH SIDES	1230 / SET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
32	DGP973 10	NO DATA AVAILABLE	0050500000216 / PAPER PRINTING COMPUTER WHITE 9X12		41250 / SHEET	NO DATA AVAILABLE					<u>TECHNICAL SPECIFICATION -</u> SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% <u>PACKING: 500 SHEETS IN EACH BOX</u> <u>GENERAL SPECIFICATION -</u> SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% <u>PACKING: 500 SHEETS IN EACH BOX</u>	
33	DGP973 07		0050546000770 / PAPER WHITE PRINTING SIZE 17"X27" GSM 55+-5% (REAM 500 SHEETS)		9 / REAM						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
34	DGP975 39	NIL	7730705292968 / LED TV 43 INCH		3 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
35	DGP973 12	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
36	DGP97468	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
37	DGP974 50	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory=	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
38	DGP975 22	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
39	DGP973 13	T-3028P	704570534422 1 / TONER CARTRIDGE original BLACK TOSHIBA		3 / EACH/N UMBER	T-3028P					<u>TECHNICAL SPECIFICATION -</u> TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E- STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449 <u>GENERAL</u> <u>SPECIFICATION - TONER</u> CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E- STUDIO355/E-STUDIO357/ E- STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449	
40	DGP973 15	CS- FP2D52D- LC-LC-03	601078528938 1 / OPTICAL PATCH CARD (LC-LC Optical Fiber Cord SM 9/125um OS2 G 652D LSZH Duplex 03M)		60 / NUMBE RS	LC-LC					<u>TECHNICAL SPECIFICATION -</u> null <u>GENERAL SPECIFICATION -</u> null	
41	DGP712 51	FCLCUUS MO3D	601578514142 0 / FIBER PATCH CORD FC/PC TO LC	NET WORKING	2 / EACH/N UMBER	NO DATA AVAILAB LE		CH	M/S RAISECO M SUITE NO.401A		<u>TECHNICAL SPECIFICATION -</u> OEM: CHINA MADE <u>GENERAL</u> <u>SPECIFICATION - OEM: CHINA</u> MADE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									PANURAMA CENTRE 2 RAJA GHAZAN FAR ALI ROAD SADDAR KARACHI PHON NO. 021-35661550 -1			
42	DGP978 27	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP	DELIVERY IN ISLAMABAD	TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION</u> - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
43	DGP974 60	260 GSM-+5% 22X28	589571520222 8 / MULTI COLOUR CARD SHEET SEPARATERS 260GSM 22X28	FOR PRINTING STY ITEM	4 / PACKET			M/S STACKO COMPANY. KARACHI	LOCAL		TECHNICAL SPECIFICATION - b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28" <u>GENERAL SPECIFICATION</u> -b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5%	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											22X28"	
44	DGP977 81	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	2 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	DELIVERY IN ISLAMABA D <u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
45	DGP976 39	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	5 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	 <u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
46	DGP977 85		773070517439 1 / SAMSUNG/CH ANGHONG RUBA/TCL LED TV 46/49/50/55 INCH	LED TV	1 / EACH/N UMBER			SAMSUNG		SAMSUN G	 <u>TECHNICAL SPECIFICATION -</u> SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china <u>GENERAL SPECIFICATION -</u> SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china	
47	DGP977 89	KLV32R30 2E/ P- 0114000	773078516676 7 / LED TV SONY 32 INCH	PSS VIGIL SYSYTEM	1 / EACH/N UMBER	SONY KLV32R3 02E		M/s CETC Mansion, No. 5 Wulutong North Street. Xicheng Districe, Beijing, China	M/s CETC Internatio nal CO., LTD		 <u>TECHNICAL SPECIFICATION -</u> BRAVIA SONY 32BX350 or Equivelent <u>GENERAL SPECIFICATION -</u> BRAVIA SONY 32BX350 or Equivelent	

S. No	LPR No	PART. NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
48	DGP97790	E2722H/M27FW	7435705214885 / LCD MONITOR 27 inch	Instructor Console	1 / EACH/NUMBER	E2417H (24") /e2722h/F22P MCR Simulator	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	DELL	DELIVERY IN ISLAMABAD	TECHNICAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA & 2 HDMI WEIGHT -3.68 KGS (UNPACKED) GENERAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA & 2 HDMI WEIGHT -3.68 KGS (UNPACKED)	
49	DGP97444	NO DATA AVAILABLE	0051500001403 / Binder Medium F(NS) -101 SIZE 9X12 INCH, Board Texture, Hard & Plyable Thickness 03 mm		31 / EACH/NUMBER						TECHNICAL SPECIFICATION - Size: 9 x 12 inches Hard cover binder with steel clip Quality / Thickness of straw board with rexine: 03mm Golden steel corners at the edges of the cover binders Color of rexine: Navy blue dark Best quality imported rexine with golden foil printing (Data for printing of title will be provided by PN Central Printing Press. NAVCOM: 56050 / 021-48508050) Acceptance Criteria: As per sample provided by PN Central Printing Press GENERAL SPECIFICATION - Size: 9 x 12 inches Hard cover binder with steel clip Quality / Thickness of straw board with rexine: 03mm Golden steel corners at the edges of the cover binders Color of rexine: Navy blue dark Best quality imported	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											rexine with golden foil printing (Data for printing of title will be provided by PN Central Printing Press. NAVCOM: 56050 / 021-48506050) Acceptance Criteria: As per sample provided by PN Central Printing Press	
50	DGP974 59	NO DATA AVAILABL E	0051PK506118 7 / BINDER SMALL SIZE 8	FOR STATIONERY.	50 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION -</u> Required Size of title cover for printing of Hazard Identification and Risk Management (HIRM) Guide Book is 9.25 x 6 inches Cover binder small without steel clip ; Size 10.30 x 8 inches ; Best quality rexine with golden foil printing (Data for printing of title will be provided by PNCPP A. Complete item / store description: Cover binder small without steel clip Size of cover binder: 10.30 x 8 inches Quality / Thickness of straw board with rexine: 4mm Golden steel corners at the edges of the cover binders Color of rexine: Black Best quality imported rexine with golden foil printing (Data for printing of title will be provided by PN Central Printing Press. NAVCOM: 56050 / 021- 48506050) b. Detailed Specifications / Technical Data / Testing / Acceptance Criteria be mentioned As Above Sample has been provided. Supply will be accepted according to the approved sample. <u>GENERAL SPECIFICATION</u> - Required Size of title cover for printing of Hazard Identification and Risk Management (HIRM) Guide Book is 9.25 x 6 inches Cover binder small without steel clip ; Size 10.30 x 8 inches ; Best quality rexine with golden foil printing (Data for printing of title will be provided by PNCPP A. Complete item / store description: Cover binder small without steel clip Size of cover binder: 10.30 x 8 inches Quality / Thickness of straw board	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											with rexine: 4mm Golden steel corners at the edges of the cover binders Color of rexine: Black Best quality imported rexine with golden foil printing (Data for printing of title will be provided by PN Central Printing Press. NAVCOM: 56050 / 021- 48506050) b. Detailed Specifications / Technical Data / Testing / Acceptance Criteria be mentioned As Above Sample has been provided. Supply will be accepted according to the approved sample.	
51	DGP97464	NO DATA AVAILABLE	057559002492 3 / TP ROLL 3-PLY WHITE P-P COMPLETE WITH TWO TIME CARBON PAPER	TELEPRINTER	540 / ROLL						TECHNICAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 3 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM ± 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: TWO LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM ± 5%. 7. BRAND OF CARBON PAPER: KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 21 METER ± 01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.<u>GENERAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 3 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM ± 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: TWO LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM ± 5%. 7. BRAND OF CARBON PAPER:KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 21 METER ± 01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											BOARD.	
52	DGP974 40		057559901339 2 / TP-ROLL 01 PLY	TP ROLL	654 / ROLL						TECHNICAL SPECIFICATION - technical data of tp roll 01 ply 1- paper : pearl white printing paper. 2- quality/strength of paper: high/good STRENGTH OF PAPER. 3- gsm of paper: 63 ± 5%. 4-width of roll: 8.25 inch 5- length of roll: 78 meter ± 01 meter,in ONE PIECE REQUIRED ONLY. 6- dia of inner core spool: 01 inch. 7- DIA OF outer CORE SPOOL: 1.20 INCH. 8- LENGTH OF CORE SPOOL: 8.25 inch. 9- end protection of core spool by: PLAStic cover on both end of core SPOOL. 10- end indicator to be marked- end INDicator in red colour or green COLOUR. 11- packing - each tp roll WRAPPED/PACKED IN POLYTHENE BAG AND FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 12- tender sample- as per sample to be APPROVED BY STATIONARY BOARD. <u>GENERAL</u> SPECIFICATION - technical data of tp roll 01 ply 1- paper : pearl white printing paper. 2- quality/strength of paper: high/good STRENGTH OF PAPER. 3- gsm of paper: 63 ± 5%. 4- width of roll: 8.25 inch 5- length of roll: 78 meter ± 01 meter,in ONE PIECE REQUIRED ONLY. 6- dia of inner core spool: 01 inch. 7- DIA OF outer CORE SPOOL: 1.20 INCH. 8- LENGTH OF CORE SPOOL: 8.25 inch. 9- end protection of core spool by: PLAStic cover on both end of core SPOOL. 10- end indicator to be marked- end INDicator in red colour or green COLOUR. 11- packing - each tp roll WRAPPED/PACKED IN POLYTHENE BAG AND FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 12- tender	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
53	DGP974 65		057559901339 2 / TP-ROLL 01 PLY	TP ROLL	624 / ROLL						sample- as per sample to be APPROVED BY STATIONARY BOARD. <u>TECHNICAL SPECIFICATION -</u> technical data of tp roll 01 ply 1- paper : pearl white printing paper. 2- quality/strength of paper: high/good STRENGTH OF PAPER. 3- gsm of paper: 63 ± 5%. 4-width of roll: 8.25 inch 5- length of roll: 78 meter ± 01 meter,in ONE PIECE REQUIRED ONLY. 6- dia of inner core spool: 01 inch. 7- DIA OF outer CORE SPOOL: 1.20 INCH. 8- LENGTH OF CORE SPOOL: 8.25 inch. 9- end protection of core spool by: PLASTic cover on both end of core SPOOL. 10- end indicator to be marked- end INDicator in red colour or green COLOUR. 11- packing - each tp roll WRAPPED/PACKED IN POLYTHENE BAG AND FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 12- tender sample- as per sample to be APPROVED BY STATIONARY BOARD. <u>GENERAL SPECIFICATION -</u> technical data of tp roll 01 ply 1- paper : pearl white printing paper. 2- quality/strength of paper: high/good STRENGTH OF PAPER. 3- gsm of paper: 63 ± 5%. 4- width of roll: 8.25 inch 5- length of roll: 78 meter ± 01 meter,in ONE PIECE REQUIRED ONLY. 6- dia of inner core spool: 01 inch. 7- DIA OF outer CORE SPOOL: 1.20 INCH. 8- LENGTH OF CORE SPOOL: 8.25 inch. 9- end protection of core spool by: PLASTic cover on both end of core SPOOL. 10- end indicator to be marked- end INDicator in red colour or green COLOUR. 11- packing - each tp roll WRAPPED/PACKED IN POLYTHENE BAG AND FURTHER	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 12- tender sample- as per sample to be APPROVED BY STATIONARY BOARD.	
54	DGP95490	0	3610705005700 / PULP BOARD GREEN GSM 210+-5% FORIMPORTE D A-01 594X841MMG SM240		5 / PACKET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
55	DGP97451		3610705007197 / POSITIVE PLATE SIZE 510 x 400 x 0.15 mm		88 / EACH/NUMBER						TECHNICAL SPECIFICATION - Spec: Positive Plate(aluminium coated sheet) is pre- sentized plate that used in offset printing and it is pretreated with a light-sensitive coating. Required Size: 510 x 400 x 0.15 mm GENERAL SPECIFICATION - Spec: Positive Plate(aluminium coated sheet) is pre- sentized plate that used in offset printing and it is pretreated with a light-sensitive coating. Required Size: 510 x 400 x 0.15 mm	
56	DGP97461		7530705045767 / TRACING PAPER SIZE A-4 GSM 85+-5% (250 SHEETS PER PACKET)		3 / PACKET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
57	DGP90249	I7041a/ 3500 F1	7435705092774 / SCANNER HP SCAN JET 7400 C	COMPUTER	1 / EACH/NUMBER	HP ScanJet Pro 3500 f1 Flatbed Scanner					TECHNICAL SPECIFICATION - Scanner Type: Flatbed with 50-sheet ADF Scan Speed: Up to 25 ppm/ 50 ipm (duplex) Optical Resolution: 1200 dpi (flatbed); 600 dpi(ADF) Max Scan Size: Flatbed: A4/Letter (8.5x11.7"); ADF: Up to 8.5x12" Daily Duty Cycle: Up to 3,000 pages Duplex Scanning: Automatic (via ADF) Connectivity: USB 3.0 GENERAL SPECIFICATION - Scanner Type:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Flatbed with 50-sheet ADF Scan Speed: Up to 25 ppm/ 50 ipm (duplex) Optical Resolution: 1200 dpi (flatbed); 600 dpi(ADF) Max Scan Size: Flatbed: A4/Letter (8.5x11.7"); ADF: Up to 8.5x122" Daily Duty Cycle: Up to 3,000 pages Duplex Scanning: Automatic (via ADF) Connectivity: USB 3.0	
58	DGP97780		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					<u>TECHNICAL SPECIFICATION -</u> TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO <u>GENERAL</u> <u>SPECIFICATION - TOSHIBA</u> DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO	
59	DGP97638		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					<u>TECHNICAL SPECIFICATION -</u> TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO <u>GENERAL</u> <u>SPECIFICATION - TOSHIBA</u> DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA eStudio	
60	DGP97449		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91.44CM		25 / REAM						TECHNICAL SPECIFICATION - GM 80 (+-) 10 gm GENERAL SPECIFICATION - GM 80 (+-) 10 gm	
61	DGP97597		753070503321 9 / NHQ BRANCH FILE COVER F-(NS) 68B FOR BINDING CLOTHING EYELET		10000 / EACH/NUMBER						TECHNICAL SPECIFICATION - 1. GSM OF CARD: 300+5% 2. FILE COVER SIZE: a. LENGTH: 355MM (MIN) b. WIDTH: 235MM (MIN) c. HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FLAPPER FOLD: 355MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. a. LENGTH: 355MM (MIN) b. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO. EYELETS TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTENING. 7. PACKING: a. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. b. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURTHER PACKED IN CARD BOARD BOX. 8. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD. GENERAL SPECIFICATION - 1. GSM OF CARD: 300+5% 2. FILE COVER SIZE: a. LENGTH: 355MM (MIN) b. WIDTH: 235MM (MIN) c. HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											FLAPPER FOLD: 355MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. a. LENGTH: 355MM (MIN) b. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO. EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTENING. 7. PACKING: a. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. b. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURTHER PACKED IN CARD BOARD BOX. 8. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD.	
62	DGP974 66		751070504923 1 / PAPER OFFSET 80 GSM± 5 % SIZE 20X36 INCHES ,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE		4 / REAM						<u>TECHNICAL SPECIFICATION -</u> PAPER OFFSET 80 GSM± 5 % SIZE 20X36 INCHES ,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE <u>GENERAL SPECIFICATION -</u> PAPER OFFSET 80 GSM± 5 % SIZE 20X36 INCHES , VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
63	DGP974 55		751070504225 6 / PLAIN PAPER (OFFSET) VRG SHEET 80 GSM ± 5% SIZE 914MMX1016M M OR 36X40 INCHES,VRG, COLOR WHITE (PRODUCTS	STATIONERY NA10S	1 / REAM						<u>TECHNICAL SPECIFICATION -</u> PLAIN PAPER(OFFSET) VRG SHEET 80 GSM ± 5% SIZE 914MMX1016MM OR 36X40 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE <u>GENERAL SPECIFICATION -</u> PLAIN PAPER (OFFSET) VRG SHEET 80 GSM ± 5% SIZE 914MMX1016MM OR 36X40 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			PULP AND PAPER) WOOD FREE								PAPER) WOOD FREE	
64	DGP974 56		751070504225 7 / PLAIN PAPER (OFFSET) VRG SHEET 80 GSM SIZE 27X24 INCH		1 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
65	DGP974 54	NO DATA AVAILABLE	751070504225 8 / PLAIN PAPER (OFFSET) VRG 80 GSM SIZE 12X12 INCH	STATIONERY NA10S	1 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
66	DGP974 53		751070504225 9 / PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	STATIONERY NA10S	1 / REAM						TECHNICAL SPECIFICATION - PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES, VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
67	DGP974 62	NO DATA AVAILABLE	005050000009 7 / PAPER DUPLICATING OFF WHITE COLOUR		493 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
68	DGP974 46	NO DATA AVAILABLE	005050000009 7 / PAPER DUPLICATING		462 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			OFF WHITE COLOUR								WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
69	DGP974 67	NO DATA AVAILAB E	005050000021 3 / PAPER PRINTING COMPUTER WHITE 1 PLY 9	ON BOTH SIDES, 60GSM±5% SIZE241X305M M(MIN)	12409 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX	
70	DGP974 42	NO DATA AVAILAB E	005050000021 3 / PAPER PRINTING COMPUTER WHITE 1 PLY 9	ON BOTH SIDES, 60GSM±5% SIZE241X305M M(MIN)	2000 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX	
71	DGP974 41	NO DATA AVAILAB E	005050000021 4 / Paper Printing Computer NCR Paper 2 PLY		61984 / SET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON	
72	DGP974 47	NO DATA AVAILAB E	005050000021 5 / PAPER PRINTING COMPUTER WHITE NCR PAPER 3PLY FAN FOLDED SPOCKE	FAN FOLDED SPOCKET ON BOTH SIDES	34516 / SET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX	
73	DGP974 57	NO DATA AVAILABL E	005050000021 5 / PAPER PRINTING COMPUTER WHITE NCR PAPER 3PLY FAN FOLDED SPOCKE	FAN FOLDED SPOCKET ON BOTH SIDES	41250 / SET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX <u>GENERAL</u> SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX	
74	DGP974 48	NO DATA AVAILABL E	005050000021 6 / PAPER PRINTING COMPUTER WHITE 9X12		41250 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX <u>GENERAL SPECIFICATION</u> - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX	
75	DGP974 63	NO DATA AVAILABL E	005050000021 8 / PAPER PRINTING COMPUTER WHITE SIZE381X280M MNCRPAPER2 PLY(F8)		41250 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 1000 SHEETS IN EACH BOX <u>GENERAL SPECIFICATION</u> - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 1000 SHEETS IN EACH BOX	
76	DGP975 47	NO DATA AVAILABL E	005050000021 8 / PAPER PRINTING COMPUTER WHITE SIZE381X280M MNCRPAPER2 PLY(F8)		49450 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 1000 SHEETS IN EACH BOX <u>GENERAL SPECIFICATION</u> - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 1000 SHEETS IN EACH BOX	
77	DGP976 00	NO DATA AVAILABL E	005050000021 8 / PAPER PRINTING		41250 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5%	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			COMPUTER WHITE SIZE381X280MM MNCRPAPER2 PLY(F8)								PACKING: 1000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 1000 SHEETS IN EACH BOX	
78	DGP976 24	NO DATA AVAILABL E	005050000022 0 / PAPER PRINTING COMPUTER WHITE NCRPAPER4P LY(F8)		10100 / SET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: GSM 52 + 5% FAN FOLDED SPORCKSTON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: GSM 52 + 5% FAN FOLDED SPORCKSTON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX	
79	DGP974 58	NO DATA AVAILABL E	005050000022 3 / PAPER DUPLICATING COLOUR WHITE		344 / REAM	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
80	DGP974 45	NO DATA AVAILABL E	005050000022 3 / PAPER DUPLICATING COLOUR WHITE		430 / REAM	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
81	DGP976 43	CORE I5	702570524609 1 / PERSONAL COMPUTER		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			(CORE: i5)								Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</u>	
82	DGP977 91	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN				DELIVERY IN ISLAMABA D	<u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</u> <u>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory=</u>	
83	DGP978 71	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
84	DGP97642	CS-C6UPC-01-xx	6010785289377 / CABLE (4PR Cat6U/UTP Patch Cord LSZH Jacket,		200 / NUMBERS	4PR CAT6U					<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			(Gray) 1 Mtr)									
85	DGP97870		753570513302 1 / LAPTOP COMPUTER	COMPUTER	1 / EACH/N UMBER	NIL		PK	VIDE NHQ LETTER ST- S/3200/81 98 DT 23/07/08		<u>TECHNICAL SPECIFICATION -</u> HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).<u>GENERAL</u> <u>SPECIFICATION -</u> HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	

INVITATION TO TENDER
LOCAL PURCHASE DIVISION

TENDER TYPE: Normal Tender
TENDER No: DGP97789 / T/1
DATE: 30-01-2026
LPR No: DGP97789
LPR DATE: 28-01-2026

LP Division
At NSSD Area
West Wharf Road
Karachi
tele : 58524

The following items are required against local purchases Registered are requested to quote before 13-FEB-2026 before 10:00 AM. Quotation are to be deposited in the quotation box.

PATTERN NO: 7730785166767
DESCRIPTION LED TV SONY 32 INCH

PART NO:

GENERAL SPECIFICATION:

TECHNICAL SPECIFICATION:

'Q' LED WITH LATEST MODEL

TENDER REMARKS:

MAKE:

DENOMINATION: EACH/NUMBER

QUANTITY: 1

WARRANTY: 01 YEAR

SUPPLIES
REQUIRED BY:

GROUP OFFICER
PURCHASE DIVISION

QUOTATION TO BE RENDERED AS PER STANDARD INSTRUCTION ON NOTICE BOARD