



Money sent successfully.

Transaction ID

17312097786

Transaction Date & Time

1/23/2026 11:34:06 AM

Transaction Amount

15,000

From Account Title

TAHSEEN ULLAH

Beneficiary Name

PUBLIC PROCUREM

Beneficiary Account/ IBAN

*0701

Purpose

Others

Comments

Miscellaneous

Channel

via HBL Digital

ORDNANCE DEPOT
NOWSHERA CANTT
LOCAL PURCHASE SECTION

Tender number 08/CGI Sheet & Auto Wpn Cleaning Sys/2025-26 Dated 24 Jan 2026

Tender Publish Date: 26 Jan 2026

Tender Closing Date: 11 Feb 2026

1. Date and time of closing of tender is **11 Feb 2026** 1030 hrs.
2. Date and time of opening of tender is **11 Feb 2026** at 1100 hrs in LP branch of Ordnance Depot Nowshera Cantt.
3. Rates invited **CGI Sheet & Auto Wpn Cleaning Sys** (rates will be valid from 11 Feb 2026 to 30 Jun 2026) for supply of **CGI Sheet & Auto Wpn Cleaning Sys**. Detail mentioned at **Anx 'A' & 'B'** to this tender.
4. Complete Set of IT Documents can be obtained from **Local Purchase Office**, Ordnance Depot Nowshera (**Telephone: 0310-9546627**) on any working day between 0830 hrs and 1500 hrs.
5. **SPECIAL INSTRUCTIONS:-**
 - a. All bidders are bound by Official Secret Act to ensure confidentiality of bids and purchases of Security Equipment and not to share information / details of bid/contract/quantities/delivery locations with anyone not party to the bid / purchase.
 - b. Participating firms to provide Laboratory Reports of offered equipment / items alongwith commercial offer where required. **Quotation without Laboratory Reports where required (ASID Lahore/ASID Chaklala & IAS&C Karachi) will not be entertained.**
 - c. Penalty for six months suspension of registration will be imposed on failure / non provision of items on quoted rates / given time line.
 - d. Firms quoting rates will submit samples of quoted items alongwith quotation otherwise quotation will not be entertained. Adv / bulk Sample should not be counted as part stock.
 - e. **Rates quoted by the firm will be valid for delivery throughout Pakistan till 30th Jun 2026.**
 - f. **Firm / contractor is bound to provide stores on his quoted rates to Ord dep Nowshera as well as all Zonal Ord Units / Fmn ADOS, in case of failure, Firm / contractor straightaway will be declared black list .**
6. **TERMS AND CONDITIONS GOVERNING BIDDING / PURCHASE AND GENERAL INSTRUCTION FOR BIDDERS**

Following are the terms / conditions and general instruction for bidders:-

- a. The purchaser can waive off any of the condition (s) stipulated in this Tender inquiry and reserve the right to accept or reject there to.
- b. Decision of commandant Ordnance Depot will be final and bidding in respect of acceptance / rejection of the offer(s).
- c. All supplies will be subject to tests and inspection(s) either by ASID / IAS&C or by a Board of Officers constituted for the purpose or user acceptance. Any cost incurred on tests / inspection(s) and store(s) consumed in the same will be borne by suppliers (s).

- d. Successful bidders will have to complete the supplies within stipulated period as specified in the purchase order(s), failing which appropriate penalty as decided by Commandant Ordnance Depot will be imposed along with, necessary / appropriate disciplinary action.
- e. Store offered should be brand new, unused, as per Army's approved specifications, drawing, sample(s) where applicable and must be packed in standard packing i.e, wooden box, 7 x Ply Carton, cardboard box, crate etc.
- f. Only one rate for each item should be quoted (proper computer generated document), More than one rate for single item will not be considered and quotation will be rejected.
- g. In case an item has no specification, drawing or approved sample by Army then a board of Officers appointed for the purpose will decide its acceptable standard(s).
- h. Price(s) / Rate(s) will be quoted for store(s) as per Army's specification(s).
- i. **Bidders are required to submit lab test report of all items alongwith quotations. Quotation not accompanied with Lab Test Reports are not to be entertained.**
- j. Price(s) / Rate(s) quoted must be inclusive of all applicable taxes / duties.
- k. Price(s) / Rate(s) quoted must be as per accounting unit.
- l. Price(s) / Rate(s) quoted will be valid for delivery throughout all zonal Ord Units.
- m. Price(s) / Rate(s) quoted will be valid till **30th Jun 2026** from date of opening of tender(s).
- n. Bid security / performance guarantee may be asked, if required.
- o. Part delivery / part payment will not be accepted / made.
- p. Payment will be made after acceptance of ordered store(s).
- q. Price reduction (PR) will also be imposed due to deviation in case the item(s) are not as per Army specs.
- r. Clearance of items will be subjected to test inspection of bulk stores.
- s. **Tender documents fee, Rs 5000/- in Cash**

6. **Special Instructions**

- a. Bidders are prohibited from making changes / amendment in soft copy (USB) provided by Ordnance Depot Nowshera with tender inquiry documents.
- b. As far as possible price(s) / rate(s) must be quoted against each item, where price / rate are not being quoted this should be reflected by words "**NOT QUOTED**"
- c. Price / rate **quoted must be typed** and not hand written on hard copy or else offer will be rejected.
- d. No change should be made in soft copy of tender inquiry provided (list of store) and bidders should fill price / rate in front of the item without deleting / amending any column / row and without disturbing the serial numbers and then submit the hard copy of same on firm letter head duly signed.

7. **Purchaser's Right** Purchaser does not pledge to accept the lowest or any tender and reserves the right of accepting the whole or any part of the offer made.

8. **Date and time of Receipt of Tender** Your tender must reach this office / by time and date as specified in para above. This office will not accept any excuse of delay occurring in post. Tenders received after the appointed / fixed time will not be entertained. The appointed time fall on next working day in case of closed / forced holiday.

9. **Withdrawal of Offer(s)** if a bidder / firm withdraw(s) its offer within validity period the competent authority (Commandant Ordnance Depot Nsr) may place such bidder / firm under embargo or blacklisted the same.
10. **Pre-qualification of supplier and contractors** Firm will have to submit under mentioned documents alongwith tenders in separate envelop by mentioning.

“Pre-qualification document”

- a. Firm should be cleared security wise from MI Directorate
 - b. Firm should be in passion of valid registration of ordnance depot
 - c. 1 x copy of valid NTN Certificate
 - d. 1 x copy of valid sales tax certificate
 - e. 1 x copy of valid professional sales tax certificate
 - f. 1 x copy of CNIC of the proprietor
 - g. 1 x photograph of proprietor.
 - h. Original bank statement for last 6 months duly sealed / stamped by the bank.
 - i. Application for registration in Ordnance Depot Nowshera with complete profile (if not already registered)
11. **Disqualification** Offer(s) are liable to be rejected if:-
1. There is any deviation from general / special instructions / pre-qualification of supplier / contractors
 2. Price(s) / rates are offered excluding / applicable duties / taxes.
 3. if price(s) / rate(s) are not quoted in (where applicable) against Store(s) / item(s) with Army's approved specification(s), drawing(s) / sample(s).
 4. Offer are found conditional are incomplete in any respect.
 5. Multiple price(s) / rate(s) quoted against an item.
 6. More than one offer is made / submitted in same envelope.
 7. Received letter than appointed / fixed date and time.
 8. Offer containing non-initialed un-authenticated correction / over writing(s).
 - a. if validity of offer is not quoted as required (as mentioned in tender inquiry) are made subject to confirmation letter.
 - b. Offer made through fax / email / telex
 - c. if offer is found to be best on cattle action in connivance with other sources / participants of the tender.

Note: This tender inquiry is also available on PPRA website www.ppra.Org.pk

DETAIL OF CGI SHEET

Ser	Part No	Nomenclature	A/U	Rate	Remarks
1	W8/9515-ZO-101-3173	Steel sheet Corrugated Zinc Coated 2000 x 10/3 Corrs x 0.6MM Thick (Length 6ft - 7inch, Width 2ft-8 inch)	Nos		Detail as per appendix I to Anx 'A'
2	9518ZO3519309	CGI Sheet 6' x 3'	Nos		
3	9515ZO3519290	CGI Sheet 9' x 3'	Nos		
4	9545ZO3519296	CGI Sheet 9' x 2'	Nos		
5	9515ZO3519292	CGI Sheet 3' (10' Size)	Nos		

DETAIL OF ITEMS – AUTO WPN CLEANING SYSTEM

Ser	Item	A/U	Rate	Remarks
1.	Water Supply Pump 1 HP	Nos		Detail as per appendix I to Anx 'B'
2.	Small Water Pump ½ HP	Nos		
3.	Water Softening Plant	Nos		
4.	Electric Control Panel	Nos		
5.	Electric Crane	Nos		
6.	High Pressure Tank	Nos		
7.	Tank for Wpn Cleaning Plant	Nos		
8.	Iron Bucket for Wpn Washing	Nos		
9.	Iron Bucket for Wpn Oiling	Nos		
10.	Electric Blower High Pressure for Wpn Drying	Nos		
11.	Gas Burner High Pressure	Nos		
12.	Electric Blower 4 inch	Nos		
13.	Lighter for Fire	Nos		
14.	Iron Stand	Nos		

TECH DATA
CGI SHEET (10/3 CORRUGATIONS)

Ser	Parameters	Approved Specs	Std Method
1.	Use	Fencing equipment for Border security	BS 3083 : 1988
2.	Make Shape and Design	As per approved sample	
3.	Colour	Silver	
4.	Length	< 3000 mm + 8mm	
5.	Width		
	a. Sheet before Corrugation	908 mm	
	b. Sheet after Corrugation	762 mm ± 5	
6.	Thickness	1.0 mm ± 0.08	
7.	Gauge	19 SWG	
8.	Depth of Corrugation	19 mm + 0 - 3	
9.	Galvanization	Hot Dip Galvanized No Copper Deposition up to 4 dips	
10.	Zinc Coating g/m ²	400 g/m ²	
11.	Length Per Mass	7.15 Kg / m	

TECHNICAL DATA / SPECIFICATIONS OF AUTO WPN CLEANING SYSTEM

1. **System Overview** The weapon cleaning sys is engineered to offer an integrated solution for effective maintenance through cleaning, rinsing, de-greasing and oiling processes. The system state-of-the-art components to ensure durability, safety and high performance. The components are listed below:-

- **Weapon Cleaning Plant**
- **Structural Girder** – 20 ft in length with a weight of 260 kg.
- **Pipe** – 8x8 inches in cross- section, 16.5 ft long, weighing 258 kg
- **Pipe Foundation** – Complete with a protective finish
- **Lifting Crane** – 1 ton capacity
- **Flooring Stand** - 12ft x 2ft x 2ft
- **Processing Tanks** – Three tanks, each measuring 54” x 54” x 6ft dedicated to rinsing, de-rusting and oiling.
- **Water Storage Tank**
- **Zinc Coating** – Applied internally in two tanks (rinsing and de-greasing) for rust and corrosion protection.
- **Oil Box (Storage)** – Fabricated in stainless steel.
- **DP (Control Panel)**
- **Breakers & Indicators**
- **Hanging Basket** – Constructed from Stainless Steel
- **Sanitary Work Mix**
- **Small Water Pump**
- **Big Water Pump** - Specification include:
 - Horsepower: 1.2 HP
 - Amperage: 2 AMP
 - PH: 1
 - Suction: 120 ft
 - Head: 180 ft
 - RPM: 2850
 - Size: 1” x 1”
- **Flooring stand for operating**
- **Wiring for all electrical components**
- **Floor Paint** - Complete paint job
- **Water Filter System**

2. TECHNICAL SPECIFICATIONS

2.1 Structural & Mechanical Components

COMPONENT	SPECIFICATION / DESCRIPTION
Structural Girder	20 ft in length, 260 Kg, Designed for supporting crane operations and system Loads.
Pipe	8 x 8 inches cross-section, 16.5 ft long, 258 Kg, provides the necessary framework for system integration.
Pipe Foundation	Reinforced concrete with a high-quality finish for enhanced durability and corrosion resistance.
Lifting Crane	1 ton capacity, engineered for safe and efficient material handling
Flooring Stand	Dimensions: 12ft x 2ft x 2ft, robust support structure for equipment stability.

2.2 Processing & Fluid Handling Units

COMPONENT	SPECIFICATION / DESCRIPTION
Processing Tanks	Three tanks (each 54" x 54" x 6ft) dedicated respectively to rinsing, de-greasing and oiling processes.
Zinc Coating	Applied internally to the rinsing and de-greasing tanks to protect from rust and corrosion.
Oil Box (Storage)	Constructed from stainless steel for safe oil storage and easy maintenance.
Sanitary Work Mix	Specially formulated mixture for maintaining cleanliness and equipment longevity

2.3 Electrical & Control Components

COMPONENT	SPECIFICATION / DESCRIPTION
DP (Control Panel)	Centralized system control panel ensuring operational safety and process automation.
Breaker & Indicators	Industrial-grade circuit breakers, accompanied by status indicators for real time monitoring.
Wiring – All Electrical	Fully integrated electrical wiring system designed for efficient power distribution across the unit.

2.4 Additional Equipment

COMPONENT	SPECIFICATION / DESCRIPTION
Handing Basket	Stainless Steel constructed for safe storage and handling of components during operation.
Water Pumps	Two sizes, a small water pump for auxiliary tasks, and a big water pump (1.2 HP, 2 AMP, PH 1, SUC. 120 ft, Head 180 ft, RPM 2850, Size 1"x1") for primary

	operations.
Flooring Stand	Designed for Operational stability, ensure base for workers.
Floor Paint	Comprehensive paint job to enhance durability and aesthetic of the operating floor.
Water filter System	Integrated Water filtration to ensure optimal, water quality for system operation.

3. Training & documentation

- **Operator Training:** we will provide comprehensive on-site training session covering system operation, routine maintenance, and troubleshooting to ensure safe and efficient use of the system.
- **Operation manual:** An extensive operating manual – including detailed P&ID diagrams electrical schematics, and safety protocols will be supplied

4. Installation Requirements

For successful installation and optimum performance of the weapon cleaning system, the following site conditions must be met:-

- **Space :** Adequate room with a minimum vertical clearance and at least 1-meter clearance around all system components.
- **Electrical Supply:** a dedicated electrical feeder quipped with a lockable isolator. The power source should not be more than 10 meters from the equipment.
- **Ventilation:** Suitable local exhaust system for effective fume extraction..
- **Flooring:** Reinforced concrete flooring finished with a chemical resistant epoxy coating.
- **Water Connection.** Provision of a reliable water connection to support system operation
- **Pillars Supporting Crane:** Installation of appropriate supporting pillars for the crane must be provided to ensure structural integrity and safe operation.
- **Additional Safety:** Installation of fire extinguishers, eyewash stations and designated PPE storage.

We trust that the technical details provided meet your requirements. This quotation has been prepared based on the information supplied and is intended to serve as the final technical reference for the project. Please contact us should you need any further clarification or additional information regarding the system specifications.

