



POF 1262-A
(INDIGENOUS
SUPPLIES)

**Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY**

To M/s _____

Dear Sirs,

Reference : TENDER ENQUIRY NO. **0093/LP/CMC/56/P-B**

DATED **06-JAN-26**

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

- 1.1 Tenders will be opened at **11:00 hours** on **09-MAR-26** at Bid Centre adjacent to Rabita Hall, POF Wah Cantt. Quotation must be submitted electronically on **www.ebidding.pof.gov.pk** as well as in hard form (duly sealed in envelope) before 30 minutes of opening time. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

Tender Enquiry No: **0093/LP/CMC/56/P-B**
Tender to be opened on: **09-MAR-26**
Address as follows:-

(www.ebidding.pof.gov.pk) BID CENTER
ADJACENT TO RABITA HALL
POFs, WAH CANTT.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

- 2.1 **For Materials**, the prices should be filled in column 5 and delivery date in column 7 of the schedule to this Tender Enquiry. As per **PPRA Rule 36(b)**, **Single Stage two envelope method** will be utilized for "Open competitive bidding." Moreover, technical & commercial evaluation of Bids will be carried out strictly as per PPRA rules and contract(s) will be awarded to the most advantageous bidder(s).
- 2.2 **For Plant and Machinery**, you are required to quote in two parts:-
Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

Cont....P-2

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of commercial tenders, extendable if so desired.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:-

F.O.R. station of dispatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser.

and/or

Free delivery at POF's stores at **WAH CANTT**

In this case Octroi duty, will be payable by the supplier.

- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting references to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offers without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation deptt., that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.
- 2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the material/products supplied by them, in their quotations and shipping/dispatch documents.
- 2.12 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of the T.E such offer shall be ignored.

3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

4. TENDER FEE

The tender must be accompanied by a copy of non-refundable fee by means of a crossed postal order/pay order for Rs. 500/- in favour of: **Director-Admin-POFs, Wah Cantt.** The tender fee instrument in original must be provided on day/date of tender opening in the Bid Center.

4.1 TENDER SAMPLE

Where required, offer must accompany tender sample., strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. BID Security

5.1 A copy of Bid Security should accompany the tender in shape of deposit at call receipt/Pay Order/Banker Cheque from scheduled bank drawn in favour of :-

GM-Sourcing Direct Materials, POFs WAH CANTT.

5.2 Bid security instrument in original must be provided on the day/date of tender opening in the Bid Center as under:

- a. Registered/indexed firms including foreign firms - 2% of quoted value subject to the maximum ceiling of Rs. 0.5 Mn.
- b. Registered/un-indexed firms including foreign firms - 3% of quoted value subject to the maximum ceiling of Rs. 0.75 Mn.
- c. Unregistered Firms including foreign firms - 5% of quoted value subject to the maximum ceiling of Rs. 1.00 Mn.
- d. Govt organization/production units/state owned enterprises/welfare projects of Svcs HQ - Rs 0.50 M. can be waived off on request by DG(C)
- e. Bid money will be returned to unsuccessful (less first three lowest quotee firms) bidders on opening of commercial offers
- f. Bid money will be returned to successful bidders on submission of performance bond/unconditional B.G.
- g. Quotation accompanied with less bid money will be accepted on provisional basis for 10 x days after opening of bids. However the firms are bound to provide/furnish the balance bid money within 10 x days after opening of bid otherwise such quotations will be ignored or rejected
- h. Offers received without Bid Security will not be entertained.
- i. Bid money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

6. ACCEPTANCE OF OFFERS

6.1 POF may reject all bids or proposals at any time prior to the acceptance of bid(s) or proposal, but is not required to justify grounds for its rejection. POF shall incur no liability towards supplier or contractor who have submitted bids or proposals.

6.2 PERFORMANCE BOND

- (a) The successful bidders shall provide performance bond which shall not exceed 10% of contract value, in the form of Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee on a prescribed format. The performance Bond will be in favour of C.M.A.(POF) Wah Cantt. It will be returned on satisfactory completion of contract.
- (b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 PAYMENT

Payment will be made by the CMA(POF) through crossed cheque on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

(a) Payment of duties/Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt.

7. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications, drawings etc. if any, enclosed herewith - even if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would be liable to be removed from the approved list.

Yours faithfully

BUSHRA ALI
MANAGER PURCHASE - I
for PAKISTAN ORDNANCE FACTORIES

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0093/LP/CMC/56/P-B06-JAN-26**(1) FOR MATERIALS**

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery		Delivery Date
					In Figures	In Words	
1	VEGETABLE TANNED SINGLE LEATHER BELT FLAT 3"X 1/4"(75MM X 6MM) ONE ROLL BS 424/1957	METER	23				
2	VEGETABLE TANNED SINGLE LEATHER BELT FLAT 51 MM X 6 MM (ONE ROLL) BS - 424 /1957	METER	7				
3	BELT V RUBBER LINK TRANSMISSION 3 LINK, 40 DEG ANGLE PITCH WIDTH 1/2", LENGTH OF ROLL 50 MTR BS- 1440 / 1962 SIZE AS PER DESCRIPTION OF STORE	METER	118				
4	RUBBER V LINK TRANSMISSION BELT WIDTH 3/4" 40* ANGLE BS 1440/1962 SIZE AS PER DESCRIPTION OF STORE	METER	63				
5	ENDLESS V BELT DRIVES SECTION 'A'33" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 33" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13 X 8 X 838 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	14				
6	ENDLESS V BELT DRIVES SECTION 'A'34" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 34" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13X8X864 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	13				
7	ENDLESS V BELT DRIVES SECTION 'A'41" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 41" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13 X 8 X 1041 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	40				
8	ENDLESS V BELT DRIVES SECTION 'A'44" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 44" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13 X 8 X 1118 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	8				
9	ENDLESS V BELT DRIVES SECTION 'A'45" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 45" NOMINAL TOP WIDTH 1/2" NOMINAL THICKNESS 5/16" (13 X 8 X 1143 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	141				
10	ENDLESS V BELT DRIVES SECTION 'A'50" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 50" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13 X 8 X 1270 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	44				
11	ENDLESS V BELT DRIVES SECTION 'A'52" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 52" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13 X 8 X 1321 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	29				

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0093/LP/CMC/56/P-B06-JAN-26

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery		Delivery Date
					In Figures	In Words	
12	ENDLESS V BELT DRIVES SECTION 'A'53" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 53" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13 X 8 X 1346 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	16				
13	ENDLESS V BELT DRIVES SECTION 'A'54" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 54" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13 X 8 X 1372 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	55				
14	ENDLESS V BELT DRIVES SECTION 'A'57" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 57" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13 X 8 X 1448 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	45				
15	ENDLESS V BELT DRIVES SECTION 'A'59" ANGLE OF BELT 40 DEG, INSIDE LENGTH 59" TOP WIDTH 1/2", THICKNESS 5/16"(13 X 8 X 1499MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	6				
16	ENDLESS V BELT DRIVES SECTION 'A'62" ANGLE OF BELT 40 DEG, INSIDE LENGTH 62" TOP WIDTH 1/2", THICKNESS 5/16"(13 X 8 X 1575 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	31				
17	ENDLESS V BELT DRIVES SECTION 'A'66" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 66" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13X8X1676 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	28				
18	ENDLESS V BELT DRIVES SECTION 'A'72" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 72" NOMINAL TOP WIDTH 1/2",NOMINAL THICKNESS 5/16"(13 X 8 X 1829 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	23				
19	ENDLESS V BELT DRIVES SECTION 'A'73" ANGLE OF BELT 40 DEG, INSIDE LENGTH 73" TOP WIDTH 1/2", THICKNESS 5/16" (13 X 8 X 1854 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	8				
20	ENDLESS V BELT DRIVES SECTION 'A'74" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 74" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13X8X1880 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	30				
21	ENDLESS V BELT DRIVES SECTION 'A'79" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 79" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13 X 8 X 2007 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	20				

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0093/LP/CMC/56/P-B06-JAN-26

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery		Delivery Date
					In Figures	In Words	
22	ENDLESS RUBBER -V- BELT A-83 1/2" X 5/16" X 83" (13 x 8 x 2108mm) LENGTH AS PER DESCRIPTION OF STORE BS-1440/1962	NO	35				
23	ENDLESS V BELT DRIVES SECTION 'A'86" ANGLE OF BELT 40 DEG, INSIDE LENGTH 86" TOP WIDTH 1/2", THICKNESS 5/16"(13 X 8 X 2185 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	79				
24	ENDLESS V BELT DRIVES SECTION 'A'88" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 88" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13 X 8 X 2235 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	33				
25	ENDLESS V BELT DRIVES SECTION 'A'36" ANGLE OF BELT 40 DEG, INSIDE LENGTH 36" TOP WIDTH 1/2", THICKNESS 5/16"(13 X 8 X 950 MM) BS-1440/1962	NO	34				
26	ENDLESS V BELT DRIVES SECTION 'A'38" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 38" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13 X 8 X 1001 MM) BS-1440/1962	NO	10				
27	ENDLESS V BELT DRIVES SECTION 'A'39" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 39" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13 X 8 X 1026 MM) BS-1440/1962	NO	49				
28	ENDLESS V BELT DRIVES SECTION 'A'40" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 40" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13 X 8 X 1051 MM) BS-1440/1962	NO	41				
29	ENDLESS V BELT DRIVES SECTION 'A'42" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 42" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13 X 8 X 1102 MM) BS-1440/1962	NO	117				
30	ENDLESS V BELT DRIVES SECTION 'A'43" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 43" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13 X 8 X 1128 MM) BS-1440/1962	NO	115				
31	ENDLESS V BELT DRIVES SECTION 'A'46" ANGLE OF BELT 40 DEG, INSIDE LENGTH 46" TOP WIDTH 1/2", THICKNESS 5/16"(13 X 8 X 1168 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	16				
32	ENDLESS V BELT DRIVES SECTION 'A'51" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 51" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13X8X1331MM) BS-1440/1962	NO	38				
33	ENDLESS V BELT DRIVES SECTION 'A'55" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 55" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13X8X1433MM) BS-1440/1962	NO	5				

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0093/LP/CMC/56/P-B06-JAN-26

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery		Delivery Date
					In Figures	In Words	
34	ENDLESS V BELT DRIVES SECTION 'A'56" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 56",NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13 X 8 X1458MM) BS-1440/1962	NO	70				
35	ENDLESS V BELT DRIVES SECTION 'A'58" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 58" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13 X 8 X1509 MM) BS-1440/1962	NO	123				
36	ENDLESS V BELT DRIVES SECTION 'A'60" ANGLE OF BELT 40 DEG, INSIDE LENGTH 60" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13 X 8 X 1560 MM) BS-1440/1962	NO	140				
37	ENDLESS V BELT DRIVES SECTION 'A'63" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 63" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13X8X1636MM) BS-1440/1962	NO	64				
38	ENDLESS V BELT DRIVES SECTION 'A'65" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 65" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13X8X1687MM) BS. 1440/1962	NO	20				
39	ENDLESS V BELT DRIVES SECTION 'A'68" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 68",NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13 X 8 X 1763MM) BS-1440/1962	NO	55				
40	ENDLESS V BELT DRIVES SECTION 'A'70" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 70" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13 X 8 X 1814 MM) BS-1440/1962	NO	34				
41	ENDLESS V BELT DRIVES SECTION 'A'75" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 75" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13X8X1941MM) BS-1440/1962	NO	17				
42	ENDLESS V BELT DRIVES SECTION 'A'80" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 80" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13X8X2068 MM) BS.1440/1962	NO	57				
43	ENDLESS V BELT DRIVES SECTION 'A'81" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 81" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13X8X2093 MM) BS-1440/1962	NO	30				
44	ENDLESS V BELT DRIVES SECTION 'A'85" ANGLE OF BELT 40 DEG, INSIDE LENGTH 85" TOP WIDTH 1/2", THICKNESS 5/16" (13 X 8 X 2195 MM) BS-1440/1962	NO	30				
45	ENDLESS V BELT DRIVES SECTION 'A'90" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 90" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16"(13 X 8 X 2322 MM) BS-1440/1962	NO	35				
46	ENDLESS V BELT DRIVES SECTION 'A' 112" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 112" NOMINAL TOP WIDTH 1/2", NOMINAL THICKNESS 5/16" (13X8X2880MM) BS-1440/1962	NO	72				

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0093/LP/CMC/56/P-B06-JAN-26

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery		Delivery Date
					In Figures	In Words	
47	ENDLESS V BELT DRIVE SECTION 'B'42" ANGLE OF BELT 40 DEG NOMINAL INSIDE LENGTH 42" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17 X 11 X 1110 MM) BS-1440/1962	NO	7				
48	ENDLESS V BELT DRIVES SECTION 'B'46" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 46" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNES 13/32" (17X11X1168 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	9				
49	ENDLESS V BELT DRIVES SECTION 'B'48" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 48" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32"(17 X 11 X 1262 MM) BS-1440/1962	NO	45				
50	ENDLESS V BELT DRIVES SECTION 'B'51" ANGLE OF BELT 40 DEG, INSIDE LENGTH 51" TOP WIDTH 21/32" THICKNESS 13/32"(17X11X1339 MM) BS-1440/1962	NO	8				
51	ENDLESS V BELT DRIVES SECTION 'B'54" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 54" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17 X 11 X 1415 MM) BS-1440/1962	NO	15				
52	ENDLESS V BELT DRIVES SECTION 'B' 55"ANGLE OF BELT 40 DEG NOMINAL INSIDE LENGTH 55" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17X11X1440MM) BS-1440/1962	NO	39				
53	ENDLESS V BELT DRIVES SECTION 'B' 60" ANGLE OF BELT 40 DEG NOMINAL INSIDE LENGTH 60", NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17X11X1567MM) BS-1440/1962	NO	22				
54	ENDLESS V BELT DRIVES SECTION 'B'65" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 65" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32"(17 X 11 X 1694 MM) BS-1440/1962	NO	51				
55	ENDLESS V BELT DRIVES SECTION 'B' 68" ANGLE OF BELT 40 DEG NOMINAL INSIDE LENGTH 68", NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17X11X1770 MM) BS-1440/1962	NO	192				
56	ENDLESS V BELT DRIVES SECTION 'B'70"ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 70",NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32"(17 X 11 X1821 MM) BS-1440/1962	NO	82				
57	ENDLESS V BELT DRIVES SECTION 'B'81" ANGLE OF BELT 40 DEG NOMINAL INSIDE LENGTH 81" NOMINAL TOP WIDTH 21/32" NOMINAL THICKNESS 13/32"(17X11X2101 MM) BS-1440/1962	NO	18				
58	ENDLESS V BELT DRIVES SECTION 'B'85" ANGLE OF BELT 40 DEG NOMINAL INSIDE LENGTH 85" NOMINAL TOP WIDTH 21/32" NOMINAL THICKNESS 13/32" (17X11X2202 MM) BS-1440/1962	NO	106				

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0093/LP/CMC/56/P-B06-JAN-26

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery		Delivery Date
					In Figures	In Words	
59	ENDLESS V BELT DRIVES SECTION 'B'90" ANGLE OF BELT 40 DEG INSIDE LENGTH 90" TOP WIDTH 21/32" THICKNESS 13/32"(17X11X2329 MM) BS-1440/1962	NO	20				
60	ENDLESS V BELT DRIVES SECTION 'B'97" ANGLE OF BELT 40 DEG NOMINAL INSIDE LENGTH 97" NOMINAL TOP WIDTH 21/32" NOMINAL THICKNESS 13/32" (17X11X2507 MM) BS-1440/1962	NO	77				
61	ENDLESS V BELT DRIVES SECTION 'B'105" ANGLE OF BELT 40 DEG NOMINAL INSIDE LENGTH 105" NOMINAL TOP WIDTH 21/32 NOMINAL THICKNESS 13/32" (17X11X2710 MM) BS-1440/1962	NO	90				
62	ENDLESS V BELT DRIVES SECTION 'B'75" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 75" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32"(17 X 11 X 1948 MM) BS-1440/1962	NO	30				
63	ENDLESS V BELT DRIVES SECTION 'B'45" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 45" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17 X 11 X1212 MM) BS-1440 /1962	NO	5				
64	ENDLESS V BELT DRIVES SECTION 'B' 50" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 50" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17X11X1270 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	14				
65	ENDLESS V BELT DRIVES SECTION 'B'52" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 52" TOP,WIDTH: 21/32",NOMINAL THICKNESS :13/32" (17 X 11 X 1321 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	33				
66	ENDLESS "V "BELT DRIVES SECTION 'B'53" ANGLE OF BELT 40 DEG NOMINAL INSIDE LENGTH 53" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17 X 11 X 1346MM) B 53 BS.1440/1962 LENGTH AS PER DESCRIPTION OF STORE	NO	13				
67	ENDLESS V BELT DRIVES SECTION 'B'58" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 58" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17 X 11 X 1473 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	56				
68	ENDLESS V BELT DRIVES SECTION 'B'61" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 61" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17 X 11 X 1549 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	8				
69	ENDLESS V BELT DRIVES SECTION 'B'64",ANGLE OF BELT 40 DEG NOMINAL INSIDE LENGTH 64"NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17 X 11 X 1626 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	11				

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0093/LP/CMC/56/P-B06-JAN-26

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery		Delivery Date
					In Figures	In Words	
70	ENDLESS V BELT DRIVES SECTION 'B'66" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 66" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17 X 11 X 1676 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	5				
71	ENDLESS V BELT DRIVES SECTION 'B'72" ANGLE OF BELT 40 DEG NOMINAL INSIDE LENGTH 72" NOMINAL TOP WIDTH 21/32" NOMINAL THICKNESS 13/32"(17X11X1829 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	44				
72	ENDLESS V BELT DRIVES SECTION 'B'76" ANGLE OF BELT 40 DEG. INSIDE LENGTH 76" TOP WIDTH 21/32" THICKNESS 13/32"(17X11X1948 MM) BS-1440 /1962	NO	22				
73	ENDLESS V BELT DRIVES SECTION 'B'80" ANGLE OF BELT 40 DEG INSIDE LENGTH 80" TOP WIDTH 21/32" THICKNESS 13/32"(17X11X2032 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	53				
74	ENDLESS V BELT DRIVES SECTION 'B'82" ANGLE OF BELT 40 DEG INSIDE LENGTH 82" TOP WIDTH 21/32" THICKNESS 13/32"(17X11X2083 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	13				
75	ENDLESS V BELT DRIVES SECTION 'B'87" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 87" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17 X 11 X 2210 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	36				
76	ENDLESS V BELT DRIVES SECTION 'B'93" ANGLE OF BELT 40 DEG, NOMINAL INSIDE LENGTH 93" NOMINAL TOP WIDTH 21/32", NOMINAL THICKNESS 13/32" (17 X 11 X 2362 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	25				
77	ENDLESS V BELT DRIVES SECTION 'B'95" ANGLE OF BELT 40 DEG INSIDE LENGTH 95" TOP WIDTH 21/32" THICKNESS 13/32"(17X11X2413 MM) BS-1440/1962 LENGTH AS PER STOCK CODE STORE DESCRIPTION	NO	45				
78	ENDLESS V BELT DRIVES SECTION 'C'173" ANGLE OF BELT 40 DEG, INSIDE LENGTH 173" TOP WIDTH 7/8" THICKNESS 17/32"(22X14X4450MM) BS-1440,1962	NO	22				

Total Rs =	
+ GST =	
Total value Rs =	

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0093/LP/CMC/56/P-B06-JAN-26

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery		Delivery Date
					In Figures	In Words	

(2) For Plant & Machinery:
Specification:-

(3) Special Conditions

- i). Only single competitive rate must be quoted against each TE item. The quotation must hold good for 90 days from the date of commercial opening (extendable if so desire)
- ii). Date and stamp of the postal order must be visible.
- iii). PTC issued by Punjab Province must be provided.
- iv). Status of your firm with POF (registered/un-registered) should be mentioned in your offer. Registered firms are required to provide copy of valid registration letter with POF.
- v) a. Only registered suppliers (with Sales Tax & Income Tax Deptt.) who are on Active Taxpayers List (ATL) of FBR are eligible to supply good/services to Government departments.
- b. The payment to the registered persons may be linked with the active taxpayer status of the suppliers as per FBR database. If any registered supplier is not in ATL his payment should be stopped till he files his mandatory returns and appears on ATL of FBR.
- vi). Technical Literature (in English Language/version) along with chemical composition of offered items must be provided at the time of competitive bid submission.
- vii). Final inspection / acceptance of store will be made on successful functional trials along with Chemical and mechanical testing as per procedure in vogue.
- viii). Contracted/Supplied Store must be as per tendered specification.
- ix). Un-registered firms provide 01x year bank statement.
- x). MSDS against contracted item(s) is required to be provided by the supplier.
- xi). Firms registered with Securities & Exchange Commission of Pakistan (SECP) will be preferred. However, such firms are required to provide/ attach the registration certificate/evidence their of with the quotation for evaluation.
- xii). The store should be of reputed OEM/Branded Company.
- xiii). If the excess quantity of store is delivered which exceeds the allowed tolerance of + 5 % of the contracted quantity, the same may be considered free of cost (non-returnable)
- xiv). Provision of Quality Test Certificate of an accredited lab with established trace abilities, if demanded/required.
- xv). Tender Enquiry and special conditions must be carefully studied and complied. Offers/ bids in contravention to conditions / special condition stipulated in the TE are liable to be rejected.
- xvi). Inspection Authority: Director-QA or his Authorized Rep
- xvii) Technical/Commercial quotations Generated through E-bidding module duly signed/stamped on firm's letter head must be attached with both Technical Part and Commercial Part of TE separately (in Soft & hard form)
- xviii) Bidders/suppliers must mention the "Expected Shelf Life" & "Country of Origin" of material/ manufactured components and same will be considered during Technical Evaluation as well.
- xix. Delivery Period of store will be 03x months maximum after placement of contract.

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0093/LP/CMC/56/P-B06-JAN-26

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery		Delivery Date
					In Figures	In Words	

Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____
Date _____

Signature of the Tenderer _____
Name _____
Position _____
Address _____
Income Tax G.I.R. No _____
Official Stamp _____