

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 06-04-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF "PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT" (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DNF95127	Kronos 15KVA / ST151	5836705172778 / UPS 15KVA/12KW	PCBRF	1 / EACH/NUMBER	Kronos 15KVA/A PC		M/s ALI BUISNESS MACHINES PVT.LTD.No-1-16.2nd Floor,Mujahid Plaza, Blue Area, Islamabad.ph 051-2870212	CHINA		<u>TECHNICAL SPECIFICATION -</u> Make/Model/Brand: APC Smart-RT 15KVA RMUPS-12KW-15000VA <u>GENERAL SPECIFICATION -</u> Make/Model/Brand: APC Smart-RT 15KVA RMUPS-12KW-15000VA	
2	DNF96294	ML-1102S-A/ML-1102S-B (RJ-45 PORTS) /4V1D	6099785166575 / FIBER MEDIA CONVERTER FOR IP CAMERAS	CCTV SYSTEM (PSS)	1 / PAIR	ML-1102S-A RJ45/4V1D		CETC Mansion No 5 walatong north street, Xicheng District, Beijing China 100120	M/S CETC international Co.Ltd		<u>TECHNICAL SPECIFICATION -</u> Optical Transceiver model number: ML-1102S-A ML-1102S-B (2 RJ-45 Ports sPEC: transceivers HAVING 100/1000 MBPS (GB) oem: MICROLINK <u>GENERAL SPECIFICATION -</u> Optical Transceiver model number: ML-1102S-A ML-1102S-B (2 RJ-45 Ports sPEC: transceivers HAVING 100/1000 MBPS (GB) oem: MICROLINK	
3	DNF99022	HTS-SFP-850	5915705248696 / SFP MODULE		2 / EACH/NUMBER	SFP-850					<u>TECHNICAL SPECIFICATION -</u> null <u>GENERAL SPECIFICATION -</u> null	
4	DNF99199	rb2011 uias-rm / L009UIGSRM	5915705246336 / mikrotik router		1 / EACH/NUMBER	rb2011 uias-rm					<u>TECHNICAL SPECIFICATION -</u> brocher is attached for detials spec <u>GENERAL SPECIFICATION -</u> brocher is attached for detials spec	
5	DNF96135	MSII 10000 RT/ABLER EX UPS 10 KVA / GXT-10000MTP	7025795258792 / UPS 10 KVA with battery Pack for 17 mints Back Up Emerson/ABLE		3 / EACH/NUMBER	ABLEREX UPS 10 KVA / LiebertITA 10KVA/9KW UPS 230V/400					<u>TECHNICAL SPECIFICATION -</u> null <u>GENERAL SPECIFICATION -</u> null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		LUSC230	REX with accessories			V						
6	DNF99123	SRT1000R MXLI/SRT 1000RML I/ EP- 1000T Elen Brand or equivalent	6130PK507263 7 / UPS 1 KVA WITH BATTERY ON LINE (10 Mint Backup time)		2 / EACH/N UMBER						TECHNICAL SPECIFICATION - AUTHORITY:SANCTION OF OFFICE EQUIPMENT-F22P CELL AT PN DOCKYARD.VIDE NHQ LETTER ST-S/3277/1014 DT 14 OCT 2010.GENERAL SPECIFICATION - AUTHORITY: SANCTION OF OFFICE EQUIPMENT-F22P CELL AT PN DOCKYARD.VIDE NHQ LETTER ST-S/3277/1014 DT 14 OCT 2010.	
7	DNF100360	6 242 01	613099742767 0 / CHARGER PANEL LIGHT, TYPE 10- MODIFIED 110/130V AND 200/250V 50/60HZ	PANNEL LIGHT	2 / EACH/N UMBER						TECHNICAL SPECIFICATION - country of origin ukGENERAL SPECIFICATION - country of origin uk	
8	DNF100365	LD015	616078528910 7 / CSM Life raft - Lithium cell & Canopy light		1 / NO	LD015					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
9	DNF100216	CC-01- 00017	593578523278 6 / CAT6A STP RJ45 CONNECTOR FOR ETHERNET CABLE		116 / EACH/N UMBER	RJ45					TECHNICAL SPECIFICATION - AS PER BROUCHER ENCLOSED a. Schneider Electric/Actassi Cat-6 RJ45 connectors/China/Rs 2700/50 Pcs . b. 3M Micro link /Cat-6 RJ45 Connectors/China/Rs 1999/100 Pcs. c. Black copper/Cat-6 RJ45 connectors/China/Rs 1350/100 Pcs. GENERAL SPECIFICATION - AS PER BROUCHER ENCLOSED a. Schneider Electric/Actassi Cat-6 RJ45 connectors/China/Rs 2700/50 Pcs . b. 3M Micro link /Cat-6 RJ45 Connectors/China/Rs 1999/100 Pcs. c. Black copper/Cat-6 RJ45 connectors/China/Rs 1350/100 Pcs.	
10	DNF96270	AS-SMGE- 17	299070520759 0 / AIMING SENSOR	G-3 SIMULATOR 2017 PAK	1 / EACH/N UMBER	AS- SMGE-17	NA	M/S SOFT INOVATION SYSTEM 34-A/2, 1st FLOOR LUXURY HOTEL,	M/S SOFT INNOVAT		TECHNICAL SPECIFICATION - Technology = Infra Red Voltage = 3.0 Vdc - 4.0Vdc +- 10% Current =	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
								LALAZAR OFF. MT KHAN ROAD KARACHI +9221385610277	IVE SYSTEM S		100mA +- 20% Color = Black Weight = 0.25kg with Clamp <u>GENERAL SPECIFICATION</u> - Technology = Infra Red Voltage = 3.0Vdc - 4.0Vdc +- 10% Current = 100mA +- 20% Color = Black Weight = 0.25kg with Clamp	
11	DNF100211	WT-5810 TOA	583072520733 1 / SOUND AND PA SYSTEM WIRELESS TUNER WT-5810 TOA	UFFAQ WT/5810c076R TOA, Germany	1 / EACH/NUMBER	WT/5810c076R		"TOA Electronic Europe GmbH, Suderstrabe 282, 20537 Hamburg, Germany Tel: +49 / (0) 40 / 25 17 19-0 Fax: +49 / (0) 40 / 25 17 19-98 Web: www.toa.com"	TOA Electronic sCoporati on		<u>TECHNICAL SPECIFICATION</u> - OEM MS TOA CORPORATION. Video Wall Matrix controller <u>GENERAL SPECIFICATION</u> - OEM MS TOA CORPORATION. Video Wall Matrix controller	
12	DNF100403	2990000043	613073530070 7 / Power supply 100-240VAC/24VDC 10A		2 / EACH/NUMBER	PROMAX-240-24					<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null	
13	DNF100227	ub500 / ZA3000E	635078524635 9 / WALK THROUGH GATE WITH MONITOR & FACE CAPTURE CAMERA		1 / EACH/NUMBER	ub500 /ZA3000E					<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null	
14	SNF100261	PHILIPS	052379523002 7 / STARTER-TUBE-LIGHT-2PIN-4 TO 80 WATT	LAMP FLUORESCEN T	303 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - Item Specification/ Technical Data: Item Name: FSU Fluorescent Starter Brand: Eurolux MPN: FS-U FSU Wattage: 4 to 80 Watt Voltages: 220 Volt to 240 Volt <u>GENERAL SPECIFICATION</u> - Item Specification/ Technical Data: Item Name: FSU Fluorescent Starter Brand: Eurolux MPN: FS-U FSU Wattage: 4 to 80 Watt Voltages: 220 Volt to 240 Volt	
15	DNF99162	CS-FP3S52D-	601571531193 6 / Optical Fiber		8 / EACH/NUMBER	CS-FP3S52D-					<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		SC-SC-06	patch Cord SM 9/125um OS2 G.652 LSZH Simplex 06M		UMBER	SC-SC-06					null	
16	DCD976 45		844050423907 4 / CAP BARRET NAVY BLUE WOOLLEN 6- 5/8 INCH (15CM)		750 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION -</u> COLOR PANTONE SHADE BLUE: 19-3924 TCX BODY: 100% PURE MERINO WOOL LINING: ARTIFICIAL SILK THREAD OF STITCHING: POLYESTER DIMENSION STABILITY (WOOL SHRINKAGE): 2% MAX BINDING: TAPE TEXTILE SILK CORDED 25 MM WIDEGENERAL <u>SPECIFICATION - COLOR</u> PANTONE SHADE BLUE: 19-3924 TCX BODY: 100% PURE MERINO WOOL LINING: ARTIFICIAL SILK THREAD OF STITCHING: POLYESTER DIMENSION STABILITY (WOOL SHRINKAGE): 2% MAX BINDING: TAPE TEXTILE SILK CORDED 25 MM WIDE	item required as per tender sample
17	DCD975 51		845550120202 6 / SOFT POOL INSIGNIA FOR COMMAND MASTER CHIEF PETTY OFFICER (CMCPO) WIDTH 1.6CM AND HEIGHT 2.5CM		100 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION -</u> nullGENERAL SPECIFICATION - null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGP100363		773070513330 1 / LED TV 40 INCH	SAMSUNG	2 / EACH/NUMBER	NO DATA AVAILAB LE		PK	PAKISTA N		<u>TECHNICAL SPECIFICATION -</u> <u>NIL</u> <u>GENERAL SPECIFICATION -</u> <u>NIL</u>	
2	DGP90626	FCLCUUS MO3D	601578514142 0 / FIBER PATCH CORD FC/PC TO LC	NET WORKING	4 / EACH/NUMBER	NO DATA AVAILAB LE		CH	M/S RAISECO M SUITE NO.401A PANURA MA CENTRE 2 RAJA GHAZAN FAR ALI ROAD SADDAR KARACHI PHON NO. 021- 35661550 -1		<u>TECHNICAL SPECIFICATION -</u> <u>OEM: CHINA MADE</u> <u>GENERAL</u> <u>SPECIFICATION - OEM: CHINA</u> <u>MADE</u>	
3	DGP100295	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>	
4	DGP100 368	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					<p><u>TECHNICAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING</p>	

Sl. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>	
5	DGP100 367		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1/ EACH/ NUMBER	CPM 25					<p>TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per</p>	

Sl. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO	
6	DGP99340		773070505926 2 / TV COLOUR 20" STANDARDRI ZED WITH FULL REMOTE CONTROL		1 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
7	DGP100362		753570513302 1 / LAPTOP COMPUTER	COMPUTER	1 / EACH/N UMBER	NIL		PK	VIDE NHQ LETTER ST- S/3200/81 98 DT 23/07/08		<u>TECHNICAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL@ CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL @ HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).</u> <u>GENERAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL@ CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL @ HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY:</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
8	DGP999 41		743570513302 1 / LAPTOP COMPUTER	COMPUTER	1 / EACH/N UMBER	NIL		PK	VIDE NHQ LETTER ST- S/3200/81 98 DT 23/07/08		01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION). <u>TECHNICAL SPECIFICATION -</u> HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL@ CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL @ HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION). <u>GENERAL SPECIFICATION -</u> HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL@ CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL @ HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
9	DGP100 294	NIL	743570513788 5 / PRINTER HP LASER JET P 1566 / P1505	PRINTER LASER JET	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N		<u>TECHNICAL SPECIFICATION - -</u> <u>GENERAL SPECIFICATION - -</u>	
10	DGP968 71	260 GSM- +5% 22X28	589571520222 8 / MULTI COLOUR CARD SHEET	FOR PRINTING STY ITEM	2 / PACKE T			M/S STACKO COMPANY. KARACHI	LOCAL		<u>TECHNICAL SPECIFICATION - b.</u> Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single	

Sl. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SEPARATERS 260GSM 22X28								sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM+5% 22X28" <u>GENERAL SPECIFICATION</u> -b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM+5% 22X28"	
11	DGP100 347		361070511791 2 / SHREDDING MACHINE (HEAVY DUTY)	SHREDDER MACHINE	2 / EACH/N UMBER	ST- 12C/ST- 12CD					<u>TECHNICAL SPECIFICATION - ST-12C/ST-12CD</u> <u>GENERAL SPECIFICATION - ST-12C/ST-12CD</u>	
12	DGP100 473	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	6 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
13	DGP100 424	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY	

Sl. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											(WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
14	DGP100 499		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A---- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA.e sTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A---- (25 Copies Per Minute, Built-in GDI Printer, Color	

Sl. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO	
15	DGP100 505	SONY/SAMSUNG/LG/TCL 20, 21,18, 32 INCH	773070505918 2 / LED 32 INCH		1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
16	DGP100 500	NIL	773070521489 2 / LED TV 55 INCH	F-22P SIMULATOR	1 / EACH/NUMBER	NIL	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	SONY		TECHNICAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K6600UG/KD55X70000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9 GENERAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K6600UG/KD55X70000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9	