



**Tender Notice No. 483/2026**  
***Establishment of Padel Tennis Court &***  
***Outdoor Cricket Arena at PITAC HQ; Lahore***

Issue Date: **10-03-2026**

Closing Date: **30-03-2026 (11:00 AM)**

Pakistan Industrial Technical Assistance Centre (PITAC), an autonomous organization under the Ministry of Industries & Production, invites bids from reputable, qualified and experienced contractors/firms for the **establishment of a standard Padel Tennis Court & Outdoor Cricket Arena** at PITAC Headquarters, Lahore.

- Pay order/bank draft/banker's cheque of amount Rs.2000/- (non-refundable) in the name of Director General PITAC, Lahore, must be submitted along with bid as Tender participation Fee.
- Bids may be submitted as per conditions set out in bidding documents electronically through federal PPRA EPADS web portal <http://eprocure.gov.pk> before closing date & time. Manual bids shall not be accepted. The bids shall be opened on the same day at 11:30 AM.
- Scanned copy of Bid Security @ 2% of the total bid incl. all taxes (refundable) in the shape of deposit at call or a bank guarantee issued by a scheduled bank in the name of Director General PITAC, Lahore be sent through EPADS, while the original Bid Security alongwith supporting documents (if any) must be dispatched to the undersigned. Bid, without Tender participation Fee (Rs. 2000) and earnest money will be rejected.

**Scope of Work for Padel Court:**

The selected firm will be responsible for:

1. Establishment of a High Quality Synthetic/Acrylic Playing surface Paddle Court having area (20m x 10m x almost 01 feet) above ground level.
2. Civil works including levelling, drainage system and concrete/bitumen base with proper slope for water runoff.
3. Making galvanized and powder coated steel framework to support tempered glass installation.
4. Providing & fixing of Tempered glass 12 mm thickness.
5. Providing & fixing Lighting with Accessories.
6. Providing & fixing Turf installation
7. Finishing & court marking complete in all respect as per drawings.

**Scope of Work for Cricket Arena:**

The selected firm will be responsible for:

1. Establishment of a High Quality Outdoor Cricket Arena having total area 3600 Sq.ft (40' x 90' x 30 feet height) from ground level.
2. Civil works complete including Site clearing & levelling, , Filling, Concrete flooring, Levelling, drainage system complete with following works Removal of grass from ground, Excavation for foundations Fixing of Anchor bolts with base plate for Steel Poles/columns, PCC (1:4:8) for foundations
3. Toe wall with lean 16 inch, Sand Filling 10 inch, compaction, Gera/stone /khaka 4 inch, compaction, installation of marble strips for levelling PCC with 1:2:4 up to 6 inch, water drainage system with proper slope for water runoff.
4. Provision and installation of Artificial turf (40' x 90') with Fencing/Fiber Net (40' x 90' x 30 feet height)
5. Provision and installation of Light Poles (12 Nos.) with Flood Lights (12 Nos.) with all accessories.
6. Finishing & marking complete in all respect.

**Eligibility Criteria:** Interested firms/companies must:

- Be registered with PEC.
- Be registered with SECP or relevant authority.

- Be registered with Income Tax & Sales Tax departments and must be on Active Taxpayer List (ATL).
- Have proven experience in establishment/construction of similar standard padel tennis court work & outdoor cricket arena.
- Demonstrate financial capacity and technical expertise.
- Not be blacklisted by any public sector organization.

**Interested parties must submit:**

- Company profile and legal registration documents.
- Relevant Technical experience with construction of similar projects in the past.
- Financial standing (last 3 years audited financial statements or bank certificates).

**Evaluation Process:**

Bids will be evaluated as per PPRA Rules 2004, and only shortlisted firms will be contacted for construction of the padel tennis court & cricket arena as per our technical evaluation criteria. PITAC reserves the right to reject all bids as per rule 33 PPRA 2004. Bid validity will be 90 days.

**Note: Bidder may submit bids for both or any one of the above projects.**

**Submission Deadline:** Bids will be submitted through Federal PPRA EPADS before the closing date & time. Bids will be opened on the same day at 11:30 AM in the presence of bidders or their representatives. Please send the supporting documents (if any) to the undersigned.

Deputy Director (Coord/Purchase)

Pakistan Industrial Technical Assistance Centre (PITAC)

234-Ferozpur Road, Lahore Ph: 042-99230601,99230702,99230699 Fax: 042-99230589

Email: [purchase@pitac.gov.pk](mailto:purchase@pitac.gov.pk), Website: [www.pitac.gov.pk](http://www.pitac.gov.pk)

***Tender # 483/2026***

***Tender Document***

***for***

***Establishment of Padel Tennis Court &***

***Outdoor Cricket Arena***

***at***

***PITAC HQ Lahore***

## 1. INTRODUCTION TO PITAC:

Pakistan Industrial Technical Assistance Centre (PITAC) was established in 1962 with the merger of Industrial Research and Development Centre (IRDC) and Industrial Productivity Centre (IPC).

Pakistan Industrial Technical Assistance Centre (PITAC) is premier organization of Ministry of Industries and Production, Government of Pakistan established for the provision of Technical Training, backup support and Advisory Services to the industry.

PITAC is noncommercial & nonprofit organization under the administrative control of the Ministry of Industries and Production, Government of Pakistan. It provides human resource, skill development services to the industrial personnel and underprivileged persons of the society and renders technical assistance and advisory services to the industrial units to help facilitate industrial growth in the country and entrepreneurship training and development services to the young professionals for their own startups. The functions of PITAC are very important in nature to contribute in the growth of national economy through sustainable industrial development.

2. It had also established PITAC College of Technology (PCT) in 2017 to provide technical education to the underprivileged youth. PCT offers Diploma of Associate Engineering (DAE) in Mechanical, Electrical, Dies & Mold Technology, Mechatronics alongwith Computer information Technology, which is affiliated with TEVTA/PSDA and accredited with Punjab Board of Technical Education (PBTE), Lahore.

## 3. THE PADEL COURT:

PITAC intends for the establishment of Padel court area “20m long x 10m wide & almost 01 feet” above ground level with a combination of tempered glass and weld mesh rebound wall and fence panels supported of steel posts fixed to a concrete foundation, flood lightning along with a synthetic turf play surface & blue paint.

- Dimensions: 200m<sup>2</sup> (20 m x 10 m) & almost 01 feet above ground
- Windows and steel fences surround the court  
The back of the court and the beginning of the sides are made of window tempered glass surrounded by a steel fence (height: 4m)
- The rest of the sides are exclusively made of a steel fence (height: 3m)
- A net divides the court into two sides
- Easy access to the paddle court.

## 4. THE OUTDOOR CRICKET ARENA:

PITAC also intends for the establishment of high quality Outdoor Cricket Arena having total area 3600 Sq.ft (40' x 90' x 30 feet height) from ground level complete with following works:

- Civil works complete including Site clearing & levelling, Excavation for foundations, Filling, Concrete flooring, Levelling, drainage system complete with following works;
- Removal of grass from ground, Excavation for foundations, Fixing of Anchor bolts with base plate for Steel Poles/columns, PCC (1:4:8) for foundations
- Toe wall with lean 16 inch, Sand Filling 10 inch, compaction, Gera/stone/khaka 4 inch, compaction, installation of marble strips for levelling PCC with 1:2:4 up to 6 inch, water drainage system with proper slope for water runoff.
- Provision and installation of Artificial turf (40' x 90') with Fencing/Fiber Net (40' x 90' x 30 feet height)
- Provision and installation of Light Poles (12 Nos.) with Flood Lights (12 Nos.) with all accessories.
- Finishing & marking complete in all respect

## 5. INSTRUCTIONS TO BIDDERS (ITB)

PITAC invites bids from qualified contractors/firms registered with PEC (C6 or above) and relevant tax authorities, for the establishment of a Standard Pedal Tennis Court having area “20m long x 10m wide & almost 01 feet above at ground level” & establishment of high quality Outdoor Cricket Arena having area 3600 Sq.ft (40’ x 90’ x 30 feet height) from ground level at PITAC.

The projects includes Civil flooring work, Steel structure work, Poles installation, tempered glass work, surface/Turf installation, flood lightning, fencing/netting, floor Painting, Powder coating, finishing & courts marking complete in all respect as per mentioned drawings.

➤ **Before submitting bid, contractor should visit the site to get any other relevant information required for finalizing & onward submission of bid.**

➤ **Bidder may submit bids for both or any one of the above projects.**

### Project Specifications:

#### ❖ **Paddle Tennis Court:**

##### 1. **Court Dimensions:**

- Standard Size: “20m long x 10m wide & almost 01 feet above ground level” (subject to minor adjustments based on site conditions)
- Playing Surface: High-quality synthetic/acrylic surface (shock-absorbent, non-slip).
- Fencing & Net System: Steel structure with tensioned net (height as per international standards).

##### 2. **Civil Works:**

- Levelling, drainage system, and concrete/bitumen base, poles foundations available at site.
- Proper slope for rainy water runoff.

##### 3. **Steel Structure:**

- Galvanized steel framework for durability to support tempered glass installation.
- Powder-coated finish for corrosion resistance.

##### 4. **Tempered Glass:**

- Providing & Installation of tempered glass (12 mm) as per standard.

##### 5. **Lighting & Accessories:**


- Providing & Installation of LED floodlights as per standard.



##### 6. **Turf Installation:**




- Providing & Installation of Turf as per standard.

##### 7. **Finishing:**



- Finishing & padel court marking complete in all respect as per standard.









ITEMS NO	DESCRIPTION	FINISH SIZES	Details	QTY
1	PEDEL TENNIS COURT TRUF	200 Squire Meter	15mm	1
2	TUBE, SQUARE 75mm X 75mm X 2.05 mm	4M	BWG-12	4
3	TUBE, SQUARE 75mm X 75mm X 2.05 mm	20M	BWG-12	2
4	TUBE, SQUARE 75mm X 75mm X 2.05 mm	10M	BWG-12	2
5	TUBE, SQUARE 75mm X 75mm X 2.05 mm	3M	BWG-12	12
6	TUBE, SQUARE 75mm X 75mm X 2.05 mm	2.5M	BWG-12	8
7	TUBE, SQUARE 75mm X 75mm X 2.05 mm	1.2M	BWG-12	8
8	TUBE, SQUARE 75mm X 75mm X 2.05 mm	1M	BWG-12	2
9	TUBE, SQUARE 20mm X 20mm X 2.05mm	2.5M	BWG-12	4
10	TUBE, SQUARE 20mm X 20mm X 2.05mm	1M	BWG-12	12
11	PLATE BASE PLATE	200mmx200mmx15mm	5 S COTTER	16
12	NET PEDEL TENNIS COURT	STD		1
13	MESH (10m x 3m)	STD		2
14	MESH (10m x 1m)	STD		2
15	MESH (2.5m x 1m)	STD		4
16	BOLT FOR BASE PLATE	STD		64
17	LIGHTS (5MD)	200 W		10



Job Name: PEDEL TENNIS COURT				Client: PCT	
Material:	Qty: 1	Drawn By: G.O. HMA-02	Project:		
Unit:		Job No.:	Scale:		
Drawn By:	Checked By:	Approved By:		Drawing Title: PEDEL TENNIS COURT	
M.B	M.B	M.B	M.B		
SECTION:	UNIT:	Creating Path:	 754, 5740/5740/5740/5740-5740 5740-5740-5740-5740-5740 5740-5740-5740-5740-5740 5740-5740-5740-5740-5740		



❖ **Outdoor Cricket Arena:**

**8. Court Dimensions:**

- Standard Size: “40’ x 90’ x 30 feet height (subject to minor adjustments based on site conditions)
- Playing Surface: High-quality synthetic/acrylic surface (shock-absorbent, non-slip).
- Fencing & Net System: Steel structure with fencing net (height at 30 feet)

**9. Civil Works:**

- Removal of grass from ground, Excavation for poles foundation, Levelling, compaction drainage system, Toe wall with lean upto 16 inch and concrete/bitumen base
- Proper slope for rainy water runoff.

**10. Steel Structure:**

- Providing & Installation of 12 x 4-inch round poles with 14 gauge & 30-feet height.
- Providing & Installation of 1.5 inch round Poles with 14 gauge for horizontal connection of complete court.
- Entrance Gate 3 x 7 feet (MS Fabricated)
- Powder-coated finish for corrosion resistance / Red Oxide + Enamel Paint having total - (3 coats)

**11. Lighting & Accessories:**

- Providing & Installation of LED floodlights (12 Nos) as per standard.

**12. Turf Installation:**

- Providing & Installation of 30 mm UV Coated imported Turf with fitting complete in all respect


**13. Fencing/Fiber Net:**

- Providing & Installation of Fiber Net 36 No. on both sides (40x90 feet) & Top of Cricket Arena having height 30 feet.

**14. Finishing:**

- Finishing & Court Pitch marking complete in all respect as per standard.


**1. Site Layout Plan (Top View)**



**1. Layout Details:**

- Total Area: 3,600 Sft
- Practice Pitch: 8’ x 60’ (center aligned)
- Side Clearance: 16 ft approx. each side
- Front & Back Clearance: 15 ft approx.
- Entrance Gate: 3x7’ (one corner)
- Optional Player Sitting Area along one side

## 2. Foundation Detail:



### Foundation Size

- 2' x 2' x 3'-0" to 4'-0" depth RCC footing
- PCC (1:4:8) for foundations
- Base Plate with Anchor bolts embedded

## 3. Lighting Layout:

- 12 x 150- 200W LED Flood Lights
- Mounted at 25 ft height
- 6 lights per side (even spacing)
- Separate MCB panel with earthing

### Terms & Conditions:

- Materials storage on site, water supply & electricity will be provided by PITAC.
- Site access & clear installation area will be provided prior to installation commencement.
- There must be No interruption form other subcontractor e.g. accessing the area to prevent any damage on the paddle court area and avoid delays.
- Civil work required should be completed prior to installation commencing other items (proper levelled concrete/asphalt/soil sub base should be prepared as per the required standards and ready for the installation) (If any.).
- Electrical connection will be provided by PITAC near to the area.
- Base concrete floor must proper cure, even surface and have a slop of 0.7% from centre.
- Time is the essence of the contract. The work should be completed in 60 days from the date of the work order/letter of Acceptance issued to the contractor to commence the work.
- Contractor is responsible for One-year Maintenance & 01 year Warranty period of both courts from the date of completion of work & handover court to PITAC.
- Inspection: Conduct a thorough inspection by contractor to ensure all components are properly installed and secure.
- Testing: Test the both courts to ensure it meets all specifications and is ready for play.
- Maintenance: Perform regular/periodic checks and maintenance to keep the courts in optimal condition.
- Repairs: Contractor is responsible to address any wear and tear promptly to extend the court's lifespan.

### PAYMENT TERMS:

- Mentioned Rates in BOQ are inclusive of all taxes
- 100% payment after the completion of whole work of paddle court & handover to PITAC.

### Note:

- **Before submitting bid, contractor should visit the site to get any other relevant information required for finalizing & onward submission of bid.**

**BILL OF QUANTITY FOR ESTABLISHMENT OF PADDLE TENNIS COURT**

Sr No	Works Description	Qty	Unit Cost	Total Cost (Inclusive of all Taxes)
1	<b>Civil Work.</b> Concrete flooring, Levelling, drainage system, and concrete/bitumen base except poles foundation.(already available at site) <ul style="list-style-type: none"> <li>• Black Cement</li> <li>• Sand</li> <li>• Crush</li> <li>• 4-6" Thick Rohri under concrete slab</li> <li>• Steel Bars (#3 bar @6" O.C each way</li> <li>• Brick Masonry work for side walls</li> </ul>	20x10 meter & almost 01 feet above ground level <b>Unit Qty</b> Bag 200 Cu. ft 500 Cu. ft 1000 Sq.Ft 2250 Kg 1500 Nos 1000		
2	<b>Metallic Structure:</b> As mentioned in drawing including powder coated complete structure and fence system.	Complete Double Padel court Standard Structure LOCAL MADE 10mtr x 20mtr		
3	<b>Tempered Glass:</b> <ul style="list-style-type: none"> <li>• 12 mm tempered + laminated glasses 10 mtr x3 mtr x12 mm or equivalent.</li> <li>• 12 mm tempered + laminated glasses 5mtrx3mtrx12 mm or equivalent. Process of Lamination and Tempered M/s PAKISTAN SAFETY Force Majuere implemented.</li> </ul>	02 Nos  4 Nos (Tariq Glass, Ghani Glass or equivalent)		
4	<b>Doors</b> Free access doors both sides of the court (as per the standard requirement).	02 Nos		
5	<b>Poles Lights Led Lights &amp; Electrification:</b> POLES:- 6-mtr height from the ground light poles 200 watts x 300 lux COARTS brand model GLS-STELFLG200-65K,380x280x46mm IP65 flood light or equivalent long with the arm brackets attached with the structure and prepared in the high part for installation of flood led light, Flood Led lights with complete wiring and fixing with DB. complete in all aspect	10 Nos		
6	<b>PADEL TURF:</b> 13m Blue color with designed marking TSX –13 Fep Pile Height: 13mm ±1mm Gauge: 3/16 Inch, Density: 65100 Stitches/M2 ±3%,Dtex: Pe8000,Backing: Double Pp + Sbr, Fibers Color: Blue With Designed White Lines, complete in all respect.	20 x 10 meter (Act Global, CC Grass, Polytan, , or equivalent)		
7	<b>Net Installation:</b> Nylon Net: Install nylon net supported by posts at each end of the court. <ul style="list-style-type: none"> <li>• Height: Ensure the net is at the regulation height of 88 cm (35 inches) as per standard.</li> </ul>	Job		
<b>Total Project Cost (Inclusive of all taxes)</b>				

**BILL OF QUANTITY FOR ESTABLISHMENT OF OUTDOOR CRICKET ARENA**

Sr No	Works Description	Qty (Area)	Unit Cost	Total Cost (Inclusive of all taxes)
1	<p><b><u>Civil Works:</u></b>                      Site clearing &amp; levelling, Excavation for foundations, Filling, Concrete flooring, Levelling, drainage system complete with following works;</p> <ul style="list-style-type: none"> <li>• Removal of grass from ground</li> <li>• Excavation for 12 Nos. of Poles foundation approx.(3-4' depth)</li> <li>• Fixing of Anchor bolts with base plate for Steel Poles/columns.</li> <li>• PCC (1:4:8) for foundations</li> <li>• Toe wall with lean upto 16 inch</li> <li>• Sand Filling 10 inch</li> <li>• Compaction</li> <li>• Gera/Stone/Khaka 4 inch</li> <li>• Compaction</li> <li>• PCC with 1:2:4 up to 6 inch</li> <li>• Calculating water level &amp; installation of marble strips for levelling.</li> </ul>	40 x 90 feet (3600 Sq. ft)		
2	<p><b><u>Steel Poles, Lights:</u></b></p> <ul style="list-style-type: none"> <li>• <b>POLES:</b> 30-ft height from ground with following details</li> <li>• 12 x 4-inch round poles with 14 gauge &amp; 30-feet height.</li> <li>• 1.5 inch round Poles with 14 gauge for horizontal connection of complete court.</li> <li>• Red Oxide + Enamel Paint having total - (3 coats)</li> <li>• Entrance Gate (MS Fabricated)</li> <li>• 12 x Flood Led lights - 150 watt and water proof with IP Rating: IP65 for (Outdoor use) with complete copper wiring and fixing with main DB. complete in all respect</li> </ul>	<ul style="list-style-type: none"> <li>• 12 Nos</li> <li>• 40x90 Sq.ft (Two Lines each side at height of 20ft &amp; 30 ft)</li> <li>• 3 x 7 feet</li> <li>• 12 Nos (06 each side)</li> </ul>		
3	<p><b><u>Cricket Turf:</u></b></p> <ul style="list-style-type: none"> <li>• 30 mm UV Coated imported Turf with fitting complete in all respect along with Pitch marking.</li> </ul>	3600 Sq. ft		
4	<p><b><u>Fencing/Fiber Net:</u></b></p> <ul style="list-style-type: none"> <li>• Fixing of Fiber Net 36 No. on both sides (40x90 feet) &amp; Top of Cricket Arena having height 30 feet.</li> </ul>	3600 Sq. ft		
<b>Total Project Cost (including all Taxes)</b>				

**PARTICULARS TO BE SUBMITTED FOR TECHNICAL BID BY THE CONTRACTORS – PROFORMA I**

1.	Name of Organization / firm / company	
2.	Address	
3.	Year of establishment	
4.	Status of the firm (Company / Firm / Proprietary) PEC Registration # and code (Category)	
5.	Name of Directors / Partners / Proprietor	i)  ii)  iii)
6.	Whether registered with the registrar of companies / registrar of firms. If so, mention number and date.	
7.	a) Name of Directors / Partners / Proprietor	
8.	Whether registered for sales tax purposes. If so, mention number and date. Furnish also copies of sales tax clearance certificate.	
11.	Specify the maximum value of single work executed in the year in the country.	

Dated:

Signature of the Contractor

**PROFORMA FOR SAME WORKS EXECUTED IN LAST 04 YEARS*****PARTICULARS IN RESPECT OF 5 MAJOR WORKS EXECUTED IN LAST 4 YEARS***

Sr	Name of work and project with address	Short description of the work	Name and address of Owner	Value of work executed	Stipulated time of completion	Actual time of completion	Name of architect / consulting engineer

Note: The above details can be submitted as a separate annexure in the same format.

Dated:

Signature of Contractor

## Eligibility Response Checklist

Sr. No.	Necessary Eligibility Information	Response/Elaboration	
1	Mention the name of Registration Authority/s under which organisation/firm is registered and provide a copy of proof of registration to prove legal identity of your firm.	Name of Authority	
			Copy Attached
			Copy Not Attached
2	Do you have at least 5 Million of Annual Turnover of Last Year.		Yes
			No
	Attached last year's financial Statement / bank statement/ Income Tax Return showing		Copy Attached
			Copy Not Attached
3	Do you have at least 4 years of relevant Experience in the required organizations/fields?		Yes
			No

**Contractor Evaluation Criteria:****A. Technical Evaluation Criteria:**

- 1.1. The bidder/Consortium/JV shall have minimum three (3 to 5) years' relevant experience in the establishment of paddle tennis court with outdoor cricket arena (local or international) / any other sport work.
- 1.2. The Bidder shall present proof of the relevant experience (including establishment construction/operations & maintenance of both Courts / any other sports work by means provide the attested copies.
- 1.3. The bidder shall be registered with FBR having its operations within the country. The bidder will provide list of skilled and unskilled employees or contractual arrangements for establishment /construction, maintenance, of the both Padel Tennis court & Outdoor Cricket arena.
- 1.4. The bidder will provide copies of NTN and STRN Certificates issued by FBR, Proof of Active Tax Payer List (ATL) from the website of FBR with the bid.
- 1.5. The establishment /construction Schedule of Padel Tennis Courts & Outdoor cricket arena on designated sites in PITAC shall be provided by contractor. The contractor/ bidder will ensure to complete installation process within 60 days' from signing of contract.

## Technical Evaluation Criteria

Sr. No.	Categories	Marks
1	Firm Profile	10
2	Firm Experience (similar works)	20
3	Firm Technical staff /Team Profile	10
4	Approach & Methodology	10
5	Warranty/ Maintenance Period	20
6	Work Plan	30
<b>Total Score</b>		<b>100</b>

- The Firm(s) will be declared qualified for the opening of Financial Bid if it obtains minimum of **65%** from the prescribed criteria as above.
- The Consulting Firm(s) will ranked based upon quality and cost based selection methodology, where **80% weightage is of Technical Score** and **20% of Financial Score**

The Criteria for evaluation of proposals is as follows

Technical Score ( $S_t$ ) of proposal

- *Consulting Firm(s) Profile = 10*
  - *Relevant Experience = 20*
  - *Consulting Team Profile=10*
  - *Approach & Methodology = 30*
  - *Work Plan = 30*
- (Minimum Qualifying Technical Score = 65%)

Financial Score ( $S_f$ ) of proposal

$$S_f = 100 * \frac{\text{Lowest Price}}{\text{Price of Proposal Under Consideration}}$$

$$\text{Overall Score}(S) = S_t * 0.8 + S_f * 0.2$$

$$= S_t * 0.80 + S_f * 0.20$$

**AFFIDAVIT**

We, (Name & address of the firm), do hereby declare on solemn affirmation that:

1. We have not been blacklisted from any Government/Semi Government department/autonomous body or private company/organization.
2. We have not been involved in any litigation with any client during the last three years.
3. We acknowledge that we have read, understood and accepted the bid document.
4. We understand that the PITAC shall have the right, at its exclusive discretion, to require, in writing, further information or clarification of the RFP, from any or from all Bidders (s).

**(BIDDER/CONTRACTOR)**