

**LOCAL PURCHASE DIVISION – PAKISTAN NAVY**

**TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 27-04-2026**

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF "PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT" (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

**5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.**

**6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.**

**7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP**

**EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com**

**PHONE: 021-48508524, 48508828,**

**WHATSAPP NO. 92-322-0188121 (Message Only)**

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DNA100687	M10605	473099791456 8 / CLAMP HOSE		2 / EACH/ UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
2	DNF100651	zkx8s	581515171795 8 / zk-teco zk- 8s/ZKTECO G3 PLUS biometric finger print reader		1 / EACH/ UMBER	zkx8s/ZK Teco G3 Plus					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
3	DNF100680	525502	665012157956 0 / BINOCULAR 7X50B/7X50c	BINOCULAR 7X50B OEM: ZEISS,CARL POB 1380	1 / EACH/ UMBER	7x50b/7X 50c					TECHNICAL SPECIFICATION - BINOCULAR 7X50B OEM: STEINER POTIK GMBH germany GENERAL SPECIFICATION - BINOCULAR 7X50B OEM: STEINER POTIK GMBH germany	
4	DNF100679	jpn-8815 / CLIMAX- LF-218	621073501672 4 / EMERGENCY LIGHT RECHARGEAB LE 110/220V	GENERAL USE LIGHT ITSELF	6 / EACH/ UMBER	JPN- 8815SOG O CHINA					TECHNICAL SPECIFICATION - Make/ Model/ Brand: SOGO CHINA Correct part No: JPN-8815 BATTERY 4V 2000AH Source of availability: 42/1/F Adjacent DUNYA NEWS, PECSH, Block 6, Karachi, Pakistan Contact: 021-35522286, 0311- 1133301 GENERAL SPECIFICATION - Make/ Model/ Brand: SOGO CHINA Correct part No: JPN-8815 BATTERY 4V 2000AH Source of availability: 42/1/F Adjacent DUNYA NEWS, PECSH, Block 6, Karachi, Pakistan Contact: 021-35522286, 0311- 1133301	
5	SNF9930	LC1-D32-	599973522833	STEERING	5 /	LC1-D32-	NIL	M/S FATEK AUTOMATION	FATEK		TECHNICAL SPECIFICATION - NO	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
	4	BL	7 / CONTACTOR	CONTROL	EACH/N UMBER	BL		CORPORATION 26FL, No 29, Sec.2, jung.jeng E Road Danshuei Dist, New Taipei city 25170, Taiwan, R.O.C. TEL : +886-2-2808-2192 FAX : +886-2-2809-2618.	TAIWAN		DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
6	DNF99729	PAM-195-P	5945735173093 / SOLINOID SUPPLY MODULE AZMIUTH THRUSTER	TUC AZMIUTH THRUSTER	2 / EACH/N UMBER	WARTSILA 9L20		WARTSILA FINLAND	WARTSILA FINLAND		TECHNICAL SPECIFICATION - WARTSILA FINLAND MAKE/BRAND: W-E-ST ELECTRONICS GMBH GERMANY. GENERAL SPECIFICATION - WARTSILA FINLAND MAKE/BRAND: W-E-ST ELECTRONICS GMBH GERMANY.	
7	DGP101027	16919193710 (EXPRESS SERVICE CODE)	7435785205219 / SVAS WEB TERMINAL (LAPTOP DELL/HP C13)	SVAS SYSTEM NY-SVAS-08 CHINA	1 / SET	NY-SVAS-08	NA	DELL INC 1 DELL WAY. ROUND ROCK, TEXAS CHINA 78682. TEL 1-866-931-3355	CHINA		TECHNICAL SPECIFICATION - Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15 GENERAL SPECIFICATION - Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15	
8	DGP96871	260 GSM-+5% 22X28	5895715202228 / MULTI COLOUR CARD SHEET SEPARATERS 260GSM 22X28	FOR PRINTING STY ITEM	2 / PACKE T			M/S STACKO COMPANY. KARACHI	LOCAL		TECHNICAL SPECIFICATION - b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28" GENERAL SPECIFICATION _b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											SEPARATERS 260 GSM-+5% 22X28"	
9	DNF97561	H12L/ M12L	6350775153457 / ELECTRIC MARINE HORN	GRP POLICE BOAT (NAVIGATION SYS)	1 / EACH/NUMBER	M 12L		M/S VETUS N.V. FOKKERSTRAAT 571 SCHIEDAM NETHERLANDS 3125 BD 010-4377700 / 010-4152634 KVK 24219798 0000 SALES@VETUS.NL		VETUS HOLLAND	TECHNICAL SPECIFICATION - OEM:M/S VETUS N.V. FOKKERSTRAAT 571 SCHIEDAM NETHERLANDS 3125 BD 010-4377700 / 010-4152634 KVK 24219798 0000 SALES@VETUS.NL GENERAL SPECIFICATION - OEM: M/S VETUS N.V. FOKKERSTRAAT 571 SCHIEDAM NETHERLANDS 3125 BD 010-4377700 / 010-4152634 KVK 24219798 0000 SALES@VETUS.NL	
10	DGP101024	4003DN	7435705138632 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	1 / EACH/NUMBER	NO DATA AVAILAB LE		PK		PAKISTAN	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
11	DGP100942	4003DN	7435705138632 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	2 / EACH/NUMBER	NO DATA AVAILAB LE		PK		PAKISTAN	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
12	DNS988	2526438/2	533001526667	Caterpillar	6 /	Marine	ZRE0132	CATERPILLAR INC!		CATERPI	TECHNICAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
	26	52-6438	1 / Seal-Inlet Valve	Emergency DG Marine Genset C 4.4 USA	EACH/N UMBER	Genset C 4.4	3	CATERPILLAR PRECISION SEALS 517 INDUSTRIAL PARK RD FRANKLIN, NC, USA TEL: 828-349-8400	LAR USA		GENERAL SPECIFICATION -	
13	DNS988 26	2526438/2 52-6438	533001526667 1 / Seal-Inlet Valve	Caterpillar Emergency DG Marine Genset C 4.4 USA	6 / EACH/N UMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPI LLAR INC. DBA CATERPI LLAR DIV GOVERN MENTAL AND DEFENS E PRODUC TS		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
14	DGP101 028	NIL	773070521489 2 / LED TV 55 INCH	F-22P SIMULATOR	1 / EACH/N UMBER	NIL	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	SONY		TECHNICAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K6600UG/KD55X70000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9GENERAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K6600UG/KD55X70000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9	
15	DGP795 36		046150000845 1 / TARGETS PAPER GREY 26"X50"		700 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
16	SNG985 02	02.08.0026	076071000000 1 / TS SINGLE ENGINE CONTROL	GM DETROIT D/ENGINE FOR GRP BOATS	8 / EACH/N UMBER						TECHNICAL SPECIFICATION - M/S EXALTO EMIRATES MARINES EQUIPMENT SHARJAH PO BOX 21567 KALBA ROAD INDUSTRIAL AREA 18 SHARJA UAEGENERAL SPECIFICATION - M/S EXALTO EMIRATES MARINES EQUIPMENT SHARJAH PO BOX 21567 KALBA	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											ROAD INDUSTRIAL AREA 18 SHARJA UAE	
17	DGP98042		0462590004645 / PAPER-BROWN-SHEET GSM 50+5% SIZE 750MM X 1110MM		130 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
18	DNF99886	TOA	5965765088539 / HORN SPEAKER 10 WATT WITH MATCH TRANSFORMER TOA JAPAN	SRE SUSTEM	5 / EACH/NUMBER	TOA					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
19	DGP99340		7730705059262 / TV COLOUR 20" STANDARD RIZED WITH FULL REMOTE CONTROL		1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
20	DGP79589	NO DATA AVAILABLE	0461500000118 / TARGET PAPER		2000 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - 1. Target: Figure-II Height: 04 Feet 2 inches Width: 20 inches Paper: Target Paper 2. TARGET: FIGURE-II HEIGHT: 04 FEET WIDTH: 17 INCHES PAPER: TARGET PAPER 3. TARGET: Pistol Target HEIGHT: 21.5 inches WIDTH: 22 INCHES PAPER: TARGET PAPER 4. TARGET: PISTOL TARGET HEIGHT: 21.5 INCHES WIDTH: 22 INCHES PAPER: TARGET PAPER GENERAL SPECIFICATION - 1. Target: Figure-II Height: 04 Feet 2 inches Width: 20 inches Paper: Target Paper 2. TARGET: FIGURE-II HEIGHT: 04 FEET WIDTH: 17 INCHES PAPER: TARGET PAPER 3. TARGET: Pistol Target HEIGHT: 21.5 inches WIDTH: 22 INCHES PAPER: TARGET PAPER 4. TARGET: PISTOL TARGET	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											HEIGHT: 21.5 INCHES WIDTH: 22 INCHES PAPER: TARGET PAPER	
21	DGP101069		743570512646 2 / LAMINATION MACHINE	LAMINATION MACHINE	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
22	DGP101067		749070505590 6 / SPIRAL BINDING MACHINE	BINDING MACHINE	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
23	DGP101025		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/NUMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A---- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A---- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO	
24	DNF98708	SUA1000/APC BRAND	613070509030 1 / UPS OF APC BRAND 240V 1000VA BBACKUP TIME 1-1.30 HOURS	UPS	2 / EACH/NUMBER	APC BRAND					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
25	DNF99396	ADAMJEE / bs-4678 (n)	533070511884 3 / CHANNEL PATTI duraduct p/w 3m 01" INCH (16x25) adamjee	CHANNEL PATTE	710 / EACH/NUMBER	BS-4678 (N) adamjee					TECHNICAL SPECIFICATION - oem, adam jee karachi pakistan GENERAL SPECIFICATION - oem, adam jee karachi pakistan	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
26	DGP96993	NO DATA AVAILAB LE	005050000096 / PAPER-DRAWING-AMMONIA SENSITIZED SZ:1.016MX18.288M GSM75+-5%		15 / ROLL	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILAB LE GENERAL SPECIFICATION - NO DATA AVAILAB LE	
27	DGP85506	NO DATA AVAILAB LE	0050500000160 / REGISTER RULED WHITE 02-QR		333 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - GSM 70±5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5± 0.5MM THICK CARD BOARD HARD & FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. <u>GENERAL SPECIFICATION</u> - GSM 70±5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5± 0.5 MM THICK CARD BOARD HARD&amp; FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 &amp; BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.</p>	
28	DGP86002	NO DATA AVAILAB L E	005050000016 2 / REGISTER RULED WHITE 04-QR		766 / EACH/N UMBER	NO DATA AVAILAB L E					<p><u>TECHNICAL SPECIFICATION -</u>  GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER &amp; DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5± 0.5MM THICK CARD BOARD HARD&amp; FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 &amp; BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. <u>GENERAL SPECIFICATION</u> - GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER &amp; DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5± 0.5 MM THICK CARD BOARD HARD &amp; FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 &amp; BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.</p> <p><u>TECHNICAL SPECIFICATION</u> - MESSRS J.H PETTERS AND BEY GMBH KARPFANGERSTR,8/14 2000 HAMBURG 11,WEST GERMANY. BABA LIGHT QUALITY</p>	
29	DNZ98245	NO DATA AVAILAB E	058278000001 0 / STERN LANTERNS 24V, 40 WATTS PB		1 / EACH/N UMBER	NO DATA AVAILAB LE						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SERIES 700								GODOWN MARKET SHOP NO D5-D7 PLOT NO D-283 MAIN SHERSHAH ROAD KARACHIGENERAL SPECIFICATION - MESSRS J.H PETERS AND BEY GMBH KARPFANGERSTR,8/14 2000 HAMBURG 11, WEST GERMANY. BABA LIGHT QUALITY GODOWN MARKET SHOP NO D5-D7 PLOT NO D-283 MAIN SHERSHAH ROAD KARACHI	
30	DGP101023	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8.</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
31	DNF9841 1	HTS-SFP-850	591570524869 6 / SFP MODULE		4 / EACH/N UMBER	SFP-850				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
32	DNF9902 2	HTS-SFP-850	591570524869 6 / SFP MODULE		2 / EACH/N UMBER	SFP-850				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
33	DGP939 01	NO DATA AVAILAB LE	005050000037 4 / PAPER CONTINOUS COMPUTER 11 PART SIZE 9 1/2"		2850 / SHEET	NO DATA AVAILAB LE				..	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
34	DGP965 40	NO DATA AVAILAB LE	005050000021 6 / PAPER PRINTING COMPUTER WHITE 9X12		41250 / SHEET	NO DATA AVAILAB LE				..	TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											BOX	
35	DGP97241	NO DATA AVAILAB LE	005050000021 6 / PAPER PRINTING COMPUTER WHITE 9X12		41250 / SHEET	NO DATA AVAILAB LE				..	<b>TECHNICAL SPECIFICATION -</b> SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX <b>GENERAL SPECIFICATION -</b> SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX	
36	DNF96270	AS-SMGE- 17	299070520759 0 / AIMING SENSOR	G-3 SIMULATOR 2017 PAK	1 / EACH/N UMBER	AS- SMGE-17	NA	M/S SOFT INOVATION SYSTEM 34-A/2, 1st FLOOR LUXURY HOTEL, LALAZAR OFF. MT KHAN ROAD KARACHI  +9221385610277	M/S SOFT INNOVAT IVE SYSTEM S	TDS/Brochu re or photograph of item must be enclosed with quotation	<b>TECHNICAL SPECIFICATION -</b> Technology = Infra Red Voltage = 3.0 Vdc - 4.0Vdc +- 10% Current = 100mA +- 20% Color = Black Weight = 0.25kg with Clamp <b>GENERAL</b> <b>SPECIFICATION -</b> Technology = Infra Red Voltage = 3.0Vdc - 4.0Vdc +- 10% Current = 100mA +- 20% Color = Black Weight = 0.25kg with Clamp	
37	DGP96987	260 GSM- +5% 22X28	589571520222 8 / MULTI COLOUR CARD SHEET SEPARATERS 260GSM 22X28	FOR PRINTING STY ITEM	17 / PACKE T			M/S STACKO COMPANY. KARACHI	LOCAL	..	<b>TECHNICAL SPECIFICATION - b.</b> Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28" <b>GENERAL SPECIFICATION</b> -b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28"	
38	DGP94804		751070506841 5 / FILE COVER FIBER WITH STEEL CLIP	FOR STATIONERY.	95 / EACH/N UMBER					..	<b>TECHNICAL SPECIFICATION - a.</b> Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>sheets</p> <p><u>GENERAL SPECIFICATION -</u></p> <p>a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets</p>	
39	DNF99199	rb2011 uias-rm / L009UIGSRM	591570524633 6 / mikrotik router		1 / EACH/NUMBER	rb2011 uias-rm				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<p><u>TECHNICAL SPECIFICATION -</u></p> <p>brocher is attached for details spec</p> <p><u>GENERAL SPECIFICATION -</u></p> <p>brocher is attached for details spec</p>	
40	DGP98025	NO DATA AVAILABLE	005050000006 6 / INK-RED-FOR-RUBBER-STAMP-PAD 28.50GM (1 OZ)(DOLLOR BRAND)		36 / BOTTLE	NO DATA AVAILABLE					<p><u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u></p> <p><u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u></p>	
41	DGP98001	NO DATA AVAILABLE	005050000009 7 / PAPER DUPLICATING OFF WHITE COLOUR		477 / REAM	NO DATA AVAILABLE					<p><u>TECHNICAL SPECIFICATION -</u></p> <p>Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON</p> <p><u>GENERAL SPECIFICATION -</u></p> <p>Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON</p>	
42	DNF100211	WT-5810 TOA	583072520733 1 / SOUND AND PA SYSTEM WIRELESS TUNER WT-5810 TOA	UFFAQ Ww/5810c076R TOA, Germany	1 / EACH/NUMBER	Ww/5810c076R		"TOA Electronic Europe GmbH, Suderstrabe 282, 20537 Hamburg, Germany Tel: +49 / (0) 40 / 25 17 19-0 Fax: +49 / (0) 40 / 25 17 19-98	TOA Electronic Corporation	TDS/BROCHURE OR PICS OF ITEM MUST BE REQUIRED WITH	<p><u>TECHNICAL SPECIFICATION -</u></p> <p>OEM MS TOA CORPORATION. Video Wall Matrix controller</p> <p><u>GENERAL SPECIFICATION -</u></p> <p>OEM MS TOA CORPORATION. Video Wall Matrix controller</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
								Web: www.toa.com"		QUOTATIO N		
43	DNS100000	2526438/252-6438	533001526667 1 / Seal-Inlet Valve	Caterpillar Emergency DG Marine Genset C 4.4 USA	6 / EACH/NUMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPILLAR INC. DBA CATERPILLAR DIV GOVERNMENTAL AND DEFENSE PRODUCTS	tds/brocher or pics of item must be required with quot	<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
44	DNS100000	2526438/252-6438	533001526667 1 / Seal-Inlet Valve	Caterpillar Emergency DG Marine Genset C 4.4 USA	6 / EACH/NUMBER	Marine Genset C 4.4	ZRE01323	CATERPILLAR INC! CATERPILLAR PRECISION SEALS 517 INDUSTRIAL PARK RD FRANKLIN, NC, USA TEL: 828-349-8400	CATERPILLAR USA	tds/brocher or pics of item must be required with quot	<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
45	DGP101304	NIL	593073527733 0 / LAPTOP CORE i7 11th Generation		1 / EACH/NUMBER	NIL					<u>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel ® Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes</u> <u>GENERAL SPECIFICATION - 1. CPU Technology= Intel ® Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam=</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Yes	
46	DGP98062	NO DATA AVAILAB LE	005050000009 7 / PAPER DUPLICATING OFF WHITE COLOUR		452 / REAM	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION -</u> Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON <u>GENERAL SPECIFICATION -</u> Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: OFF WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
47	DNF95989	CHINA A/P DESCRIPT ION	056579900569 1 / SOLDERING IRON ELECTRIC 25W 110/220V TIP PENCIL (CHINA BRAND)	SOLDING EQUIP.	11 / EACH/N UMBER	CHINA BRAND				TDS/BROC HURE OR PHOTOGR APH OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N	<u>TECHNICAL SPECIFICATION -</u> 25W 110/220V TIP PENCIL <u>GENERAL USE</u> <u>GENERAL</u> <u>SPECIFICATION - 25W 110/220V</u> TIP PENCIL GENERAL USE	
48	SNF100261	PHILIPS	052379523002 7 / STARTER- TUBE-LIGHT- 2PIN-4 TO 80 WATT	LAMP FLUORESCEN T	303 / EACH/N UMBER					TDS/BROC HER OR PICS OF ITEM MUST BE REQUIRED WITH QUOTATIO N	<u>TECHNICAL SPECIFICATION - Item</u> Specification/ Technical Data: Item Name: FSU Fluorescent Starter Brand: Eurolux MPN: FS-U FSU Wattage: 4 to 80 Watt Voltages: 220 Volt to 240 Volt <u>GENERAL</u> <u>SPECIFICATION - Item</u> Specification/ Technical Data: Item Name: FSU Fluorescent Starter Brand: Eurolux MPN: FS-U FSU Wattage: 4 to 80 Watt Voltages: 220 Volt to 240 Volt	
49	DNF100365	LD015	616078528910 7 / CSM Life raft - Lithium cell & Canopy light		1 / NO	LD015				TDS/BROC HER OR PICS OF ITEM MUST BE REQUIRED WITH QUOTATIO N	<u>TECHNICAL SPECIFICATION -</u> null <u>GENERAL SPECIFICATION -</u> null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
50	DNF100360	6 242 01	6130997427670 / CHARGER PANEL LIGHT, TYPE 10-MODIFIED 110/130V AND 200/250V 50/60HZ	PANNEL LIGHT	2 / EACH/NUMBER					TDS/BROCHER OR PICS OF ITEM MUST BE REQUIRED WITH QUOTation	<u>TECHNICAL SPECIFICATION - country of origin uk</u> <u>GENERAL SPECIFICATION - country of origin uk</u>	
51	DNF100847	WP 26-12 B/JC12250 /djw12-26	6140002278555 / BATTERY 12V 26 AH SEALED LEAD ACID RECHARGEABLE M/FREE	GENERAL USE ELECTRICAL ITEM	2 / EACH/NUMBER	WP 26-12 B				TDS/BOCHER OR PICS OF ITEM MUST BE ENCLOSE D WITH QUOTATION	<u>TECHNICAL SPECIFICATION - SIZE 6.59X6.94X4.92INCH MAKE: LONG</u> <u>GENERAL SPECIFICATION - SIZE 6.59X6.94X4.92INCH MAKE: LONG</u>	
52	DGP101171	NO DATA AVAILAB LE	7435705114870 / PERSONAL COMPUTER CORE i7 (AS PER NHQ APPROVED SPEC)	SELF	1 / SET						<u>TECHNICAL SPECIFICATION - specification of pc: HP/DELL CORE i7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel @ Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 &amp; 4.7 GHz or above), 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel @ HD Graphics 750, (Minimum 2 GB shared/ dedicated GrapHIC CARD)</u> <u>GENERAL SPECIFICATION - specification of pc: HP/DELL CORE i7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel @ Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 &amp; 4.7 GHz or above), 2. System Memory: 8/16 GB</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750, (Minimum 2 GB shared/ dedicated GraphIC CARD)	
53	DNF100713	KFAE-55C	610570504423 6 / BLOWER EXHAUST 1.5 KW 380-420V 5AMP RPM 2950 50HZ 3PHASE	EXHAUST BLOWER STEERING COMPART	6 / EACH/NUMBER					tds/bocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - 1.5 KW 380-420V 5AMP RPM 2950 50HZ 3 PHASE GENERAL SPECIFICATION - 1.5KW 380-420V 5AMP RPM 2950 50HZ 3 PHASE	
54	DNF99540	CS202210 KST-7	609978531633 5 / fiber pc SINGLE MODE PIGTAILS (SC)		24 / EACH/NUMBER	CS202210KST-7				TDS/BOCH ER OR PICS OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N	TECHNICAL SPECIFICATION - FIBER PC SINGLE MODE PIGTAILS (SC) sc /pc (upc) single mode (0s2-9/125) simplex (01 core) 2.5mm ceraimic ferrule 0.9 fiber lszh /pvc jacket yellow (sm) GENERAL SPECIFICATION - FIBER PC SINGLE MODE PIGTAILS (SC) sc /pc (upc) single mode (0s2-9/125) simplex (01 core) 2.5mm ceraimic ferrule 0.9 fiber lszh /pvc jacket yellow (sm)	
55	DNO99030	3213-600GPD	462070534504 6 / 600gpd commercial ro water purifier with pressure gauge and indicator board		1 / EACH/NUMBER	3213-600gpd				TDS/BROCHURE OR PHOTOGR APH OF ITEM MUST BE ENCLOSE D WITH QUOTQTION.	TECHNICAL SPECIFICATION - NAME: 600GPD COMMERCIAL RO WATER PURIFIER WITH PRESSURE GAUGE AND INDICATOR BOARD MODEL: 3213-600GPD SALT REJECTION RATE: 99.0% CAPACITY: 600GPD BRAND: HELLOPURE TYPE: 600GPD FLOW:95L/H TANK: 11G STEEL GENERAL SPECIFICATION - NAME: 600GPD COMMERCIAL RO WATER PURIFIER WITH PRESSURE GAUGE AND	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											INDICATOR BOARD MODEL: 3213-600GPD SALT REJECTION RATE: 99.0% CAPACITY: 600GPD BRAND: HELLOPURE TYPE: 600GPD FLOW:95L/H TANK: 11G STEEL TANK	
56	DNZ100112	6es7511-1ck00-0ab0	702012417561 4 / module computer automation industrial seimens plc s7-1500 (simatic s7-1500 kompakt-cpu)		1 / EACH/NUMBER	CPU 1511C-1PN				TDS/BOCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - MODULE COMPUTER AUTOMATION INDUSTRIAL SEIMENS PLC S7-1500 (SIMATIC S7-1500 KOMPAKT-CPU) length 129mm width 85 mm height 147 supply voltages 24vdc currant rating 1.9 weight 1kg type cpu 1511c-1pn GENERAL SPECIFICATION - MODULE COMPUTER AUTOMATION INDUSTRIAL SEIMENS PLC S7-1500 (SIMATIC S7-1500 KOMPAKT-CPU) length 129mm width 85 mm height 147 supply voltages 24vdc currant rating 1.9 weight 1kg type cpu 1511c-1pn	
57	DGP101125	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>	
58	DGP101 121	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p><u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
59	DGP101 122	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p><b>TECHNICAL SPECIFICATION - 1.</b>  CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <b>GENERAL SPECIFICATION - 1.</b> CPU Technology= Intel® Core i5 Processor (12th Generation or</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
60	DGP101 222	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					<p><u>TECHNICAL SPECIFICATION - 1.</u>  CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> <p><u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
61	DGP101 302	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					<p><b>TECHNICAL SPECIFICATION - 1.</b>  CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <b>GENERAL SPECIFICATION - 1.</b> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory=</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>	
62	DGP101 100	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p><b>TECHNICAL SPECIFICATION - 1.</b> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <b>GENERAL SPECIFICATION - 1.</b> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3.</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM. 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
63	SCP100601		653250010025 2 / CASES MATTRESSES HOSPITAL LENTH 208.28 CM BRATH 91.44CM		180 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION -</u> CASES MATTRESSES HOSPITAL LENTH 208.28CM BRATH 91.44CM <u>GENERAL SPECIFICATION -</u> CASES MATTRESSES HOSPITAL LENTH 208.28CM BRATH 91.44CM	
64	DNF100720	MD-231	444078534602 3 / DEHUMIDIFIE R 230V (CROWNLIN)		2 / EACH/N UMBER	N/A				TDS/BOCH ER OR PICS OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N	<u>TECHNICAL SPECIFICATION -</u> ELECTRONIC TOUCH CONTROL PANEL EXTRACT UP TO 20LTR OF WATER PER DAY WATER TANK CAPACITY: 5.5L DEHUMIDIFY CAPACITY: 20L/DAY (30C 80%) & 10L/DAY (27C 60%) AIRFLOW VOLUME: 195M/H REFRIGERANT CHARGE: R134A/90G 24 HOURS TIMER SETTING WORKING SPACE 20-30M RATED VOLTAGE: 220- 240V NET WEIGHT: 14.5 KG <u>GENERAL SPECIFICATION -</u> ELECTRONIC TOUCH CONTROL PANEL EXTRACT UP TO 20LTR OF WATER PER DAY WATER TANK CAPACITY: 5.5L DEHUMIDIFY CAPACITY: 20L/DAY (30C 80%) & 10L/DAY (27C 60%) AIRFLOW VOLUME: 195M/H REFRIGERANT CHARGE: R134A/90G 24 HOURS TIMER SETTING WORKING SPACE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											20-30M RATED VOLTAGE: 220-240V NET WEIGHT: 14.5KG	
65	DNF100717	WS-5225/WS-5325M/WM-5220/US-6256484	7010735120715 / UHF WIRELESS COLLAR MIC SET /handheld mic set	PA SYSTEM (TOA)	1 / EACH/NUMBER	WS-5225/WS-5325M SET 5225+WT 5810/ ws5225 wm+wt 5810				TDS/BOCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - TOA WT-5830 or Its upgraded version WS-5325U UHF Wireless Mic System,E01 668-698 MHz, COMBO Electro-Voice USA system including receiver, Hand Held Mic (transmitter), bodypack (transmitter) nd lavalier mic., Low battery LED on transmitter, On/Off disable function, 1112 Channel with 25 KHz spacing GENERAL SPECIFICATION - TOA WT-5830 or Its upgraded version WS-5325U UHF Wireless Mic System,E01 668-698 MHz, COMBO Electro-Voice USA system including receiver, Hand Held Mic (transmitter), bodypack (transmitter) nd lavalier mic., Low battery LED on transmitter, On/Off disable function, 1112 Channel with 25 KHz spacing	
66	DNF100716	TOA	5965765088539 / HORN SPEAKER 10 WATT WITH MATCH TRANSFORMER TOA JAPAN	SRE SUSTEM	6 / EACH/NUMBER	TOA				TDS/BOCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
67	DNF100609	CW-770	5995715118130 / POWER CABLE 3 CORE FOR CCTV SYSTEM		150 / METER					TDS/BOCHURE OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
68	DNF100917	6 242 01	6130997427670 / CHARGER PANEL LIGHT, TYPE 10-MODIFIED	PANNEL LIGHT	1 / EACH/NUMBER					TDS/BOCHURE OR PICS OF ITEM MUST BE ENCLOSED	TECHNICAL SPECIFICATION - country of origin uk GENERAL SPECIFICATION - country of origin uk	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			110/130V AND 200/250V 50/60HZ							D WITH QUOTATION		
69	DNF100850	A-2120	5835765013358 / AMPLIFIER 100/120W, TOA JAPAN	PA SYSTEM	1 / EACH/NUMBER					TDS/BOCHURE OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
70	DNJ100953	NU-313 UCMC	3110765058975 / ROLLER BEARING SZ-65X83. 25X33MM	FOR AC MOTOR BEHR PAIMA	1 / EACH/NUMBER					TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
71	DNF100968	N250 PLUS EXIDE / OSAKA OR EQUALENT	0562795620006 / BATTERY LEAD ACID 12V 200AH	DG USED	1 / EACH/NUMBER	N250 PLUS EXIDE / OSAKA				TDS/BOCHURE OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE: 511X280X246MM EXIDE PAKISTAN. GENERAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE: 511X280X246MM EXIDE PAKISTAN.	
72	SNG99407	DO38012-003-0360-0	0000LLTRR7135 / MORES CABLE 30FT	G.M DETROIT FOR GRP BOATS MAKE USA	7 / EACH/NUMBER					TDS/BROCHURE MUST ME ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
73	SNF100843	A/p SPECCS pak cable/ Allied Cable	6145705132683 / POWER CABLE 2 CORE 3/29 P. V.C WIRE 220/440 VOLTS	CCTV SYSTEM	1091 / METER	PAK CABLE		PK	M/S AYUB ENGINEERING MANUFACTURES, REPAIRING	tds/brocher or pics of system must be enclosed with quotation	TECHNICAL SPECIFICATION - brand: pakistan cable equivalent: Allied Cable ;1.5mm 2 core flat pvc insulated 300/500v (brochure Attached) 2. 2 core 3 strains copper wire per core with cross sectional area .646 mm2 outer daimeter: 0.282 ohm/km pure copper wire 99%	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
										&GENERAL SUPPLIER GROUND FLOOR, NORTH WING, MULES MANSION, KEAMARI, KARACHI	current carrying capacity: 11 aMps acceptance criteria: item should be satisfied all mentioned specifications testing: testing is to be performed to verify all the mentioned specs. <u>GENERAL SPECIFICATION</u> - brand: pakistan cable equivalent: Allied Cable ;1.5mm 2 core flat pvc insulated 300/500v (brochure Attached) 2. 2 core 3 strains copper wire per core with cross sectional area .646 mm2 outer diameter: 0.282 ohm/km pure copper wire 99% current carrying capacity: 11 aMps acceptance criteria: item should be satisfied all mentioned specifications testing: testing is to be performed to verify all the mentioned specs.	
74	DNF99640	FLUKE-414D	6680715204976 / LASER DISTANCE METER	Fluke-414D USA	1 / EACH/NUMBER	414D		Fluke Corporation PO Box 9090, Everett, WA USA 98206 In the U.S.A. (800) 443-5853 or Fax (425) 446-5116	Fluke	TDS/BOCHURE OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION</u> - Reduction of estimation errors, saving both time and money,most advanced laser technology for distance measurement,Quick calculation of area (square footage) and volume, Easy addition and subtraction of measurements, Improved battery life from automatic shut-off feature. <u>GENERAL SPECIFICATION</u> - Reduction of estimation errors, saving both time and money,most advanced laser technology for distance measurement,Quick calculation of area (square footage) and volume, Easy addition and subtraction of measurements,Improved battery life from automatic shut-off feature.	
75	DGP101227	NIL	7435705137719 / PRINTER COLOUR LASER JET 2605DN/ HP 3525.	COMPUTER	1 / EACH/NUMBER	JET2605 DN/HP3525.		PK	PAKISTAN		<u>TECHNICAL SPECIFICATION</u> - - <u>GENERAL SPECIFICATION</u> - -	
76	DNF100608	CMS-118	5998705219304 / POWER	SM RACK	8 / EACH/NUMBER	CMS-118	NA	Commercially Of The Shelf (COTS)/Local Market	COTS	TDS/BOCHER OR	<u>TECHNICAL SPECIFICATION</u> - 220V Power Connection Board. Used	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			EXTENSION BOARD CAMELLION MODEL CMS-118		UMBER	CAMELLION)				PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	in mounting racks.pakistan <b>GENERAL SPECIFICATION - 220V</b> Power Connection Board. Used in mounting racks.pakistan	
77	DNF1000 83	HI-91610	668579513963 6 / HUMIDITY/THERMOHYGROMETER HI-91610	HUMIDITY/THERMO	3 / EACH/NUMBER	HYT-160-010T H191610 HANNA		UK	HANNA INSTRUMENT UK		<b>TECHNICAL SPECIFICATION -</b> SOURCE OF AVAILABILITY:K .C.&G. S.5-C(A)STATE LIFE BUILDING#, BESIDE S.M SCIENCE COLLAGE, SHAHR-E-LIQUAT,NEW CHALLI, KARACHI,PHONE:(0092-21) 2425200 FAX:(0092-21)2425200 E-MAIL:Kcgs-1@yahoo.com digital THERMOHYGROMETER. HUMIDITY /temperature measurement lcd digital display HUMIDITY 0 to 100 % rh 02% rh accuracy reso 0.1% RH capacitive humidity sensor temperature -20C - +60C 0.5C 0.1C thermistor <b>GENERAL SPECIFICATION -</b> SOURCE OF AVAILABILITY:K .C.&G.S.5-C(A) STATE LIFE BUILDING#,BESIDE S. M SCIENCE COLLAGE,SHAHR-E-LIQUAT,NEW CHALLI, KARACHI, PHONE:(0092-21)2425200 FAX:(0092-21)2425200 E-MAIL:Kcgs-1@yahoo.com digital THERMOHYGROMETER. HUMIDITY /temperature measurement lcd digital display HUMIDITY 0 to 100 % rh 02% rh accuracy reso 0.1% RH capacitive humidity sensor temperature -20C - +60C 0.5C 0.1C thermistor	
78	DGP101 120	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro	COMPUTER	1 / EACH/NUMBER	NO DATA AVAILAB LE		PK	PAKISTAN		<b>TECHNICAL SPECIFICATION -</b> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port <b>GENERAL SPECIFICATION -</b>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE								Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
79	DNF100605	KBM-SIS-17	6920705207584 / WIRELESS KEYBOARD & MOUSE	G-3 SIMULATOR 2017 PAK	1 / EACH/NUMBER	2017	NA	M/S SOFT INOVATION SYSTEM 34-A/2, 1st FLOOR LUXURY HOTEL, LALAZAR OFF. MT KHAN ROAD KARACHI  +9221385610277	M/S SOFT INNOVATIVE SYSTEMS	TDS/BOCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> Wireless Keyboard & Mouse <u>GENERAL SPECIFICATION -</u> Wireless Keyboard & Mouse	
80	DNS100912	5268375	4320016038768 / PUMP SEA WATER	CUMMINS MAIN ENGINE CUMMINS MODEL QSB6.7?305MD USA	1 / EACH/NUMBER	QSB6.7-305MD		M/s Cummins Inc 500 Jackson Street Columbus IN, USA	CUMMINS	TDS/BOCHURE OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> OEM: M/s IMPEX NINE INC 412, DU PAHZE ST NAPERVILLE, IL 60565 USA CAGE 65KD2 USA <u>GENERAL SPECIFICATION -</u> OEM: M/s IMPEX NINE INC 412, DU PAHZE ST NAPERVILLE, IL 60565 USA CAGE 65KD2 USA	
81	DNF100604	ST4000NM0053/ST4000VX000	7025785207849 / 4TB SURVEILLANCE HARD DISK-SATA FOR NVR	CCTV System ST4000VX000 CHINA	1 / EACH/NUMBER	ST4000VX000	NA	Seagate Singapore International Headquarters Pte. Ltd. 7000 Ang Mo Kio Avenue 5, Singapore 569877, 65-6485-3888	CHINA	TDS/BOCHure OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<u>TECHNICAL SPECIFICATION -</u> Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported : up to 32 <u>GENERAL SPECIFICATION -</u> Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported : up to 32	
82	DGP101066	HP Scanner 20G05A/L2 747A	7490705218483 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	3 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		<u>TECHNICAL SPECIFICATION -</u> SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION -</u> SCANNER TYPE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
83	DNF100979	MF-120 L /MF DIN88L	614076625727 6 / BATTERY 12V, 88AH		1 / EACH/NUMBER	MF DIN88L				TDS/BOCHURE OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
84	DNS100912	5268375	432001603876 8 / PUMP SEA WATER	CUMMINS MAIN ENGINE CUMMINS MODEL QSB6.7?305MD USA	1 / EACH/NUMBER	QSB6.7-305MD		M/s Cummins Inc 500 Jackson Street Columbus IN, USA	M/s IMPEX NINE INC	TDS/BOCHURE OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - OEM: M/s IMPEX NINE INC 412, DU PAHZE ST NAPERVILLE, IL 60565 USA CAGE 65KD2 USA GENERAL SPECIFICATION - OEM: M/s IMPEX NINE INC 412, DU PAHZE ST NAPERVILLE, IL 60565 USA CAGE 65KD2 USA	
85	DGP101224		753570513302 1 / LAPTOP COMPUTER	COMPUTER	1 / EACH/NUMBER	NIL		PK	VIDE NHQ LETTER ST-S/3200/81 98 DT 23/07/08		TECHNICAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION). GENERAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	