

# SUI NORTHERN GAS PIPELINES LIMITED

## Tender Enquiry

Ref: <b>FST/TE/020/2026</b>	Dated: <u>14.04.26</u>
Messers,	
1.	6.
2.	7.
3.	8.
4.	9.
5.	10.

Dear Sirs,

1. Please submit your lowest and firm quotation with best delivery for the items given on the attached sheet (*Annexure*) and return one copy of the sheet(s) duly completed and signed by you latest by 3:00 Am positively on or before 05.05.26
2. Please Include:
  - a. Our item numbers.
  - b. Discounts, if any.
  - c. Full details of any deviation from our Specifications.
  - d. Lump-sum price in addition to unit price, carriage paid to our address given in
3. The envelope containing your quotation should be sealed and addressed to the Exec. Officer Procurement at the follow address.

**SNGPL Office, HQ-T, Main Sargodha Road, Faisalabad**
4. The envelope should be headed "CONFIDENTIAL" and marked;

**Tender Enquiry No. FST/TE/020/26 Closing on 05.05.26**

**Your quotation is liable to be cancelled if you fail to adhere to the this clause.**
5. Your quotation should remain open for at least a period of **60** days from the date of closing of this enquiry.
6. QUOTATIONS AGAINST THIS ENQUIRY WILL BE OPENED IN PUBLIC **30 Minutes** AFTER THE CLOSING TIME OF THIS ENQUIRY.
7. In the event of your quotation being approved and our confirmed order placed on you, you will be expected to complete the delivery by the date mentioned in our order conformable to your quotation. In case delivery is not completed by the date, we reserve the right to meet our demand at your cost.
8. In case an order is placed on you on the basis of this Enquiry, material will be required by us latest by **30 days**.
9. We reserve the right either to increase/decrease 15% of ordered quantities or cancel any /all items of this Enquiry without any reasons.
10. Relevant leaflets/brochures should accompany your quotation, if possible.
11. Instead of writing the word 'IMPORTED' Please give the exact Brand/Make and Country of Origin of each item quoted by you.
12. Delivery of material will be required at our Main Stores Faisalabad HQ-T

### GENERAL CONDITIONS

- i. All deliveries are to be consigned carriage paid to the address given under 2 (d) above.
- ii. Delivery Challan (*in Triplicate*) for each consignment should accompany the material.
- iii. Consignments will be received upto 12:30 PM. during Summer on all working days and upto 3:30 PM Winter on all days of the week except Fridays and Saturdays, when these will be received upto 12:30 PM.
- iv. All goods purchased are subject to our Inspection and Approval and if rejected will be returned at Supplier's cost.

Yours Faithfully,  
SUI NORTHERN GAS PIPELINES LIMITED

**( M. Asim Qureshi )**  
Dy. Chief Officer (Procurement)  
for Managing Director

Annexure To Enquiry No :

FST/TE/0 /26

01 of 01

Reference of Supplier :

13.04.2026

Item No	Description	Brand/Make Country of Origin	UNIT	Qty.	Rate	Bid Security 2% of Estimated Cost	Deliv. Perio
1	Cotton Gloves Specification attached as annexure -A		PRS	350		Bid Security declaration (Annex I, II, III) duly signed/ stamped is also required alongwith bid on your Letter Head/ Stamp Paper, failing which your bid will be considered non-responsive	
2	PLUG VALVE LUBRICANT STICK SIZE 19mm DIA X 85mm LONG, 24 STICKS/ TIN Specification attached as annexure -B		TIN	15			
4	Klingrite Sheet, Thickness 0.08mm (1/32") Specification attached as annexure -C		SQM	18.58			
6	MULTI PURPOSE GREASE Specification attached as annexure -D		Kgs	230			
7	PSO TURBO OIL ENGINE X 15W/40(PACKING-210 LTS) Specification attached as annexure -E		Ltr	210			
8	MASTER LOCK Specification attached as annexure -F		NO	60			
9	Cutting Disc 9" x 1/8" x 7/8" Specification attached as annexure -G		NO	30			
10	Thread Sealing Tape (Teflon) 15 meter x 19 mm x 0.2 mm Specification attached as annexure -H		NO	500			
11	COPPER WINDING WIRE -SWG: No. 32 Specification attached as annexure -I		Kgs	40			

It is to be noted that the original copy of Bid as per the bid quoted on EPADS alongwith Bid Security Declaration and tender documents fee for Rs.500/- in shape of BG/CDR/PO (in original) must be submitted at the following address on or before the closing time / date of tender enquiry:

Procurement Department  
SNGPL Transmission Headquarters,  
Sargodha Road, Faisalabad.

The tender enquiry number and tender closing / opening time must be mentioned clearly on the tender envelope.

Terms & Conditions:

- Please mention the rates of material/sales tax separately instead of lump-sum
- Rates should be valid upto ( Sixty 60 ) days.
- We required good quality material.
- No cutting/overwriting will be acceptable in the price.
- Quotation should be complete in all respects i.e. NTN/GST Nos. date & signature, country of origin/Brands with complete specification of material duly stamped.
- Envelop should be marked as " CONFIDENTIAL ", Tender Enquiry No. and Closing Date
- You will be responsible/bound to supply the item on your quoted rates, in case of any change/revision of rate at your end.
- Any Information or sample can be seen in the store office FSD on any working day in the office time
- Enquiry send back to Officer (Procurement) SNGPL, Sargodha Road, Faisalabad, country of origin/Brands with complete specification of material duly stamped.
- We require material within 30 Days, however, you may quote your best delivery period.
- Payment will be made through cheque after complete delivery of material.
- In case an order is placed on you on the basis of this Enquiry, payment shall be made within 30 days from receipt of goods except when stores are received 'Subject to Approval'. In
- No bid will be accepted for lesser quantity than that specified.
- Any discount or alternate prices not read out at bid opening will not be considered during bid evaluation.
- Conditional offers / quotation will not be accepted.
- Each item will be evaluated separately.

#### Special Note

- Please note that in case of Purchase Order placed on you, delivery of material must be made within the stipulated delivery period, failing which, we reserve the right to cancel the purchase order or part thereof, as necessary.
- In case of an order placed on you, if the order on you or part thereof is cancelled, we shall have the right to make purchases from other sources at your risk & cost, and the difference in cost will be recovered from you and this cancellation of Purchase Order may lead to black-listing of the firm.
- Brand Name, Model No. and Country of Origin of offer item must be mentioned in the quotation. Bids without Brand Name, Model No. and Country of Origin are liable to rejection.

#### Late Delivery Charges

- Time shall be essence of the contract/purchase order and it will include a clause on Late Delivery charges. This interalia will state that if the materials, as given in the order have not been
- The payment of such Late Delivery Charges shall not relieve the supplier from performing and fulfilling its obligations under the contract nor will the corresponding rights and entitlements of Sui
- Whenever Late Delivery Charges become payable, SNGPL, in its sole discretion shall quantify the same and recover Late Delivery Charges through deduction from outstanding bills of suppliers

\*\* The term "Force Majeure" as employed herein shall mean acts of Government in their sovereign capacity, riots, strikes, lock outs, fire occurring in the supplier's establishment, political disturbances, mobilization, wars,

Supplier's Signature : \_\_\_\_\_

Supplier's Stamp : \_\_\_\_\_

**TECHNICAL SPECIFICATIONS OF COTTON GLOVES**  
**INDENT NO. FSD/MT/LP/0062/26 (Sr. No 01)**

Annex

**SPECIFICATIONS:**

- Material of the offered cotton gloves must be Pure Cotton.
- Each pair of cotton gloves must be designed to fit the shape of the hand comfortably, with stretchy or elasticized wrist areas to accommodate various hand sizes.
- Cotton gloves need to withstand wear and tear typical in outdoor environments

**BID EVALUATION CRITERIA:**

- Offer of the bidders will be evaluated strictly in accordance with the above stated technical specifications.
- Sample may be asked from the bidder at the time of evaluation.

  
**Sr. Engr (MET)**

**TECHNICAL SPECIFICATIONS FOR**  
**PLUG VALVE LUBRICANT / SEALANT**  
**INDENT NO. FSD/MT/LP/0062/26**

Annexure - B  
P-1/2

**Application**

Required in **Stick Form** to be used as Lubricant and Sealant for High Pressure Plug Valves in Natural Gas Service.

**Service Medium & Conditions**

- Media = Sweet Natural Gas
- Gas specific gravity = 0.6 to 0.75
- Flowing Temperature Range = 0° F to 180° F
- Operating Pressure Range = 100 Psig to 1440 psig

**Specification of Lubricant**

The required grease must full fill the following specifications:

- Base oil ( Synthetic/ vegetable )
- Thickening agent {(synthetic / inorganic (lithium only)}
- NLGI Grade 4
- Worked cone penetration (175- 205) @ 25°C (ASTM- D217).

Special additives to give following characteristics

- √ Chemically resistive to hydrocarbons, water and oxidative degradation.
- √ Maximum lubricating & sealing power along with lowered valve Torque requirements.
- √ No hardening or drying out even in long term application.
- √ Can soften and displace residue in valves.
- √ High dropping point.
- √ Anticorrosive.
- √ Anti rusting.
- √ Inflammable.
- √ Non hazardous.
- √ Inject able.

**Sizes (Packing)**

Stick Size	E
Stick Diameter (mm)	19
Stick Length (mm)	85
No. of Sticks (in Tin)	24

**Cartridge**

Cartridge 8" length x 2" dia, weight 400 gms compatible with Audco ALG-4 Type grease Gun.

**Note**

Crude oil / mineral oil grease is not required.

Suppliers are required to submit detailed technical specifications regarding base oil, thickening agent, flash point, penetration no., dropping point, viscosity, flammable range, density and safety precautions.

Suppliers are required to provide ISO Certificates with quotation

**PROVISION OF SAMPLES**

Bidders are required to provide samples of grease for checking the suitability at our end.

-----

**BID EVALUATION CRITERIA**

- . The offers must comply with technical specifications.
- . The manufacturing unit must be accredited with ISO 9001 or ISO 9002 certification(s).  
A certificate for the current period must accompany the bid.
- . The bidder must provide technical literature / brochure of the manufacturer, in original, giving details of the offered clamps.
- . The bidders must provide sales references, as per requirement of the Tender.

-----  
  
**Sr. Engr (MET)**

**TECHNICAL SPECIFICATIONS OF KLINGERITE SHEET**  
**INDENT NO. FSD/MT/LP/0062/26 (Sr. No. 03)**

Annexure - C

r. No.	Specifications	Description
1	Material	Compressed Non-Asbestos
2	Woven/Simple	Simple
3	Size	Sheet size must be 5' x 5'
4	Thickness	0.08mm (1/32")
5	Max. Operating Temperature	> 120 °C

**D EVALUATION CRITERIA:**

Offer of the bidders will be evaluated strictly in accordance with the above stated technical specifications.


Bidder shall clearly mention the brand name/Model and country of origin of offered item in their proposal.

Technical literature and brochure covering details of quoted item shall be provided with the bids.

Copy of valid ISO 9001 certificate of the offered item shall be provided with bid.

In the event of more than one offer by the same bidder, the sustainability of the item shall be determined as per closest conformity.

Sample maybe required from the bidder at the time of evaluation.



**Sr. Engr (MET)**

Annex

**SPECIFICATIONS FOR MULTIPURPOSE GREASE**  
**INDENT NO. FSD/MT/LP/0063/26**

ation

ose Grease will be used in lubrication of metering gadgets in Natural Gas Service installed at SMSs

**Characteristics**

me	Method	Units	Multipurpose Grease
thickener	-	-	Lithium
base Oil	-	-	Mineral
appearance	Visual	-	Smooth, Brown & Homogenous
API Grade	ASTM D 217	-	2
cone Penetration, Worked 60 Strokes	IP 50	10ths/mm	275
cone Penetration, Worked 100,000 Strokes	IP 50	10ths/mm	290
dropping Point	IP396	°C	190
base Oil Viscosity @ 40°C	ASTM D 445	cSt	175
dynamic Emcor Corrosion (Distilled Water)	IP 220	Rating	0 - 0
Ball Weld Point	IP 239	kg	250
temperature Range	-	-	-30°C to +120°C

**EVALUATION CRITERIA:**

ffer of the bidders will be evaluated strictly in accordance with the above stated technical specificatio  
dder shall clearly mention the brand name/Model and country of origin of offered item in t  
posal.

chnical literature and brochure covering details of quoted item shall be provided with the bids.

the event of more than one offer by the same bidder, the sustainability of the item shall be determ  
per closest conformity.

  
**Sr. Engr (MET)**

**TECHNICAL SPECIFICATIONS OF METER OIL**  
**INDENT NO.FSD/MT/LP/0063/26**

Annexure - E

**1. APPLICATION:**

Lube oil will be used in lubrication/Oiling of Turbine/Roots Meters and Filling in Thermowell.

**2. SERVICE CHARACTERISTICS :**

Corrosion resistive and low temperature and low volatility and oxidation resistant

**3. PROPERTIES :**

Viscosity Grade	:	ISO VG46 (S215)
Viscosity at 104°F (40°C):	:	41.4-50.6 cSt (193-235 SUS)
Viscosity at 212°F (100°C) Minimum:	:	6.04 cSt (46 SUS)
Specific Gravity	:	0.83-0.88
Viscosity Index	:	90
Flash Point°C/F	:	199/391
Pour Point°C/F	:	-65/-85
Fire Point	:	450°F
Moisture Content :	:	Nil
Zinc Percentage	:	Zinc Free

**4. QUANTITY:**

210 Liters

**5. OPERATING PARAMETERS:**

Temperature : -65°F to 300°F

**PACKING:**

Packed in steel or plastic drums having liquid capacity of 210 Liters.

**IMPORTANT: Packing should be capable to store Lube oil for the period of 2 ~ 3 years without causing rusting/corrosion.**

**6. BID EVALUATION CRITERIA**

Offer of the bidders will be evaluated strictly in accordance with above stated technical specifications.

  
**St. Engr (MET)**

# SPECIFICATIONS OF MASTER LOCK

FSD/T/LP/0146/26

P.#-1/3

A-mezw-'E'

## Applications:


Required to lock SMS's Gates. Master keys to be provided with locks must be compatible with the previously available locks being utilized for the purpose. (Master lock and key sample provided)

## Material:

Lock Body: Brass

Shackle: Stainless Steel

## Schematic Drawing



## - Dimensions

Weight Per Piece	Shackle & Lock Body Dimensions				
	A	B	C	D	E
1,050 grams	66.4 mm	76.5 mm	49.3 mm	12.4 mm	36.8 mm

## - Accessories

- 03 Nos. Keys must be provided with each Master Lock

  
**SENIOR ENGINEER (T)**

**SPECIFICATIONS OF CUTTING DISC**

FSD/T/LP /0146/26

Annexure G

**CUTTING DISC:**

• **Applications:**

General purpose Medium Hard Type (Hardness Grade P) Grinding Disc required for surface grinding etc.

Disc should be suitable for use on hand held angle grinder of all power output categories.

• **Material:**

The material of construction of disc should be abrasive e.g. Aluminum Oxide A.

• **Speed:**

Maximum speed should be 6600 RPM.

• **Size:**

- Diameter : 9"
- Thickness : 1/8"
- Grinding Wheel Bore : 7/8"

**BID EVALUATION CRITERIA:**

- i). The offer of the bidders will be evaluated strictly in accordance with the above stated technical specifications.
- ii). Brand name & country of origin should be specifically mention in bid along with provision of relevant technical literature / broacher.
- iii). In the event of more than one offer by the same bidder, the suitability of the item shall be determined as per closest conformity.
- iv). The manufacturer should be accredited with ISO 9001 or ISO 9002 certification(s). A certificate for the current period should be provided with bid.
- v). 01 No. sample of each offered item must be provided by the bidder with each bid for evaluation purpose.

  
**SENIOR ENGINEER (T)**

## TECHNICAL SPECIFICATIONS OF THREAD SEALING TAPE

FSD/T/4P/0146/26


Annexure

sr. no.	Specifications	Description
1	Color	Natural (White), Non Pigmented
2	Purpose	Sealing of NPT threads
3	Purity	100% Virgin PTFE Film
4	Material	Teflon
5	Tape width	19 mm (3/4")
6	Thickness	0.2 mm (0.007")
7	Length	15 meter
8	Roll Length Tolerance	± 3.5%
10	Temperature Range	-400 °F ~ ±700 °F
11	Toxicity	Non Toxic
12	Shelf Life	Indefinite

### BID EVALUATION CRITERIA:

Offer of the bidders will be evaluated strictly in accordance with the above stated technical specifications.

Sample of the offered item must be provided along with the bid.

  
SENIOR ENGINEER (T)

Annexure-1

Annexure-1

**SPECIFICATION OF COPPER WINDING WIRE WITH VARNISH COATED  
SWG 32 FOR CLOSED POTENTIAL SURVEY (CIP SURVEY)**

**1. Dimensional Specifications**

Parameter	Value (Metric)
Bare Wire Diameter	0.274 mm
Purity	≥ 99.9 % Copper
Type	Annealed copper winding wire
Wire Gauge	32 SWG
Increase due to Varnish (Min)	0.031 mm
Increase due to Varnish (Max)	0.051 mm

**2: Electrical & Performance Data (20°C)**

Parameter	Value ~	Unit
Resistance	292.3	Ω/km
Resistance	0.2923	Ω/m
Current Capacity (Min)	0.14	A
Breakdown Voltage Grade 1	>1500	V
Breakdown Voltage Grade 2	>3000	V

**3 Weight to Length Conversion**

Weight	Approximate Length ~	Unit
1 kg	1900	meters

**4. Mechanical Requirements**

1. Wire shall be flexibe.
2. Easily windable on portable survey reel.
3. Free from joints and mechanical damage.
4. Supplied in continuous coil/reel.
5. Free from cracks and pinholes.
6. Insulation should be intact.



(ARSLAN SHAKOOR)  
SR. ENGR. (CORR. CONTROL)  
FAISALABAD (T)

BID SECURING DECLARATION  
TENDER ENQUIRY #FST/TE/020 /26

M/s. Sui Northern Gas Pipelines Limited,

Dear Sirs,

We, M/s \_\_\_\_\_, hereby confirm that our bid against subject tender enquiry is firm & irrevocable.

We, M/s \_\_\_\_\_, also confirm undertake that our said Bid Securing Declaration shall serve as guarantee that we shall not either withdraw, unilaterally modify, vary or alter our Bid after opening the tenders and before expiry of bid validity period or extended bid validity period and we shall accept purchase order placed on us within validity period of bid in case our bid turns out to be the most advantageous bid as per terms of the tender enquiry.

Authorized Signatories of the Bidder

Name: \_\_\_\_\_

Date: \_\_\_\_\_

E-mail address:- \_\_\_\_\_

Company Seal: \_\_\_\_\_

Place: \_\_\_\_\_