

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 04-05-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF “PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT” (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DNN100204	ltd/AL-0220 SH	2990505205880 / SHADE COVER, FLUORESCENT TUBE LIGHT-02X20 WATT	TUBE LIGHT PAKISTAN	10 / EACH/NUMBER			AL-MEENA MARINE ENGINEERS PLOT NO 122-C, KEMARI TOWNSHIP KRMARI KARACHI - PHONE NO 32856521,32850282 FAX. 021-32852598	PAKISTAN	TDS/BROCHER OR PICS OF ITEMS MUST BE ENCLOSED WITH QUOTATION	<p><u>TECHNICAL SPECIFICATION -</u>  Materials: I. Thermoplastic (Polycarbonate)? 1. Density g/cm<sup>3</sup> = 1.20 to 1.40 2. Heat Effect at 1000 C = No Effect 3. Chemical Effect a. NaOH-50% = No Effect b. Lube Oil = No effect c. HCL (Conct) = No effect 4. Colour = Transparent II. Foam Rubber for Sealing Purpose 1. Density g/cm<sup>3</sup> = 0.90 to 1.00 2. Heat Effect at 1000 C = No Effect 3. Chemical Effect a. NaOH50% No Effect b. Lube Oil = No effect c. HCL (Conct) = No effect <u>GENERAL SPECIFICATION -</u> Materials: I. Thermoplastic (Polycarbonate)? 1. Density g/cm<sup>3</sup> = 1.20 to 1.40 2. Heat Effect at 1000 C = No Effect 3. Chemical Effect a. NaOH-50% = No Effect b. Lube Oil = No effect c. HCL (Conct) = No effect 4. Colour = Transparent II. Foam Rubber for Sealing Purpose 1. Density g/cm<sup>3</sup> = 0.90 to 1.00 2. Heat Effect at 1000 C = No Effect 3. Chemical Effect a. NaOH50% No Effect b. Lube Oil = No effect c. HCL(Conct) = No effect</p>	
2	DNF101173	LITHIUM 123 (ENERGIZER)/CR-123A/123	6135765231675 / DRY LITHIUM BATTERY CELL 3 VOLT	NIGHT VISION GOGGLES	400 / EACH/NUMBER	CR-123A		MATSUSHITA ELECTRONIC INDUSTRIAL CO LTD OSAKA 5708511 JAPAN.	PANASONIC	TDS/BROCHER OR PICS OF ITEMS MUST BE	<p><u>TECHNICAL SPECIFICATION -</u>  IDEAL FOR NVG, D BALL, AND TACTICAL FLASH LIGHTS ITS A LIGHT WEIGHT AND DURABLE POWER SOURCE. IT POSSESE</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
										ENCLOSED WITH QUOTATION	GREAT PERFORMANCE IN EXTREME TEMPERATURES. country of origin japan GENERAL SPECIFICATION - IDEAL FOR NVG, D BALL, AND TACTICAL FLASH LIGHTS ITS A LIGHT WEIGHT AND DURABLE POWER SOURCE. IT POSSESE GREAT PERFORMANCE IN EXTREME TEMPERATURES. country of origin japan	
3	SNF16573	ML-1102S-A & B(2 RJ-45 PORTS)/4V1D	6030705215937 / FIBER OPTIC MEDIA CONVERTER FOR IP CAMERAS	CCTV SYSTEM 4V1D PAKISTAN	30 / PAIR	ml-1102s-a & ml-1102s-b		Al-Sa'ee business Solutions Suit 30, 3rd Floor, Crown Centre Plot SB-1, Opp Bait-ul-Mukarram Masjid, Gulshan-e-Iqbal Karachi Tel & Fax (9221)3483-7233	Al-Sa'ee/Pro Secure	TDS/BROCHURE MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - MODEL NUMBER: ML-1102S-A ML-1102S-B (2 RJ-45 PORTS) oem: MICROLINK Branded Fiber Optic Media Converter for IP Cameras-100mbps/ 1000mbps ? Gigabyte Transmission. GENERAL SPECIFICATION - MODEL NUMBER: ML-1102S-A ML-1102S-B (2 RJ-45 PORTS) oem: MICROLINK Branded Fiber Optic Media Converter for IP Cameras-100mbps/ 1000mbps ? Gigabyte Transmission.	
4	DNS100464	MRN-102-016	4510FT1008612 / Fixed Type Shower Set	MRN Shower Wet Unit (with Wall Model Vacuum Toilet)	8 / EACH/NUMBER	MERCAN, MRN Shower Wet Unit	0	DERI ORGANIZE SANAYI BOLGESI 7. YOL F 7 PARSEL TUZLA	MERCAN GEMICILIK SAN. VE TIC. A.S.	TDS/BROCHURE OR PICS OF ITEMS MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
5	SNF16037	ML-1102S-A/ML-1102S-B (RJ-45 PORTS) /4V1D	6099785166575 / FIBER MEDIA CONVERTER FOR IP CAMERAS	CCTV SYSTEM (PSS)	30 / PAIR	ML-1102S-A RJ45/4V1D		CETC Mansion No 5 walatong north street, Xicheng District, Beijing China 100120	M/S CETC international Co.Ltd	16037	TECHNICAL SPECIFICATION - Optical Transceiver model number: ML-1102S-A ML-1102S-B (2 RJ-45 Ports) sPEC: transceivers HAVING 100/1000 MBPS (GB) oem: MICROLINK GENERAL SPECIFICATION - Optical Transceiver model number: ML-1102S-A ML-1102S-B (2 RJ-45 Ports) sPEC: transceivers HAVING 100/1000 MBPS (GB) oem: MICROLINK	
6	DNF1009	SUA	613072514039	BERQ	1 /	APC		GE	ROHDE&	TDS/BROC	TECHNICAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	78	10001 APC	3 / APC UPS 1KVA 230VAC WITH 2X BATTERIES 12V 12AH	PROJECT	EACH/NUMBER	BRAND			SCHWARZ INTL GMBH GERMANY	HER OR PICS OF ITEMS MUST BE ENCLOSED WITH QUOTATION	ONE PC average voltage consumption in 250 Watts Battery backup time of said UPS is: Backup Time = AH *12V*N*Efficiency of Battery / Load in watts Where: AH= Ampere hour Capacity of battery (12AH) N= Number of 12 batteries attached (2) Efficiency of Battery = 0.8 12AH*12v*2*0.8/250 = 0.9216 hours Approx. : 30 minutes 230VAC WITH@X BATTERIED 12V 12AH <u>GENERAL SPECIFICATION</u> - ONE PC average voltage consumption in 250 Watts Battery backup time of said UPS is: Backup Time = AH *12V*N*Efficiency of Battery / Load in watts Where: AH= Ampere hour Capacity of battery (12AH) N= Number of 12 batteries attached (2) Efficiency of Battery = 0.8 12AH*12v*2*0.8/250 = 0.9216 hours Approx. : 30 minutes 230VAC WITH@X BATTERIED 12V 12AHM	
7	DNJ100909	90794-46911	291076523164 1 / FILTER ELEMENT	YAMAHA ENGINE 100HP	2 / EACH/NUMBER			YAMAHA MOTOR CO. LTD MARINE ENGINE DIVISION 2500 SHINGAI IWATA SHI IWATA SHIZUOKA KEN JAPAN	YAMAHA JAPAN	TDS/BROCHURE OR PICS OF ITEMS MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION</u> - 10 Micron fuel/ water separator filter, typically a spin-on canister style. Height: 2.67 Inch DIMENSION / SIZE: Width: 2.66 Inch Inner hole: 0.80 Inch <u>GENERAL SPECIFICATION</u> - 10 Micron fuel/ water separator filter, typically a spin-on canister style. Height: 2.67 Inch DIMENSION / SIZE: Width: 2.66 Inch Inner hole: 0.80 Inch	
8	SNF49302	P-0113000	705078516678 9 / IPSAN HARDDISK_W D 2T	PSS	3 / EACH/NUMBER			M/s CETC Mansion, No. 5 Wulutong North Street, Xicheng Districe, Beijing, China	M/s CETC International CO., LTD	TDS/BROCHURE MUST BE ENCLOSED WITH QUOTATION.	<u>TECHNICAL SPECIFICATION</u> - Harddisk_WD 2T <u>GENERAL SPECIFICATION</u> - Harddisk_WD 2T	
9	DNC98212	WBCL000636	482074513314 6 / DENFOS EXPANSION VALVE TCBE1	A/C SYSTEM PNS KARRAR	2 / EACH/NUMBER	NO DATA AVAILAB LE		FR	WEBAST O MARINE COMFORT	TDS/BROCHURE OR PICS OF ITEM MUST BE	<u>TECHNICAL SPECIFICATION</u> - brass /stainless steel single flow -40c to +10c tube length 750-800 mm 34 bar pressure 1/4 -3/8 (odf /flare) <u>GENERAL SPECIFICATION</u> - brass	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									FRANCE	ENCLOSURE WITH QUOTATION	/stainless steel single flow -40c to +10c tube length 750-800 mm 34 bar pressure 1/4 -3/8 (odf /flare)	
10	SNF51754	ACC2425BB-3	5925725129139 / CIRCUIT BREAKER 24VDC, 25AMPS(F8)	CUMMUNICATION SYSTEM	2 / EACH/NUMBER			GR		DIGITECH DENSO HALL KARACHI	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
11	DNJ99388	15440-93J00-000/15440-93J00	2940765221800 / FILTER, FUEL (EPI)	SUZUKI DF300AP 300 HP OBM	13 / EACH/NUMBER	DF300AP	30002P-712896	SUZUKI MOTOR CO LTD JAPAN		SUZUKI JAPAN	TECHNICAL SPECIFICATION - NIL GENERAL SPECIFICATION - NIL	
12	DNF100222	N1537	6110705155260 / ENERGY SAVER 220V-240V, 11W, (screw type)	SELF, FOR DISTRIBUTION SYS.	80 / EACH/NUMBER			SOURCE OF AVAILABILITY: PHILIPS CO LTD, ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI.		PHILIPS CO LTD.	TECHNICAL SPECIFICATION - SOURCE OF AVAILABILITY: PHILIPS CO LTD, ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE: RS140 PKR. REQ: 1000. FOR GENERAL LIGHTING. SPECS: 220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address: K-2/I, 11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi GENERAL SPECIFICATION - SOURCE OF AVAILABILITY: PHILIPS CO LTD, ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE: RS140 PKR. REQ: 1000. FOR GENERAL LIGHTING. SPECS: 220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address: K-2/I, 11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi	
13	DNF100853	N250 PLUS	0562795620006 / BATTERY	DG USED	6 / EACH/NUMBER	N250 PLUS					TECHNICAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		EXIDE / OSAKA OR EQUIVALENT	LEAD ACID 12V 200AH		NUMBER	EXIDE / OSAKA				PICS OF ITEMS MUST BE ENCLOSED WITH QUOTATION	EXIDE / OSAKA SIZE: 511X280X246MM EXIDE PAKISTAN.GENERAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE 511X280X246MM EXIDE PAKISTAN.	
14	DNJ100406	DT-40WL (SUZUKI)	2815765055038 / 40HP , 2STROKE PETROL OBM ENGINE COMPLETE IN ALL RESPECT ALONGWITH ACCESSORIES (SUZUKI/YAMAHA)	OBM ENGINE 40HP YAHMAH/MERCURY	1 / EACH/NUMBER	SUZUKI DT-40WL				TDS/BROCHER OR PICS OF ITEMS MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - SUZUKI 40HP ,2STROKE PETROL OBM ENGINE COMPLETE IN ALL RESPECT ALONGWITH ACCESSORIES AS PER OEM STANDARD PACKAGEGENERAL SPECIFICATION - SUZUKI 40HP , 2STROKE PETROL OBM ENGINE COMPLETE IN ALL RESPECT ALONGWITH ACCESSORIES AS PER OEM STANDARD PACKAGE	
15	DNF101084	A-500 APC / LONG WP18-12SHR	6140765078174 / BATTERY 12V 18AH MODEL A-500	DMG	1 / EACH/NUMBER	LONG WP18-12SHR				tds/brocher or pics of items must be enclosed with quotation	TECHNICAL SPECIFICATION - A. POWER RATING 12V,18AH B. MAKE/OEM YUASA BATTERIES C. TYPE VALVE REGULATED LEAD ACID D. DIMENSIONS ( W X D X H) 181 X 76 167 (MM) E. TERMINAL TYPE FP TERMINAL F. WEIGHT 6.2 KG GENERAL SPECIFICATION -A. POWER RATING 12V,18AH B. MAKE/OEM YUASA BATTERIES C. TYPE VALVE REGULATED LEAD ACID D. DIMENSIONS ( W X D X H) 181 X 76 167 (MM) E. TERMINAL TYPE FP TERMINAL F. WEIGHT 6.2 KG	
16	DNF99644	525502	6650121579560 / BINOCULAR 7X50B/7X50c	BINOCULAR 7X50B OEM: ZEISS,CARL POB 1380	3 / EACH/NUMBER	7x50b/7X50c				TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - BINOCULAR 7X50B OEM: STEINER POTIK GMBH germanyGENERAL SPECIFICATION - BINOCULAR 7X50B OEM: STEINER POTIK GMBH germany	
17	DNF100233	TIP BRAND	9558790750033 /	AUTOMATIC TELEPHONE	4 / EACH/NUMBER	TIP BRAND				TDS/BROCHER OR	TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			TELEPHONE SET PUSH BUTTEN TYPE (TIP BRAND)		UMBER					PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	SPECIFICATION - NO DATA AVAILABLE	
18	DNF100977	SMT30001C/SURTD3000XLI/3000VA APC	6130715063823 / UPS 3KVA APCI/P220V O/P220V W/BATTERY BACKUP 25 MINUTES.	SELF	2 / EACH/NUMBER	MODEL ESP-808 (E) /SYSTEK PVT.				TDS/BROCHER OR PICS OF ITEMS MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - APC SMART-UPS. 2700 WATTS/3000 VA, INPUT 230V, OUTPUT 230 V, INTERFCE PORT DB-9 RS-232. USB. SMARTSLOT LINE INTERACTIVE PURE SINE WAVE WITH POWER CHUTE SOFTWARE PART NO. SUA300041 INCLUDES.CD WITH SOFTWARE, SMART UPS SIGNALLING RS-232 CABLE. USB CABLE. USER MANUAL GENERAL SPECIFICATION - APC SMART-UPS. 2700 WATTS/3000 VA, INPUT 230V, OUTPUT 230 V, INTERFCE PORT DB-9 RS-232. USB. SMARTSLOT LINE INTERACTIVE PURE SINE WAVE WITH POWER CHUTE SOFTWARE PART NO. SUA300041 INCLUDES.CD WITH SOFTWARE, SMART UPS SIGNALLING RS-232 CABLE. USB CABLE. USER MANUAL	
19	DNJ101000	814-2-1014-001-00	5330765124450 / DIAPHRAGM (NDV .25MM-8G)	DC CHILLER DIAPHRAGM VALVE	10 / EACH/NUMBER					TDS/BROCHER OR PICS OF ITEMS MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
20	DNF97333	CLIPSAL/A VAYA	6145705118997 / NETWORKING I/O (NETWORK BOX+FACE PLATE+I/O	NETWORKING I/O (CLIPSAL, AMP,AVAYA, 3M)	190 / EACH/NUMBER					TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			WITH 02 I/O CAPAC							QUOTATION		
21	SNF52845	FSP120-ACB	5999705246880 / 24V 5AMP DC ADAPTER		12 / EACH/NUMBER	FSP120-ACB				TDS/BROCHURE MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
22	SCP100864		6532500200621 / GOWN OPERATING		160 / EACH/NUMBER						TECHNICAL SPECIFICATION - length 41" sleeve 23" shoulder 24" chest 50" colour green cloth 100% cotton GENERAL SPECIFICATION - length 41" sleeve 23" shoulder 24" chest 50" colour green cloth 100% cotton	
23	DNF101083	AALR6	6135735281524 / AA2 ENERGIZER LITHIUM BATTERY 1.5V RECHARGEABLE SIZE H: 145mm		250 / PAIR	ENERGIZER LITHIUM				tds/brocher or pic of item must be enclosed with quotation	TECHNICAL SPECIFICATION - (2 PACK) GENERAL SPECIFICATION - (2 PACK)	
24	DNF100919	DH-XVR5116H S-I3/ DH-XVR5116H S-I2	5999785248862 / 16 CHANNEL DVR COMPLETE WITH ACCESSORIES		1 / EACH/NUMBER	DH-XVR5116HS-I2				TDS/BROCHER OR PICS OF ITEMS MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - VGA , HDMI H265/264 codec decoding max 200Mbps incoming bandwidth. Upto 16 IP Camera inputs UPnP, upto 8MP resolution for preview and playback, 16 Poe ports. HDMI/ VGA simultaneous video output, note you must have 4K monitor to display 4k image via HDMI port. Memory : 6 TB HDD: 6 TB No of Channels: 16 GENERAL SPECIFICATION - VGA , HDMI H265/264 codec decoding max 200Mbps incoming bandwidth. Upto 16 IP Camera inputs UPnP, upto 8MP resolution for preview and playback, 16 Poe ports. HDMI/ VGA simultaneous video output, note you must have 4K monitor to display 4k image via HDMI port. Memory : 6 TB	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											HDD: 6 TB No of Channels: 16	
25	SCP100863		6532500315004 / PATIENT SUIT SKY BLUE SIZE EXT LARGE		180 / PAIR						TECHNICAL SPECIFICATION - PATIENT SUIT SKY BLUE SIZE EXT LARGE GENERAL SPECIFICATION - PATIENT SUIT SKY BLUE SIZE EXT LARGE	
26	SCP100860		6532500315001 / PATIENT SUIT SKY BLUE SIZE SMALL		180 / PAIR						TECHNICAL SPECIFICATION - PATIENT SUIT SKY BLUE SIZE SMALL GENERAL SPECIFICATION - PATIENT SUIT SKY BLUE SIZE SMALL	
27	DCP100907		6532500315001 / PATIENT SUIT SKY BLUE SIZE SMALL		109 / PAIR						TECHNICAL SPECIFICATION - PATIENT SUIT SKY BLUE SIZE SMALL GENERAL SPECIFICATION - PATIENT SUIT SKY BLUE SIZE SMALL	
28	DCP100905		6532500315002 / PATIENT SUIT SKY BLUE SIZE MEDIUM		343 / PAIR						TECHNICAL SPECIFICATION - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyester 20 % GENERAL SPECIFICATION - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyester 20 %	
29	SCP100861		6532500315002 / PATIENT SUIT SKY BLUE SIZE MEDIUM		180 / PAIR						TECHNICAL SPECIFICATION - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyester 20 % GENERAL SPECIFICATION - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyester 20 %	
30	DCP100948		6532500315002 / PATIENT SUIT SKY BLUE SIZE		250 / PAIR						TECHNICAL SPECIFICATION - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			MEDIUM								50"as per sample cloth 80/20 cotton 80 % polyster 20 % <u>GENERAL SPECIFICATION</u> - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyster 20 %	
31	DCP101020		653250031500 2 / PATIENT SUIT SKY BLUE SIZE MEDIUM		300 / PAIR						<u>TECHNICAL SPECIFICATION</u> - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyster 20 % <u>GENERAL SPECIFICATION</u> - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyster 20 %	
32	SCP100866		841550270001 4 / SLEEPING BAG SIZE LENGTH 6FT 6INCHES WIDTH 2FT - 9INCHES WITH COVER		80 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - SLEEPING BAG SIZE LENGTH 6FT 6INCHES WIDTH 2FT - 9INCHES WITH COVER <u>GENERAL SPECIFICATION</u> - SLEEPING BAG SIZE LENGTH 6FT 6INCHES WIDTH 2FT - 9INCHES WITH COVER	
33	DNF100981	420-00273-01	593078534409 6 / NETWORK SWITCH opzoon		1 / EACH/NUMBER	pt-3750e-28t -s v2				TDS/BROCHER OR PICS OF ITEMS MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null	
34	DCP100950		653250040006 3 / BLANKET SCARLET RED HOSPITAL		125 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - BLANKET SCARLET RED HOSPITAL <u>GENERAL SPECIFICATION</u> - BLANKET SCARLET RED HOSPITAL	
35	DCP100927		653250040006 3 / BLANKET SCARLET RED		200 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - BLANKET SCARLET RED HOSPITAL <u>GENERAL</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			HOSPITAL								SPECIFICATION - BLANKET SCARLET RED HOSPITAL	
36	DNC100973	HPA 014	4120705240935 / AIR CONDITIONING UNIT 24VDC ROOF TOP, 14000 BTU		10 / EACH/NUMBER	HPA014				TDS/BROCHER OR PICS OF ITEMS MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
37	DCP101021		6532500315003 / PATIENT SUIT SKY BLUE SIZE LARGE		300 / PAIR						TECHNICAL SPECIFICATION - shirt:sleeve 23" length 31" chest 48" shoulder 20" trouser : length 38" inside 26" bottom 16" hip 56" colore blue CLOTH 80/20 COTTON 80 % POLYSTER 20 % GENERAL SPECIFICATION - shirt:sleeve 23" length 31" chest 48" shoulder 20" trouser : length 38" inside 26" bottom 16" hip 56" colore blue CLOTH 80/20 COTTON 80 % POLYSTER 20 %	
38	SCP100862		6532500315003 / PATIENT SUIT SKY BLUE SIZE LARGE		180 / PAIR						TECHNICAL SPECIFICATION - shirt:sleeve 23" length 31" chest 48" shoulder 20" trouser : length 38" inside 26" bottom 16" hip 56" colore blue CLOTH 80/20 COTTON 80 % POLYSTER 20 % GENERAL SPECIFICATION - shirt:sleeve 23" length 31" chest 48" shoulder 20" trouser : length 38" inside 26" bottom 16" hip 56" colore blue CLOTH 80/20 COTTON 80 % POLYSTER 20 %	
39	DCP100949		6532500315003 / PATIENT SUIT SKY BLUE SIZE LARGE		300 / PAIR						TECHNICAL SPECIFICATION - shirt:sleeve 23" length 31" chest 48" shoulder 20" trouser : length 38" inside 26" bottom 16" hip 56" colore blue CLOTH 80/20 COTTON 80 % POLYSTER 20 % GENERAL SPECIFICATION - shirt:sleeve 23" length 31" chest 48" shoulder 20" trouser : length 38" inside 26" bottom 16" hip 56" colore blue CLOTH	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											80/20 COTTON 80 % POLYSTER 20 %	
40	DCP100 926		653250031500 3 / PATIENT SUIT SKY BLUE SIZE LARGE		303 / PAIR						<u>TECHNICAL SPECIFICATION</u> - shirt:sleeve 23" length 31" chest 48" shoulder 20" trouser : length 38" inside 26" bottom 16" hip 56" colore blue CLOTH 80/20 COTTON 80 % POLYSTER 20 % <u>GENERAL</u> <u>SPECIFICATION</u> - shirt:sleeve 23" length 31" chest 48" shoulder 20" trouser : length 38" inside 26" bottom 16" hip 56" colore blue CLOTH 80/20 COTTON 80 % POLYSTER 20 %	
41	DCP100 910		653250060109 2 / SHEET HOSPITAL WHITE COTTON SIZE 100"X68" (254X170CM)		268 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION</u> - SHEET HOSPITAL WHITE COTTON SIZE 100"X68" (254X170CM) <u>GENERAL SPECIFICATION</u> - SHEET HOSPITAL WHITE COTTON SIZE 100"X68" (254X170CM)	
42	DCP100 951		653250060109 2 / SHEET HOSPITAL WHITE COTTON SIZE 100"X68" (254X170CM)		350 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION</u> - SHEET HOSPITAL WHITE COTTON SIZE 100"X68" (254X170CM) <u>GENERAL SPECIFICATION</u> - SHEET HOSPITAL WHITE COTTON SIZE 100"X68" (254X170CM)	
43	DNO991 43	Part No.1 (Teile No. 107)	534072525873 1 / Discharge casing		1 / EACH/N UMBER	SOB 113 W G2V V. 22				TDS/BROCHER OR PICS OF ITEMS MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION</u> - Discharge casing anti corrosion coating mounting securing sealing marine (saltwater resistant) pump assembly /piping interface <u>GENERAL SPECIFICATION</u> - Discharge casing anti corrosion coating mounting securing sealing marine (saltwater resistant) pump assembly /piping interface	
44	SCP1008 65		653250000025 1 / TOWEL OPERTING HOSPITAL SIZE 42 X 30		650 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION</u> - TOWEL OPERTING HOSPITAL SIZE 42 X 30 <u>GENERAL</u> <u>SPECIFICATION</u> - TOWEL OPERTING HOSPITAL SIZE 42 X 30	
45	DGP101 415		753570513302 1 / LAPTOP	COMPUTER	1 / EACH/N	NIL		PK	VIDE NHO		<u>TECHNICAL SPECIFICATION</u> - HP/DELL/LENOVO LAPTOP. S NO	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			COMPUTER		UMBER				LETTER ST- S/3200/81 98 DT. 23/07/08		COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).GENERAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
46	DGP98442	hdepw11g ea51	7025715332889 / HARD DRIVE TOSHIBA 12TB MG SERIES SATA -3.3 / 512E		1 / EACH/NUMBER	MG07ACA12TE					TECHNICAL SPECIFICATION - TOSHIBA HARD DRIVE capacity: 12TB MG SERIES Model Number: MG07ACA12TE SATA -3.3 / 512E buffer size: 7200 rpmGENERAL SPECIFICATION - TOSHIBA HARD DRIVE capacity:12TB MG SERIES Model Number: MG07ACA12TE SATA -3.3 / 512E buffer size: 7200 rpm	
47	DGP98036	NIL	7530705197070 / ENVELOPES	NIL	875 / EACH/NUMBER		NIL	LOCAL MARKET	LOCAL		TECHNICAL SPECIFICATION - GERNAL ITEMGENERAL SPECIFICATION - GERNAL ITEM	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SMALL SPECIAL (AS PER SAMPLE)									
48	DNF100230	ST4000NM0053/ST4000VX000	7025785207849 / 4TB SURVEILLANCE HARD DISK-SATA FOR NVR	CCTV System ST4000VX000 CHINA	2 / EACH/NUMBER	ST4000VX000	NA	Seagate Singapore International Headquarters Pte. Ltd. 7000 Ang Mo Kio Avenue 5, Singapore 569877, 65-6485-3888	CHINA	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported : up to 32 GENERAL SPECIFICATION - Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported : up to 32	
49	DGP101397	4003DN	7435705138632 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	6 / EACH/NUMBER	NO DATA AVAILABLE		PK	PAKISTAN		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
50	DGP101334	KLV32R302E/P-0114000	7730785166767 / LED TV SONY 32 INCH	PSS VIGIL SYSTEM	4 / EACH/NUMBER	SONY KLV32R302E		M/s CETC Mansion, No. 5 Wulutong North Street, Xicheng Districe, Beijing, China	M/s CETC international CO., LTD		TECHNICAL SPECIFICATION - BRAVIA SONY 32BX350 or Equivalent GENERAL SPECIFICATION - BRAVIA SONY 32BX350 or Equivalent	
51	DGP96990	NO DATA AVAILABLE	0051PK5061187 / BINDER SMALL SIZE 8	FOR STATIONERY.	200 / EACH/NUMBER						TECHNICAL SPECIFICATION - Required Size of title cover for printing of Hazard Identification and Risk Management (HIRM) Guide Book is 9.25 x 6 inches Cover binder small without steel clip & Size 10.30 x 8 inches & Best quality rexine with golden foil printing (Data for printing of title will be provided by PNCP A. Complete item / store description: Cover binder small without steel clip Size of cover binder: 10.30 x 8 inches	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>Quality / Thickness of straw board with rexine: 4mm Golden steel corners at the edges of the cover binders Color of rexine: Black Best quality imported rexine with golden foil printing (Data for printing of title will be provided by PN Central Printing Press. NAVCOM: 56050 / 021- 48506050) b. Detailed Specifications / Technical Data / Testing / Acceptance Criteria be mentioned As Above Sample has been provided. Supply will be accepted according to the approved sample. <u>GENERAL SPECIFICATION</u> - Required Size of title cover for printing of Hazard Identification and Risk Management (HIRM) Guide Book is 9.25 x 6 inches Cover binder small without steel clip 2 Size 10.30 x 8 inches 2 Best quality rexine with golden foil printing (Data for printing of title will be provided by PNCPP A. Complete item / store description: Cover binder small without steel clip Size of cover binder: 10.30 x 8 inches Quality / Thickness of straw board with rexine: 4mm Golden steel corners at the edges of the cover binders Color of rexine: Black Best quality imported rexine with golden foil printing (Data for printing of title will be provided by PN Central Printing Press. NAVCOM: 56050 / 021- 48506050) b. Detailed Specifications / Technical Data / Testing / Acceptance Criteria be mentioned As Above Sample has been provided. Supply will be accepted according to the approved sample.</p>	
52	DGP960 41		046259943239 5 / PAPER WRAPING WATER		80 / METER						<p><u>TECHNICAL SPECIFICATION - a.</u> GSM: 100-120 b. Width: 01 meter c. Length: 100 meter per roll d. Colour: Brown <u>GENERAL SPECIFICATION -</u></p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			PROOF WD. 36"LG.100YD PER ROL 2PLY INTO 1								a. GSM: 100-120 b. Width: 01 meter c. Length: 100 meter per roll d. Colour: Brown	
53	DGP971 33		361070504530 3 / POSITIVE PLATE ROLAND OFFSET size: 925X740X0. 3MM(BRND FUJI)		5 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION -</u> SIZE: 925X740X0.3MM(BRND FUJI) <u>GENERAL SPECIFICATION - SIZE:</u> 925X740X0.3MM(BRND FUJI)	
54	DGP864 88		361070500723 7 / PAGE CORD TWIN COMPOSING		20 / KILOGR AMME						<u>TECHNICAL SPECIFICATION - 1.</u> Dimension/ Size etc: 100 meter (approximately) long roll of flexible plastic cord which is used to tie the bundle of papers, set of forms, books and miscellaneous stationery items. 2. Acceptance Criteria Acceptable as sample of Page Cord provided by PNCPP 3. Mode of inspection Joint inspection <u>GENERAL</u> <u>SPECIFICATION - 1.</u> Dimension/ Size etc: 100 meter (approximately) long roll of flexible plastic cord which is used to tie the bundle of papers, set of forms, books and miscellaneous stationery items. 2. Acceptance Criteria Acceptable as sample of Page Cord provided by PNCPP 3. Mode of inspection Joint inspection	
55	DNF1004 10	CW-770	599571511813 0 / POWER CABLE 3 CORE FOR CCTV SYSTEM		800 / METER					TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<u>TECHNICAL SPECIFICATION - NO</u> DATA AVAILABLE <u>GENERAL</u> <u>SPECIFICATION - NO DATA</u> AVAILABLE	
56	DNF1002 18	CW-770	599571511813 0 / POWER CABLE 3 CORE FOR		540 / METER					TDS/BROCHURE OR PIC OF ITEM MUST	<u>TECHNICAL SPECIFICATION - NO</u> DATA AVAILABLE <u>GENERAL</u> <u>SPECIFICATION - NO DATA</u> AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			CCTV SYSTEM							BE ENCLOSED WITH QUOTATION.		
57	DGP98027		7530705007183 / WHITE ENVELOPES PRINCE BOND SIZE5"X75"		100 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
58	DGP101417	NIL	7640705110281 / PERSONEL FOLDER FOR RECORD KEEPING OF CPOS/SAILORS	NIL(AUTH:STS/3922 24 DEC 04	550 / EACH/NUMBER						TECHNICAL SPECIFICATION - 1. Size of Folder a. Length: 365 mm ± 1 mm b. Width: 260 MM ± 1 MM c. Width of Folding Portion: 35 MM ± 1 MM 2. Material: a. Outer and inner cover: Textured Raxin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm ± 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm ± 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm ± 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Rexin : Navy blue GENERAL SPECIFICATION - 1. Size of Folder a. Length: 365 mm ± 1	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											mm b. Width: 260 MM ± 1 MM c. Width of Folding Portion: 35 MM ± 1 MM 2. Material: a. Outer and inner cover: Textured Raxin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm ± 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm± 0.2 mm e. File fastner cover with lining: Textured Raxin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm ± 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Raxin : Navy blue	
59	DGP96989	NO DATA AVAILAB L E	046150000026 / BUTTER-PAPER		160 / SHEET	NO DATA AVAILAB L E					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
60	DGP81090		7510705068415 / FILE COVER FIBER WITH STEEL CLIP	FOR STATIONERY.	95 / EACH/N UMBER						TECHNICAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets GENERAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets	
61	DNF100298	SUA1000/APC BRAND	613070509030 1 / UPS OF APC BRAND 240V 1000VA BBACKUP TIME 1-1.30 HOURS	UPS	5 / EACH/NUMBER	APC BRAND				TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
62	DGP98043	NO DATA AVAILABLE	005050000010 2 / PAPER GRAPH TRANSPARENT 50.8CMX101.6CM GSM 65 5% 1*=10SQR		118 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
63	DGP98034	NO DATA AVAILABLE	005050000016 7 / SEALING WAX RED LG 5" WD 3/8" SQUARE		739 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
64	DGP98024	NO DATA AVAILABLE	005050000005 8 / DUPLICATING INK*TYPE-RITE*BRAND BLACK 400ML TUBE		35 / TUBE	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
65	DGP98014	NO DATA AVAILABLE	005050000006 0 / DUPLICATING INK BLACK 400ML TUBE FOR REX ROTARY DUPLICATOR		17 / BOTTLE	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
66	DGP98049	NO DATA AVAILABLE	0050500000219 / PAPER PRINTING COMPUTER WHITE NCRPAPER3PLY(F8)		1000 / SET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 500 SETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 500 SETS IN EACH BOX	
67	DGP98050	NO DATA AVAILABLE	0050500000221 / PAPER PRINTING WHITE 5PLY FAN FOLD52GSM NCR 11X15 (SEE CMD8)		504 / SET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
68	DGP98032		0050546000712 / ENVELOPES SE-6A SIZE C-4 229MMX324MM BROWN		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
69	DGP98031	NO DATA AVAILABLE	0611700000061 / PENCIL-CHINA-GRAPH-BLACK LG 7"	(0610)	98 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
70	DGP98030	NO DATA AVAILABLE	0611700000063 / PENCIL-CHINA-GRAPH-BROWN LG 7"		96 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
71	DGP98040	NO DATA AVAILABLE	0611700000062 / PENCIL-CHINA-GRAPH-BLUE LG 7 (777) SHAHNOOR		46 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
72	DGP98038	NO DATA AVAILABLE	0611700000067 / PENCIL-CHINA-GRAPH-YELLOW LG 7 (777)	(0611)	36 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SHAHNOOR									
73	DGP101 393	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					<p><b>TECHNICAL SPECIFICATION - 1.</b>  CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM. 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <b>GENERAL SPECIFICATION - 1.</b> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM. 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
74	DGP101395	NIL	5930735277330 / LAPTOP CORE I7 11th Generation		1 / EACH/NUMBER	NIL					<p><u>TECHNICAL SPECIFICATION - 1.</u>  CPU Technology= Intel © Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes</p> <p><u>GENERAL SPECIFICATION - 1.</u>  CPU Technology= Intel © Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes</p>	
75	DGP101406	MFFPM477FDW	7045785235867 / LASER JET COLOUR PRINTER		1 / EACH/NUMBER	477FDW					<p><u>TECHNICAL SPECIFICATION - null</u>  <u>GENERAL SPECIFICATION - null</u></p>	
76	DNF100219	CAT-6	5995735143438 / DATA CABLE.04 PAIR UTP, CAT-VI	INSTALLION OF CCTV CAMERA	305 / METER	NO DATA AVAILAB LE		73	M/S: TELECOM ENGINEERING COMPANY Y.SUIT NO.101.1ST FLOOR, SEA BREEZE PLAZA, SHAREA-	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<p><u>TECHNICAL SPECIFICATION - null</u>  <u>GENERAL SPECIFICATION - null</u></p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									E-FAISAL, KARACHI .TEL:021-3-2787711.			
77	DNF101240	WP12-12 /PS2120 F2	6135765131684 / BATTERY 12V 12AH	UPS (EMERSON)	18 / EACH/NUMBER	DJ12-12 (12V 12AH)		JP	PHONEX KUK JE INDUSTRY LTD BATTERY CO/LECO H BATTERY CO JAPAN	TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - 1. Size Height: 3.8 Inches Width: 3.8 Inches Length: 5.9 Inches 2. OEM Power Sonic Corporation (Make: JAPAN) Aljibra Technologies Suit No.02-4/F Plot No. 4-E/II, Javedan House Jami Commercial Street No.6 Fefence Phase VII Karachi.Tel: +922135391031-2 Fax: +922135391033 Email: info@aljibra.com GENERAL SPECIFICATION - 1. Size Height: 3.8 Inches Width: 3.8 Inches Length: 5.9 Inches 2. OEM Power Sonic Corporation (Make: JAPAN) Aljibra Technologies Suit No.02-4/F Pict No. 4-E/II, Javedan House Jami Commercial Street No.6 Fefence Phase VII Karachi.Tel: +922135391031-2 Fax: +922135391033 Email: info@aljibra.com	
78	DGP101681	d1918h	5999735274090 / dell led 19"		1 / PCS	D1918H					TECHNICAL SPECIFICATION - dell 19" led GENERAL SPECIFICATION - dell 19" led	
79	DGP101684		7535705133021 / LAPTOP COMPUTER	COMPUTER	1 / EACH/NUMBER	NIL		PK	VIDE NHQ LETTER ST-S/3200/8198 DT 23/07/08		TECHNICAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											WINDOWS 11 (LICENSED VERSION). <u>GENERAL SPECIFICATION</u> - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
80	DGP101555	M454DW	743570516998 2 / HP LASER PRO 400 COLOR PRINTER M451NW/M454DW		1 / EACH/NUMBER	M454DW		HEWLETT-PACKARD COMPANY DBA HP DIV INTERNATIONAL USA	USA		<u>TECHNICAL SPECIFICATION</u> - TYPE= COLOR. PRINT TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB, RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET <u>GENERAL SPECIFICATION</u> - TYPE= COLOR, PRINT TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB, RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET	
81	DNF101232	MF-110L/VL00000008	614073515399 0 / Battery 12V 80AH 13 Plate (MF-110L)	GRP POLICE BOAT ELECTRICAL SYS	5 / EACH/NUMBER	MF-110L	73		OEM - AB VOVLO PENTA, GOTEBO RG SWEDEN	IDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSE	<u>TECHNICAL SPECIFICATION</u> - - <u>GENERAL SPECIFICATION</u> - -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									POSTAL ADDRESS: 405 08 GOTEBO RG SWEDEN	D WITH QUOTATION		
82	DGP101 682	NIL	7435705140006 / MULTIMEDIA PROJECTOR (4000 LUMENS)	MULTIMEDIA PROJECTOR	1 / EACH/NUMBER	PANASONIC PT-VW360 (4000 LUMENS PROJECTOR) OR ABOVE		PK		PAKISTAN	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
83	DGP101 529		7730765207008 / LED TV 65 INCH	4k UHD TV LEDTV JAPAN	1 / EACH/NUMBER		NIL	SONY HQ COMPLEX MINATE, TOKYO JAPAN WWW.SONY.NET		SONY JAPAN	TECHNICAL SPECIFICATION - A. PANEL SIZE: 65 INCH B . PANEL TYPE: VA LED C PANEL RESOLUTION :3820 X 2160 – 4K D PANEL REFRESH RATE: 120HZ E HDR 10 SUPPORT : YES F DOLBY VISION SUPPORT: YES G WEIGHT (WITH STAND): 23.2KGS H HDMI PORTS: 4 J USB PORTS : 2 K BLUETOOTH :YES L WI-FI : YES M ETHERNET: YES N SPEAKERS : 20W (FULL RANGE (BASS REFLEX) X 2, TWEETER X 2) P BUILT-N STORAGE: 1 GENERAL SPECIFICATION - A. PANEL SIZE: 65 INCH B . PANEL TYPE: VA LED C PANEL RESOLUTION :3820 X 2160 – 4K D PANEL REFRESH RATE: 120HZ E HDR 10 SUPPORT : YES F DOLBY VISION SUPPORT: YES G WEIGHT (WITH STAND): 23.2KGS H HDMI PORTS: 4 J USB PORTS : 2 K BLUETOOTH :YES L WI-FI : YES M ETHERNET: YES N SPEAKERS :20W (FULL RANGE (BASS REFLEX) X 2, TWEETER X 2) P BUILT-N STORAGE: 1	
84	DGP101 698	HP COMPUTER CORE I5 3.2 GHz 6M Cache	7435785195282 / HP COMPUTER CORE I5 3.2	HP COMPUTER CORE I5 CHINA	2 / EACH/NUMBER	CORE I5	FJ4H562	MANSHA BROTHERS HP AUTHORIZED DEALER KARACHI PAKISTAN		HP	TECHNICAL SPECIFICATION - HP PRO DESK 400 G1 MT (OR EQUIVALENT DELL MODEL) 1. PROCESSOR: VPTR o5-4570 3.2	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			GHZ 6M CACHE								GHZ 6 M Cache 2.PROCESSOR SPEDD: 3.2 GHz 3.MEMORY: 4 GB DDR3 4.HARD DISK: 500 GB HDD SATA 5.ETHERNET CARD: 10/100/1000/Mbps <u>GENERAL SPECIFICATION</u> - HP PRO DESK 400 G1 MT (OR EQUIVALENT DELL MODEL) 1.PROCESSOR: VPTR o5-4570 3.2 GHz 6 M Cache 2. PROCESSOR SPEDD: 3.2 GHz 3. MEMORY: 4 GB DDR3 4.HARD DISK: 500 GB HDD SATA 5. ETHERNET CARD: 10/100/1000/Mbps	
85	DNJ101228	RM1100B/RM1100A	432001570734 6 / RULE MATE AUTOMATIC BILGE PUMP 12VDC WITH ALL ACCE	OUTFITTING ITEM-RHIB	2 / EACH/NUMBER	RM1100B/RM1100A		RULEMATE, Maxico, www.rule-industries.com		RULEMATE, Maxico	TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION <u>TECHNICAL SPECIFICATION</u> - RULEMATE, Maxico, www.rule-industries.com Capacity: 1100GPH, with Skin fitting, One NRV, 5m flexible hose & hose clamp,12V @ 3.4 Amp, Height: 4 1/4?, Width: 6?, Depth:3.25?, Footprint:2.75?x4.5?, Hose Size: 1 1/8?, Fuse size: 5 <u>GENERAL SPECIFICATION</u> - RULEMATE, Maxico, www.rule-industries.com Capacity: 1100GPH, with Skin fitting, One NRV, 5m flexible hose & hose clamp,12V @ 3.4 Amp, Height: 4 1/4?, Width: 6?, Depth:3.25?, Footprint:2.75?x4.5?, Hose Size: 1 1/8?, Fuse size:5	
86	DGP101678	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	4 / EACH/NUMBER	NO DATA AVAILAB LE		PK		PAKISTAN	<u>TECHNICAL SPECIFICATION</u> - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION</u> - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
87	DGP101 523	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	4 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N		<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w). Pages per month 25000 pages. Paper Type A4/A5/B5/Legal/Envelope. Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w). Pages per month 25000 pages. Paper Type A4/A5/B5/Legal/Envelope. Connectivity Paraller and USB Port Both	
88	DNN100 039	050233 / 042137	482012147622 3 / SAFETY VALVE COMPRESSIO N STAGE 4	HPAC WP5500 FRANCE	1 / EACH/N UMBER	WP5500	112267	GIRODIN SAUER FRANCE, URBAN- VALLEY-BAT C, CHEMIN DU BAS DES INDES- 95240- CORMEILLES EN PARISIS (FRANCE). CONTACT +33(0)1 34 117610, www.girodin- sauer.com , info@girodin- sauer.fr	GIRODIN SAUER FRANCE	TDS/BROC HER OR PICS OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N	<u>TECHNICAL SPECIFICATION -</u> Safety Valve Compression Stage 4 AS PER TPI <u>GENERAL SPECIFICATION -</u> Safety Valve Compression Stage 4 AS PER TPI	
89	DNJ1012 30	94702- 00400	536576520335 8 / PLUG, SPARK (NGK LFR6A-11)	YAMAHA OBM	54 / EACH/N UMBER	NO DATA AVAILAB LE	6CE- 1029885, 6CF- 1009814	YAMAHA MOTOR CO. LTD JAPAN	JAPAN	TDS/ BROCHER OR PICS OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N	<u>TECHNICAL SPECIFICATION -</u> <u>GENERAL SPECIFICATION -</u>	
90	DGP101 573	E2722H/M 27FW	743570521488 5 / LCD MONITOR 27 inch	Instructor Console	1 / EACH/N UMBER	E2417H (24") /e2722h/F 22P MCR Simulator	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	DELL		<u>TECHNICAL SPECIFICATION -</u> VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION- 1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED)GENERAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED BACK LIGHT ANTI-GLARE INPUT T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED)	
91	DGP101618		3610705117912 / SHREDDING MACHINE (HEAVY DUTY)	SHREDDER MACHINE	1 / EACH/NUMBER	ST-12C/ST-12CD					TECHNICAL SPECIFICATION - ST-12C/ST-12CDGENERAL SPECIFICATION - ST-12C/ST-12CD	
92	DGP95490	0	3610705005700 / PULP BOARD GREEN GSM 210+-5% FORIMPORTED A-01 594X841MMG SM240		5 / PACKET						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
93	DNF101223	E91 LR6 / E91 IEC LR6	6135795058492 / BATTERY ALKALINE (ENERGIZER) (Non Rechargeable) 1.5V AA SIZE NO.E91 IEC LR6	GENERAL USE	300 / EACH/NUMBER					TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
94	DNF101249	AS PER DES-PTCL CABLE	6145705056673 / CABLE 50 CORE INTERCOM O/D 9MM CORE-DIA 1MM STRAIN DIA .5MM	INTERCOME	200 / METER	PTCL CABLE				TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - CABLE 50 CORE INTERCOM O/D 9MM CORE-DIA 1MM STRAIN DIA .5MM country of origin pakistan (PTCL CABLE)GENERAL SPECIFICATION - CABLE 50 CORE INTERCOM O/D 9MM CORE-DIA 1MM STRAIN DIA .5MM country of	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
										N	origin pakistan (PTCL CABLE)	
95	DGP101 624	SONY/SAMSUNG/L G/TCL 20, 21.18, 32 INCH	773070505918 2 / LED 32 INCH		1 / EACH/ NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
96	DGP101 621		749076504539 7 / SHREDDER HEAVY DUTY MODEL SHIN CHANG C- 407A		1 / EACH/ NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
97	DGP101 620	300X	361070523945 2 / HAND FREE AUTOFEED SHREDDERS		1 / EACH/ NUMBER	GBC AUTO- 130X / 300X					TECHNICAL SPECIFICATION - 1. Dimension :650mm X 350mm X 490mm 2. Cutting Style :Cross cut 3. Shred Capacity :320 Sheets of 70g 300 Sheets of 80g (08 by pass) 4. DIN Security Level : 03 5. Shred Size : 4 X 40mm 6. Shred Speed : 2.8 m/min 7. Working Width : 230mm 8. Bin Capacity : 40 L 9. Sound Level (db) : 60 10. Working Cycle on/off :12 on/ 40 off 15 min (Run time from cold) 11. Weight : 26.7 Kg 12. Staples : Yes 13. Paper Clips : Yes 14. Credit Cards : Yes 15. CD's : Yes 16. Auto Oiling : No 17. Motor Capacity in Watts : UK: 270 Watts GENERAL SPECIFICATION - 1. Dimension :650mm X 350mm X 490mm 2. Cutting Style :Cross cut 3. Shred Capacity :320 Sheets of 70g 300 Sheets of 80g (08 by pass) 4. DIN Security Level : 03 5. Shred Size : 4 X 40mm 6. Shred Speed : 2.8 m/min 7. Working Width : 230mm 8. Bin Capacity : 40 L 9. Sound Level (db) : 60 10. Working Cycle on/off :12 on/ 40 off 15 min (Run time from cold) 11. Weight : 26.7 Kg 12. Staples : Yes 13. Paper Clips : Yes 14. Credit Cards : Yes 15. CD's : Yes 16. Auto Oiling : No 17. Motor Capacity in Watts : UK: 270 Watts	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
98	DNN101 257	ST2SEAU FCMEM02 93	598350531403 0 / Controller Module		1 / EACH/N UMBER	N/A				TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> <u>GENERAL SPECIFICATION -</u>	
99	DGP101 583	T-3028P	704570534422 1 / TONER CARTRIDGE original BLACK TOSHIBA		1 / EACH/N UMBER	T-3028P					<u>TECHNICAL SPECIFICATION -</u> TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E- STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449 <u>GENERAL</u> <u>SPECIFICATION -</u> TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E- STUDIO355/E-STUDIO357/ E- STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449	
100	DGP101 679	T-3028P	704570534422 1 / TONER CARTRIDGE original BLACK TOSHIBA		8 / EACH/N UMBER	T-3028P					<u>TECHNICAL SPECIFICATION -</u> TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E- STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449 <u>GENERAL</u> <u>SPECIFICATION -</u> TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E- STUDIO355/E-STUDIO357/ E- STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449	
101	DGP101 622	ds-1630	676079524883 6 / EPSON		2 / EACH/N	J411B					<u>TECHNICAL SPECIFICATION -</u> Scanner type: Flatbed Scanner	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			WORKFORCE SCANNER DS-1630 A4 SHEET DUPLEX ADF		NUMBER						Scanning Resolution: 1,200 dpi x 1,200 dpi (Horizontal x Vertical) ADF Minimum Document Size: 89 mm x 127 mm (Horizontal x Vertical) ADF Maximum Document Size: 210 mm x 3,048 mm (Horizontal x Vertical) Paper Formats: A4, A5, A6, B5, Letter, Letter Legal Ultrasonic Sensor: Yes GENERAL SPECIFICATION - Scanner type: Flatbed Scanner Scanning Resolution: 1,200 dpi x 1,200 dpi (Horizontal x Vertical) ADF Minimum Document Size: 89 mm x 127 mm (Horizontal x Vertical) ADF Maximum Document Size: 210 mm x 3,048 mm (Horizontal x Vertical) Paper Formats: A4, A5, A6, B5, Letter, Letter Legal Ultrasonic Sensor: Yes	
102	DNF100108	nikon as-2	6680715293016 / COMBI LASER (2-lines,2 points) automatic level		2 / EACH/NUMBER	NIKON AS-2				TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - NIKON AS-2 AUTOMATIC LEVEL USE FOR MEASUREMENT technical spec enclosed GENERAL SPECIFICATION - NIKON AS-2 AUTOMATIC LEVEL USE FOR MEASUREMENT technical spec enclosed	
103	DGP101683	kd-55x7500f	7025705248412 / led 55"insch		2 / EACH/NUMBER	KD-55X7500F					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
104	DGP101677	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											(WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
105	DGP101 460	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <b>GENERAL SPECIFICATION</b> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 8 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>	
106	DGP101 480	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p><b>TECHNICAL SPECIFICATION</b> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 8 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM. 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> <p><u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM. 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed</p>	
107	DGP101 521	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
-------	--------	---------	-------------------	-------------	------------	-------	-------------	-----------	--------------	----------------	------------------	-----------

genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. **GENERAL SPECIFICATION - 1.** CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM. 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.

108	DGP101500	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<b>TECHNICAL SPECIFICATION - 1.</b> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM. 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/	
-----	-----------	---------	--	--	---------	-------------------	--	--	--	--	--	--

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
											OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <b>GENERAL SPECIFICATION - 1.</b> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM. 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
109	DGP101585		702570513168 2 / LED TV 43 INCH	LED TV 36	1 / EACH/NUMBER			PK	PAKISTAN		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
110	DGP101763		753570513302 1 / LAPTOP COMPUTER	COMPUTER	1 / EACH/NUMBER	NIL		PK	VIDE NHQ LETTER ST- S/3200/81 98 DT 23/07/08		TECHNICAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
											VERSION). <u>GENERAL SPECIFICATION -</u> HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
111	DGP101747	HP COMPUTER CORE I5 3.2 GHz 6M Cache	743578519528 2 / HP COMPUTER CORE I5 3.2 GHZ 6M CACHE	HP COMPUTER CORE I5 CHINA	2 / EACH/NUMBER	CORE I5	FJ4H562	MANSHA BROTHERS HP AUTHORIZED DEALER KARACHI PAKISTAN	HP		<u>TECHNICAL SPECIFICATION - HP PRO DESK 400 G1 MT (OR EQUIVALENT DELL MODEL) 1. PROCESSOR: VPTR o5-4570 3.2 GHz 6 M Cache 2.PROCESSOR SPEDD: 3.2 GHz 3.MEMORY: 4 GB DDR3 4.HARD DISK: 500 GB HDD SATA 5.ETHERNET CARD: 10/100/1000/Mbps</u> <u>GENERAL SPECIFICATION - HP PRO DESK 400 G1 MT (OR EQUIVALENT DELL MODEL) 1.PROCESSOR: VPTR o5-4570 3.2 GHz 6 M Cache 2. PROCESSOR SPEDD: 3.2 GHz 3. MEMORY: 4 GB DDR3 4.HARD DISK: 500 GB HDD SATA 5. ETHERNET CARD: 10/100/1000/Mbps</u>	
112	DGP101746	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP	COMPUTER	3 / EACH/NUMBER	NO DATA AVAILAB LE		PK	PAKISTAN		<u>TECHNICAL SPECIFICATION - Laser. 266 MHz. RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both</u> <u>GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
			402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE								x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
113	DNF9919 2	N1537	611070515526 0 / ENERGY SAVER 220V- 240V ,11W. (screw type)	SELF FOR DISTRIBUTION SYS.	30 / EACH/N UMBER			SOURCE OF AVALIBILITY: PHILIPS CO LTD.ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI.	PHILIPS CO LTD.	TDS/BROC HER OR PICS OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N	TECHNICAL SPECIFICATION - SOURCE OF AVALIBILITY: PHILIPS CO LTD.ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220- 240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address: K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi GENERAL SPECIFICATION - SOURCE OF AVALIBILITY: PHILIPS CO LTD.ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220- 240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address: K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi	
114	DGP101 749	NO DATA AVAILABL E	773070512649 4 / LED TV 32 INCH	LCD TV 32"	1 / EACH/N UMBER						TECHNICAL SPECIFICATION - sCREEN sIZE:32 INCH HDMI: 02 INPUTS USB: 01 PORTS RESOLUTION: 1366X768 Input: 220V AC GENERAL SPECIFICATION - sCREEN sIZE:32 INCH HDMI: 02 INPUTS USB: 01 PORTS RESOLUTION: 1366X768 Input: 220V AC	
115	SCW101 387		843050135159 0 / OT CHAPPAL FOR MALE NURSING STAFF ANTI		40 / PAIR						TECHNICAL SPECIFICATION - OT CHAPPAL FOR MALE NURSING STAFF ANTI STATIC ANATOMIC CLOG FOR OT BLUE SIZE-9 GENERAL SPECIFICATION - OT CHAPPAL FOR MALE NURSING	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			STATIC ANATOMIC CLOG FOR OT BLUE SIZE-9								STAFF ANTI STATIC ANATOMIC CLOG FOR OT BLUE SIZE-9	
116	SCW101390		8430501351588 / OT CHAPPAL FOR MALE NURSING STAFF ANTI STATIC ANATOMIC CLOG FOR OT BLUE SIZE-7		40 / PAIR						TECHNICAL SPECIFICATION - OT CHAPPAL FOR MALE NURSING STAFF ANTI STATIC ANATOMIC CLOG FOR OT BLUE SIZE-7 GENERAL SPECIFICATION - OT CHAPPAL FOR MALE NURSING STAFF ANTI STATIC ANATOMIC CLOG FOR OT BLUE SIZE-7	
117	SCW101392		8430501351570 / CHAPPAL OT FOR MALE NURSING STAFF (ANTI STATIC ANATOMIC CLOG FOR OT) SIZE 10		40 / PAIR						TECHNICAL SPECIFICATION - CHAPPAL OT FOR MALE NURSING STAFF (ANTI STATIC ANATOMIC CLOG FOR OT) SIZE 10 GENERAL SPECIFICATION - CHAPPAL OT FOR MALE NURSING STAFF (ANTI STATIC ANATOMIC CLOG FOR OT) SIZE 10	
118	SCW101388		8430501351589 / OT CHAPPAL FOR MALE NURSING STAFF ANTI STATIC ANATOMIC CLOG FOR OT BLUE SIZE-8		40 / PAIR						TECHNICAL SPECIFICATION - OT CHAPPAL FOR MALE NURSING STAFF ANTI STATIC ANATOMIC CLOG FOR OT BLUE SIZE-8 GENERAL SPECIFICATION - OT CHAPPAL FOR MALE NURSING STAFF ANTI STATIC ANATOMIC CLOG FOR OT BLUE SIZE-8	
119	DGP101745	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 8 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
120	SCW101 389		843550135159 2 / OT CHAPPAL FOR FEMALE NURSING STAFF ANTI STATIC ANATOMIC CLOG FOR OT BLUE SIZE-5		40 / PAIR						TECHNICAL SPECIFICATION - OT CHAPPAL FOR FEMALE NURSING STAFF ANTI STATIC ANATOMIC CLOG FOR OT BLUE SIZE-5 GENERAL SPECIFICATION - OT CHAPPAL FOR FEMALE NURSING STAFF ANTI STATIC ANATOMIC CLOG FOR OT BLUE SIZE-5	
121	SCW101 391		843050135157 1 / CHAPPAL OT FOR		40 / PAIR						TECHNICAL SPECIFICATION - CHAPPAL OT FOR FEMALE NURSING STAFF (ANTI STATIC	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			FEMALE NURSING STAFF (ANTI STATIC ANATOMIC CLOG FOR OT) SIZE 6								ANATOMIC CLOG FOR OT) SIZE 6 GENERAL SPECIFICATION - CHAPPAL OT FOR FEMALE NURSING STAFF (ANTI STATIC ANATOMIC CLOG FOR OT) SIZE 6	