

SUI NORTHERN GAS PIPELINES LIMITED

Wah Stores Near Green Lagoon Hotel G.T Road Wah Cantt, Rawalpindi (PAKISTAN)

Ref: WAH/TE/017/2026

Dated: 22.04.2026

M/s.

INVITATION TO BID / INSTRUCTIONS TO BIDDERS
OUR TENDER ENQUIRY NO. WAH/TE/017/2026
MISC HARDWARE STORE STOCK MATERIAL
OPENING DATE: 11.05.2026

1. We enclose one set of our Tender Enquiry for supply of subject noted items comprising of the following: -

- | | | |
|--------|---|--------------|
| i). | General Terms | Appendix 'A' |
| ii). | Schedule of Requirement and Delivery | Appendix 'B' |
| iii). | Technical Specifications | Appendix 'C' |
| iv). | Price Term Sheet | Appendix 'D' |
| v). | Specimen of Bid Bond | Appendix 'E' |
| vi). | Specimen of Performance/Warranty Bond | Appendix 'F' |
| vii). | Format of Authority Letter for attending public opening of bids (to be provided by the bidders representatives to the bid opening Committee at the time of public opening of technical as well as commercial bids). | Appendix 'G' |
| viii). | Questionnaire / Commercial Sheet | Appendix 'I' |
| ix). | Certificate Of Full Disclosure And Non-Collusion | Appendix 'J' |
| x). | Manner And Mechanism To Blacklisting / Cross Debarring Of Supplier Or Contractor | Appendix 'K' |

2. Your firm and irrevocable offer in Pak Rupees must be based on free delivery at our **SNGPL Stores Near Green Lagoon Hotel Main G.T Road Wah Cantt.**
3. The delivery must conform to the terms given in the "Schedule of Requirement and Delivery" (Appendix 'B') and must be strictly adhered to. Earlier delivery will also be acceptable.
4. General Terms attached as Appendix-A, must be taken into consideration before submitting your quotation.
5. Your offer must remain open for a period of **60 days** from the closing date of the tender.
6. If you have any doubts as to the meaning of any portion of the specifications or "General Terms", you should when submitting your bid, set out in your covering letter, the interpretation upon which you rely.
7. Your offer should be prepared in duplicate and both the copies of your bid/quotation should be addressed and forwarded direct to:-

THE SENIOR OFFICER (PROCUREMENT)
SUI NORTHERN GAS PIPELINES LIMITED,
SNGPL STORES NEAR GREEN LAGOON HOTEL,
MAIN G.T ROAD WAH CANTT.

8. Both original and duplicate bids/quotations must be enclosed in duplicate **sealed cover**. Both the **Inner and outer envelope** must marked with the following:-

"Confidential"

Bid / Quotation for the supply of Misc Hardware Store Stock Material

Tender Enquiry No. WAH/TE/017/2026


- **Bid opening date 11.05.2026 Time 1130 Hours**

Sealed cover should not bear any marking which can give any indication about the sender. Offer received by Telex/Telefax/Cable/E-mail will not be accepted.

9. Bids/quotations will be received in this office on or before **11.05.2026 by 1100 hours** and will be opened publicly on the same date at **1130 hours** at the address mentioned at Sr.7 above. In case of holiday(s) falling on the date of bids opening bids/quotations will be opened at the same time on the next working day. It will be the responsibility of the bidder to deliver the bids before the closing time. The Company does not take any responsibility, whatsoever, of collection of bids from any agency. Bids/Quotations received after the bids opening date and time will not be considered and will be returned.

10. *We reserve the right to increase/decrease the quantities or cancel this enquiry in whole or in part before tender opening should our requirement change in the meantime. After tender opening, the quantities may be increased / decreased by 15% of the tender quantities. However, decrease beyond 15% shall be subject to concurrence by the successful bidder.*
11. We also reserve the right to have items 100% inspected by a third party at our own expense, or by our Engineer at your manufacturing premises as well as our Inspection Shop.
12. It must be indicated by the bidders by their offers/quotations that their quotation fully conforms to technical specifications and to the terms and conditions of the tender enquiry.
13. Only one authorized representative of bidder will be allowed to attend the public opening of bids, who will be required to submit an authority letter (as per specimen attached as Appendix 'G') in his favour issued by the respective bidders(s) for attending the public opening of bids, failing which he will not be allowed to attend the public opening.
14. Any attempt to obstruct competition by any means including formation of cartels will lead to rejection of your bid. Furthermore, this may also lead to de-listing for your firm from list of approved /pre-qualified manufacturers of the tendered item.
15. **Reservations / Clarifications, if any w.r.t. tender terms / specifications should be asked by the bidder's 7-days prior to the closing date of the tender.**
16. If needed be, please contact Mr. Fahad Zia Senior Officer (Procurement) Ph: # 051-4923033
E-mail: fahad.zia@sngpl.com.pk
17. It is contractor's responsibility to take measures as per General Procedure of HSE in view of the environmental health, safety law and regulations, which is available at www.sngpl.com.pk.
18. Blacklisting and Debarment of bidders and suppliers shall be as per PPRA Rule No.19.
19. "Bidders are required to submit their firm and irrevocable offer in Pak Rupees inclusive of all Govt. Taxes, Duties & levies etc; except sales tax, which must be based on free delivery at our specified stores/location. The amount of Sales Tax, where applicable, would be mentioned separately. **In case GST is not mentioned separately, it shall be considered that offered bid price is inclusive of GST.**
However, bidder may be required to provide documentary evidence regarding application or exemption of sales tax as mentioned in bid, if required by us during evaluation of bids or after placement of order/contract. Payment of sales tax shall be made as per prevailing Govt. rules/ regulations."

Yours faithfully,
SUI NORTHERN GAS PIPELINES LIMITED


(FAHAD ZIA)

SENIOR OFFICER (PROCUREMENT)
for MANAGING DIRECTOR



**SCHEDULE OF REQUIREMENT/DELIVERY
TENDER ENQUIRY NO. WAH/TE/017/2026**

The approximate total requirement of Misc Hardware Store Stock Material

And delivery required is as under:-

SR . #.	Description.	Qty.	Bid Bond Valuing (Rs.)	Delivery Required.
1.	Dead Plug, Square Head ½” dia, Screwed, CL-3000	45 Nos	40,000/-	Free delivery required within 30 days after receipt of purchase order at our SNGPL Stores, Main G.T Road, Wah Cantt
2.	Dead plug, Hexagonal, ¾” i=dia, CL-3000	45 Nos		
3.	Dead Plug, Square Head 1” dia, SE, CL-3000	60 Nos		
4.	Canvas Tarpaulin, 24’24’	08 Nos		
5.	Half Round File 14”	06 Nos		
6.	Hacksaw Blades (1”x12”x24) Teeth / inch (Both Edge)25.4mmx304.8mm	18 Nos		
7.	Files Flat, 14”	06 Nos		
8.	Flexible Pipe ½” dia	300 Mtr		
9.	Emery Paper No. 1-1/2	24 Nos		
10.	G.I Bucket 22 No	12 Nos		
11.	Cutting Disc 9”x1/8”	60 Nos		
12.	Grinding Disc size 7”x1/4”x7/8”	60 Nos		
13.	Welding Electrodes Holder	18 Nos		
14.	Arbor Knotted wire brush size 7”x1/4”x7/8”	26 Nos		
15.	High Pressure Rubber Pipe, 1” Dia 4 layer 1500 PSL	30 Mtr		
16.	Sand Blasting 2” dia 4 layer 3000 PSI, High pressure pipe	30 Mtr		
17.	Multi-Purpose Grease	9.08 Kg		
18.	Plug Valve Lubricant Stick size 19mm dia x 85mm long, 24 Sticks / Tin	10 Tin		
19.	Plug Value Lubricant Stick size 35mm dia x 150mm long, (Single piece packing)	10 Nos		
20.	Anti-Cease Spray (WD-40) 400 Ml/Tin	60 Tin		
21.	H.D Teflon Thread Sealing Tape size 12 mm x 0.1mm x 10 meter	100 Nos		
22.	Cotton Rags	800 Kgs		
23.	Poly propylene bag	1000 Nos		
24.	Teflon Tape, ½” Width 0.0004” Thickness,	500 Nos		
25.	Battery Alkaline D L R 20, AMI 1.5 V	200 Nos		
26.	Sewage Nipple 1” x ½” both end threaded, Class 2000, SCH 80	08 Nos		
27.	SS Tube ¼” di x 0.028” WT SS 316/316 L	15 Mtr		
28.	Male Connector, 1/2" Tube x 1/4" NPT, CI-3000	15 Nos		
29.	Straight Connector, 1/4" Dia Tube O.D X 1/2 Inches Dia Male Npt Ss	14 Nos		
30.	1/8" Tube to 1/4" NPT SS Male Connector, Double Ferrule	14 Nos		
31.	1/2" X 15mm Straight Connector Male (1/2" NPT Tube o 15mm) Double Ferol Swedge Lock (316/316L)	10 Nos		
32.	Iron pad lock (Master lock) 76.2mm (3”)	20 Nos		

33.	Sealed Rechargeable Dry Battery 12V, 38Amp, Dimension=7.5"L x 5"W x 6.5"H	05 Nos		
34.	Cotton Gloves	120 PRS		
35.	Water Filter 10" Polypropylene Fiber Sediment Cartridge 1 Micron rating. (As per sample)	175 Nos		
36.	Water Filter cartridge 4.5" dia, 20" Long 20" Jumbo Size Polypropylene Water Filter Sediment Cartridges 1 Micron Rating	20 Nos		
37.	Wooden Batten, 2-1/2" Thick, 4"x10' Partal	06 Nos		
38.	PVC Pipe, Size:02" Dia, SDR 32.5, Bearing Pressure 125 PSI	12 Mtr		
39.	PVC Pipe 4"	12 Mtr		

Bid Evaluation Criteria:-

- ❖ **The successful bidder shall be of technically responsive against above item specification and commercially viable bidder.**

NOTES:

1.	Each item shall be evaluated separately.
2.	As a result of evaluation / scrutiny of bid, if any clarification is sought by SNGPL, bidders are required to adhere to the timeline specified by the SNGPL. In case of non-compliance to the timeline, SNGPL reserves the right to proceed further without any recourse.
3.	Material should be supplied as per our specification, substandard / defective material will have to be replaced by you on 'NO CHARGE BASIS' even after our acceptance.
4.	Conditional bids are liable for rejection. For example but not limited to: - Rate of exchange fluctuation - Partial order acceptance - Government duties & taxes etc.
5.	Bidder must conform to the specified tender terms.
6.	We require delivery as per above mentioned schedule / period, you however may quote your best delivery schedule period.
7.	The Company reserves the right to extend the opening date of tender enquiry without assigning any reason what-so-ever.
8.	Your offer should be accompanied by a copy of valid Sales Tax Registration, NTN and Professional Tax clearance certificate in your name, failing which the offer will not be considered for evaluation.
9.	The Company reserves the right to accept and / or to reject any offer without assigning any reasons.
10.	Sales Tax will be paid to you on submission of documentary evidence.
11.	Bidder in their quotation write the prices in figures as well as in words. In case of any dispute between unit price, and total price, the unit price shall prevail.
12.	Discount, if any, should be boldly shown under the prices. Discount, if conditional or not read at the time of bid opening shall not be considered during bid evaluation.
13.	We reserve the right to increase/decrease the quantities or cancel this enquiry in whole or in part before tender opening should our requirement change in the meantime. After tender opening, the quantities may be increased / decrease by 15% of tender quantities. However, decrease beyond 15% shall be subject to concurrence by the successful bidder.
14.	Your deliveries are liable to be tested / physically inspected by us and if you fail to supply the material according to our specifications we reserve the right to cancel the purchase order.
15.	Bids will be evaluated and accepted for above offered quantity. No bid will be acceptable for less than the quantity specified above in the schedule of requirement.
16.	Please note that only firm and irrevocable offer will be considered for evaluation and acceptance, and no offer which contains any conditions such as the quoted price linked with foreign exchange rates, custom duty and transportation etc. will not be considered for acceptance.
17.	Please indicate clearly your reservations if any, to the terms and conditions of the tender enquiry, on the quotation.
18.	It is contractor's responsibility to take measures as per General Procedure of HSE in view of the environmental health, safety law and regulations, which is available at www.sngpl.com.pk .
19.	The following documents / information must be provided along with the bid:- a) Name of the bidder. b) Type of ownership i.e. Proprietor / Partnership / Private Limited Company / Public Limited Company. Following relevant papers must be provided in respective cases:- i) Copy of NIC in case of single proprietor ii) Copy of Partnership deed in case of partnership iii) Copy of Article of Association for Private / Public Limited Companies. c) Date of establishment of business concern. d) Number along with copy of certificate. e) National Tax Number along with copy of certificate. f) Professional Tax Clearance Certificate.(2025-26)

20.	The bidder is required to be on Active Taxpayer List of FBR for obtaining tender documents and quoting bid against tender enquiry.
-----	--

Special Instructions for tender fee & bid submission:-

1. Tender documents Fee is Rs.1000/-, in the shape of valid CDR/Bank Draft/Demand draft/Pay Order in SNGPL favor must be submitted in hard form at undersigned office address either before tender opening or with the Bid. Those bidders who failed to submit the tender documents fee by the above deadline, their bids shall not be announced/considered and will be disregarded.
2. Since the tender is processed on PPRA EPAD, hence all bidders are advised to upload their bids on the EPADS per PPRA requirements along with submission of their bids in hard form at undersigned office address mandatorily. Failure to adhere to the above will lead to non-announcement/consideration of the bid.
3. Bid must accompany the bid bond/security of the required amount in SNGPL favor in the shape of CDR/Bank Draft/Demand draft/Pay Order / Bank Guarantee and must be submitted in hard form at undersigned office address by the deadline. **As the tender evaluation is item wise, hence as per PPRA EPADS requirement, bidders are required to submit bid bond/security of the above total value Rs.40000/- and the bid bond in EPADS should match with the original one submitted in hard form. Failure to adhere to the above and submission of bid bond by short amount will lead to non-announcement/consideration of the bid. Kindly also upload the scanned copy of your Bid Bond/security along with your bid on the EPADS.**

Please read the tender documents carefully and follow the instructions therein for tender participation and Bid submission.

TECHNICAL SPECIFICATIONS
SCREWED FITTINGS (DEAD PLUG)

Screwed Fittings shall be manufactured as per ASME B-16.11

- Material:**
- i) Conforming to ASTM A105 / A 672 C 70 / A350 LF2 / A 216-WCB
 - ii) For Pipe Nipples
ASTM A 106 Gr B or Equivalent
- Threads:** Conforming to ASME B1.20.1 (NPT)

Dielectric Pipe Union: Union shall be equipped with a suitable material ring for isolation of Cathodic Protection Current.

MARKING / TRACEABILITY / IDENTIFICATION:

Each fitting shall be suitably and permanently marked with fittings identification / traceability information / data which shall include the following:

- i. Class
- ii. Fittings Size / Type
- iii. Manufacturer's name OR manufacturer's specific identification mark as per their Catalogue.

Manufacturing unit shall be accredited with ISO 9001 or ISO 9002; a copy of valid / current certificate to substantiate the claim must accompany bids. Original technical literature / brochure of the manufacturer revealing the detailed features of the offered item must be submitted along with bids, failing which the bids shall not be entertained.

BID EVALUATION CRITERIA

1. The offers must comply with technical specifications.
2. The manufacturing unit must be accredited with ISO 9001 or ISO 9002 certification(s). A certificate for the current period must accompany the bid.
3. The bidder must provide technical literature / brochure of the manufacturer, in original, giving details of the offered products.
4. The bidders must provide sales references, as per requirement of the Tender.

IMPORTANT NOTE:

The items are exempted from the requirement of Oil & Gas sale reference as per Managing Director's approval.

TECHNICAL SPECIFICATIONS
CUTTING DISK

Cutting disks of Rhodius, Pferd of equivalent brand having following specification.

Description	Specification
Diameter	9" inch
Thickness	1/8" inch
Bore (Arbor) Size	7/8" inch
Standard	Cutting disk should be complaint EN:12413 or Equivalent.
Usability	Steel, Stainless Steel/INOX

BID EVALUATION CRITERIA

1. Brand name and country of origin of the item should be clearly embossed/engraved on the body.
2. Item should be Genuine and a regular production item and the specification should be clearly mentioned /available in the manufacture's original valid catalogue and/or manufacturer's official website
3. The technical specification given in the tender shall form the basis of selection / rejection of bids.
4. The bidder is required to enclose relevant technical literature/brochure conforming to the offer.

IMPORTANT NOTE:

The items are exempted from the requirement of Oil & Gas sale reference as per Managing Director's approval.

TECHNICAL SPECIFICATIONS
GRINDING DISK

Grinding disks of Rhodius, Pferd of equivalent brand having following specification.

Description	Specification
Diameter	7" inch
Thickness	9/32" inch
Bore (Arbor) Size	7/8" inch
Standard	Grinding disk should be compliant EN:12413 or Equivalent.
Usability	Steel, Stainless Steel/INOX

BID EVALUATION CRITERIA

1. Brand name and country of origin of the item should be clearly embossed/engraved on the body.
2. Item should be Genuine and a regular production item and the specification should be clearly mentioned /available in the manufacture's original valid catalogue and/or manufacturer's official website
3. The technical specification given in the tender shall form the basis of selection / rejection of bids.
4. The bidder is required to enclose relevant technical literature/brochure conforming to the offer.

IMPORTANT NOTE:

The items are exempted from the requirement of Oil & Gas sale reference as per Managing Director's approval.

GOM
13/07

TECHNICAL SPECIFICATIONS
WELDING ELECTRODE HOLDER

Description	Specification
Current Rating (Amps)	700A or Above
Electrode Diameter	2.4mm to 6.3mm
Duty Cycle	Higher duty cycles mean better performance for heavy-duty jobs
Jaw Material	Copper alloy or brass for high conductivity
Insulation	High-impact, heat-resistant material to Prevent accidental arcing and protects the welder
Grip	High-strength spring or screw mechanism to hold electrodes firmly.

BID EVALUATION CRITERIA

1. The technical specification given in the tender shall form the basis of selection / rejection of bids.
2. The bidder is required to enclose relevant technical literature/brochure conforming to the offer.

IMPORTANT NOTE:

The items are exempted from the requirement of Oil & Gas sale reference as per Managing Director's approval.

60M
BELT

TECHNICAL SPECIFICATIONS
ARBOR KNOTTED WIRE BRUSHES

Description	Specification
Material	Heavy Duty
Size of Brush	7" x 1/4" x 7/8"
Wire Material	Stainless Steel
Wire Style	Twist Knot (or Cup)
Brush Type	Wheel (for bench grinders) or Cup (for angle grinders).

BID EVALUATION CRITERIA

1. The technical specification given in the tender shall form the basis of selection / rejection of bids.
2. The bidder is required to enclose relevant technical literature/brochure conforming to the offer.

IMPORTANT NOTE:

The items are exempted from the requirement of Oil & Gas sale reference as per Managing Director's approval.

Handwritten signature

TECHNICAL SPECIFICATIONS

High Pressure Rubber Pipe

Clause No.	Specification	Description
1.	<i>Size</i>	1 inch (25 mm ID), 4 Layer, 1500 PSI
2.	<i>Construction / Manufacturing</i>	Inner tube of oil-resistant synthetic rubber, reinforced with four layers of high tensile steel wire (spiral type), outer cover abrasion, weather and oil resistant rubber
3.	<i>Material</i>	Synthetic rubber (NBR / Neoprene) with high tensile steel wire reinforcement
4.	<i>Pressure Rating</i>	Working Pressure: 1500 PSI (\approx 100 bar) Burst Pressure: Minimum 6000 PSI (2:1 safety factor)
5.	<i>Temperature Range</i>	-40°C to +100°C (standard duty)
6.	<i>Standard / Type</i>	EN 856 4SP / 4SH or SAE 100 R12 / R13 equivalent

Sand Blasting, High Pressure Pipe

Clause No.	Specification	Description
1.	<i>Size</i>	2 inch (50 mm ID), 4 Layer, 3000 PSI
2.	<i>Construction / Manufacturing</i>	Inner tube of abrasion-resistant natural / synthetic rubber, reinforced with four layers of high tensile steel wire (spiral/braided), outer cover heavy-duty abrasion, weather and ozone resistant rubber suitable for sand blasting applications
3.	<i>Material</i>	Natural rubber / SBR / NBR blend with high tensile steel wire reinforcement
4.	<i>Pressure Rating</i>	Working Pressure: 3000 PSI (\approx 200 bar) Burst Pressure: Minimum 12000 PSI (2:1 safety factor)
5.	<i>Temperature Range</i>	-20°C to +80°C (suitable for sand blasting service)
6.	<i>Standard / Type</i>	Heavy duty sand blasting hose, equivalent to ISO / EN heavy abrasion resistant hose standards

BID EVALUATION CRITERIA

1. The technical specification given in the tender shall form the basis of selection / rejection of bids.
2. The bidder is required to enclose relevant technical literature/brochure conforming to the offer and/or certification manufacture confirming specification.
3. In the event of more than one offer by the same bidder, the suitability of the item shall be determined as per closest conformity.
4. The bidder/supplier must submit standard weight conformance certificate at the time of delivery of material.

IMPORTANT NOTE

The indented item is common and readily available in the local market. Where applicable post qualification in tenders valuing more than 1 Million, the items are exempted from the requirement of Oil & Gas sale reference as per Managing Director's approval.

A handwritten signature in black ink, consisting of stylized, cursive letters, possibly reading 'AW' or similar, with a horizontal line underneath.

TECHNICAL SPECIFICATIONS
MULTI PURPOSE GREASE

Clause No.	Specification	Description
1.	<i>Type / Grade</i>	Multipurpose Grease, NLGI Grade 2
2.	<i>Manufacturing / Composition</i>	Lithium soap thickened grease manufactured from mineral base oil with additives including anti-wear, anti-oxidant, rust and corrosion inhibitors, and extreme pressure (EP) additives
3.	<i>Material</i>	Mineral base oil with lithium thickener and performance additives
4.	<i>Consistency (Penetration)</i>	Worked Penetration at 25°C: 265 – 295 (ASTM D217)
5.	<i>Dropping Point</i>	Minimum 180°C (ASTM D566)
6.	<i>Temperature Range</i>	-10°C to +130°C (standard operating range)
7.	<i>Performance Characteristics</i>	Good mechanical stability, high load carrying capacity, water resistance, oxidation resistance, and protection against rust and corrosion
8.	<i>Standard / Specification</i>	Conforming to NLGI 2, ASTM standards (D217, D566, D2596), and ISO / DIN grease specifications (e.g., DIN 51502 KP2K-20)

BID EVALUATION CRITERIA

1. The technical specification given in the tender shall form the basis of selection / rejection of bids.
2. The bidder is required to enclose relevant technical literature/brochure conforming to the offer and/or certification manufacture confirming specification.
3. In the event of more than one offer by the same bidder, the suitability of the item shall be determined as per closest conformity.
4. The bidder/supplier must submit standard weight conformance certificate at the time of delivery of material.

IMPORTANT NOTE

The indented item is common and readily available in the local market. Where applicable post qualification in tenders valuing more than 1 Million, the items are exempted from the requirement of Oil & Gas sale reference as per Managing Director's approval.

A 2

**TECHNICAL SPECIFICATIONS FOR
PLUG VALVE LUBRICANT / SEALANT**

Application

Required in **Stick Form** to be used as Lubricant and Sealant for High Pressure Plug Valves in Natural Gas Service.

Service Medium & Conditions

- Media = Sweet Natural Gas
- Gas specific gravity = 0.6 to 0.75
- Flowing Temperature Range = 0° F to 180° F
- Operating Pressure Range = 100 ~ 1440 PSIG

Specification of Lubricant

The required grease must full fill the following specifications:

- Base oil (Synthetic/ vegetable)
- Thickening agent {(synthetic / inorganic (lithium only))}
- NLGI Grade 4
- Worked cone penetration (175- 205) @ 25°C (ASTM- D217).

Special additives to give following characteristics

- √ Chemically resistive to hydrocarbons, water and oxidative degradation.
- √ Maximum lubricating & sealing power along with lowered valve Torque requirements.
- √ No hardening or drying out even in long term application.
- √ Can soften and displace residue in valves.
- √ High dropping point.
- √ Anticorrosive.
- √ Anti rusting.
- √ Inflammable.
- √ Non hazardous.
- √ Inject able.

Sizes (Packing)

Stick Size	D	E	G	H
Stick Diameter (mm)	16	19	29	35
Stick Length (mm)	65	85	100	150
No. of Sticks (in Tin)	24	24	6	1*
Weight in Tin (Grams)	290	530	475	170

* In cardboard packing.

Note

- Crude oil / mineral oil grease is not required.
- Suppliers are required to submit detailed technical specifications regarding base oil, thickening agent, flash point, penetration no., dropping point, viscosity, flammable range, density and safety precautions.
- Suppliers are required to provide ISO Certificates with quotation

**TECHNICAL SPECIFICATIONS FOR
PLUG VALVE LUBRICANT / SEALANT**

BID EVALUATION CRITERIA

1. The technical specification given in the tender shall form the basis of selection / rejection of bids.
2. The bidder is required to enclose relevant technical literature/brochure conforming to the offer and/or certification manufacture confirming specification.
3. In the event of more than one offer by the same bidder, the suitability of the item shall be determined as per closest conformity.
4. The bidder/supplier must submit standard weight conformance certificate at the time of delivery of material.


IMPORTANT NOTE

The indented item is common and readily available in the local market. Where applicable post qualification in tenders valuing more than 1 Million, the items are pexempted from the requirement of Oil & Gas sale reference as per Managing Director's approval.



ALKALINE BATTERY CELL FOR EVC AS PER SPECIFICATION

1. Alkaline Battery Cell for EVC
2. **Chemical system:** Zinc-Manganese Dioxide
3. **Size:** D cell or IEC LR20.
4. **Nominal voltage:** 1.5V
5. Internal resistance should be less than 350 milliohms.
6. **Operating temperature range:** -10 ± 1 to $55 \pm 1^{\circ}\text{C}$
7. Shelf Life should be six years or more at room temperature.
8. A fresh lot should be provided with date of production not older than one year at the time of delivery.
9. Expiry date should be clearly mentioned on the battery.
10. Sample of Battery should be submitted by the bidder for our technical vetting.
11. Offered item should be a Genuine and regular production article.
12. All specifications should be clearly mentioned/available in the manufacturer's original valid catalogue and/or manufacturer's official website. Non-Genuine item would not be accepted.
13. Brands currently in use: Kodak, "or Equivalent"
14. Post quality clause is not applicable for these items. *MD Note / approval.*


M. Tayyab Mirza
Dy. Chief Engineer (T)


Kamran Ahmad
Engineer Gr-III (T)

Specifications of Indented items against LPR No. WAH/T/LP/01113/26

Sr. No. 01

Sewage Nipple 1" X 1/2"

- i. Both Ends should be threaded. (NPT)
- ii. Operating conditions Class 3000 (SCH 80)
- iii. Accordance with ASME B16.11.
- iv. Sample needs to be provided for inspection.
- v. Brand name should be clearly mentioned.
- vi. Offered item should be a Genuine and regular production article.
- vii. All specifications should be clearly mentioned/available in the manufacturer's original valid catalogue and manufacturer's official website. Non-Genuine items would not be accepted.

Sr. No. 02

TUBE 1/4" DIA

- i. Material: Stainless Steel SS-316/316L
- ii. Weigh LBs/FT 0.0664
- iii. Wall Thickness: 0.028-inch
- iv. Allowable Working Pressure: 3000 PSI
- v. Sample needs to be provided for inspection.
- vi. Brand name should be clearly mentioned.
- vii. Offered item should be a Genuine and regular production article.
- viii. All specifications should be clearly mentioned/available in the manufacturer's original valid catalogue and manufacturer's official website. Non-Genuine items would not be accepted.

Sr. No. 03**MALE CONNECTOR**

- i. Stainless steel double ferrule male connector 1/2-inch tube to 1/4-inch NPT.
- ii. Construction material 316/316l stainless steel.
- iii. Sample needs to be provided for inspection.
- iv. Pressure rating should be Cl: 3000 or higher.
- v. Possess consistent remake ability.
- vi. Compatible with other tube fittings.
- vii. Sample needs to be provided for inspection.
- viii. Excellent vibration fatigue resistance and tube support.
- ix. Leakage free sealing at high pressures.
- x. Corrosion resistance test should be in accordance with ASTM B117-95.
- xi. Brand name should be clearly mentioned.
- xii. Offered item should be a Genuine and regular production article.
- xiii. All specifications should be clearly mentioned/available in the manufacturer's original valid catalogue and manufacturer's official website. Non-Genuine items would not be accepted.

Sr. No. 04**STRAINGHT CONNECTOR 1/4" Dia TUBE O.D x 1/2 "NPT**

- i. Stainless steel double ferrule male connector 1/4-inch tube to 1/2-inch NPT.
- ii. Construction material 316/316L stainless steel.
- iii. Sample needs to be provided for inspection.
- iv. Pressure rating should be Cl: 3000 or higher.
- v. Possess consistent remake ability.
- vi. Compatible with other tube fittings.
- vii. Excellent vibration fatigue resistance and tube support.
- viii. Leakage free sealing at high pressures.
- ix. Corrosion resistance test should be in accordance with ASTM B117-95.
- x. Brand name should be clearly mentioned.
- xi. Offered item should be a Genuine and regular production article.
- xii. All specifications should be clearly mentioned/available in the manufacturer's original valid catalogue and manufacturer's official website. Non-Genuine items would not be accepted.

P # 2

Sr. No. 05MALE CONNECTOR 1/8" TUBE X 1/4" NPT

- i. Stainless steel double ferrule male connector 1/8-inch tube to 1/4-inch NPT.
- ii. Construction material 316/316L stainless steel.
- iii. Pressure rating should be CI: 3000 or higher.
- iv. Possess consistent remake ability.
- v. Sample needs to be provided for inspective.
- vi. Compatible with other tube fittings.
- vii. Excellent vibration fatigue resistance and tube support.
- viii. Leakage free sealing at high pressures.
- ix. Corrosion resistance test should be in accordance with ASTM B117-95.
- x. Brand name should be clearly mentioned.
- xi. Offered item should be a Genuine and regular production article.
- xii. All specifications should be clearly mentioned/available in the manufacturer's original valid catalogue and manufacturer's official website. Non-Genuine items would not be accepted.

Sr. No. 06MALE CONNECTOR 1/2" NPT TUBE

- i. Stainless steel double ferrule male connector 1/2-inch tube to 1/2-inch NPT.
- ii. Construction material 316/316L stainless steel.
- iii. Pressure rating should be CI: 3000 or higher.
- iv. Possess consistent remake ability.
- v. Sample needs to be provided for inspection.
- vi. Compatible with other tube fittings.
- vii. Excellent vibration fatigue resistance and tube support.
- viii. Leakage free sealing at high pressures.
- ix. Corrosion resistance test should be in accordance with ASTM B117-95.
- x. Brand name should be clearly mentioned.
- xi. Offered item should be a Genuine and regular production article.
- xii. All specifications should be clearly mentioned/available in the manufacturer's original valid catalogue and manufacturer's official website. Non-Genuine items would not be accepted.

Sr.No1**Specifications for Master Lock****Size:**

The body width, height and thickness of the padlock must be suitable to have a shackle dimensioned below.

Shackle:


The lock must have hardened steel shackle for extra cut resistance with following dimensions:

C = 44.45 mm (1.75") or more

B = 57.15 mm (2.25") or more

A = 7.62 mm (0.3") or more

width = 76.2 mm (3") or more

**Material:**

The lock body is made of preferably stainless steel or non-rustable alloys as it will be placed at SMSs doors exposed to outside temperatures and environment thus susceptible to both breakage and rusting.

Key:

All padlocks can be operated with a single non-rustable metallic key and at least three keys per lock must be provided.

Construction:

The master lock must have a solid heavy-duty design for robust security.

Intended Use:

To be used to lock 2-ply Angle Iron doors of SMSs heavily exposed to outside temperatures and environment thus susceptible to both breakage and rusting.

Sample:

Quoted item's sample must be provided.

Handwritten signature

Sr. No. 2

Specifications for Cotton Rags


- Each rag should be approximately 2 feet wide and 2 feet long.
- Suitable for cleaning and greasing MS and SS steel.
- Rags with zips, buttons, or sewn parts won't be considered.

Note. Only applicable for tenders valued at more than one million. The indented items are common and readily available in the local market; therefore, they are exempt from oil and gas sale preferences as per management directives.

Handwritten signature

DRY BATTERIES FOR FB1200 FLOW COMPUTER.12V-38AH
AS PER SPECIFICATIONS.

- 12V, & 38 Ah Dry Batteries with Terminal Type F1 / T1 i.e. 0.187" (3/16" or 47.75mm).
 - Long life, Design life should be 05 years or higher.
 - Leak proof and maintenance free.
 - Low internal resistance for efficient operation.
 - Safe to operate in Horizontal and Vertical ways.
 - Offered item should be a Genuine and regular production article.
 - All specifications should be clearly mentioned/available in the manufacturer's original valid catalogue and manufacturer's official website. Non-Genuine item would not be accepted.
 - Date of manufacturing & Country of origin should be clearly mentioned (during manufacturing process in factory) on batteries. Preferably engraved on battery.
 - Sample Battery should be submitted by the bidder for our technical vetting.
-
- Only where applicable, for tenders valued at more than one million. The indented items are common and readily available in the local market; therefore, they are Exempted oil and gas sale preferences as per management directives


Muhammad Naveed
Senior Engineer (T),
Kohat (T) SNGPL

GENERAL TERMS

1. **LANGUAGE**
The ruling language of this tender is English.
2. **PRICES**
 - 2.1 **Bidders are required to submit their firm and irrevocable offer in Pak Rupees, which must be based on free delivery at our specified stores/location.**
 - 2.2 **Prices should be quoted on Price Terms Sheet on Appendix “D”. Bid for lesser quantities than specified in the tender shall not be accepted.**
3. **STANDARDS**
 - 3.1 Where National/International standards are specified, material meeting other authoritative standards which ensure an equal or higher quality than the standards mentioned will also be acceptable.
 - 3.2 Where definitions are given in terms of specific National/International standards those should be taken as a very close approximation of the requirements to be met.
 - 3.3 In each case where reference is made to any specific National/International standards, ensuring equal or higher quality will also be acceptable. In case your offer conforms to Standards other than specified in the tender enquiry, you are required to submit along with your bid, one copy each of those standards in English, and evidence that the standards used are recognized and authoritative standards which ensure equal or higher quality. In case you do not submit the required evidence and copy of the standards, then your offer may not be considered.
 - 3.4 In case the bidder is not able to fully comply with the technical specifications of tender enquiry, he must indicate his reservations in the offer and submit complete specifications/literature of the items he is offering. Bids will be disqualified if relevant technical literature/specifications are not attached to the offer.
4. **CLARIFICATION OF BID**
 - 4.1 Quotations should not have any over-writings. Corrections if any, must be made by deleting and re-writing. All such deletions/cuttings must be authenticated by additional signatures. Quotations carrying over-writing are likely to be disregarded.
 - 4.2 No bidder will be permitted to alter his bid after the bids have been opened, but clarifications not altering the substance of the bid may be solicited and/or accepted. No bidder will be asked or required to alter the substance of his bid.
 - 4.3 It is the intention of Sui Northern Gas Pipelines Limited, to deal directly with manufacturers of the items required.
 - 4.4 All deviations from or exceptions to, or qualifications of specifications shall be clearly stated separately in the proposals.
 - 4.5 The manufacturers should offer only one product against each item, in conformity

with the specifications stipulated in the tender documents.

5. **REJECTION OF BIDS.**

- 5.1 Sui Northern Gas Pipelines Limited reserves the right to reject any or all bids which do not meet the intent of the specifications or where there is evidence of lack of competition or where the lowest bid exceeds the cost estimated by an amount which in the opinion of Sui Northern Gas Pipelines Limited is sufficient to justify such a cause.
- 5.2 The Company does not bind itself to accept the lowest or any particular bid or any part of a bid, nor will be responsible to pay the expenses or losses which may be incurred by any tenderer/ bidder in the preparation of his bid.

6. **EVALUATION OF BIDS**

- 6.1 For the purposes of determining the lowest evaluated bid, facts other than price such as guaranteed delivery period, reliability and efficiency of material, availability of service and spare parts and creditability of bidders will be taken into consideration.
- 6.2 Every bidder is required to submit only one proposal / option against of one tender documents set. Alternate / second option / proposal can be submitted by procuring new tender documents set with submission of separate bid bond. Submission of more than one options / offers against purchase of one tender document set by submitting one bid bond will lead to disqualification / rejection of the whole bid. No further chance / clarification to withdraw additional offer / option will be provided.
- 6.3 Bids will be evaluated on item-wise basis, unless and until mentioned otherwise. However, in case, after evaluation, the tendered quantities are splitted between two or more bidders and chunk of any supplier(s) is too small to cover administrative cost on further processing of the purchase order, pre-shipment inspection cost etc, as determined by the procuring agency, order of such item(s) will be placed on next lowest available responsive bid winning / securing orderable quantities.

7. **CANVASSING**

Canvassing by any bidder at any stage of the tender evaluation is strictly prohibited. Any infringement will lead to disqualification.

8. **AWARD OF CONTRACT**

It is the intention to award a contract to the bidder whose bid has been determined to be the lowest evaluated technically acceptable bid and who meets the approximate standard of capability and financial responsibility subject to our reservation as mentioned at clause 6 above.

9. **VALIDITY OF BIDS**

- 9.1 Your offer must remain valid for a period of **60 days** from closing date of the tender. Bids received with shorter validity may be considered non-responsive.
- 9.2 The buyer/purchaser may, however, request for extension of validity of bids without any change in quoted price and other terms and conditions. The bidder (s) may refuse to extend validity of their bid beyond their quoted validity.

10. **BID SECURITY**

- 10.1 Every bidder shall furnish as part of its bid, bid security (in original), in the amount as mentioned in **SOR** (schedule of Requirement) in the form of a Bank Draft / Pay Order or a bond (Bid Bond) issued by a scheduled Bank of Pakistan on a non-

judicial stamp paper (as per specimen enclosed as Appendix 'E') valid for **30 days** beyond the validity of bid/ quotation from the date of bid opening or extended validity of bid. This will serve as a guarantee of acceptance of purchase order in case his bid turns out to be the lowest evaluated bid.

- 10.2 Any Bid, which is not accompanied by the requisite bid security (in original), would be treated as without bid security and will not be read out at the time of tender opening and will be considered as non responsive. No Telefax advice regarding issuance of Bid Bond received from bidder / Bank will be considered sufficient in lieu of actual Bid Bond. Bids received along with bid security in the amount of less than required amount shall be treated as non-responsive.
- 10.3 This bid bond will serve as guarantee in case bidder subsequently either withdraw, or unilaterally modify, vary or alter his bid after opening of the bids and before expiry of bid validity period, or fail to accept our purchase order, placed on them within the validity of their bid or its extended validity in case his bid turns out to be the lowest evaluated bid. Bid Bond will be retained until SNGPL enters into an Agreement or until 90 days after bid opening date, whichever is later.
- 10.4 The cost of the above bonds shall be borne by the Bidder.
- 10.5 The bid security may be forfeited:-
 - a) If any bidder withdraws its bid, during the period of bid validity specified by the bidder in his bid or extended period of validity of their bid/quotation.
 - b) In the case of successful bidder, if the bidder fails:-
 - i) To sign the Contract/Purchase Order or
 - ii) To furnish Performance/Warranty Bond Guarantee.

11. PERFORMANCE/WARRANTY BOND GUARANTEE

11.1.1 PERFORMANCE SECURITY: (as per draft Appendix-'F'). Within 30 days after the receipt of Purchase Order, the supplier shall furnish Performance/Warranty Bond Guarantee in the form of Bank Guarantee issued by a scheduled Bank in Pakistan, to the purchaser in the amount of **10%** (ten percent) of the total net value of the contract (excluding taxes).

Performance Security may also be provided in shape of **Pay Order/ Bank Draft/CDR favoring SNGPL** along with an undertaking on non-judicial stamp paper for Rs. 100/- that "the supplier/bidder accepts tender enquiry/purchase order terms including Performance/warranty bond guarantee, Late delivery charges, termination of contract etc and shall comply these term & conditions

- a) The proceeds of the Performance Security shall be payable to the purchaser as compensation, in whole or in part, for supplier's failure to complete its obligations under the contract, on pro-rata basis to the extent of contract (amount) no performed, in addition to other claims, if any as mention in the tender documents.
- b) This will serve as Performance Bond to guarantee timely and complete delivery of the material as per delivery schedule.

Subsequently, this will serve as Warranty Bond as per clause 11.2 given below:-

11.1.2 The Performance/Warranty Bond Guarantee, if provided within the given time period of **30 days**, shall remain valid for a period of **not less than 6 months**, after the last portion of the goods and / or services have been delivered to the final destination indicated in the contract. In case Performance/Warranty Bond Guarantee is not received within given time period of 30 days, the validity period of **06 months** will be increased to **09 months** after the last portion of the goods and services are delivered to the final destination. In case, the Performance/Warranty Bond Guarantee is not received within 60 days, the relevant clauses

of the tender / purchase order will be invoked, contract will be terminated and submitted bid bond will be forfeited.

- 11.1.3 Pursuant to above, after initial period of **30 days**, a notice will be served to supplier for submission of Performance/Warranty Bond Guarantee within next 10 days. In case of adherence to the notice, the period of Performance/Warranty Bond Guarantee will be as per stipulation of clause 11.1.2. In case the supplier fails to submit Performance/Warranty Bond Guarantee even after 10 days of notice, final notice will be issued to submit Performance/Warranty Bond Guarantee within next 20 days (overall not later than 60 days of receipt of the purchase order). In case of failure, purchase order will be terminated and bid bond will be forfeited.

11.2 WARRANTY

- 11.2.1 The supplier warrants that the goods and services supplied under the contract shall conform to the specifications provided in this tender enquiry. The supplier also warrants that the good and services supplied under the contract are new, unused, of the most recent improvements in design and material unless provided other-wise in the contract. The supplier further warrants that the goods and services supplied under this contract shall have no defects arising from the design, materials or workmanship (except in-so-far as the design or material is required by the purchaser's specifications) or from any act of omission of the supplier, that may develop under normal use of the supplied goods in the conditions usage at final destination.
- 11.2.2 The purchaser shall promptly notify the supplier in writing of any claim arising under this warranty. Upon receipt of such notice, the supplier shall, with all reasonable speed (but not later than original delivery period), replace the defective goods or parts thereof, without costs to the purchaser.

If the supplier having been notified, fails to replace the defective goods and pay all costs/expenses and damages within a given time period, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract, including partial or complete forfeiture of the Performance/warranty Bond Guarantee.

- 11.2.3 In case any material has been wrongly / short supplied, found being not in conformity with the specifications provided in the tender enquiry / purchase order, either on account of inferior quality, defective workmanship, faulty design, faulty packing or short received, the supplier apart from the short supplies, faulty or defective material, will undertake to replace the item(s) free of charge and shall also pay all cost/expenses and damages incurred by SNGPL due to breach of warranty including extra duties and taxes paid by SNGPL on account of payment of such duties/taxes for the second/or more time of free placement(s). Full cost of replacement shall mean the cost of locating the failure cutting out, removal of faulty material, supply and insertion of new material, coating & wrapping, hydrostatic test, back filling and commissioning etc whichever is applicable to such an eventuality.
- 11.2.4 The defective item(s) will be handed over by SNGPL to the supplier's authorized representative at our site/location.
- 11.2.5 Supplier's total liability in this respect shall not be limited to the extent of the Performance/Warranty Bond Guarantee.
- 11.2.6 Nothing contained herein shall be construed to limit the suppliers' obligations and liabilities with regard to the performance of the contract /purchase order.

- 11.2.7 The Performance/Warranty Bond Guarantee will be discharged by the Purchaser as soon as possible following the date of completion of the supplier's Performance obligations, including any warranty obligations under the contract.

12. LATE DELIVERY AND OTHER CLAIM(S) / CHARGES

- 12.1 Time shall be essence of the contract/purchase order and it will include a clause on Late Delivery Charges. This interalia will state that if the materials, as given in the order have not been delivered on time and as per stipulations in the contract except on account of Force Majeure, Sui Northern Gas Pipelines Limited (SNGPL) shall be entitled to recover **1%** of the total value (excluding sales tax) of the delayed part of material for each week of delay, by way of Late Delivery Charges subject to a maximum of **10%** of the total value (excluding sales tax) of the delayed part of the material. The period for calculation of Late Delivery Charges shall be reckoned in number of days for which the material was delayed.

- 12.2 All the supplies after expiry of scheduled delivery period will be subject to clause mentioned above and does not require any additional noting / marking / comments on delivery challans etc. at the time of receipt of delayed supplies.

The payment of such Late Delivery Charges shall not relieve the supplier from performing and fulfilling its obligations under the contract nor will the corresponding rights and entitlements of Sui Northern Gas Pipelines Limited be affected or reduced in any manner.

- 12.3 Whenever Late Delivery Charges or any other claim become payable, SNGPL, in its sole discretion shall quantify the same as per tender terms and serve a written notice upon the supplier requiring immediate payment thereof. If the supplier fails to remit payment within the given time period as mentioned in the notice, to be served under any mode of communication i.e. E Mail, Fax, Courier, registered postal cover etc., SNGPL will become entitled to recover the same forthwith by calling upon the complete Performance/warranty Bond Guarantee. The amount over and above the SNGPL's claim will be returned to the bank, on supplier's account, after completion of contract performance period.

- 12.5 In case of a contract on turnkey basis or the material covered in the contract is a compact unit consisting of more than one item(s) / part(s) or the delayed part of supply / services, in any way, affects the overall completion, utilization or functionality of the whole item / work, the L/D charges will be worked out on whole unit(s).

13. FORCE MAJEURE

13.1 Notwithstanding any provision to the contrary contained for damages or be deemed in default of the provisions of the contract/purchase order for failure to perform or delay in the performance of obligations assumed by such party pursuant hereto in-so-far as the said affected party can clearly establish that its performance has been prevented or delayed by Force Majeure. The term "Force Majeure" as employed herein shall mean acts of Government in their sovereign capacity, riots, strikes, lock outs, fire occurring in the supplier's establishment, political disturbances, mobilization, wars, unprecedented flood, storms hurricanes or other acts of God.

13.2 If a party wishes to claim relief of by reasons of Force Majeure, it shall within ten days of its occurrence serve written notice of occurrence of such a Force Majeure on the other party through registered posts. The two parties shall consult each other and agree upon the measures to be taken. As soon as the Force Majeure ends, the affected party shall promptly resume performance of its obligations under the agreements and intimate the other party about this.

14. TERMINATION OF CONTRACT

14.1 In case a contract/purchase order is placed on the basis of this tender enquiry Sui Northern may, without prejudice to any other remedy for breach of contract, by

written notice of default sent to the supplier terminate the contract in whole or in part.

- a. If the supplier fails to deliver any or all of the goods within the time period(s) specified in the Contract/order, or any extension thereof granted by Sui Northern.
 - b. If the supplier fails to perform any other obligation(s) under contract/order or
 - c. If the supplier, in either of the above circumstance, does not cure its failure within a period of **30 days** after receipt of the default notice from Sui Northern.
15. In the event, Sui Northern terminates the contract in whole or in part pursuant to para 14 Sui Northern may procure, upon such terms and in such manner as it deem appropriate goods similar to those undelivered, and the supplier shall be liable to Sui Northern for any excess cost for such contract to the extent not terminated.
 16. Your material/goods are liable to be technically/physically inspected by us and if you fail to supply the material/goods according to our specifications, we reserve the right to cancel our purchase order on you.
 17. Complete technical literature/relevant brochure of the goods offered should be accompanied with the offer, failing which the bid is liable to rejection. Technical catalogue/literature are necessarily required in support of the quoted specifications. In case the accompanying literature does not support the specifications as quoted in the bid, it would be liable to rejection.
 18. In case the supplier fails to supply the goods within stipulated period and seeks extension from the Company and that in the event of extension granted by the Company in completion of the supply of goods, in case the existing tax including excise duty is either increased or new tax is imposed by the government during the extended period delayed delivery by the bidder, payment thereof will be the sole liability of the seller and the Company shall not be liable to pay any such amount to the supplier/seller on account of imposition of new duty custom, excise or tax or increase in existing rate of duty custom, excise or taxes.
 19. While tendering your quotation, the present trend in the rate of material/goods in the market should be kept in mind. No request for increase in price due to market fluctuations in the cost of material/goods will be entertained.
 20. In case of an order on you, you will be required to execute the order strictly in accordance with the terms and conditions of the order. In case any of the terms and conditions of the order are violated we will have the right to cancel the Purchase Order or part thereof as necessary.
 21. **POST QUALIFICATION**
 - 21.1 In the absence of prequalification, the purchaser shall determine to its satisfaction based upon an examination of the documentary evidence of manufacturers financial, technical and production capabilities submitted by the bidders along with its bid. Pursuant to the following as well as any other information as the purchaser may deem necessary and appropriate: -
 - a) That, in the case of bidder offering to supply imported goods under the contract which the bidder did not manufacture or otherwise produce, the bidder has been duly authorized by the goods manufacture or produce to supply the goods in the purchaser's country,
 - 21.2 The purchaser shall determine to its satisfaction whether the supplier/manufacturer

selected as having submitted the responsive bid is qualified and has the capability and resources to satisfactorily perform the contract.

- 21.3 The bidder will provide the names and addresses with names of contacts including telex/telefax numbers of the Oils and Gas Companies to whom the tendered product have been sold in size-able quantity during the last five years. Simply submitting a list of customers to whom the manufacturer has been supplying various goods, will not meet the intent and purpose of this requirements. This information must form a part of bid, and the bidders are not encouraged to submit any these information's subsequently after public opening of the bids.

The bidder shall provide documentary evidence of their having been in the line of manufacturing the offered items for the past five (5) years.

- 21.4 However, bidders quoting an item or material of a manufacturer, which has been successfully supplied during last 5 years to SNGPL w.r.t. brand / model # / make / country of origin / manufacturing against any of previous purchase order or has been declared technically responsive after meeting post qualification terms against any of SNGPL tender enquiry, during the last 05 years of the tender enquiry date, are exempted from **clause 21.3**. A proof of eligibility (i.e. copy of SNGPL's purchase order or technical responsive letter) however has to be attached with the bid instead. Without any proof, the bid will be considered deficient to **clause 21.3**.
- 22 Quotations from bidders, who are determined to have previously in Sui Northern's judgement committed default in respect of any of its obligation against any of our previous contracts on them will not be entertained.
- 23 An affirmative determination will be a pre-requisite for award of the contract to the bidder. A negative determination will result in rejection of the bidder's bid, in which event, the purchaser will proceed to the next lowest evaluated bid to make a similar determination of that bidder's capabilities to perform satisfactorily.
- 24 In case of purchase order on you and subject to above, if the purchase order on you or part thereof is cancelled, we shall have the right to make purchase from other source at your risk and cost and difference if any will be recovered from you.

25. **PAYMENT**

- 25.1 Payment of your bills will be made by our Accounts Department within 30 days time after satisfactory completions of the delivery and submission of Bills as given in the purchase order.
- 25.2 Supplier's bill in duplicate accompanied by a receipted copy of Delivery Challan should be submitted within 30 days of the date of delivery of the material. Any delay in submitting the bills will result in corresponding delay in payment.
- OR**
- 25.3 Payment will be made against inland L/C on 30 days deferred payment basis. In such an event, bank charges pertaining to the L/C will be borne by seller/supplier/beneficiary.
- 25.4 Government taxes as per prevailing rules will be deducted from supplier bills, as required vide Gazette Notification No.15 INCOME TAX) deduction of Tax at source. If you are exempted from deduction of advance tax, you may state so and enclose a photocopy of any such Valid Tax Exemption Certificate.
- 25.5 In case the local suppliers desire payment through inland Letter of Credit they should so state in their respective bid. In that case, all bank charges relating thereto would be borne by the suppliers.

- 25.6 In case a supplier who can deliver material 30 days before scheduled delivery, will be paid within 15 days (instead of 30 days as per order). If delivery is made 60 days before schedule, payment will be made within 07 days (instead of 30 days).
- 25.7 SNGPL as withholding agent, as per Sales Tax Special Procedure (withholding) Rules 2007, shall deduct the amount of sales tax shown in the sales tax invoice issued by the supplier and make payment of the balance amount as per prevailing rules/ laws.

26 DEVIATION IN PAYMENT SCHEDULE

The general conditions of contract indicate the payment schedule offered by the purchaser, if a bid deviates from the schedule and if such deviation is considered acceptable to the purchaser, the bid will be evaluated by calculating interest earned for any earlier payments involved in the terms outlined in the bid as compared to those stipulated in his invitation, at a rate of **14 percent** per annum. In case after adding such interest a supplier turns out to be the lowest bidder and order is eventually placed on them, payment will be made to them within the period quoted by them and on which interest is worked out as above.

27. ARBITRATION/RESOLUTION OF DISPUTES

- 27.1 Any difference of dispute arising out of or in connection with the contract between the Purchaser and the Supplier which cannot be amicably resolved shall be referred to **Arbitration in Lahore**, Pakistan, to two Arbitrators, one to be appointed by each party of such difference/dispute. In case of the judgment of the said Arbitrator being at variance, the matter shall be referred to an “Umpire”, who shall be appointed by both the said Arbitrators. The Umpire shall be retired judge of a High Court or the Supreme Court of Pakistan. Such Arbitrators and Umpire shall together proceed to adjudicate the dispute in accordance with the Arbitration Act, 1940, as amended from time to time.
- 27.2 Prior to the exercising of any right by the purchaser or supplier to terminate the contract under the conditions stipulated above, a written notice shall be required to be given to the other party specifying such default(s) and calling for submission of an explanation within seven (7) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory, and the default(s) continues, the contract be terminated with notice to the other party before outerring upon the reference.
- 27.3 The agreement shall be governed by Pakistan Law and the arbitration language shall be English.
- 27.4 During the course of arbitration, the supplier shall not suspend the performance of his responsibilities and obligations under the Contract unless authorized by the purchaser in writing to do so.
28. The supplier or contractor who, in the sole opinion of the Company (SNGPL) committed default is performing part of his obligations under the contract awarded to him by the Company, in addition to other penalties likely to be imposed against him in terms thereof, shall also disentitle him to participate in the tender enquiry of similar goods issued by the Company for at least one year from the determination of such default by the Company on the part of the Supplier or Contractor.

29. INTEGRITY PACT

The bidders are required to read the text of Integrity Pact attached with tender documents (Appendix-H) and confirm their concurrence of execution of the same in case order having value Rs. 10 Million or above is placed on them. This mandatory requirement under PPRA Rules 2004.

In case of placement of Purchase order having value Rs. 10 Million or above, the bidders are required to sign Integrity Pact as per specimen attached. Payment to the suppliers will be released only after signing the said integrity pact.

30. Every bidder is required to attach receipt of cost of tender documents with his offer.

Bid Bond No. _____

Date: _____

**M/s Sui Northern Gas Pipelines Limited,
21-Kashmir Road,
Lahore, Pakistan.**

BID BOND

As per request of M/s _____
(herein called customer)

is hereby issued of Guarantee No. _____ Dated _____

in favour in the sum of _____
(Amount)

on account of M/s _____ as Bid Bond as

per requirements of you tender enquiry No. _____

due on _____ (or supply of _____).

The surety is being issued to enable the Accountee to participate in the tender as per requirement of the tender.

We, therefore, hereby undertake to make an unconditional payment of _____ to you on your first written call and without recourse to the opener, in case the Accountees subsequently either withdraw, or unilaterally modify, vary or alter their Bid after, opening of the tenders and before expiry period of their bid or fail to provide Performance / Warranty Bond Guarantee within 15 days after receipt of purchase order.

This bid bond shall remain valid and in full force till after 30 days of the expiry of the bid validity or till after 90 days after the Bids opening, whichever is later, after date no claim will be entertained.

Any claim arising out of this Guarantee must be lodged in writing within the validity period of this Bond certifying that the Account failed to meet the requirements, which were covered by this Bid Bond.

(Bank Seal)

Performance Bond Guarantee No. _____

Date: _____

Amount _____

Valid upto 06 months after the last portion of the goods have been delivered to the final destination indicated in the contract and till _____ which is later.

**M/s Sui Northern Gas Pipelines Limited,
21-Kashmir Road,
Lahore, Pakistan**

PERFORMANCE WARRANTY BOND GUARANTEE

As per request of M/s _____ we hereby issue our letter of Guarantee No. _____ in your favour on account of M/s _____ for a sum not exceeding Rs. _____ (Rupees _____) being 10% of the total material value excluding sales tax of your order No. _____ dated _____ as a Performance Bond Guarantee as per requirement and specifications mentioned in the order under the following terms and condition:-

1. This guarantee is available for payment, without recourse to the opener, against beneficiary first written call to do so accompanied by a written statement certifying that the opener failed to comply with the terms and conditions of the order.
2. The Guarantee Bond shall terminate six months after the last portion of the goods have been delivered to the final destination indicated in the purchase order and till _____ which is later.

All claim under this guarantee must be submitted to us not than the said validity date after which guarantee become automatically null and void and the bank will stand discharged and released from all its liabilities.

NAME OF BANK

**SD/-
OFFICER (SEAL) MANAGER**

**(To be typed on Company's
Letter Head, by the same
Signatory / signatories, who
have signed the bid(s).**

AUTHORITY LETTER

**M/s Sui Northern Gas Pipeline Limited,
21-Kashmir Road,
Lahore**

We M/s _____ representing
M/s _____ are / have submitted quoted
Ref. _____ dated _____ against tender enquiry No.
_____ dated _____ due for opening on _____
at _____ hours.

We hereby authorize Mr. _____
to

(Name)

attend the public opening of the bids on our behalf. He has been further authorized to authenticate any erased / fluided figure(s) or corrections, if any, in the bid.

SIGNATURE _____

STAMP _____

QUESTIONNAIRE / COMMERCIAL TERM SHEET

	<u>Yes</u>	<u>No</u>
1. Is your offer firm and irrevocable as per terms and condition of tender enquiry?	<input type="text"/>	<input type="text"/>
2. Do you agree to the delivery schedule specified in the tender enquiry?	<input type="text"/>	<input type="text"/>
3. Is your offer valid for a period of at least 60 days?	<input type="text"/>	<input type="text"/>
4. Have you submitted Bid Bond in line with Terms and conditions of the tender enquiry?	<input type="text"/>	<input type="text"/>
5. Do you agree to evaluation of each item separately? (Applicable in case of more than one items)	<input type="text"/>	<input type="text"/>
6. Do you agree to provide Performance /Warranty Bond Guarantee within 15 days of award of contract?	<input type="text"/>	<input type="text"/>
7. Do you agree to tender clauses pertaining to Late Delivery Charges?	<input type="text"/>	<input type="text"/>
8. Do you agree to tender clause pertaining to Force Majeure?	<input type="text"/>	<input type="text"/>
9. Do you agree to tender clause pertaining to Termination of Contract?	<input type="text"/>	
10. Do you agree to tender clauses regarding payment?	<input type="text"/>	<input type="text"/>
11. Do you require payment through L/C or against bills as per option given in the tender enquiry? Please specify.	<input type="text"/>	
12. Do you have any reservation to any of terms & conditions stipulated in the tender documents Please specify if any?	<input type="text"/>	
13. Have you enclosed cost break-up of the quoted prices as required in the tender enquiry?	<input type="text"/>	<input type="text"/>
14. Do you agree to execute Integrity Pact in compliance with PPRA Rules, 2004 (Appendix-H)	<input type="text"/>	<input type="text"/>
The following information must be submitted by the bidder's alongwith the bid.		
i) Name of the bidder.	<input type="text"/>	<input type="text"/>
ii) Type of ownership i.e. Proprietor / Partnership / Private Limited Company / Public Limited Company.	<input type="text"/>	<input type="text"/>
15. Following relevant paper must be provide in respective cases:-		
i) Copy of NIC in case of single proprietor.	<input type="text"/>	<input type="text"/>
ii) Copy of partnership deed in case of partnership.	<input type="text"/>	<input type="text"/>
iii) Copy of Article of Association for Private / Public Limited Companies.	<input type="text"/>	<input type="text"/>
16. Date of establishment of business concern.	<input type="text"/>	<input type="text"/>
17. GST Number alongwith copy of certificate.	<input type="text"/>	<input type="text"/>
18. National Tax Number alongwith copy of Certificate.	<input type="text"/>	<input type="text"/>
19. Valid Professional Tax Clearance Certificate.	<input type="text"/>	<input type="text"/>

Authorized Signatories of the Bidders

Name: _____ Date: _____

Company Seal: _____ Place: _____

Note: Bidders should write 'Yes' or 'No' (in words) in the above columns.

[Stamp Paper]

CERTIFICATE OF FULL DISCLOSURE AND NON-COLLUSION

We, _____, a company/firm registered under the laws of Pakistan and having registered office at _____ hereby declare, confirm and as follows:

1. We have neither offered, given, received or solicited anything of value to influence the actions of any and all parties involved in the procurement process nor misrepresented or concealed any facts in order to influence the procurement process or accomplish the award of contract; nor have we been part of any corrupt or collusive practices prior to or after bid submission which might restrict, reduce or prevent free and open competition, and fair and transparent award of contract.
2. We neither had at the time of submitting the bid nor presently have any relationship, association or link with another bidder nor have we been involved in any arrangement or understanding that directly or indirectly restricted, reduced or prevented free and open competition or a fair and transparent award of contract; and we have made all the disclosures that may be necessary in this regard and nothing has been withheld or concealed from SNGPL.
3. At any stage of the procurement process or after award of the contract, SNGPL may, having evidence of any misrepresentation, inaccuracy, inconsistency or non-conformity in the disclosures, data or other information provided by us, withdraw the letter of award or terminate the contract at our sole cost and expense, and without any liability on the part of SNGPL.
4. This certificate shall form integral part of the contract documents and we shall remain bound by it at all material times.

(DEPONENT)

Verification:

Verified on oath that the contents of this Certificate are true to the best of our understanding, knowledge and belief and nothing has been concealed or misstated herein above.

(DEPONENT)

Dated: the _____

MANNER AND MECHANISM TO BLACKLISTING/ CROSS DEBARRING OF SUPPLIER OR CONTRACTOR

As per PPRA Rule No. 19, following is mechanism to blacklist supplier/ contractor:-

Proceedings for blacklisting :-

- a) General Manager (Procurement) on his own accord or on receipt of information or a complaint shall, after examining the material placed before him shall determine whether it is necessary and appropriate to initiate formal black listing proceedings.
- b) In case General Manager (Procurement) decides to initiate blacklisting proceedings, the case shall be forwarded to the committee duly approved by management from time to time for initiating blacklisting proceedings.
- c) The bidder/ supplier shall be formally intimated in writing by the committee about the nature of complaint/ matter/ default/ fraudulent & corrupt practices as defined in PPRA Rule and initiate the blacklisting/ cross debar proceedings.
- d) The bidder/supplier shall be intimated by giving a fifteen (15) days notice through courier services, registered post or fax or email and, shall be provided an opportunity of furnishing detailed response either through written representation or personal hearing or both.
If blacklisting proceedings are to be initiated due to supplier's failure to meet the contractual obligations, then the bidder/ supplier shall be given a chance to invoke Arbitration before start of formal blacklisting proceedings.
In case, the supplier/ bidder does not opt for Arbitration within time given, then, notice for blacklisting shall be served accordingly to initiate the proceedings.
- e) In case the bidder/supplier fails to furnish his defense / representation within 15 days of 1st notice of blacklisting, a reminder shall be sent giving another opportunity to furnish the reply within 7 days.
- f) If the bidder/ supplier fails to submit his reply even after 2nd notice or fails to furnish the tenable justification of charges framed against him, the committee may proceed further in this regard on the basis of information, record and material available before him.
- g) The committee shall complete its proceedings within 30 days from the date of first notice given pursuant to paragraph (c) above.

Findings & Decisions:

- a) The Committee after finalizing his proceedings shall record his findings in writing and decide one of the following measures and GM (Procurement) shall obtain approval of the management for implementation:
 - i. Blacklisting and henceforth cross debarred for participation in any public procurement for the period up to **10 years** if corrupt and fraudulent practices as defined in PPRA Rule has been established;
 - ii. Blacklisting and henceforth cross debarred for participation in respective category of public procurement if the bidder/ supplier fails to perform his contractual obligations as per terms of the tender enquiry/ contract and within the specified time. Such blacklisting period shall not be more than **3 years** or,

- iii. Blacklisting and henceforth cross debarred for participation in respective category of public procurement for a period up to **6 months** if bidder/ supplier fails to alter his bid/ withdraw his bid/ does not accept the contract or does not abide with bid security declaration.
- b) General Manager (Procurement) shall communicate in writing to the PPRA and respective bidder/supplier his decision containing grounds for such action of blacklisting.

Appeal:-

The bidder/ supplier may file appeal against the decision of the committee before PPRA as per conditions/ mechanism defined in PPRA Rules.