

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 18-05-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF “PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT” (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828

WHATSAPP NO. 092-322-0188121 (Message Only)

TENDER BULLETIN

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGP102 187	LQ-310	702576520513 1 / EPSON PRINTER	NS-2021 ENCRYPTER	2 / EACH/N UMBER	LQ 310	N/A	3.5 OWA 3-CHOME SUWA-SHI NAGANO - KEN 392-8502 JAPAN	SEIKO EPSON CORPOR ATION		TECHNICAL SPECIFICATION - LQ- 310 ENCRYPTOR PRINTER GENERAL SPECIFICATION - LQ- 310 ENCRYPTOR PRINTER	
2	DGP102 071	LQ-310	702576520513 1 / EPSON PRINTER	NS-2021 ENCRYPTER	1 / EACH/N UMBER	LQ 310	N/A	3.5 OWA 3-CHOME SUWA-SHI NAGANO - KEN 392-8502 JAPAN	SEIKO EPSON CORPOR ATION		TECHNICAL SPECIFICATION - LQ- 310 ENCRYPTOR PRINTER GENERAL SPECIFICATION - LQ- 310 ENCRYPTOR PRINTER	
3	DGP102 141	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	3 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
4	DGP102 258	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP	COMPUTER	3 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE								x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
5	DGP101 920	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
6	DGP102 270	NO DATA AVAILABL E	773070508858 3 / LED TV 32 INCH	TELEVISION	1 / EACH/N UMBER	tcl					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
7	DGP102 140		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A---- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A---- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO	
8	DGP102 143	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
9	DGP102 257	E2722H/M 27FW	743570521488 5 / LCD MONITOR 27 inch	Instructor Console	1 / EACH/N UMBER	E2417H (24") ie2722h/F 22P MCR Simulator	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	DELL		TECHNICAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION- 1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED) GENERAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED)	
10	DNS100912	5268375	4320016038768 / PUMP SEA WATER	CUMMINS MAIN ENGINE CUMMINS MODEL QSB6.7?305MD USA	1 / EACH/NUMBER	QSB6.7-305MD		M/s Cummins Inc 500 Jackson Street Columbus IN, USA	M/s IMPEX NINE INC	TDS/BROCHER OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - OEM: M/s IMPEX NINE INC 412, DU PAHZE ST NAPERVILLE, IL 60565 USA CAGE 65KD2 USA GENERAL SPECIFICATION - OEM: M/s IMPEX NINE INC 412, DU PAHZE ST NAPERVILLE, IL 60565 USA CAGE 65KD2 USA	
11	DNF100604	ST4000NM0053/ST4000VX000	7025785207849 / 4TB SURVEILLANCE HARD DISK-SATA FOR NVR	CCTV System ST4000VX000 CHINA	1 / EACH/NUMBER	ST4000VX000	NA	Seagate Singapore International Headquarters Pte. Ltd. 7000 Ang Mo Kio Avenue 5, Singapore 569877, 65-6485-3888	CHINA	TDS/BROCHER OR PICS OF ITEM MUST BE REQUIRED WITH QUOTE.	TECHNICAL SPECIFICATION - Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported : up to 32GENERAL SPECIFICATION - Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported : up to 32	
12	DNS100912	5268375	4320016038768 / PUMP SEA WATER	CUMMINS MAIN ENGINE CUMMINS MODEL QSB6.7?305MD USA	1 / EACH/NUMBER	QSB6.7-305MD		M/s Cummins Inc 500 Jackson Street Columbus IN, USA	CUMMINS	TDS/BROCHER OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - OEM: M/s IMPEX NINE INC 412, DU PAHZE ST NAPERVILLE, IL 60565 USA CAGE 65KD2 USA GENERAL SPECIFICATION - OEM: M/s IMPEX NINE INC 412, DU PAHZE ST NAPERVILLE, IL 60565 USA CAGE 65KD2 USA	
13	DNF100605	KBM-SIS-17	6920705207584 / WIRELESS KEYBOARD & MOUSE	G-3 SIMULATOR 2017 PAK	1 / EACH/NUMBER	2017	NA	M/S SOFT INOVATION SYSTEM 34-A/2, 1st FLOOR LUXURY HOTEL, LALAZAR OFF. MT KHAN ROAD KARACHI +9221385610277	M/S SOFT INNOVATIVE SYSTEMS	TDS/BROCHER OR PHOTOGRAPH OF ITEM MUST BE ENCLOSE	TECHNICAL SPECIFICATION - Wireless Keyboard & MouseGENERAL SPECIFICATION - Wireless Keyboard & Mouse	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
										D WITH QUOTATIO N.		
14	DNF96270	AS-SMGE-17	2990705207590 / AIMING SENSOR	G-3 SIMULATOR 2017 PAK	1 / EACH/NUMBER	AS-SMGE-17	NA	M/S SOFT INOVATION SYSTEM 34-A/2, 1st FLOOR LUXURY HOTEL, LALAZAR OFF. MT KHAN ROAD KARACHI +9221385610277	M/S SOFT INNOVATIVE SYSTEM S	TDS/BROCHER OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATIO N.	<u>TECHNICAL SPECIFICATION -</u> Technology = Infra Red Voltage = 3.0 Vdc - 4.0Vdc +- 10% Current = 100mA +- 20% Color = Black Weight = 0.25kg with Clamp <u>GENERAL SPECIFICATION -</u> Technology = Infra Red Voltage = 3.0Vdc - 4.0Vdc +- 10% Current = 100mA +- 20% Color = Black Weight = 0.25kg with Clamp	
15	DNF100211	WT-5810 TOA	5830725207331 / SOUND AND PA SYSTEM WIRELESS TUNER WT-5810 TOA	UFFAQ Wt/5810c076R TOA, Germany	1 / EACH/NUMBER	Wt/5810c076R		"TOA Electronic Europe GmbH, Suderstrabe 282, 20537 Hamburg, Germany Tel: +49 / (0) 40 / 25 17 19-0 Fax: +49 / (0) 40 / 25 17 19-98 Web: www.toa.com"	TOA Electronic sCoporation	TDS/BROCHER OR PICS OF ITEM MUST BE REQUIRED WITH QUOTE.	<u>TECHNICAL SPECIFICATION -</u> OEM MS TOA CORPORATION. Video Wall Matrix controller <u>GENERAL SPECIFICATION -</u> OEM MS TOA CORPORATION. Video Wall Matrix controller	
16	DNF100087	9248 / 9116	5995715148031 / COAX-CATV CABLE	DVBS-2 HUB	100 / METER	NO DATA AVAILAB LE		US	KARACHI ELECTRONIC HASSAN CENTER / = M/S COMM CABLE ESSA ELECTRONIC / = CITY CABLE ALKABIR CENTER	TDS/BROCHER OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATIO N.	<u>TECHNICAL SPECIFICATION -</u> Use with DVBS KU Band for transmission & reception 50-70 OHM <u>GENERAL SPECIFICATION -</u> Use with DVBS KU Band for transmission & reception 50-70 OHM	
17	DNS100000	2526438/252-6438	5330015266671 / Seal-Inlet Valve	Caterpillar Emergency DG Marine Genset C 4.4 USA	6 / EACH/NUMBER	Marine Genset C 4.4	ZRE01323	CATERPILLAR INC! CATERPILLAR PRECISION SEALS 517 INDUSTRIAL PARK RD FRANKLIN, NC, USA TEL: 828-349-8400	CATERPILLAR USA	TDS/BROCHER OR PIC MUST BE ENCLOSED WITH QUOTE.	<u>TECHNICAL SPECIFICATION -</u> <u>GENERAL SPECIFICATION -</u>	
18	DNF100083	HI-91610	6685795139636 /	HUMIDITY/TH ERMO	3 / EACH/NUMBER	HYT-160-010T		UK	HANNA INSTRUM	TDS/BROCHER OR	<u>TECHNICAL SPECIFICATION -</u> <u>SOURCE OF AVAILIBTY:K. C.&G.</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			HUMIDITY/TH ERMOHYGRO METER HI- 91610		UMBER	H191610 HANNA			ENT UK	PICS OF ITEM MUST BE REQUIRED WITH QUOTE.	S.5-C(A)STATE LIFE BUILDING#, BESIDE S.M SCIENCE COLLAGE, SHAHR-E-LIQUAT,NEW CHALLI, KARACHI,PHONE:(0092-21) 2425200 FAX:(0092-21)2425200 E- MAIL:Kcgs-1@yahoo.com digital THERMOHYGROMETER. HUMIDITY /temerature messurement lcd digital display HUMIDITY 0 to 100 % rh 02% rh accuracy reso 0.1% RH capacitive humidity sensor temperature -20C - +60C 0.5C 0.1C thermistor <u>GENERAL</u> SPECIFICATION - SOURCE OF AVAILIBILTY:K .C.&G.S.5-C(A) STATE LIFE BUILDING#,BESIDE S. M SCIENCE COLLAGE,SHAHR-E- LIQUAT,NEW CHALLI, KARACHI, PHONE:(0092-21)2425200 FAX: (0092-21)2425200 E-MAIL:Kcgs- 1@yahoo.com digital THERMOHYGROMETER. HUMIDITY /temerature messurement lcd digital display HUMIDITY 0 to 100 % rh 02% rh accuracy reso 0.1% RH capacitive humidity sensor temperature -20C - +60C 0.5C 0.1C thermistor	
19	DNS100 000	2526438/2 52-6438	533001526667 1 / Seal-Inlet Valve	Caterpillar Emergency DG Marine Genset C 4.4 USA	6 / EACH/N UMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPI LLAR INC. DBA CATERPI LLAR DIV GOVERN MENTAL AND DEFENS E PRODUC TS	TDS/BROU CHER OR PIC MUST BE ENCLOSE D WITH QUOTE.	<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
20	SNF1008 43	A/p SPECCS pak cable/ Allied Cable	614570513268 3 / POWER CABLE 2 CORE 3/29 P. V.C WIRE	CCTV SYSTEM	1091 / METER	PAK CABLE	PK		M/S AYUB ENGINEE RING MANUFA CTURES.	TDS/BROC HER OR PHOTOGR APH OF ITEM MUST BE	<u>TECHNICAL SPECIFICATION -</u> brand: pakistan cable equivalent: Allied Cable ;1.5mm 2 core flat pvc insulated 300/500v (brochure Attached) 2. 2 core 3 strains copper	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			220/440 VOLTS						REPAIRING & GENERAL SUPPLIER GROUND FLOOR, NORTH WING, MULES MANSION KEAMARI KARACHI	ENCLOSED WITH QUOTATION.	wire per core with cross sectional area .646 mm2 outer daimeter: 0.282 ohm/km pure copper wire 99% current carrying capacity: 11 aMps acceptance criteria: item should satisfied all mentioned specifications testing: testing is to be performed to verify all the mentioned specs. GENERAL SPECIFICATION - brand: pakistan cable equivalent: Allied Cable ;1.5mm 2 core flat pvc insulated 300/500v (brochure Attached) 2. 2 core 3 strains copper wire per core with cross sectional area .646 mm2 outer daimeter: 0.282 ohm/km pure copper wire 99% current carrying capacity: 11 aMps acceptance criteria: item should satisfied all mentioned specifications testing: testing is to be performed to verify all the mentioned specs.	
21	SNF100261	PHILIPS	0523795230027 / STARTER-TUBE-LIGHT-2PIN-4 TO 80 WATT	LAMP FLUORESCENT	303 / EACH/NUMBER					TDS/BROCHER OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - Item Specification/ Technical Data: Item Name: FSU Fluorescent Starter Brand: Eurolux MPN: FS-U FSU Wattage: 4 to 80 Watt Voltages: 220 Volt to 240 Volt GENERAL SPECIFICATION - Item Specification/ Technical Data: Item Name: FSU Fluorescent Starter Brand: Eurolux MPN: FS-U FSU Wattage: 4 to 80 Watt Voltages: 220 Volt to 240 Volt	
22	DNA100687	M10605	4730997914568 / CLAMP HOSE		2 / EACH/NUMBER					TDS/BROCHER OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
23	DNF100917	6 242 01	6130997427670 / CHARGER	PANNEL LIGHT	1 / EACH/NUMBER					TDS/BROCHER OR	TECHNICAL SPECIFICATION - country of origin uk GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			PANEL LIGHT, TYPE 10-MODIFIED 110/130V AND 200/250V 50/60HZ		UMBER					PHOTOGR APH OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	SPECIFICATION - country of origin uk	
24	DNF100360	6 242 01	6130997427670 / CHARGER PANEL LIGHT, TYPE 10-MODIFIED 110/130V AND 200/250V 50/60HZ	PANNEL LIGHT	2 / EACH/N UMBER					TDS/BROC HER OR PHOTOGR APH OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	TECHNICAL SPECIFICATION - country of origin uk GENERAL SPECIFICATION - country of origin uk	
25	DNF100609	CW-770	5995715118130 / POWER CABLE 3 CORE FOR CCTV SYSTEM		150 / METER					TDS/BROC HER OR PHOTOGR APH OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	TECHNICAL SPECIFICATION - NO DATA AVAILABLEG GENERAL SPECIFICATION - NO DATA AVAILAB	
26	DNF100716	TOA	5965765088539 / HORN SPEAKER 10 WATT WITH MATCH TRANSFORME R TOA JAPAN	SRE SUSTEM	6 / EACH/N UMBER	TOA				TDS/BROC HER OR PICS OF ITEM MUST BE REQUIRED WITH QUOTE.	TECHNICAL SPECIFICATION - NO DATA AVAILABLEG GENERAL SPECIFICATION - NO DATA AVAILAB	
27	DNF99886	TOA	5965765088539 / HORN SPEAKER 10 WATT WITH MATCH TRANSFORME R TOA JAPAN	SRE SUSTEM	5 / EACH/N UMBER	TOA				TDS/BROC HER OR PHOTOGR APH OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	TECHNICAL SPECIFICATION - NO DATA AVAILABLEG GENERAL SPECIFICATION - NO DATA AVAILAB	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
28	DNF100680	525502	6650121579560 / BINOCULAR 7X50B/7X50c	BINOCULAR 7X50B OEM: ZEISS,CARL POB 1380	1 / EACH/NUMBER	7x50b/7X50c				TDS/BROCHER OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - BINOCULAR 7X50B OEM: STEINER POTIK GMBH germany GENERAL SPECIFICATION - BINOCULAR 7X50B OEM: STEINER POTIK GMBH germany	
29	DNF100713	KFAE-55C	6105705044236 / BLOWER EXHAUST 1.5 KW 380-420V 5AMP RPM 2950 50HZ 3PHASE	EXHAUST BLOWER STEERING COMPART	6 / EACH/NUMBER					TDS/BROCHER OR PICS OF ITEM MUST BE REQUIRED WITH QUOTE.	TECHNICAL SPECIFICATION - 1.5 KW 380-420V 5AMP RPM 2950 50HZ 3 PHASE GENERAL SPECIFICATION - 1.5KW 380-420V 5AMP RPM 2950 50HZ 3 PHASE	
30	DNZ98245	NO DATA AVAILABLE	0582780000010 / STERN LANTERNS 24V, 40 WATTS PB SERIES 700		1 / EACH/NUMBER	NO DATA AVAILABLE				TDS/BROCHER OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - MESSRS J.H PETTERS AND BEY GMBH KARPFANGERSTR,8/14 2000 HAMBURG 11,WEST GERMANY. BABA LIGHT QUALITY GODOWN MARKET SHOP NO D5-D7 PLOT NO D-283 MAIN SHERSHAH ROAD KARACHI GENERAL SPECIFICATION - MESSRS J.H PETTERS AND BEY GMBH KARPFANGERSTR,8/14 2000 HAMBURG 11,WEST GERMANY. BABA LIGHT QUALITY GODOWN MARKET SHOP NO D5-D7 PLOT NO D-283 MAIN SHERSHAH ROAD KARACHI	
31	DNF99540	CS202210 KST-7	6099785316335 / fiber pc SINGLE MODE PIGTAILS (SC)		24 / EACH/NUMBER	CS202210KST-7				TDS/BROCHER OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - FIBER PC SINGLE MODE PIGTAILS (SC) sc /pc (upc) single mode (0s2-9/125) simplex (01 core) 2.5mm ceramic ferrule 0.9 fiber lszh /pvc jacket yellow (sm) GENERAL SPECIFICATION - FIBER PC SINGLE MODE PIGTAILS (SC) sc /pc (upc) single mode (0s2-9/125) simplex (01 core) 2.5mm ceramic	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											ferrule 0.9 fiber lszh /pvc jacket yellow (sm)	
32	DCW100 322		843050000002 9 / BOOT DMS SIZE 7		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 7 <u>GENERAL</u> SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 7	ITEMS AS PER SPECIFICA TION
33	DCW100 332		843050000003 5 / BOOT DMS SIZE 9 MEDIUM		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9 MEDIUM <u>GENERAL</u> SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9 MEDIUM	ITEMS AS PER SPECIFICA TION
34	DCW100 342		843050000157 7 / BOOT DMS SIZE 14 MEDIUM		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS WITH FABRIC LACE 200 CM SIZE 14 MEDIUM <u>GENERAL</u> SPECIFICATION - BOOT DMS WITH FABRIC LACE 200 CM SIZE 14 MEDIUM	ITEMS AS PER SPECIFICA TION
35	DCW100 335		843050000004 5 / BOOT DMS SIZE 12L		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 12L <u>GENERAL</u> SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 12L	ITEMS AS PER SPECIFICA TION
36	DCW100 321		843050000002 5 / BOOT DMS SIZE 6S		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 6S <u>GENERAL</u> SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 6S	items as per specification
37	DCW100 326		843050000003 1 / BOOT DMS SIZE 8S		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8S <u>GENERAL</u> SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8S	ITEMS AS PER SPECIFICA TION
38	DCW100 330		843050000003 6 / BOOT DMS SIZE 9L		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9L <u>GENERAL</u> SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9L	ITEMS AS PER SPECIFICA TION

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
39	SCP100180		8415502501550 / BLANKET OFFICER		40 / EACH/NUMBER						TECHNICAL SPECIFICATION - Color: Blue, Weight: 2250g (+)(-) 100g Material: 90% Imported Wool and 10% Soft Fabric Size: 60"x96" Side Cloth Piping GENERAL SPECIFICATION - Color: Blue, Weight: 2250g (+)(-) 100g Material: 90% Imported Wool and 10% Soft Fabric Size: 60"x96" Side Cloth Piping	
40	DCW100334		8430500000034 / BOOT DMS SIZE 9S		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9S GENERAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9S	ITEMS AS PER SPECIFICATION
41	DNO100109	349-7378/369-7561	6620775249941 / SENSOR GP-PRESSURE		2 / EACH/NUMBER	C9.3				TDS/BROCHER OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - SENSOR GP-PRESSURE GENERAL SPECIFICATION - SENSOR GP-PRESSURE	
42	DCW100340		8430500001578 / BOOT DMS SIZE 14 LARGE		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS WITH FABRIC LACE 200 CM SIZE 14 LARGE GENERAL SPECIFICATION - BOOT DMS WITH FABRIC LACE 200 CM SIZE 14 LARGE	ITEMS AS PER SPECIFICATION
43	DCW100323		8430500000003 / BOOT DMS SIZE 8L		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8L GENERAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8L	ITEMS AS PER SPECIFICATION
44	DNF100365	LD015	6160785289107 / CSM Life raft - Lithium cell & Canopy light		1 / NO	LD015				TDS/BROCHER OR PHOTOGRAPH OF ITEM MUST BE ENCLOSE	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
										D WITH QUOTATION.		
45	DNF100979	MF-120 L /MF DIN88L	6140766257276 / BATTERY 12V, 88AH		1 / EACH/NUMBER	MF DIN88L				tds/brocher or pics of item must be required with quotE.	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
46	DCW100338		8430500001576 / BOOT DMS SIZE 13 LARGE		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS WITH FABRIC LACE 200 CM SIZE 13 LARGE GENERAL SPECIFICATION - BOOT DMS WITH FABRIC LACE 200 CM SIZE 13 LARGE	ITEMS AS PER SPECIFICATION
47	DCW100324		8430500000032 / BOOT DMS SIZE 8 M		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8 M GENERAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8 M	ITEMS AS PER SPECIFICATION
48	DNF99729	PAM-195-P	5945735173093 / SOLINOIDS SUPPLY MODULE AZMIUTH THRUSTER	TUC AZMIUTH THRUSTER	2 / EACH/NUMBER	WARTSILA 9L20		WARTSILA FINLAND	WARTSILA FINLAND	TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - WARTSILA FINLAND MAKE/BRAND: W-E-ST ELECTRONICS GMBH GERMANY. GENERAL SPECIFICATION - WARTSILA FINLAND MAKE/BRAND: W-E-ST ELECTRONICS GMBH GERMANY.	
49	SCP102028		6532500001556 / BED SHEET SKY BLUE SIZE 120" x 84" (CARDIAC)		140 / EACH/NUMBER						TECHNICAL SPECIFICATION - BED SHEET SKY BLUE SIZE 120" x 84" (CARDIAC) GENERAL SPECIFICATION - BED SHEET SKY BLUE SIZE 120" x 84" (CARDIAC)	
50	DGP102435	E-STUDIO355/E-STUDIO357/E-STUDIO3528A (35CPM), E-STUDIO, E-3508A	3610705140449 / PLAIN PAPER COPIER TOSHIBA E-STUDIO 355 /357 HEAVY DUTY/CANNON 2535	PLAIN PAPER COPIER	1 / EACH/NUMBER	E-STUDIO355/E-STUDIO357/ e-studio3528a (35cpm)		TOSHIBA SINGAPUR PTE LTD	TOSHIBA JAPAN		TECHNICAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER GENERAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER	
51	DGP102 382	E-STUDIO35 5/E-STUDIO35 7/E-STUDIO35 28A (35CPM), E-STUDIO E-3508A	361070514044 9 / PLAIN PAPER COPIER TOSHIBA E-STUDIO 355 /357 HEAVY DUTY/CANNO N 2535	PLAIN PAPER COPIER	1 / EACH/NUMBER	E-STUDIO3 55/E-STUDIO3 57/ e-studio352 8a (35cpm)		TOSHIBA SINGAPUR PTE LTD		TOSHIBA JAPAN	TECHNICAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPERGENERAL SPECIFICATION _AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER	
52	DGP102 402	M454DW.	743570516998 2 / HP LASER PRO 400 COLOR PRINTER M451NW/M454 DW		1 / EACH/NUMBER	M454DW		HEWLETT-PACKARD COMPANY DBA HP DIV INTERNATIONAL USA		USA	TECHNICAL SPECIFICATION - TYPE= COLOR, PRINT TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB, RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET GENERAL SPECIFICATION - TYPE= COLOR, PRINT TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB, RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET	
53	DGP102 340	M454DW.	743570516998 2 / HP LASER PRO 400 COLOR PRINTER M451NW/M454		2 / EACH/NUMBER	M454DW		HEWLETT-PACKARD COMPANY DBA HP DIV INTERNATIONAL USA		USA	TECHNICAL SPECIFICATION - TYPE= COLOR, PRINT TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB, RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			DW								SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET <u>GENERAL SPECIFICATION</u> - TYPE= COLOR, PRINT TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB, RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET	
54	DGP102 360	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/N UMBER	HP Scanner 20G05A/P ro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		<u>TECHNICAL SPECIFICATION</u> - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION</u> - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
55	DGP102 403	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/N UMBER	HP Scanner 20G05A/P ro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		<u>TECHNICAL SPECIFICATION</u> - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION</u> - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF,	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
-------	--------	---------	-------------------	-------------	------------	-------	-------------	-----------	--------------	----------------	------------------	-----------

UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297

56	DGP102 381	169191937 10 (EXPRESS SERVICE CODE)	743578520521 9 / SVAS WEB TERMINAL (LAPTOP DELL/HP CI3)	SVAS SYSTEM NY-SVAS-08 CHINA	2 / SET	NY- SVAS-08	NA	DELL INC 1 DELL WAY. ROUND ROCK, TEXAS CHINA 78682. TEL 1-866- 931-3355			CHINA	<p><u>TECHNICAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON</p> <p><u>15GENERAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15</p>	
----	---------------	---	---	------------------------------------	---------	----------------	----	--	--	--	-------	--	--

57	DGP102 282	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	5 / EACH/N UMBER	NO DATA AVAILAB LE		PK			PAKISTA N	<p><u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both</p> <p><u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both</p>	
----	---------------	--------	--	----------	------------------------	--------------------------	--	----	--	--	--------------	---	--

58	DGP102 321	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET	COMPUTER	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK			PAKISTA N	<p><u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port</p>	
----	---------------	--------	---	----------	------------------------	--------------------------	--	----	--	--	--------------	---	--

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE								BothGENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
59	DGP102 401	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	6 / EACH/N UMBER	NO DATA AVAILAB LE				PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port BothGENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
60	DGP102 435	E- STUDIO35 5/E- STUDIO35 7/ E- STUDIO35 28A (35CPM), E-STUDIO, E-3508A	361070514044 9 / PLAIN PAPER COPIER TOSHIBA E- STUDIO 355 /357 HEAVY DUTY/CANNO N 2535	PLAIN PAPER COPIER	1 / EACH/N UMBER	E- STUDIO3 55/E- STUDIO3 57/ e- studio352 8a (35cpm)				PAKISTA N	TECHNICAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPERGENERAL SPECIFICATION -AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER	
61	DGP102 382	E- STUDIO35 5/E- STUDIO35 7/ E- STUDIO35 28A	361070514044 9 / PLAIN PAPER COPIER TOSHIBA E- STUDIO 355 /357 HEAVY	PLAIN PAPER COPIER	1 / EACH/N UMBER	E- STUDIO3 55/E- STUDIO3 57/ e- studio352 8a				PAKISTA N	TECHNICAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		(35CPM), E-STUDIO, E-3508A	DUTY/CANNON 2535			(35cpm)					PAPERGENERAL SPECIFICATION -AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER	
62	DGP102 432	32D2900	582073520849 6 / 32 INCH LED DISPLAY WITH HDMI & VGA I/P	CCTV System	2 / EACH/N UMBER	32D2900		TCL Electronics Australia Pty Ltd, Address: 797 Springvale Rd, Mulgrave, VIC 3170	M/s TCL Australia		TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
63	DGP102 430	E2722H/M 27FW	743570521488 5 / LCD MONITOR 27 inch	Instructor Console	2 / EACH/N UMBER	E2417H (24") e2722h/F 22P MCR Simulator	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	DELL		TECHNICAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION- 1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED)GENERAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI- GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED)	
64	DGP102 458		361070511791 2 / SHREDDING MACHINE (HEAVY DUTY)	SHREDDER MACHINE	1 / EACH/N UMBER	ST- 12C/ST- 12CD					TECHNICAL SPECIFICATION - ST- 12C/ST-12CDGENERAL SPECIFICATION - ST-12C/ST-12CD	
65	DGP102 353		361070505785 6 /		3 / EACH/N						TECHNICAL SPECIFICATION - new specs updatedGENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SHREDDING MACHINE SHINN CHANG C22CT STANDARDIZE D/GBC DUO		UMBER						SPECIFICATION - new specs updated	
66	DGP102405	NIL	764070511028 1 / PERSONEL FOLDER FOR RECORD KEEPING OF CPOS/SAILORS	NIL(AUTH;ST-S/3922 24 DEC 04	565 / EACH/NUMBER						<p>TECHNICAL SPECIFICATION - 1. Size of Folder a. Length: 365 mm ± 1 mm b. Width: 260 MM ± 1 MM c. Width of Folding Portion: 35 MM ± 1 MM 2. Material: a. Outer and inner cover: Textured Raxin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm ± 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm± 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm ± 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Rexin : Navy blue</p> <p>GENERAL SPECIFICATION - 1. Size of Folder a. Length: 365 mm ± 1 mm b. Width: 260 MM ± 1 MM c. Width of Folding Portion: 35 MM ± 1 MM 2. Material: a. Outer and inner cover: Textured Raxin Best quality</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
-------	--------	---------	-------------------	-------------	------------	-------	-------------	-----------	--------------	----------------	------------------	-----------

(not commercial quality) thick 1 mm
b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm ± 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm± 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm ± 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Rexin : Navy blue

67	DGP102 380		743570512702 9 / ODF(12- PORT)WITH COUPLER ALONGWITH ACCESSORIE S AND INSTALLATIO N	STANDALONG COMPONENT	1 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
68	DGP102 409	NO DATA AVAILABL E	931070507889 7 / WOOD FREE PRINTING PAPER WHITE,	FOR PNCPP	20 / REAM						TECHNICAL SPECIFICATION - packing detail: EACH REAM CONTAINS 500 SHEETS size sheet: (25.5"x36") weight of PAPER= gsm 75±5% GENERAL SPECIFICATION -packing detail: EACH REAM CONTAINS 500 SHEETS size sheet: (25.5"x36") weight of PAPER= gsm 75±5%	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
69	DGP102 348		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					<u>TECHNICAL SPECIFICATION -</u> TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A---- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO <u>GENERAL</u> <u>SPECIFICATION - TOSHIBA</u> DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A---- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO	
70	DGP102 410		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91. 44CM		23 / REAM						<u>TECHNICAL SPECIFICATION - GM</u> 80 (+-) 10 gm <u>GENERAL</u> <u>SPECIFICATION - GM 80 (+-) 10 gm</u>	
71	DGP102 412		753070500717 3 / PAPER WHITE OFFSET BRIGHT GSM 84+5% 500SHEET A- 04 594X841MM		20 / REAM						<u>TECHNICAL SPECIFICATION -</u> LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% Paper in White color Sheet <u>GENERAL SPECIFICATION -</u> LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% Paper in White color Sheet	
72	DGP102 419		751070504923 2 / PAPER OFFSET SIZE 36 1/2 X 33 1/2 INCHS GSM 80 ± 5%,VRG, COLOR WHITE (PRODUCTS PULP AND		1 / REAM						<u>TECHNICAL SPECIFICATION -</u> PAPER OFFSET SIZE 36 1/2 X 33 1/2 INCHS GSM 80 ± 5%,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD <u>FREEGENERAL SPECIFICATION -</u> PAPER OFFSET SIZE 36 1/2 X 33 1/2 INCHS GSM 80 ± 5%,VRG, COLOR WHITE (PRODUCTS PULP	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			PAPER) WOOD FREE								AND PAPER) WOOD FREE	
73	DGP102 418		751070504923 3 / PAPER OFFSET 80 GSM ± 5 % SIZE 30X44 INCHES ,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE		1 / REAM						TECHNICAL SPECIFICATION - PAPER OFFSET 80 GSM ± 5 % SIZE 30X44 INCHES ,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PAPER OFFSET 80 GSM ± 5 % SIZE 30X44 INCHES ,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
74	DGP102 417		751070504923 4 / PAPER OFFSET 80 GSM± 5 % SIZE 36X46 INCHES ,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE		1 / REAM						TECHNICAL SPECIFICATION - PAPER OFFSET 80 GSM± 5 % SIZE 36X46 INCHES ,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PAPER OFFSET 80 GSM± 5 % SIZE 36X46 INCHES ,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
75	DGP102 416		751070506841 5 / FILE COVER FIBER WITH STEEL CLIP	FOR STATIONERY.	165 / EACH/N UMBER						TECHNICAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheetsGENERAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets	
76	DCD976 49		845550000000 4 / BADGE SHOULDER		298 / PAIR						TECHNICAL SPECIFICATION - BADGE SHOULDER FOR FIRE OFFICER GENERAL	item required as per tender

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
77	DGP102 414	nil	752070525958 0 / PERSONEL FOLDER FOR RECORD KEEPING OF of pn civilians		300 / EACH/N UMBER	nil					<p>FOR FIRE OFFICER</p> <p>SPECIFICATION - BADGE SHOULDERS FOR FIRE OFFICER</p> <p>TECHNICAL SPECIFICATION - 1. SIZE OF FOLDER A. LENGTH: 365 MM ± 1 MM B. WIDTH: 280 MM ± 1 MM C. WIDTH OF FOLDING PORTION: 35 MM ± 1 MM 2. MATERIAL: A. OUTER AND INNER COVER: TEXTURED RAXIN BEST QUALITY (NOT COMMERCIAL QUALITY) THICK 1 MM B. POCKETS: TRANSPARENT POLYTHENE THICK 0.1 MM C. INNER LINING OF BACK SIDE OF COVER: CARD BOARD HARD THICK 4.5 MM ± 0.2 MM D. INNER LINING OF FRONT SIDE OF COVER: CARD BOARD HARD THICK 4.5 MM ± 0.2 MM E. FILE FASTNER COVER WITH LINING: TEXTURED REXIN THICK 1 MM F. FILE FASTNER INNER LINING: CARD BOARD THICK 2.5 MM ± 0.1 MM G. EYELETS: BLACK ALUMINIUM H. TAG COTTON: LENGTH 260 MM ALONG WITH IRON TIP WITH BLACK ENAMEL 3. NO OF POCKETS: A. FRONT SIDE 02 POCKET: LENGTH WIDTH I. FOR NAME TALLEY: 40 MM 65 MM I. FOR PHOTOGRAPH: 70 MM 65 MM B. INNER POCKET LEFT HAND SIDE: 215 MM 260 MM C. INNER POCKET RIGHT HAND SIDE: 130 MM 260 MM D. BACK SIDE POCKET: 340 MM 260 MM E. SIDE POCKET ON FOLDING PORTION: 65 MM 35 MM 4. STITCHES BY : BY HEAT MACHINE 5. PRINTING I. PRINTING BY: BY FOIL PRINTING II. PRINTING COLOUR, WORD TITLE AND LOGO : AS PER APPROVAL BY CIVILIAN AUTHORITY 6. COLOUR OF REXIN : NAVY BLUEGENERAL</p>	sample

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
-------	--------	---------	-------------------	-------------	------------	-------	-------------	-----------	--------------	----------------	------------------	-----------

SPECIFICATION - 1. SIZE OF FOLDER A. LENGTH: 365 MM ± 1 MM B. WIDTH: 260 MM ± 1 MM C. WIDTH OF FOLDING PORTION: 35 MM ± 1 MM 2. MATERIAL: A. OUTER AND INNER COVER: TEXTURED RAXIN BEST QUALITY (NOT COMMERCIAL QUALITY) THICK 1 MM B. POCKETS: TRANSPARENT POLYTHENE THICK 0.1 MM C. INNER LINING OF BACK SIDE OF COVER: CARD BOARD HARD THICK 4.5 MM ± 0.2 MM D. INNER LINING OF FRONT SIDE OF COVER: CARD BOARD HARD THICK 4.5 MM ± 0.2 MM E. FILE FASTNER COVER WITH LINING: TEXTURED REXIN THICK 1 MM F. FILE FASTNER INNER LINING: CARD BOARD THICK 2.5 MM ± 0.1 MM G. EYELETS: BLACK ALUMINIUM H. TAG COTTON: LENGTH 260 MM ALONG WITH IRON TIP WITH BLACK ENAMEL 3. NO OF POCKETS: A. FRONT SIDE 02 POCKET: LENGTH WIDTH I. FOR NAME TALLEY: 40 MM 65 MM I. FOR PHOTOGRAPH: 70 MM 65 MM B. INNER POCKET LEFT HAND SIDE: 215 MM 260 MM C. INNER POCKET RIGHT HAND SIDE: 130 MM 260 MM D. BACK SIDE POCKET: 340 MM 260 MM E. SIDE POCKET ON FOLDING PORTION: 65 MM 35 MM 4. STITCHES BY : BY HEAT MACHINE 5. PRINTING I. PRINTING BY: BY FOIL PRINTING II. PRINTING COLOUR, WORD TITLE AND LOGO : AS PER APPROVAL BY CIVILIAN AUTHORITY 6. COLOUR OF REXIN : NAVY BLUE

78	DGP102 404	Q1414B	931070529239 0 / chart / PLOTTER		5 / ROLL	nil					TECHNICAL SPECIFICATION - SIZE: 40" / 42" X 18 TO 25 M, GSM 120 TO 150 ± 5% GENERAL	
----	---------------	--------	--	--	-------------	-----	--	--	--	--	---	--

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			PAPER SIZE: 40" / 42" X 18 TO 25 M, GSM 120 to 150 ± 5%								SPECIFICATION - SIZE: 40" / 42" X 18 TO 25 M, GSM 120 TO 150 ± 5%	
79	DGP102 328		702570527485 2 / LED TV 65 INCH		1 / PCS						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
80	DGP102 446	VS 18089	589578527488 5 / view sonic projector		1 / PCS	vs 18089/PA 503SE					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
81	DCP102 110		653250031500 2 / PATIENT SUIT SKY BLUE SIZE MEDIUM		336 / PAIR						TECHNICAL SPECIFICATION - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyester 20 % GENERAL SPECIFICATION - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyester 20 %	
82	DCP102 155		653250031500 2 / PATIENT SUIT SKY BLUE SIZE MEDIUM		300 / PAIR						TECHNICAL SPECIFICATION - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyester 20 % GENERAL SPECIFICATION - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyester 20 %	
83	DCP102 242		653250031500 2 / PATIENT SUIT SKY BLUE SIZE MEDIUM		144 / PAIR						TECHNICAL SPECIFICATION - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyester 20 % GENERAL SPECIFICATION - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
84	DCP101 992		653250031500 2 / PATIENT SUIT SKY BLUE SIZE MEDIUM		350 / PAIR						cloth 80/20 cotton 80 % polyster 20 % TECHNICAL SPECIFICATION - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyster 20 % GENERAL SPECIFICATION - shirt = chest 44" length 31" sleeve 23" shoulder 20" trouser= length 38" waist 39" inside 24" bottom 15" hip 50"as per sample cloth 80/20 cotton 80 % polyster 20 %	
85	DCP101 987		841550250155 0 / BLANKET OFFICER		14 / EACH/N UMBER						TECHNICAL SPECIFICATION - Color: Blue, Weight: 2250g (+)(-) 100g Material: 90% Imported Wool and 10% Soft Fabric Size: 60"x96" Side Cloth Piping GENERAL SPECIFICATION - Color: Blue, Weight: 2250g (+)(-) 100g Material: 90% Imported Wool and 10% Soft Fabric Size: 60"x96" Side Cloth Piping	
86	DGP102 310	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
-------	--------	---------	-------------------	-------------	------------	-------	-------------	-----------	--------------	----------------	------------------	-----------

87	DGP102 400	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p>modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> <p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL</p>	
----	---------------	---------	--	--	---------	-------------------	--	--	--	--	---	--

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
-------	--------	---------	-------------------	-------------	------------	-------	-------------	-----------	--------------	----------------	------------------	-----------

88	DGP102 254	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p><u>SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> <p><u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - 1.</u> CPU</p>	
----	---------------	---------	--	--	---------	-------------------	--	--	--	--	---	--

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>	
89	DGP102 283	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
-------	--------	---------	-------------------	-------------	------------	-------	-------------	-----------	--------------	----------------	------------------	-----------

											<p>Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>	
--	--	--	--	--	--	--	--	--	--	--	--	--

90	DGP102383	NIL	5930735277330 / LAPTOP CORE i7 11th Generation		1 / EACH/NUMBER	NIL					<p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel ® Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes GENERAL SPECIFICATION - 1. CPU Technology= Intel ® Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10.</p>	
----	-----------	-----	--	--	-----------------	-----	--	--	--	--	--	--

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
91	DGP102326	NIL	773070513890 6 / smart led 40 INCH	LCD 41 INCH SONY	1 / EACH/N UMBER	SONY/TC L/LG		JP			Carrying Bag= Yes 11. Web Cam= Yes <u>TECHNICAL SPECIFICATION - android smart led tv</u> <u>GENERAL SPECIFICATION - android smart led tv</u>	
92	DGP102504	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/N UMBER	HP Scanner 20G05A/P ro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		<u>TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297</u> <u>GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297</u>	
93	DGP102489	PCR90106745	752070528044 6 / PLOTTER PAPER SIZE: 42" (1067 MM) X 35 to 50 m, GSM 90 ± 5%		5 / ROLL	HP DESIGNJ ET T1708					<u>TECHNICAL SPECIFICATION - PLOTTER PAPER SIZE: 42" (1067 MM) X 35 TO 50 M, GSM 90 ± 5% NOTE: DETAIL SPECS ATTACHED</u> <u>GENERAL SPECIFICATION - PLOTTER PAPER SIZE: 42" (1067 MM) X 35 TO 50 M, GSM 90 ± 5% NOTE: DETAIL SPECS ATTACHED</u>	
94	DGP96871	260 GSM- +5% 22X28	589571520222 8 / MULTI COLOUR CARD SHEET SEPARATERS 260GSM 22X28	FOR PRINTING STY ITEM	2 / PACKE T			M/S STACKO COMPANY. KARACHI	LOCAL		<u>TECHNICAL SPECIFICATION - b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28"</u> <u>GENERAL SPECIFICATION - b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											28 inches e. 100 sheets per packet SEPARATERS 260 GSM+5% 22X28"	
95	DGP102 602	LP-E-17	666570520757 6 / LAPTOP CORE I5	G-3 SIMULATOR 2017 PAKISTAN	1 / EACH/N UMBER	2017	NA	M/S SOFT INOVATIVE SYSTEM 34-A/2, 1ST FLOOR,OPP LUXURY HOTEL, LALAZAR OFF. MT KHAN ROAD KARACHI TEL: +922135610429 +9221385610277	M/S SOFT INNOVAT IVE SYSTEM S		TECHNICAL SPECIFICATION - PROCESSOR = INTEL CORE I5 RAM = 4GB HARD DRIVE= 500GB BLUETOOTH = BUILT-IN OPTICAL DRIVE= BUILT-IN MODEL & BRAND= LENOVO LDEAPAD 110/COMPATIBLE LAPTOP ADAPTER= INCLUDED DISPLAY= 15.6"GENERAL SPECIFICATION - PROCESSOR = INTEL CORE I5 RAM = 4GB HARD DRIVE= 500GB BLUETOOTH = BUILT-IN OPTICAL DRIVE= BUILT-IN MODEL & BRAND= LENOVO LDEAPAD 110/COMPATIBLE LAPTOP ADAPTER= INCLUDED DISPLAY= 15.6"	
96	DGP102 502	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	4 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port BothGENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
97	DGP795 36		046150000845 1 / TARGETS PAPER GREY 26"X50"		700 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
98	DGP102 585	NO DATA AVAILABL E	005150000140 3 / Binder Medium F(NS) -101 SIZE 9X12 INCH, Board Texture,		212 / EACH/N UMBER						TECHNICAL SPECIFICATION - Size: 9 x 12 inches Hard cover binder with steel clip Quality / Thickness of straw board with rexine: 03mm Golden steel corners at the edges of the cover binders Color of rexine:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			Hard & Plyable Thickness 03 mm								Navy blue dark Best quality imported rexine with golden foil printing (Data for printing of title will be provided by PN Central Printing Press. NAVCOM: 56050 / 021-48506050) Acceptance Criteria: As per sample provided by PN Central Printing Press <u>GENERAL SPECIFICATION</u> - Size: 9 x 12 inches Hard cover binder with steel clip Quality / Thickness of straw board with rexine: 03mm Golden steel corners at the edges of the cover binders Color of rexine: Navy blue dark Best quality imported rexine with golden foil printing (Data for printing of title will be provided by PN Central Printing Press. NAVCOM: 56050 / 021-48506050) Acceptance Criteria: As per sample provided by PN Central Printing Press	
99	DGP102 510		753070500718 2 / WHITE OFFSET PAPER SIZE 50.8CMX76. 2CM GSM 62+5%,62-5%		30 / REAM						<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	
100	DGP102 507		753070501619 9 / WHITE OFFSET PAPER 20" X30" VRG 84 GSM +/-5%		10 / REAM						<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	
101	DGP102 509	NO DATA AVAILABL E	753070505960 0 / embossed IVORY CARD WHITE FOR EMBOSING 200GSM+ 5% SIZE 55.8 CM X 71CM		4 / PACKE T	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION</u> - Embossed Ivory Card 200 GSM ± 5% Size: 55.8x71 cm SIZE 55.8 CM X 71CM <u>GENERAL SPECIFICATION</u> - Embossed Ivory Card 200 GSM ± 5% Size: 55.8x71 cm SIZE 55.8 CM X 71CM	
102	DGP773 30	NO DATA AVAILABL E	04615000002 6 / BUTTER- PAPER		80 / SHEET	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
103	DGP102534		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/NUMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA eSTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA eSTUDIO	
104	DGP102511		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91.44CM		30 / REAM						TECHNICAL SPECIFICATION - GM 80 (+-) 10 gm GENERAL SPECIFICATION - GM 80 (+-) 10 gm	
105	DGP102495		753070500828 5 / PAPER WHITE OFFSET GSM 62+5% REAM OF 500 SHEETSB-02 500X707MM		40 / REAM						TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	
106	DGP102518		751070504225 6 / PLAIN PAPER (OFFSET) VRG SHEET 80 GSM ± 5% SIZE 914MMX1016MM OR 36X40	STATIONERY NA10S	3 / REAM						TECHNICAL SPECIFICATION - PLAIN PAPER(OFFSET) VRG SHEET 80 GSM ± 5% SIZE 914MMX1016MM OR 36X40 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PLAIN PAPER (OFFSET) VRG SHEET 80 GSM ±	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			INCHES,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE								5% SIZE 914MMX1016MM OR 36X40 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
107	DGP102516		7510705042257 / PLAIN PAPER (OFFSET) VRG SHEET 80 GSM SIZE 27X24 INCH		1 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
108	DGP102514	NO DATA AVAILAB LE	7510705042258 / PLAIN PAPER (OFFSET) VRG 80 GSM SIZE 12X12 INCH	STATIONERY NA10S	1 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILAB LE GENERAL SPECIFICATION - NO DATA AVAILABLE	
109	DGP102513		7510705042259 / PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	STATIONERY NA10S	3 / REAM						TECHNICAL SPECIFICATION - PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES, VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
110	DGP98025	NO DATA AVAILAB LE	0050500000066 / INK-RED-FOR-RUBBER-STAMP-PAD 28.50GM (1 OZ)(DOLLOR BRAND)		36 / BOTTLE	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILAB LE GENERAL SPECIFICATION - NO DATA AVAILABLE	
111	DGP93901	NO DATA AVAILAB LE	00505000000374 / PAPER CONTINUOUS COMPUTER 11 PART SIZE		2850 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILAB LE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			9 1/2"									
112	DNF92356	G3 PLUS	5815151717958 / ZK TECO Anti-Glare Face & Fingerprint Time attendance & Access Control Terminal"		6 / EACH/NUMBER	zkx8s/ZK Teco G3 Plus				zk teco g3 plus required	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
113	DGP102587	KATANA GF66/ GF6611617	5998795284742 / LAPTOP; Core i7, 2.4 To 4.6GHZ, 11800H 8 Core, 15.6" FHD, N1920x1080, 512GB NVME SSD,16GB RAM, DDR4, NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY)		1 / EACH/NUMBER	KATANA GF66 11UE-617					TECHNICAL SPECIFICATION - LAPTOP; CORE I7, 2.4 TO 4.6GHZ, 11800H 8 CORE, 15.6" FHD, N1920X1080, 512GB NVME SSD, 16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY) GAMING LAPTOP MSI KATANA GF66 11UE-617 CORE I7-11800H 8 CORE GENERAL SPECIFICATION - LAPTOP; CORE I7, 2.4 TO 4.6GHZ, 11800H 8 CORE, 15.6" FHD, N1920X1080, 512GB NVME SSD, 16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY) GAMING LAPTOP MSI KATANA GF66 11UE-617 CORE I7-11800H 8 CORE	
114	DGP102601	KATANA GF66/ GF6611617	5998795284742 / LAPTOP; Core i7, 2.4 To 4.6GHZ, 11800H 8 Core, 15.6" FHD, N1920x1080, 512GB NVME SSD,16GB RAM, DDR4, NVIDIA GEFORCE RTX 3060		1 / EACH/NUMBER	KATANA GF66 11UE-617					TECHNICAL SPECIFICATION - LAPTOP; CORE I7, 2.4 TO 4.6GHZ, 11800H 8 CORE, 15.6" FHD, N1920X1080, 512GB NVME SSD, 16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY) GAMING LAPTOP MSI KATANA GF66 11UE-617 CORE I7-11800H 8 CORE GENERAL SPECIFICATION - LAPTOP; CORE I7, 2.4 TO 4.6GHZ,	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY)								11800H 8 CORE, 15.6" FHD, N1920X1080, 512GB NVME SSD, 16GB RAM, DDR4, NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY) GAMING LAPTOP MSI KATANA GF66 11UE-617 CORE I7-11800H 8 CORE	
115	DGP102488	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					<p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> <p>GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
116	DGP102 597	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p>SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> <p><u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM. 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> <p><u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM. 9. OPERATING SYSTEM= MS - DOS ONLY</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											(WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
117	DGP101027	16919193710 (EXPRESS SERVICE CODE)	7435785205219 / SVAS WEB TERMINAL (LAPTOP DELL/HP C13)	SVAS SYSTEM NY-SVAS-08 CHINA	1 / SET	NY-SVAS-08	NA	DELL INC 1 DELL WAY. ROUND ROCK, TEXAS CHINA 78682. TEL 1-866-931-3355	CHINA	..	<p><u>TECHNICAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON</p> <p><u>15GENERAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15</p>	