

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 25-05-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF “PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT” (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	DNN100204	ltd/AL-0220 SH	2990505205880 / SHADE COVER, FLUORESCENT TUBE LIGHT-02X20 WATT	TUBE LIGHT PAKISTAN	10 / EACH/NUMBER	-	-	AL-MEENA MARINE ENGINEERS PLOT NO 122-C, KEMARI TOWNSHIP KRMARI KARACHI - PHONE NO 32856521,32850282 FAX. 021-32852598	PAKISTAN	TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<p><u>TECHNICAL SPECIFICATION -</u> Materials: i. Thermnoplasic (Polycarbonate)? 1. Density g/cm3 = 1.20 to 1.40 2. Heat Effect at 1000 C = No Effect 3. Chemical Effect a. NaOH-50% = No Effect b. Lube Oil = No effect c. HCL (Conct) = No effect 4. Colour = Transparent II. Foam Rubber for Sealing Purpose 1. Density g/cm3 = 0.90 to 1.00 2. Heat Effect at 1000 C = No Effect 3. Chemical Effect a. NaOH50% No Effect b. Lube Oil = No effect c. HCL (Conct) =nNo effect</p> <p><u>GENERAL SPECIFICATION -</u> Materials: i. Thermnoplasic (Polycarbonate)? 1. Density g/cm3 = 1.20 to 1.40 2. Heat Effect at 1000 C = No Effect 3. Chemical Effect a. NaOH-50% = No Effect b. Lube Oil = No effect c. HCL (Conct) = No effect 4. Colour = Transparent II. Foam Rubber for Sealing Purpose 1. Density g/cm3 = 0.90 to 1.00 2. Heat Effect at 1000 C = No Effect 3. Chemical Effect a. NaOH50% No Effect b. Lube Oil = No effect c. HCL(Conct) =nNo effect</p>	
2	DNO99143	Part No.1 (Teile No. 107)	534072525873 1 / Discharge casing		1 / EACH/NUMBER	SOB 113 W G2V. 22				TDS/BROCHER OR PIC OF ITEM MUST BE	<p><u>TECHNICAL SPECIFICATION -</u> Discharge casing anti corrosion coating mounting securing sealing marine (saltwater resistant) pump assembly /piping interface</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
										ENCLOSE D WITH QUOTATIO N.	GENERAL SPECIFICATION - Discharge casing anti corrosion coating mounting securing sealing marine (saltwater resistant) pump assembly /piping interface	
3	DNS100464	MRN-102-016	4510FT1008612 / Fixed Type Shower Set	MRN Shower Wet Unit (with Wall Model Vacuum Toilet)	8 / EACH/NUMBER	MERCAN, MRN Shower Wet Unit	0	DERI ORGANIZE SANAYI BOLGESI 7. YOL F 7 PARSEL TUZLA	MERCAN GEMICILIK SAN. VE TIC. A.S.	TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
4	DNJ100909	90794-46911	2910765231641 / FILTER ELEMENT	YAMAHA ENGINE 100HP	2 / EACH/NUMBER			YAMAHA MOTOR CO. LTD MARINE ENGINE DIVISION 2500 SHINGAI IWATA SHI IWATA SHIZUOKA KEN JAPAN	YAMAHA JAPAN	TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	TECHNICAL SPECIFICATION - 10 Micron fuel/ water separator filter, typically a spin-on canister style. Height: 2.67 Inch DIMENSION / SIZE: Width: 2.66 Inch Inner hole: 0.80 Inch GENERAL SPECIFICATION - 10 Micron fuel/ water separator filter, typically a spin-on canister style. Height: 2.67 Inch DIMENSION / SIZE: Width: 2.66 Inch Inner hole: 0.80 Inch	
5	DNF86224	APC BRAND SMC20001 / GX9-2000	6130785166752 / UPS 2KVA 2H O/P 220V 2000VA	PSS (CCTV SYS)	1 / EACH/NUMBER	APC BRAND/GX9-2000		M/s CETC Mansion, No. 5 Wulutong North Street. Xicheng Districe, Beijing, China	M/s CETC Internatio nal CO., LTD	tds/brocher or pics of item must be enclosed with quotation	TECHNICAL SPECIFICATION - OEM & SOA:M/S CETC Mansion, NO.5 Wulutong North Street. Xicheng Districe, Beijing, China . GENERAL SPECIFICATION - OEM & SOA:M/S CETC Mansion, NO.5 Wulutong North Street. Xicheng Districe, Beijing, China .	
6	SNF49302	P-0113000	7050785166789 / IPSAN HARDDISK_W D 2T	PSS	3 / EACH/NUMBER			M/s CETC Mansion, No. 5 Wulutong North Street. Xicheng Districe, Beijing, China	M/s CETC Internatio nal CO., LTD	TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	TECHNICAL SPECIFICATION - Harddisk_WD 2T GENERAL SPECIFICATION - Harddisk_WD 2T	
7	DNC98212	WBCL000636	4820745133146 / DENFOS EXPANSION VALVE TCBE1	A/C SYSTEM PNS KARRAR	2 / EACH/NUMBER	NO DATA AVAILAB LE		FR	WEBAST O MARINE COMFOR	TDS/BROCHER OR PIC OF ITEM MUST	TECHNICAL SPECIFICATION - brass /stainless steel single flow -40c to +10c tube length 750-800 mm 3/4 bar pressure 1/4 -3/8 (odf /flare)	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
									T FRANCE	BE ENCLOSE D WITH QUOTATIO N.	GENERAL SPECIFICATION - brass /stainless steel single flow -40c to +10c tube length 750-800 mm 34 bar pressure 1/4 -3/8 (odf /flare)	
8	DNJ83805	12892-93J10-283/12892-93J00-283	5365765222387 / SHIM, TAPPET (T: 2825)	SUZUKI DF300AP 300 HP OBM	12 / EACH/NUMBER	DF300AP	30002P-712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN	TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	TECHNICAL SPECIFICATION - NIL GENERAL SPECIFICATION - NIL	
9	DNN100039	050233 / 042137	4820121476223 / SAFETY VALVE COMPRESSION STAGE 4	HPAC WP5500 FRANCE	1 / EACH/NUMBER	WP5500	112267	GIRODIN SAUER FRANCE, URBAN-VALLEY-BAT C, CHEMIN DU BAS DES INDES-95240- CORMEILLES EN PARISIS (FRANCE), CONTACT +33(0)1 34 117610, www.girodin-sauer.com , info@girodin-sauer.fr	GIRODIN SAUER FRANCE	TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	TECHNICAL SPECIFICATION - Safety Valve Compression Stage 4 AS PER TPI GENERAL SPECIFICATION - Safety Valve Compression Stage 4 AS PER TPI	
10	DNJ84341	12160-98J00	2895765221704 / CONNROD ASSY	SUZUKI DF300AP 300 HP OBM	6 / EACH/NUMBER	DF300AP	30002P-712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN	TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	TECHNICAL SPECIFICATION - NIL GENERAL SPECIFICATION - NIL	
11	DNJ83794	12160-98J00	2895765221704 / CONNROD ASSY	SUZUKI DF300AP 300 HP OBM	6 / EACH/NUMBER	DF300AP	30002P-712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN	TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	TECHNICAL SPECIFICATION - NIL GENERAL SPECIFICATION - NIL	
12	DNJ83782	12933-69G10	4810765222285 / SEAT, VALVE SPRING	SUZUKI DF300AP 300 HP OBM	24 / EACH/NUMBER	DF300AP	30002P-712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN	TDS/BROCHER OR PICS OF ITEM MUST	TECHNICAL SPECIFICATION - NIL GENERAL SPECIFICATION - NIL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
										BE ENCLOSED WITH QUOTATION		
13	DNJ101230	94702-00400	5365765203358 / PLUG, SPARK (NGK LFR6A-11)	YAMAHA OBM	54 / EACH/NUMBER	NO DATA AVAILABLE	6CE-1029885, 6CF-1009814	YAMAHA MOTOR CO. LTD JAPAN	JAPAN	TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
14	DNJ100406	DT-40WL (SUZUKI)	2815765055038 / 40HP , 2STROKE PETROL OBM ENGINE COMPLETE IN ALL RESPECT ALONGWITH ACCESSORIES (SUZUKI/YAMAHA)	OBM ENGINE 40HP YAHMAH/MERCURY	1 / EACH/NUMBER	SUZUKI DT-40WL				TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<u>TECHNICAL SPECIFICATION - SUZUKI 40HP ,2STROKE PETROL OBM ENGINE COMPLETE IN ALL RESPECT ALONGWITH ACCESSORIES AS PER OEM STANDARD PACKAGE</u> <u>GENERAL SPECIFICATION - SUZUKI 40HP , 2STROKE PETROL OBM ENGINE COMPLETE IN ALL RESPECT ALONGWITH ACCESSORIES AS PER OEM STANDARD PACKAGE</u>	
15	SNG101254	FAG 6215	3110001556418 / BEARING BALL ANNULAR FAG 6215 SZ 75.00X130.00X25.00MM		2 / EACH/NUMBER					TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
16	SNF52845	FSP120-ACB	5999705246880 / 24V 5AMP DC ADAPTER		12 / EACH/NUMBER	FSP120-ACB				TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
17	SNF101253	RJ 45 Connector	5935785232786 / CAT6A STP		1000 / EACH/NUMBER	RJ45				TDS/BROCHER OR	<u>TECHNICAL SPECIFICATION - AS PER BROUCHER ENCLOSED a.</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			RJ45 CONNECTOR FOR ETHERNET CABLE		UMBER					PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	Schneider Electric/Actassi Cat-6 RJ45 connectors/China/Rs 2700/50 Pcs . b. 3M Micro link /Cat-6 RJ45 Connectors/China/Rs 1999/100 Pcs. c. Black copper/Cat-6 RJ45 connectors/China/Rs 1350/100 Pcs. GENERAL SPECIFICATION - AS PER BROUCHER ENCLOSED a. Schneider Electric/Actassi Cat-6 RJ45 connectors/China/Rs 2700/50 Pcs . b. 3M Micro link /Cat-6 RJ45 Connectors/China/Rs 1999/100 Pcs. c. Black copper/Cat-6 RJ45 connectors/China/Rs 1350/100 Pcs.	
18	DNN101257	ST2SEAUFCMEM0293	5963505314030 / Controller Module		1 / EACH/NUMBER	N/A				TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<u>TECHNICAL SPECIFICATION - -</u> <u>GENERAL SPECIFICATION - -</u>	
19	SNF102043	WP7-12 / GP-1272-F2	6135016089403 / SEALED LEAD BATTERY 12V 7.2AH (Mainyenance Free)		64 / EACH/NUMBER	CSB GP-1272-FF 7.2 AH				TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> <u>GENERAL SPECIFICATION -</u> null	
20	SCF101289		8345595715909 / FLAG PORT RECTANGULAR NO 4 FITTED SZ 5.00X3.75FT		30 / EACH/NUMBER					TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<u>TECHNICAL SPECIFICATION -</u> <u>FLAG PORT RECTANGULAR NO 4 FITTED SZ 5.00X3.75FT</u> GENERAL SPECIFICATION - FLAG PORT RECTANGULAR NO 4 FITTED SZ 5.00X3.75FT	
21	DCC101233		8415501801829 / JACKET IDENTIFICATION FOR FOST		50 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION -</u> <u>GENERAL SPECIFICATION -</u> null	the item is procured against tender sample, as

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			TEAM									per specification
22	DNF100851	MD 231/PDD16E/PDD20EH-UV	4440735139834 / DEHUMIDIFIER W/TANK 5.5 L 240V 50KHZ	DEHUMIDIFIER	2 / EACH/NUMBER	Crown MD 231/PDD16E/PDD20EHUV		OC		AMCOR INVESTMENTS SINGAPORE (REGIONAL HQS) 545 ORCHAR D ROAD # 13-02, FAR EST SHOPPING CENTER SINGAPORE 238882	TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - a. Electronic touch control panel b. Extract 20 Liters of water per day c. Water tank capacity: 5.5L d. Dehumidify capacity: 20 L/ day (30 C 80%) e. 10L/day (27 C 60 %) f. Airflow volume: 195m/h g. Refrigerant charge: r134a/90g h. 24 Hours timer setting j. Easy to carry using handle k. Auto turns off when water tank is full l. Continues drainage m. Rated voltage: 220-240 V n. Rated frequency: 50Hz p. Net weight: 14.5 Kg q. Box: 65.5 x 38.5 x 25.2 cm r. Barcode: 6291104512764 21.5KG,230V/50HZ GENERAL SPECIFICATION - a. Electronic touch control panel b. Extract 20 Liters of water per day c. Water tank capacity: 5.5L d. Dehumidify capacity: 20 L/ day (30 C 80%) e. 10L/day (27 C 60 %) f. Airflow volume: 195m/h g. Refrigerant charge: r134a/90g h. 24 Hours timer setting j. Easy to carry using handle k. Auto turns off when water tank is full l. Continues drainage m. Rated voltage: 220-240 V n. Rated frequency: 50Hz p. Net weight: 14.5 Kg q. Box: 65.5 x 38.5 x 25.2 cm r. Barcode: 6291104512764 21.5KG, 230V/50HZ
23	SNF18573	ML-1102S-A & B(2 RJ-45 PORTS)/4V1D	6030705215937 / FIBER OPTIC MEDIA CONVERTER FOR IP CAMERAS	CCTV SYSTEM 4V1D PAKISTAN	30 / PAIR	ml-1102s-a & ml-1102s-b		Al-Sa'ee business Solutions Suit 30, 3rd Floor, Crown Centre Plot SB-1, Opp Bait-ul-Mukarram Masjid, Gulshan-e-Iqbal Karachi Tel & Fax (9221)3483-7233	Al-Sa'ee/Pro Secure	tds/brocher or pic of item must be enclosed with quotation.	TECHNICAL SPECIFICATION - MODEL NUMBER: ML-1102S-A ML-1102S-B (2 RJ-45 PORTS) oem: MICROLINK Branded Fiber Optic Media Converter for IP Cameras-100mbps/ 1000mbps ? Gigabyte Transmission. GENERAL SPECIFICATION - MODEL NUMBER: ML-1102S-A ML-1102S-B (2 RJ-45 PORTS) oem: MICROLINK	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Branded Fiber Optic Media Converter for IP Cameras-100mbps/ 1000mbps ? Gigabyte Transmission.	
24	SNF16037	ML-1102S-A/ML-1102S-B (RJ-45 PORTS) /4V1D	6099785166575 / FIBER MEDIA CONVERTER FOR IP CAMERAS	CCTV SYSTEM (PSS)	30 / PAIR	ML-1102S-A RJ45/4V1D		CETC Mansion No 5 walatong north street, Xicheng District, Beijing China 100120	M/S CETC international Co.Ltd	TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION.	TECHNICAL SPECIFICATION - Optical Transceiver model number: ML-1102S-A ML-1102S-B (2 RJ-45 Ports sPEC: transceivers HAVING 100/1000 MBPS (GB) oem: MICROLINKGENERAL SPECIFICATION - Optical Transceiver model number: ML-1102S-A ML-1102S-B (2 RJ-45 Ports sPEC: transceivers HAVING 100/1000 MBPS (GB) oem: MICROLINK	
25	DNF100230	ST4000NM0053/ST4000VX000	7025785207849 / 4TB SURVEILLANCE HARD DISK-SATA FOR NVR	CCTV System ST4000VX000 CHINA	2 / EACH/NUMBER	ST4000VX000	NA	Seagate Singapore International Headquarters Pte. Ltd. 7000 Ang Mo Kio Avenue 5, Singapore 569877, 65-6485-3888	CHINA	TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION.	TECHNICAL SPECIFICATION - Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported : up to 32GENERAL SPECIFICATION - Marketing Name: Surveillance HDD Cache Multisegmented (MB): 64 Bytes per Sector : 4096 Cameras Supported : up to 32	
26	DNF100410	CW-770	5995715118130 / POWER CABLE 3 CORE FOR CCTV SYSTEM		800 / METER					TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION.	TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
27	DNF100218	CW-770	5995715118130 / POWER CABLE 3 CORE FOR CCTV SYSTEM		540 / METER					TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION.	TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
28	DNF100977	SMT30001C/SURTD3	6130715063823 / UPS 3KVA	SELF	2 / EACH/NUMBER	MODEL ESP-808					TECHNICAL SPECIFICATION - APC SMART-UPS, 2700	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		000XLI/30 00VA APC	APC/P220V O/P220V W/BATTERY BACKUP 25 MINUTES.		UMBER	(E) /SYSTEK PVT.					WATTS/3000 VA, INPUT 230V, OUTPUT 230 V, INTERFCE PORT DB-9 RS-232, USB, SMARTSLOT LINE INTERACTIVE PURE SINE WAVE WITH POWER CHUTE SOFTWARE PART NO. SUA300041 INCLUDES.CD WITH SOFTWARE, SMART UPS SIGNALLING RS-232 CABLE, USB CABLE, USER MANUAL <u>GENERAL</u> <u>SPECIFICATION</u> - APC SMART- UPS, 2700 WATTS/3000 VA, INPUT 230V, OUTPUT 230 V, INTERFCE PORT DB-9 RS-232, USB, SMARTSLOT LINE INTERACTIVE PURE SINE WAVE WITH POWER CHUTE SOFTWARE PART NO. SUA300041 INCLUDES.CD WITH SOFTWARE, SMART UPS SIGNALLING RS-232 CABLE, USB CABLE, USER MANUAL	
29	DNC100 973	HPA 014	412070524093 5 / AIR CONDITIONIN G UNIT 24VDC ROOF TOP, 14000 BTU		10 / EACH/N UMBER	HPA014				TDS/BROC HER OR PIC OF ITEM MUST BE ENCLOSE D WITH QOUTATIO N.	<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null	
30	DCW982 80		843070066368 5 / SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 10		99 / PAIR						<u>TECHNICAL SPECIFICATION</u> - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 10 <u>GENERAL SPECIFICATION</u> - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 10	ITEM REQUIRED AS PER SPECIFICA TIONS
31	DCW982 82		843070066368 3 / SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 8		100 / PAIR						<u>TECHNICAL SPECIFICATION</u> - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 8 <u>GENERAL SPECIFICATION</u> - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 8	ITEM REQUIRED AS PER SPECIFICA TIONS
32	DNF1001	nikon as-2	668071529301		2 /	NIKON				TDS/BROC	<u>TECHNICAL SPECIFICATION</u> -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
	08		6 / COMBI LASER (2-lines,2 points) automatic level		EACH/NUMBER	AS-2				HER OR PIC OF ITEM MUST BE ENCLOSE D WITH QOUTATIO N.	NIKON AS-2 AUTOMATIC LEVEL USE FOR MEASUREMENT technical spec enclosed <u>GENERAL SPECIFICATION - NIKON AS-2 AUTOMATIC LEVEL USE FOR MEASUREMENT</u> technical spec enclosed	
33	DNF100981	420-00273-01	593078534409 6 / NETWORK SWITCH opzoon		1 / EACH/NUMBER	pt-3750e-28t -s v2				TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSE D WITH QOUTATIO N.	<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
34	DCW98283		843070066348 2 / SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 7		95 / PAIR						<u>TECHNICAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 7</u> <u>GENERAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 7</u>	ITEM REQUIRED AS PER SPECIFICATIONS
35	DCW98281		843070066368 4 / SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOALE SIZE 9		100 / PAIR						<u>TECHNICAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOALE SIZE 9</u> <u>GENERAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOALE SIZE 9</u>	ITEM REQUIRED AS PER SPECIFICATIONS
36	DGP102635	M454DW.	743570516998 2 / HP LASER PRO 400 COLOR PRINTER M451NW/M454 DW		1 / EACH/NUMBER	M454DW		HEWLETT-PACKARD COMPANY DBA HP DIV INTERNATIONAL USA	USA		<u>TECHNICAL SPECIFICATION - TYPE= COLOR, PRINT TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB, RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET</u> <u>GENERAL SPECIFICATION - TYPE= COLOR, PRINT TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB,</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET	
37	DGP102 700	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p><u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
38	DGP102 722	tcl-40s6500 inch lcd	773070515254 9 / 40 inch lcd	PSS VIGIL SYSTEM	1 / EACH/NUMBER	KDL-43W800G		PK		SONY	TECHNICAL SPECIFICATION - 40 inch lcd full hd smart tv GENERAL SPECIFICATION - 40 inch lcd full hd smart tv	
39	DGP102 835	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441		HP	TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
40	DGP102 594	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441		HP	TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
41	DGP102 596	169191937 10 (EXPRESS SERVICE CODE)	743578520521 9 / SVAS WEB TERMINAL (LAPTOP DELL/HP CI3)	SVAS SYSTEM NY-SVAS-08 CHINA	2 / SET	NY- SVAS-08	NA	DELL INC 1 DELL WAY. ROUND ROCK, TEXAS CHINA 78682. TEL 1-866- 931-3355	CHINA		<p><u>TECHNICAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON</p> <p><u>15GENERAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15</p>	
42	DGP102 873	NIL	674070514070 1 / DUPLICATING MACHINE RISO-CV-1200	MACHINE	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N		<p><u>TECHNICAL SPECIFICATION - -</u> <u>GENERAL SPECIFICATION - -</u></p>	
43	DNJ1012 28	RM1100B/ RM1100A	432001570734 6 / RULE MATE AUTOMATIC BILGE PUMP 12VDC WITH ALL ACCE	OUTFITTING ITEM-RHIB	2 / EACH/N UMBER	RM1100B /RM1100 A		RULEMATE, Maxico, www. rule-industries.com	RULEMA TE, Maxico	tds/brocher must be enclosed with quotation	<p><u>TECHNICAL SPECIFICATION -</u> RULEMATE, Maxico, www.rule-industries.com Capacity: 1100GPH, with Skin fitting, One NRV, 5m flexible hose & hose clamp, 12V @ 3.4 Amp, Height: 4 1/4?, Width: 6?, Depth:3.25?, Footprint:2.75?x4.5?, Hose Size: 1 1/8?, Fuse size: 5</p> <p><u>5GENERAL SPECIFICATION -</u> RULEMATE, Maxico, www.rule-industries.com Capacity: 1100GPH, with Skin fitting, One NRV, 5m flexible hose & hose clamp, 12V @ 3.4 Amp, Height: 4 1/4?, Width: 6?, Depth:3.25?, Footprint:2.75?x4.5?, Hose Size: 1 1/8?, Fuse size:5</p>	
44	DGP102 723	4003DN	743570513863 2 / PRINTER	COMPUTER	5 / EACH/N	NO DATA AVAILAB		PK	PAKISTA N		<p><u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE		UMBER	LE					x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
45	DGP102 871	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	2 / EACH/NUMBER	NO DATA AVAILAB LE		PK		PAKISTA N	<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
46	DGP102 754	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	5 / EACH/NUMBER	NO DATA AVAILAB LE		PK		PAKISTA N	<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
47	DGP102 941	CANNON FLATBED	743571516727 9 / CANNON HI	CANNON	2 / EACH/NUMBER	FLATBED SCANNE		canon USA, Inc. one canon plaza, lake success		USA	<u>TECHNICAL SPECIFICATION -</u> OEM:canon USA, Inc. one canon	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
		SCANNER UNIT 101	SPEED FLATBED SCANNER UNIT 101		UMBER	R UNIT 101		NY11042, (www.usa.canon.com)			plaza, lake success NY11042, (www.usa.canon.com). GENERAL SPECIFICATION - OEM:canon USA, Inc. one canon plaza, lake success NY11042, (www.usa.canon.com).	
48	DGP102 756	CANNON FLATBED SCANNER UNIT 101	743571516727 9 / CANNON HI SPEED FLATBED SCANNER UNIT 101	CANNON	2 / EACH/NUMBER	FLATBED SCANNER UNIT 101		canon USA, Inc. one canon plaza, lake success NY11042, (www.usa.canon.com)	USA		TECHNICAL SPECIFICATION - OEM:canon USA, Inc. one canon plaza, lake success NY11042, (www.usa.canon.com). GENERAL SPECIFICATION - OEM:canon USA, Inc. one canon plaza, lake success NY11042, (www.usa.canon.com).	
49	DGP102 755	E2722H/M 27FW	743570521488 5 / LCD MONITOR 27 inch	Instructor Console	1 / EACH/NUMBER	E2417H (24") /e2722h/F 22P MCR Simulator	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	DELL		TECHNICAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA & 2 HDMI WEIGHT -3.68 KGS (UNPACKED) GENERAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA & 2 HDMI WEIGHT -3.68 KGS (UNPACKED)	
50	DGP102 872	NIL	743570513751 3 / MULTIMEDIA PROJECTOR PANASONIC PT-LB80U/EA	PRINTER	1 / EACH/NUMBER	NO DATA AVAILAB LE		PK	PAKISTAN		TECHNICAL SPECIFICATION - PATTERNIZED VIDE:OM/4906/231 DT:24-03-09 AUTHORITY LETTER: ST-S/3137/1V/C/9046 DT:05-03-09 GENERAL SPECIFICATION - PATTERNIZED VIDE:OM/4906/231 DT:24-03-09 AUTHORITY LETTER: ST-S/3137/1V/C/9046 DT:05-03-09	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
51	DGP102 665		00515000136 8 / FORM APPLICATION CADET ENTRY F(RG)-4		13000 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
52	DGP102 607	BOOK OF 400 PAGES	005150510416 8 / BINDING GATHERING NUMBERING GUMING CUTTING PADING OF F (MD)67		100 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
53	DGP102 661		005150000065 0 / FORM F (NS)34 GATE PASS		1209 / BOOK						TECHNICAL SPECIFICATION - SIZE: LENGTH: 5.7 INCH WIDTH: 08 INCH WEIGHT: 65 GSM + 5% PAPER COLOUR: WHITE PRINTING INK: BLACK PRINTING: BOOK OF 150 PAAGES PRINTED ON ONE SIDE (50 SET OF 3 PAGES) PACKING: 40 BOOKS PER BOX GENERAL SPECIFICATION - SIZE: LENGTH: 5.7 INCH WIDTH: 08 INCH WEIGHT: 65 GSM + 5% PAPER COLOUR: WHITE PRINTING INK: BLACK PRINTING: BOOK OF 150 PAAGES PRINTED ON ONE SIDE (50 SET OF 3 PAGES) PACKING: 40 BOOKS PER BOX	
54	DGP102 836		361070511791 2 / SHREDDING MACHINE (HEAVY DUTY)	SHREDDER MACHINE	1 / EACH/N UMBER	ST- 12C/ST- 12CD					TECHNICAL SPECIFICATION - ST- 12C/ST-12CD GENERAL SPECIFICATION - ST-12C/ST-12CD	
55	DGP102 623		361070500569 7 / CARD ALABASTER GSM 290 +-5% SIZE 22X28 PKT 100 SHEETS		2 / PACKE T						TECHNICAL SPECIFICATION - weight of alabaster card: (290 +_ 5%) size: (22" x 28") each packet contains 100 sheets as per sample provided by pncpp card will accepted after test printing GENERAL SPECIFICATION - weight of alabaster card: (290 +_ 5%) size: (22" x 28") each packet contains 100 sheets as per sample provided by pncpp card	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											will accepted after test printing	
56	DGP102 600		753070500718 2 / WHITE OFFSET PAPER SIZE 50.8CMX76. 2CM GSM 62+5%,62-5%		10 / REAM						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
57	DGP102 659		753070505460 1 / FORM F (CP)-37 ATTENDANCE CARD (NEW)	STATIONARY	80970 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - SIZE: LENGTH: 8.5 INCH WIDTH: 3.5 INCH WEIGHT: 240 GSM ± 5% CARD COLOUR: WHITE PRINTING INK: BLUE INK ON FRONT SIDE AND RED INK ON BACK SIDE PACKING: 1000 CARD IN EACH BOX</u> <u>GENERAL SPECIFICATION - SIZE: LENGTH: 8.5 INCH WIDTH: 3.5 INCH WEIGHT: 240 GSM ± 5% CARD COLOUR: WHITE PRINTING INK: BLUE INK ON FRONT SIDE AND RED INK ON BACK SIDE PACKING: 1000 CARD IN EACH BOX</u>	
58	DGP102 664		005150000073 8 / FORM F (PA)1 CASH BOOK.		692 / BOOK						<u>TECHNICAL SPECIFICATION - SIZE: LENGTH: 16 INCH WIDTH: 11.75 INCH WEIGHT: 65 GSM ± 5% PAPER COLOUR: WHITE PRINTING INK: BLACK PAINTING: 100 PAGES OF BOOK, PRINTED ON BOTH SIDES. PACKING: 100 BOOKS PER COTTON</u> <u>GENERAL SPECIFICATION - SIZE: LENGTH: 16 INCH WIDTH: 11.75 INCH WEIGHT: 65 GSM ± 5% PAPER COLOUR: WHITE PRINTING INK: BLACK PAINTING: 100 PAGES OF BOOK, PRINTED ON BOTH SIDES. PACKING: 100 BOOKS PER COTTON</u>	
59	DGP102 565		743570512703 1 / RACK 6U ALONGWITH ACCESSORIE S AND	STANDALONG COMPONENT ROUTER CISCO 3825	1 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - make/brand: generic country of origin: local/china</u> <u>GENERAL SPECIFICATION - make/brand: generic country of origin: local/china</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			INSTALLATION									
60	DGP102 660		00515000072 7 / FORM F (OP)4 SHIP LOG BOOK		625 / BOOK						<p><u>TECHNICAL SPECIFICATION -</u> SIZE: LENGTH OF LONG PAGE: 14 INCH WIDTH OF LONG PAGE: 9.75 INCH WEIGHT: 80 gsm ± 5% LENGTH OF SHORT PAGE: 14 INCH WIDTH OF SHORT PAGE: 5 INCH WEIGHT: 65 GSM ± 5% 33 LONG SHEETS WITH LX14" WX9. 75" (02 SMALL PAGES PRINTED ON BOTH SIDES ATTACHED WITH 01 LONG SHEET). COVER OF BOOK: YELLOW IN COLOUR AND PRINTED WITH BLACK INK. LENGTH OF COVER: 14 INCH WIDTH OF COVER: 9.75 INCH WEIGHT: 150 GSM + 5% PACKING: BOOK FORM (50 BOOKS PER CARTON/BOX) <u>GENERAL</u> <u>SPECIFICATION -</u> SIZE: LENGTH OF LONG PAGE: 14 INCH WIDTH OF LONG PAGE: 9.75 INCH WEIGHT: 80 gsm ± 5% LENGTH OF SHORT PAGE: 14 INCH WIDTH OF SHORT PAGE: 5 INCH WEIGHT: 65 GSM ± 5% 33 LONG SHEETS WITH LX14" WX9.75" (02 SMALL PAGES PRINTED ON BOTH SIDES ATTACHED WITH 01 LONG SHEET). COVER OF BOOK: YELLOW IN COLOUR AND PRINTED WITH BLACK INK. LENGTH OF COVER: 14 INCH WIDTH OF COVER: 9.75 INCH WEIGHT: 150 GSM + 5% PACKING: BOOK FORM (50 BOOKS PER CARTON/BOX)</p>	
61	DGP102 610		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91. 44CM		35 / REAM						<p><u>TECHNICAL SPECIFICATION -</u> GM 80 (+-) 10 gm <u>GENERAL</u> <u>SPECIFICATION -</u> GM 80 (+-) 10 gm</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
62	DGP102 614		753070500717 2 / PAPER WHITE PRINTING GSM 56+5% REAM OF500SHEET5 00X707MM,B- 02		5 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
63	DGP102 616		751070504923 0 / PAPER OFFSET GSM80 ± 5 % SIZE 30X40 INCHES ,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE		1 / REAM						TECHNICAL SPECIFICATION - PAPER OFFSET GSM80 ± 5 % SIZE 30X40 INCHES ,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PAPER OFFSET GSM80 ± 5 % SIZE 30X40 INCHES , VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
64	DGP102 603		751070504923 1 / PAPER OFFSET 80 GSM± 5 % SIZE 20X36 INCHES ,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE		4 / REAM						TECHNICAL SPECIFICATION - PAPER OFFSET 80 GSM± 5 % SIZE 20X36 INCHES ,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PAPER OFFSET 80 GSM± 5 % SIZE 20X36 INCHES , VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
65	DGP102 650		743571505490 5 / HP SCAN JET SCANNER A4 SIZE	SCANNING MACHINE	3 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
66	DGP102 837	C5F92- 90981	674078524037 8 / HP LASERJET PRO M402DN/M404 DN Printer		2 / EACH/N UMBER	HP LASERJE T PRO M402DN					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
67	DGP102 752	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.</p>	
68	DGP102 874	CORE I5	702570524609		3 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			1 / PERSONAL COMPUTER (CORE: I5)								<p>CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
69	DGP102 720	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					<p>WITHOUT WIFI & BLUETOOTH IS REQUIRED.</p> <p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
70	DGP102564		773070516072 2 / LED TV 65 INCH	TV 60"	1 / EACH/NUMBER			M/S AB ELECTRONICS-SHOP NO 1 CLIFTON VIEW APARTMENT NEAR III TALWAR KARACHI.	M/S AB ELECTRONICS/SAMSUNG		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
71	DGP98300	LP-E-17	666570520757 6 / LAPTOP CORE I5	G-3 SIMULATOR 2017 PAKISTAN	1 / EACH/NUMBER	2017	NA	M/S SOFT INOVATIVE SYSTEM 34-A/2, 1ST FLOOR,OPP LUXURY HOTEL, LALAZAR OFF. MT KHAN ROAD KARACHI TEL: +922135610429 +9221385610277	M/S SOFT INNOVATIVE SYSTEMS		TECHNICAL SPECIFICATION - PROCESSOR = INTEL CORE i5 RAM = 4GB HARD DRIVE= 500GB BLUETOOTH = BUILT-IN OPTICAL DRIVE= BUILT-IN MODEL & BRAND= LENOVO LDEAPAD 110/COMPATIBLE LAPTOP ADAPTER= INCLUDED DISPLAY= 15.6" GENERAL SPECIFICATION - PROCESSOR = INTEL CORE i5 RAM = 4GB HARD DRIVE= 500GB BLUETOOTH = BUILT-IN OPTICAL DRIVE= BUILT-IN MODEL & BRAND= LENOVO LDEAPAD 110/COMPATIBLE LAPTOP ADAPTER= INCLUDED DISPLAY= 15.6"	
72	DGP95490	0	361070500570 0 / PULP BOARD GREEN GSM 210+-5% FORIMPORTE D A-01 594X841MMG SM240		5 / PACKET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
73	DGP98005	NO DATA AVAILAB LE	046250000002 5 / PAPER WRAPPING KRAFT BROWN SIZE: 30X45X0.005		516 / SHEET		NO DATA AVAILAB LE				TECHNICAL SPECIFICATION - SIZE: LENGTH: 30 INCH WIDTH: 45 INCH THICKNESS: 0.005 INCH WEIGHT: 65 GSM + 5% PACKING: 1000 SHEET IN BOX GENERAL SPECIFICATION - SIZE: LENGTH: 30 INCH WIDTH: 45 INCH THICKNESS: 0.005 INCH WEIGHT: 65 GSM + 5% PACKING: 1000 SHEET IN BOX	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
74	DGP880 29		751070506841 5 / FILE COVER FIBER WITH STEEL CLIP	FOR STATIONERY.	85 / EACH/N UMBER						<p>TECHNICAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets</p> <p>GENERAL SPECIFICATION - a. Item Description: Fiber / PVC A4 box file with ring lever b. Material: Fiber / PVC c. File Thickness: 2.0 mm d. Spindle Width: 78 33 e. Type: Lever Arch File f. Lever height: 2 inch g. Dimensions: 320 x 288 x 78 mm h. Weight: 532 +- 50 grams i. Color: Black / Blue j. Capacity: 500 sheets</p>	
75	DGP859 42	NO DATA AVAILABL E	005050000016 2 / REGISTER RULED WHITE 04-QR		766 / EACH/N UMBER	NO DATA AVAILAB LE					<p>TECHNICAL SPECIFICATION - GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5± 0.5MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. <u>GENERAL SPECIFICATION</u> - GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5± 0.5 MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.</p>	
76	DGP96540	NO DATA AVAILAB LE	005050000021 6 / PAPER PRINTING COMPUTER WHITE 9X12		41250 / SHEET	NO DATA AVAILAB LE					<p><u>TECHNICAL SPECIFICATION</u> - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX <u>GENERAL SPECIFICATION</u> - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX</p>	
77	DGP97241	NO DATA AVAILAB LE	005050000021 6 / PAPER		41250 / SHEET	NO DATA AVAILAB LE					<p><u>TECHNICAL SPECIFICATION</u> - SIZE: LENGTH: 12 INCH WIDTH: 9</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
		E	PRINTING COMPUTER WHITE 9X12			LE					INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX	
78	SCF102101		834559004062 1 / FLAG PANNENT NUMERAL FOUR NO 4 FTD SZ 9.16 X3.16FT		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG PANNENT NUMERAL FOUR NO 4 FTD SZ 9.16X3.16FT GENERAL SPECIFICATION - FLAG PANNENT NUMERAL FOUR NO 4 FTD SZ 9.16X3.16FT	
79	DCC102087		840570326640 4 / DRESS NO 3 WHITE HALF SLEEVES SIZE 4 WAIST 34" COLLAR 16"		160 / EACH/NUMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 4 WAIST 34" COLLAR 16" GENERAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 4 WAIST 34" COLLAR 16"	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
80	SCF102593		834570509236 3 / COMAUXMIN FLAG 6BD		25 / EACH/NUMBER						TECHNICAL SPECIFICATION - COMAUXMIN FLAG 6BD GENERAL SPECIFICATION - COMAUXMIN FLAG 6BD	
81	SCF102524		834559004051 1 / FLAG PENNANT NUMERAL EIGHT NO 4 FTD SZ 9.16 X3.16FT		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG PENNANT NUMERAL EIGHT NO 4 FTD SZ 9.16X3.16FT GENERAL SPECIFICATION - FLAG PENNANT NUMERAL EIGHT NO 4 FTD SZ 9.16X3.16FT	
82	SCF102102		834559004044 1 / FLAG PENNANT NUMERAL TWO NO 4 FITTED SZ 9.16X3.16FT		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG PENNANT NUMERAL TWO NO 4 FITTED SZ 9.16X3.16FT GENERAL SPECIFICATION - FLAG PENNANT NUMERAL TWO NO 4 FITTED SZ 9.16X3.16FT	
83	SCF102522		834559004066 1 / FLAG PANNENT NUMERAL		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG PANNENT NUMERAL SEVEN NO 4 FTD SZ 9.16X3.16FT GENERAL SPECIFICATION - FLAG	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SEVEN NO 4 FTD SZ 9.16 X3.16FT								PANNENT NUMERAL SEVEN NO 4 FTD SZ 9.16X3.16FT	
84	SCF1021 03		834559004049 1 / FLAG PENNANT NUMERAL THREE NO 4 FTD SZ 9.16 X3.16FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG PENNANT NUMERAL THREE NO 4 FTD SZ 9.16X3.16FT GENERAL SPECIFICATION - FLAG PENNANT NUMERAL THREE NO 4 FTD SZ 9.16X3.16FT	
85	DCD102 642		845550130043 7 / PAK MARINE INSIGNIA CPOs / SAILORS		400 / EACH/N UMBER						TECHNICAL SPECIFICATION - PAK MARINE INSIGNIA CPOs / SAILORS GENERAL SPECIFICATION - PAK MARINE INSIGNIA CPOs / SAILORS	item required as per tender sampe
86	DCC102 085		840570326640 3 / DRESS NO 3 WHITE HALF SLEEVES SIZE 3 WAIST 32" COLLAR 15.5"		160 / EACH/N UMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 3 WAIST 32" COLLAR 15.5" GENERAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 3 WAIST 32"COLLAR 15.5"	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
87	DCD102 738		845550160075 1 / SSG(N) INSIGNIA FOR OFFICER AND CPO/SAILORS GOLD PLATED		220 / EACH/N UMBER						TECHNICAL SPECIFICATION - Material Description Yellow Brass Material Grade Cz 107 (BSI No) C26800 (UNS No) Material Composition - Insignia and Miniature Brass Copper 65 ± 5% 5. b. Zinc 35 ± 5% The complete insignias shall be Gold Plated and finally Lacquered with two coats of air drying lacquer to protect the finish from tarnish. GENERAL SPECIFICATION - Material Description Yellow Brass Material Grade Cz 107 (BSI No) C26800 (UNS No) Material Composition - Insignia and Miniature Brass Copper 65 ± 5% 5. b. Zinc 35 ± 5% The complete insignias shall be Gold Plated and finally Lacquered with two coats of air drying lacquer to protect the finish from tarnish.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
88	DGP98440	2KE231150	7025715332853 / HARD DRIVE DELL 8TB SATA 7.2K 6GBPS 3.5"		1 / EACH/NUMBER	ULTRASTAR DC HC320					TECHNICAL SPECIFICATION - HDD DELL EMC 8TB SATA 7.2K 6 GBPS 3.5" 512E FORM FACTOR: 3.5" RPM: 7.2K SECTOR FORMAT: 512E CAPACITY: 8TB INTERFACE: SATA COMPANY: DELL GENERAL SPECIFICATION - HDD DELL EMC 8TB SATA 7.2K 6 GBPS 3.5" 512E FORM FACTOR: 3.5" RPM: 7.2K SECTOR FORMAT: 512E CAPACITY: 8TB INTERFACE: SATA COMPANY: DELL	
89	DCC101706		8405703389306 / MTD DRESS GREY 80/20 PLOYESTER VISCOSE WAIST-34 COLLAR-15.5		180 / EACH/NUMBER						TECHNICAL SPECIFICATION - MTD DRESS GREY 80/20 POLYESTER VISCOSE WAIST-34 COLLAR-15.5 GENERAL SPECIFICATION - MTD DRESS GREY 80/20 POLYESTER VISCOSE WAIST-34 COLLAR-15.5	the item is procured against tender sample.
90	DCC102030		8405500692580 / OVERALL BLUE PANTONE COLOUE SHADE 19-3920 TC 100% COTTON SIZE-III		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUE SHADE 19-3920 TC 100% COTTON SIZE-III GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUE SHADE 19-3920 TC 100% COTTON SIZE-III	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION
91	SCF102605		8345500000031 / FLAG JACK 3 BD FITTED SZ3.375X2.25FT		40 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG JACK 3 BD FITTED SZ3.375X2.25FT GENERAL SPECIFICATION - FLAG JACK 3 BD FITTED SZ3.375X2.25FT	
92	DCC102029		8405500692579 / OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-II		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-II GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-II	the item is procured against tender sample, as per specification
93	DCC102089		8405703266406 / DRESS NO		160 / EACH/NUMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF	THE ITEM IS

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			3 WHITE HALF SLEEVES SIZE 6 WAIST 38" COLLAR 16.5"		UMBER						SLEEVES SIZE 6 WAIST 38" COLLAR 16.5" GENERAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 6 WAIST 38" COLLAR 16.5"	PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
94	SCF102590		8345505072757 / FLAG PSO COMMODORE NHQ 4-BD		25 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG PSO COMMODORE NHQ 4-BD GENERAL SPECIFICATION - FLAG PSO COMMODORE NHQ 4-BD	
95	SCF102105		8345590040571 / FLAG PENNANT NUMERAL ONE NO 4 FITTED SZ 9.16X3.16X1.25FT		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG PENNANT NUMERAL ONE NO 4 FITTED SZ 9.16X3.16X1.25FT GENERAL SPECIFICATION - FLAG PENNANT NUMERAL ONE NO 4 FITTED SZ 9.16X3.16X1.25FT	
96	SCF102591		8345505072758 / FLAG PSO COMMODORE NHQ 6-BD		25 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG PSO COMMODORE NHQ 6-BD GENERAL SPECIFICATION - FLAG PSO COMMODORE NHQ 6-BD	
97	DCC102034		8405500692582 / OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-V		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-V GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-V	the item is procured against tender sample, as per specification.
98	SCF102521		8345590040521 / FLAG PANNENT NUMERAL SIX NO 4 FITTED SZ 9.16X3.16FT		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG PANNENT NUMERAL SIX NO 4 FITTED SZ 9.16X3.16FT GENERAL SPECIFICATION - FLAG PANNENT NUMERAL SIX NO 4 FITTED SZ 9.16X3.16FT	
99	SCF102592		8345705092362 / COMAUXMIN FLAG 4BD		25 / EACH/NUMBER						TECHNICAL SPECIFICATION - COMAUXMIN FLAG 4BD GENERAL SPECIFICATION - COMAUXMIN FLAG 4BD	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
100	DCC102093		840570326640 8 / DRESS NO 3 WHITE HALF SLEEVES SIZE 8 WAIST 42" COLLAR 17"		160 / EACH/N UMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 8 WAIST 42" COLLAR 17" GENERAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 8 WAIST 42"COLLAR 17"	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
101	DCC102098		840570326641 2 / DRESS NO 3 WHITE HALF SLEEVES SIZE 12 WAIST 50" COLLAR 18.5"		160 / PAIR						TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.
102	SCF102525		834559004055 1 / FLAG PENNANT NUMERAL NINE NO 4 FTD SZ 9.16 X3.16X0.41FT		30 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG PENNANT NUMERAL NINE NO 4 FTD SZ 9.16X3.16X0.41FT GENERAL SPECIFICATION - FLAG PENNANT NUMERAL NINE NO 4 FTD SZ 9.16X3.16X0.41FT	
103	DCC102033		840550069258 1 / OVERALL BLUE PANTONE COLOUR SHADE 19- 3920 TC 100% COTTON SIZE- IV		120 / EACH/N UMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-IV GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19- 3920 TC 100% COTTON SIZE-IV	the item is procured against tender sample, as per specificator
104	DCC101709		840570338930 8 / MTD DRESS GREY 80/20 PLOYESTER VISCOSE WAIST-38 COLLAR-16.5		180 / EACH/N UMBER						TECHNICAL SPECIFICATION - MTD DRESS GREY 80/20 POLYSETER VISCOSE WAIST-38 COLLAR-16.5 GENERAL SPECIFICATION - MTD DRESS GREY 80/20 POLYSETER VISCOSE WAIST-38 COLLAR-16.5	the item is procured against tender sample.
105	DCC102083		840570326640 1 / DRESS NO 3 WHITE HALF		160 / EACH/N UMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE I WAIST 28"	THE ITEM IS PROCURE

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SLEEVES SIZE 1 WAIST 28" COLLAR 14.5"								COLLAR 14.5" <u>GENERAL SPECIFICATION</u> - DRESS NO 3 WHITE HALF SLEEVES SIZE 1 WAIST 28"COLLAR 14.5"	D AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
106	DCC102088		840570326640 5 / DRESS NO 3 WHITE HALF SLEEVES SIZE 5 WAIST 36" COLLAR 16"		160 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - DRESS NO 3 WHITE HALF SLEEVES SIZE 5 WAIST 36" COLLAR 16" <u>GENERAL SPECIFICATION</u> - DRESS NO 3 WHITE HALF SLEEVES SIZE 5 WAIST 36"COLLAR 16"	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
107	SCF102519		834559004058 1 / FLAG PANNENT NUMERAL FIVE NO 4 FITTED SZ 9.16X3.16FT		30 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - FLAG PANNENT NUMERAL FIVE NO 4 FITTED SZ 9.16X3.16FT <u>GENERAL SPECIFICATION</u> - FLAG PANNENT NUMERAL FIVE NO 4 FITTED SZ 9.16X3.16FT	
108	DCC102091		840570326640 7 / DRESS NO 3 WHITE HALF SLEEVES SIZE 7 WAIST 40" COLLAR 16.5"		160 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - DRESS NO 3 WHITE HALF SLEEVES SIZE 7 WAIST 40" COLLAR 16.5" <u>GENERAL SPECIFICATION</u> - DRESS NO 3 WHITE HALF SLEEVES SIZE 7 WAIST 40"COLLAR 16.5"	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
109	DCC101710		840570339258 9 / MTD DRESS GREY 80/20 PLOYESTER VISCOSE WAIST-42 COLLAR-17.5		180 / PAIR						<u>TECHNICAL SPECIFICATION</u> - MTD DRESS GREY WAIST 42 COLLAR 17.5 <u>GENERAL SPECIFICATION</u> - MTD DRESS GREY WAIST 42 COLLAR 17.5	the item is procured against tender sample.
110	DCC101708		840570338930 7 / MTD DRESS GREY 80/20 PLOYESTER VISCOSE		180 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION</u> - MTD DRESS GREY 80/20 POLYSETER VISCOSE WAIST-36 COLLAR-16 <u>GENERAL SPECIFICATION</u> - MTD DRESS GREY 80/20 POLYSETER VISCOSE	the item is procured against tender sample.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			WAIST-36 COLLAR-16								WAIST-36 COLLAR-16	
111	DCC102 084		840570326640 2 / DRESS NO 3 WHITE HALF SLEEVES SIZE 2 WAIST 30" COLLAR 15"		160 / EACH/N UMBER						TECHNICAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 2 WAIST 30" COLLAR 15" GENERAL SPECIFICATION - DRESS NO 3 WHITE HALF SLEEVES SIZE 2 WAIST 30"COLLAR 15"	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE, AS PER SPECIFICA TION.