



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

1	OF	*
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
1	<u>Single Bay (North Zone)</u>	<u>PSO House</u>				
1.01	<u>Oil Change Canopy (Single Bay)</u> Transportation and installation of Single Bay (16ft x 16ft x 12ft) Quick Oil Change Canopy as per drawings and below mention specification in North Zone of PSO Transportation and installation of Sitting area: Customer sitting area of size 9ft x 4ft as per drawings # QOCC-01 <(>&<)> QOCC-02 for single-bay oil change canopy. Construction of Foundation: Foundation to be done as per drawing Foundation (2' x 2' x 2' Depth) Description of Work Excavation in normal soil for foundation including dressing and disposal. PCC (1:4:8) under foundation. RCC Foundation (1:2:4) including mixing, pouring & vibration. Reinforcement steel (approx.) including cutting, bending & binding. Shuttering / formwork for foundation. Anchor bolts / base plate fixing (if required) Backfilling with excavated soil including compaction ----- Installation of Signage: Installation of 3D fascia Signage "auto care" as per approved design and artwork lighted with LED module. The job includes all electrical connections required for lighting the logo.		<u>EA</u>	6		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

2	OF	*
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>Installation of Miscellaneous Signage:</p> <p>Poster frame: White square metal frame (3/4" x 3/4") for Printed poster or picture isolated on a white background with 12mm foam board sheet</p> <p>Canopy Right Hand Side Wall: Size 42inch x 32inch x 2 no with round corner as per design</p> <p>Waiting Area Side Wall: Size 30inch x 36inch x 1 no with edge corners as per design.</p> <p>-----</p> <p>Installation of Electrical Works:</p> <p>Installation, testing and commissioning of following items including all materials, labor, tools and accessories, complete in all respects ready to operate.</p> <p>Job includes all wiring to be done in PVC conduit of specified/appropriate size concealed in wall/column/ceiling. Contractor to submit samples of conduits, fittings, junction boxes, switches sockets for approval.</p> <p>Installation of Earthing:</p> <p>20 mm diameter 99% copper earthing electrode (10 ft. Length) directly driven in ground including earthing leads up to earth connecting point/ DB and inspection chamber. To be done as per drawing and instruction of Engineer including earthing leads upto earth connection point/DB.</p> <p>-----</p> <p>Installation of LED Panel: (7 Panels each canopy)</p> <p>LED light panel in ceiling of canopy as per following specifications:</p> <p>Class Ingress Rating: IP 30 or above</p> <p>LED panel size : 600mm x 600mm</p> <p>Operating temperature: -10 deg. C to + 50 deg. C</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

3	OF	*
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>Color: 6500K or above (White)</p> <p>Total Lumens : 3240 Lumens or above / 36W</p> <p>Accessories: Ceiling-Mounting accessories along with wiring.</p> <p>Operating Voltage: 12 V DC</p> <p>Life Span: 45000 hours or greater</p> <p>Approvals/Certifications: CE or UL/IEC or equivalent.</p> <p>The job includes all electrical connections and wiring.</p> <p>-----</p> <p>Installation of Steel door for Store Room:</p> <ul style="list-style-type: none"> - Steel door for Store Room as per drawing # QOCC-16 for single-bay oil change canopy. - Mechanical cleaning of steel structure and application of Red Lead Primer to DFT of 50 microns and finish coat of enamel paint to DFT of 50 microns in Blue colour. <p>-----</p> <p>Floor Tiles:</p> <p>Providing and fixing Porcelain Floor Tiles on Store Room and Waiting Area for single-bay oil change canopy.</p> <p>Size of tiles: (16inch x 16inch) or (24inch x 24inch) or as per advise of PSO engineer.</p> <p>Job includes 1:4 concrete upto 2inch for tiles installation</p> <p>Contractor will submit sample of tile for PSO approval prior to start of work.</p> <p>-----</p> <p>Epoxy Flooring on bay area</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

4	OF	*
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY %** Rs. _____ **PO/DD NO.** _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>Supply and applying of industrial grade (6mm) epoxy on floor as per approved specs on the floor of Oil Change including inspection pit. Surface preparation: surface to be free from any dust, crack, moisture etc. Applying of solid epoxy primer, base coat and finish coat in approved colour/shade as per satisfaction of PSO Engineer.</p> <p>-----</p> <p>Glass Wall Mounts: installation of Glass Wall mount as per reference image.</p> <p>Base: 5mm acrylic with UV 5 color printing Front: 8mm glass Fitting: with SS spacers</p> <p>-----</p> <p>Installation of U-Shape Pipe: Safety U-shape Pipe made with heavy-duty steel pipe, mounting in-ground or surface-mounted, designed to provide robust protection against vehicle collisions. Material: Constructed with robust materials like carbon steel or hot-dipped galvanized steel to resist corrosion and impact. Finish: With a high-visibility, safety yellow powder-coated finish <(>,<)> Pipe Diameter: 165mm for heavy duty Wall Thickness: Schedule 40 Height (Above Ground): 700mm Or 27inch Length/Width: 1000mm or 39inch.</p> <p>-----</p> <p>Installation of Ceiling Fans:</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

5	OF	*
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
1.02	<p>-----</p> <p>Installation of Brochure stand (3 to be installed in each canopy) placement of Brochure Stand as per reference image Structure: 3mm Acrylic base black front 3mm transparent pockets Size: 15" x 10"</p> <p>-----</p> <p>Installation of Bracket fan (3 to be provided with each canopy)</p> <p>Inspection Pit (Oil Change)</p> <p>Construction of Inspection Pit:</p> <p>Construction of Inspection Pit as per drawing complete in all respect and as directed by Engineer Incharge.</p> <p>This job includes the following scope but not limited to following</p> <p>a. Construction of foundation for Shutter / Railing in lean concrete, 2000 psi cylinder strength, 1:3:6 ratio, Construction of PCC Floor (1:2:4)</p> <p>b. Construction of Steel plates for trolley (Outer), complete in all respects.</p> <p>c. Construction of Angle 1.5"x1.5"x3/16" for trolley (Bottom), complete in all respects.</p> <p>d. Supply and placement of Angle 1.5x1.5x3/16" for trolley covers, complete in all respects.</p> <p>e. Supply and Installation of Drain Lube Oil Trolley, complete in all respects</p> <p>f. Installation of MS Plates for ladder steps, (corrugated / antiskid finish or wire gauze patterned stairs), grey color, with yellow painted front edges</p> <p>g. Installation of high-quality non-skid Floor tiles at the base of pit, as per approved sample. White tile 12 x 12</p> <p>h. Providing & Installation of high quality glazed tiles on side walls</p>		JOB	6		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

6	OF	*
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY %** Rs. _____ **PO/DD NO.** _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
2	<p>of pit, as per approved sample. White tile 12 x 12</p> <p>i. Providing & Installation of pit cover with 12 swg sheet, powder coated, complete in all respects.</p> <p>j. Providing & Installation of pit Cover with meshed grating, powder coated, complete in all respects.</p> <p>k. Providing & Installation of Tube light, complete fixture, along with transparent acrylic cover in front of recessed brick enclosure.</p> <p>l. Installation of Guard Rail, pipe dia 2", placed around the pit, painted, fixed, complete in all respects.</p> <p>m. Supply and installation of heavy duty tyre stopper.</p> <p>Quick Oil Change Canopy</p> <p>Supply and Fabrication of Single Bay (16ft x 16ft x 12ft)</p> <p>Quick Oil Change Canopy as per drawings and below mention specification in North Zone</p> <p>Oil Change Canopy (Single Bay)</p> <p>Providing/Fabrication of Fiber Glass Oil Change Canopy with all required mechanical, electrical and signage/graphics works complete in all respect.</p> <p>Size: 16ft x 16ft x 12ft approx. as per set of drawings attached</p> <p>Composition / Material:</p> <ul style="list-style-type: none"> - Steel / MS Structure as per approved design - Fiber Glass Canopy, Wall, Roof Framing. - Signage/Graphics works of Acrylic / Vinyl / Flexible Substrate - LED Lights / Module -Electrical Accessories -Tempered Glass 8mm / 12mm -Floor Tiles <p>Colors:</p> <p>Following color references will be used for canopy fabrication:</p> <p>White Color Pantone # 11-0601 TPX RAL 9010</p> <p>Blue Color Pantone # 2748 RAL 5026</p> <p>Yellow Color Pantone # 109C,</p>	PSO House	EA	6		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

7	OF	*
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY % PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>Green Color Pantone # 355 CVC</p> <p>Fiber Glass Structure:</p> <p>Lube display Cabinet, Wall and Roof framing with fiberglass material; using unsaturated polyester GP (general-purpose resin), gel coat, cobalt. MEKP (Methyl Ethyl Ketone Peroxide) hardener and color pigments on all exposed sides, which shall be smooth finished.</p> <p>All Fiber Glass structures are required in Gel coat finish, having pigmented colour and all fiber glass panels are required to be casted in moulds.</p> <p>Fiberglass Roof shall be of Plain sheet with 6mm thickness with combination of Chopped Glass Fiber 450 gm/sqm (Commonly known as CSM or Chopped Strand Mat) and Woven Roving (WR) 600 gm/sqm.</p> <p>Thickness of Fiberglass in walls is 4 mm thick. Thickness of Fiberglass in False Ceiling is 3 mm thick.</p> <p>Polystyrene sheet with 32kg/cum density cut to accurate size for fixing between two panels of walls.</p> <p>Fiber Glass structure are required in Gel coat pigmented finish</p> <p>Note: Fibreglass panels shall be installed as sandwich panels or applied on both sides of the steel structure</p> <p>Steel Structure:</p> <p>Fabrication of Steel structure as per approved standards and set of drawings and specs including all trusses, purlins, runner, columns studs, bolts and all other steel structure. All welding electrodes shall conform to the latest edition of American Welding Society and ASTM 233. The electrodes should have a minimum yield strength of 60,000 psi and ultimate strength of 73,000 psi.</p> <p>Job includes Mechanical cleaning of all steel structure members by using hand tools up to the Swedish Standard of SSPC-SP10 and supply and application of minimum two coats of Red Lead Primer to DFT of 50 microns and finish coat of enamel paint of same make to DFT of 50 microns in smoke grey colour in a minimum of two coats.</p> <p>All steel structure shall be painted before erection and finally touched after erection for required finishing.</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

8	OF	*
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY %** Rs. _____ **PO/DD NO.** _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>Approvals / Certifications / Compliances:</p> <p>Steel Structures shall confirm to the following Standards</p> <p>ASTM A36 Steel</p> <p>ASTM A 307- Low Carbon Steel or to ASTM A325</p> <p>AWS A5.1 for carbon steel electrodes for shielded metal arc welding</p> <p>Sitting area:</p> <p>Customer sitting area of size 9ft x 4ft as per drawings # QOCC-01</p> <p>&</p> <p>QOCC-02 for single-bay oil change canopy.</p> <p>Glass Cabin for Customer sitting:</p> <p>Glass Cabin of size 9ft x 4ft as per drawings # QOCC-03 & QOCC-04 for single-bay oil change canopy.</p> <p>Floor Panel for Sitting Area and Entrance:</p> <p>Floor size 4ft x 11ft x 5inch as per drawing # QOCC-01 & QOCC-03 for single-bay oil change canopy.</p> <ul style="list-style-type: none"> - Concrete CC 1:2:4 - Wooden texture tiles of size 6inch x 12inch or 6inch x 24inch or equivalent in sitting area - SS angle iron bar of size 2inch x 2inch 16 SWG along with the corners of floor panel. - Contractor will submit sample of tile for PSO approval prior to start of work. <p>Store Room:</p> <p>Provision of Store Room of size 4ft x 6ft as per drawing # QOCC-01 for single-bay oil change canopy.</p> <p>Lube Display Cabinet:</p> <p>Concealed in wall with 5 layer adjustable shelves of 1inch shelve thick x 8inch depth x 2 Nos.</p> <p>Size per display cabinet: W-32"x 88"xD-8" x 2 Nos.</p> <p>Black square metal frame for 5mm tempered glass door supporting structure</p> <p>As per drawings # as per 3D design single-bay oil change canopy.</p> <p>Signage:</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

9	OF	*
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY % PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>Supply of 3D fascia Signage "auto care" as per approved design and artwork lighted with LED module.</p> <p>Acrylic channel letters in 3mm thick milky white 2.5" collar/depth backlit with LED modules on 1" clear acrylic / foam board / equivalent back frame material at the back with complete fixtures.</p> <p>The job also includes supplying and installation of fiberglass casing and 3D PSO logo moulded in 3mm thick acrylic milky white as per approved design and artwork lighted with LED module on 1" clear acrylic / foam board / equivalent back-frame material at the back with complete fixtures. The job also includes vinyl pasting on PSO Logo using PSO approved colours.</p> <p>The job includes all electrical connections required for lighting the logo.</p> <p>*****LED modules specifications*****</p> <p>Color: WHITE Color</p> <p>Temperature 6000-10,000 Kelvin (Cool day light)</p> <p>Color Rendering Index 80 or above</p> <p>Luminous efficacy 100 Lumens / watts or above</p> <p>IP 67 or above</p> <p>L50 Life time is 50,000 Hours</p> <p>Operating Environment -10°C to + 55°C or above</p> <p>lumens/module >= 80 lumens or above</p> <p>Operating voltage 12 V DC</p> <p>Watt/ Module <= 1.2 W nominal</p> <p>Certification: CE/UL/IEC approved or equivalent</p> <p>Warranty: 3 years replacement warranty</p> <p>Backing tray for LED module fixing</p> <p>*****POWER SUPPLY/ LED Driver*****</p> <p>Input Voltage Range AC: 230V +/- 20%</p> <p>Output Voltage Range DC: 12V +/- 10%</p> <p>Power factor >= 0.90</p> <p>Output Power DC: 150W or above (as per requirement)</p> <p>Efficiency 85% or above</p> <p>Over temperature protection, Overload protection and Short-circuit</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

10	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY %** Rs. _____ **PO/DD NO.** _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>protection</p> <p>Operating temperature: -10°C to + 55°C or above</p> <p>IP -65 or above</p> <p>Certification: CE/UL/IEC approved or equivalent</p> <p>Warranty: 3 years replacement warranty</p> <p>-----</p> <p>Miscellaneous Signage:</p> <p>Poster frame: White square metal frame (3/4" x 3/4") for Printed poster or picture isolated on a white background with 12mm foam board sheet</p> <p>Canopy Right Hand Side Wall: Size 42inch x 32inch x 2 no with round corner as per design</p> <p>Waiting Area Side Wall: Size 30inch x 36inch x 1 no with edge corners as per design.</p> <p>-----</p> <p>Electrical Works:</p> <p>Supply, of following items</p> <p>including all materials, labor, tools and accessories, complete in all respects ready to operate.</p> <p>Job includes all wiring to be done in PVC conduit of specified/appropriate size concealed in wall/column/ceiling. Contractor to submit samples of conduits, fittings, junction boxes, switches sockets for approval.</p> <p>- Circuit Wiring from distribution board to Switchboard = 2x2.5 sq.mm. + (Earth Continuity Conductor) ECC 1x2.5 sq.mm 1-core PVC insulated wires.</p> <p>- Wiring of lighting point to switch with 1.5 sq.mm 1-core wires for ECC green in colour and 2- 2.5 sq.mm common Neutral, &Live including 16 SWG sheet steel back boxes.</p> <p>- Wiring for 5 Amps switch socket = 3x2.5 sq.mm connected with Light</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

11	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>circuit.</p> <p>- Wiring for 15- Amp switch socket = 3 x 4 sq.mm in PVC conduit from distribution board</p> <p>All wires are of 600/1000 V and with PVC insulation BS-6346 "Electrical Cables PVC insulated" or equivalent compliant. The cables are to be made of high conductivity copper as per BSEN 60228 "conductor of insulated material</p> <p>Distribution Board (DB):</p> <p>Type: Flush (Concealed)</p> <p>Size: 300 x 225 x 125 mm</p> <p>IP Rating: 43 or above</p> <p>Colour: Pearl Light Grey RAL 9022</p> <p>Incoming:</p> <p>-3 Indication Lamp</p> <p>-01 x 32 Amp TP MCB</p> <p>Outgoing:</p> <p>-01 x 20 Amp TP MCB (For Compressor)</p> <p>-05 x 10 Amp SP MCB</p> <p>-----</p> <p>Earthing:</p> <p>20 mm diameter 99% copper earthing electrode (10 ft. Length) directly driven in ground including earthing leads up to earth connecting point/ DB and inspection chamber. To be done as per drawing and instruction of Engineer including earthing leads upto earth connection point/DB.</p> <p>-----</p> <p>LED Panel: (7 Panels each canopy)</p> <p>LED light panel in ceiling of canopy as per following specifications:</p> <p>Class Ingress Rating: IP 30 or above</p> <p>LED panel size : 600mm x 600mm</p> <p>Operating temperature: -10 deg. C to + 50 deg. C</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

12	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>Color: 6500K or above (White)</p> <p>Total Lumens : 3240 Lumens or above / 36W</p> <p>Accessories: Ceiling-Mounting accessories along with wiring.</p> <p>Operating Voltage: 12 V DC</p> <p>Life Span: 45000 hours or greater</p> <p>Approvals/Certifications: CE or UL/IEC or equivalent.</p> <p>The job includes all electrical connections and wiring.</p> <p>-----</p> <p>Steel door for Store Room:</p> <ul style="list-style-type: none"> - Steel door for Store Room as per drawing # QOCC-16 for single-bay oil change canopy. - Mechanical cleaning of steel structure and application of Red Lead Primer to DFT of 50 microns and finish coat of enamel paint to DFT of 50 microns in Blue colour. <p>-----</p> <p>Floor Tiles:</p> <p>Providing and fixing Porcelain Floor Tiles on Store Room and Waiting Area for single-bay oil change canopy.</p> <p>Size of tiles: (16inch x 16inch) or (24inch x 24inch) or as per advise of PSO engineer.</p> <p>-----</p> <p>Glass Wall Mounts:</p> <p>Supply of Glass Wall mount as per reference image.</p> <p>Base: 5mm acrylic with UV 5 color printing</p> <p>Front: 8mm glass Fitting: with SS spacers</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

13	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY %** Rs. _____ **PO/DD NO.** _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>-----</p> <p>U-Shape Pipe: Safety U-shape Pipe made with heavy-duty steel pipe, mounting in-ground or surface-mounted, designed to provide robust protection against vehicle collisions. Material: Constructed with robust materials like carbon steel or hot-dipped galvanized steel to resist corrosion and impact. Finish: With a high-visibility, safety yellow powder-coated finish</p> <p>Pipe Diameter: 165mm for heavy duty Wall Thickness: Schedule 40 Height (Above Ground): 700mm Or 27inch Length/Width: 1000mm or 39inch.</p> <p>-----</p> <p>Ceiling Fans: Twister 16inch 2X2 False Ceiling Fan (3 to be installed in each canopy) Features: 100 % pure copper winding motor for long life Three Speed adjustments with Remote Control. 65 Watts Motor, Voltage 220-240 V, 50 Hz Remote Control with sonic Alert The job includes all electrical connections and wiring</p> <p>-----</p> <p>Brochure stand (3 to be installed in each canopy) Supply and placement of Brochure Stand as per reference image Structure: 3mm Acrylic base black front 3mm transparent pockets Size: 15" x 10"</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

14	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY %** Rs. _____ **PO/DD NO.** _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
-----	<p>Bracket fan (3 to be provided with each canopy)</p> <p>Size: 24inch</p> <p>Rated Power: 125W</p> <p>Speed: 1350RPM</p> <p>Air Delivery: 210 m3/min</p> <p>Service Value (m3/min/W): 1.68</p> <p>Rated Voltage: 230±10V</p> <p>Rated Frequency: 50 Hz</p> <p>Insulation Class: 155</p> <p>Supply and installation of Medium Duty Racks</p> <p>Height upto 7ft</p> <p>Width upto 5ft-5in x Depth upto 14in</p> <p>Max load per level: upto 400 to 800 kg</p> <p>up right section 70/60/1.5</p> <p>Cross braces: 0.75in x 0.75in x 0.8 mm</p> <p>Horizontal Beams, Section 60 to 105 mm (1.5 to 2 mm thick)</p> <p>Shelve panels, GI sheet - 0.6 to 0.8 mm thick</p> <p>The job includes supply and placement of complete racking on each store (on both walls)</p> <p>-----</p> <p>Special Terms and Conditions:</p> <p>1. Canopy works at a site shall be commenced by the contractor within 03 days after the go-ahead for site and shall be completed passing the quality tests in 32 days' time, total 35 days for each site.</p> <p>2. Payment of each site will be done through Running Bills as per actual</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

15	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON (Date)	21.05.2026	BY (Time)	
--------------	------------	--------------	--

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY % PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>work done at site and verified by PSO Site Engineer.</p> <p>3. Contractor will develop 3D drawing containing the details of artworks of signage works for the approval prior to start of work.</p> <p>4. Contractor will be responsible for provision of all facilities required for the erection of canopies e.g. electrical connections, material for civil works</p> <p>5. PSO reserves the right to terminate the contract by giving one month notice if the performance of contractor will be found "poor".</p> <p>6. Contractor shall carry out detailed job hazard analysis before carrying out the job.</p> <p>7. The contractor shall inform the site dealer / Engineer at least 2 to 3 days before mobilization at site so the necessary arrangements can be made.</p> <p>8. The contractor shall be responsible for safe transportation and installation of components of canopy at site and the contractor shall be liable to rectify/remove any defects occur during transportation/installation.</p> <p>9. The transportation of components from contractor's workshop to site will be carried out in slake hours to avoid any untoward situation.</p> <p>10. All tools, equipment and vehicles used by the contractor must be properly maintained and remain PSO HSE compliant during the whole contract period.</p> <p>11. The contractor must ensure that the 'Job site' and other conditions are inspected and evaluated to determine ground conditions or strength of supporting structure, proximity of electric power lines, overhead obstructions, and wind conditions. The contractor must ensure to</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

16	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>mitigate (if any of the unfavorable condition exist) and plan work execution accordingly. The contractor must ensure safe placement and connection of their equipment.</p> <p>12. The contractor will be responsible to ensure continuous supervision of their staff activities during work. Staff should not get involved in unethical or illegal activities (consuming illegal drugs, smoking in 'no smoking' area, etc.) during work. Contractors will also ensure proper work planning and risk assessment.</p> <p>13. The contractor will be responsible to train their staff on regular basis on fire fighting, First Aid and safe procedures to carry out work (specifically for electrical & work at height).</p> <p>14. The contractor shall be fully responsible for any accident (fatal or otherwise) caused while executing work for himself or his representatives. In all such cases, compensation payable to the claimant shall be on the contractors account and contractor shall keep PSO absolutely indemnified and free from such responsibility.</p> <p>15. The contractor will have to cordon off the site before carrying out the job.</p> <p>16. Contractor shall be responsible to rectify any damage that occurs to PSO property during execution of work without charging any cost to PSO.</p> <p>17. The contractor must follow all HSE standards laid down by the Company and any other specific guidelines or HSE instructions available in their work orders lined with company's Safety Booklet. They must also abide by any other instructions / notifications issued by the company from time to time.</p> <p>18. Contractor should strictly follow the safety and security rules of PSO. Contractor to follow Company's rules and procedures as well as HSE guidelines and safety procedures. Contractor will provide and ensure</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

17	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY % PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	usage of PPEs i.e. Safety Shoes, Gloves, Helmets, Goggles, Safety Harness, Safety Belts etc. during execution of work. Construction Safety Booklet, Electrical Safety Booklet, JHA's & Instructions are provided for information & compliance.					
	19. All service, tools (non-ferrous if required), first aid box, ladder materials and transportation required for execution of work to be arranged and provided by contractor.					
	20. As the quantities may vary (increase or decrease according to the job requirements), therefore, payment will be made as per actual quantity of work done. However, part payment on part delivery is permissible.					
	21. The work will only be accepted after inspection and approval by the Engineer In-charge.					
	22. Contractor should maintain housekeeping of the worksite during progress of work and shall clear and remove all surplus materials and rubbish from site after completion of job as per instruction of Engineer In-charge.					
	23. Quality is the prime concern of PSO, no compromise shall be made in this regard. Only first class approved quality material, workmanship and supervision will be utilized by the contractor which shall strictly conform to the WO / SO specification.					
	24. Terms and Conditions (C-06), JHA, Safety Booklets, Drawings & Specification etc. as provided, which constitute part of this contract.					
	25. Contractor must complete the entire project within stipulated time.					
	26. The Contractor/Supplier hereby represents that he has paid the requisite amount of stamp duty to the concerned revenue authority on					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

18	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
3	<p>this Purchase/service/work Order. The Contractor/ Supplier shall indemnify and hold PSO and its officials harmless against any and all claims raised by the concerned revenue authority or any other authority established under the law for the time being in force, in respect of any deficiency or non-payment of stamp duty or penalty on this Purchase/service/work Order.</p> <p><u>Air Conditioner Split 1.5 Ton</u> Split AC Inverter (1 Ton). - BTU Capacity: 12000 or greater - Compressor Rotary. - Low Voltage Start-up: 150 V. - Eco Friendly Refrigerant: R410A/R32. - Both Cooling & Heating. - Energy Efficient Class A (Up to 60% Electricity Saving). - Wall mounted.</p> <p>Note: Job includes installation of AC including all electrical, mechanical and civil works required for the job. The outer unit of AC to be installed outside as per advised location with required accessories bracket, additional coil etc.</p>	<u>PSO House</u>	<u>EA</u>	6		
4	<p><u>Tool Trolley with 5 Drawer ST. 24"x36"</u> Hand Carry Metal Tool Box Having Hand Tools: 1) Hand carry metallic tool box having 05 Nos. tools carry trays (M.S Sheet with two long handles) Qty: 01 2) Socket set (Gotti set) 24pcs (chrome vanadium). (Make: Solid China) 3) Hex. Allen key set 1.5mm to 10mm 09pcs (chrome vanadium). (Make: wadfow China) 4) Double open end spanners size 06mm to 22mm. 08pcs. (chrome vanadium). (Make: Fukung China) 5) Combination spanner set 06mm to 24mm 12pcs. (chrome vanadium) (Make: Diamond China) 6) Screw driver set (+) & (-) 07 pcs (Carbon Steel) (Make: Splix China) 7) Lock grip plier 01 pc. (Carbon Steel) (Make: Diamond China)</p>	<u>PSO House</u>	<u>EA</u>	6		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

19	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
5	<p>8) Plier set (Combination, nose, cutter) (Carbon Steel) 03 pcs (Make: Solid China)</p> <p>9) Brand logo Printing of tool box</p> <p>10) Match paint work on tool box lever strip</p> <p>Sample Set to be approved prior from official of PSO.</p> <p>3 SEATER CHAIR</p> <p>Three Seater Chair: One-piece Stainless Steel/equivalent chair/bench set for three persons in approved design. as per reference image</p>	PSO House	EA	6		
6 6.01	<p>Mini Bay (North Zone)</p> <p>Oil Change Canopy (Mini Bay)</p> <p>Transportation and installation of Mini Bay (10' X 10' X 12')</p> <p>Quick Oil Change Canopy as per drawings and below mention specification in North Zone</p> <p>Construction of Foundation: Foundation to be done as per drawing Foundation (2' x 2' x 2' Depth) Description of Work Excavation in normal soil for foundation including dressing and disposal. PCC (1:4:8) under foundation. RCC Foundation (1:2:4) including mixing, pouring & vibration. Reinforcement steel (approx.) including cutting, bending & binding. Shuttering / formwork for foundation. Anchor bolts / base plate fixing (if required) Backfilling with excavated soil including compaction.</p>	PSO House	EA	3		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

20	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY %** Rs. _____ **PO/DD NO.** _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
-----	<p>Installation Signage:</p> <p>Installation of 3D fascia Signage "auto care" as per approved design and artwork lighted with LED module.</p> <p>Acrylic channel letters in 3mm thick milky white 2.5" collar/depth backlit with LED modules on 1" clear acrylic / foam board / equivalent back frame material at the back with complete fixtures.</p> <p>The job also includes supplying and installation of fiberglass casing and 3D PSO logo moulded in 3mm thick acrylic milky white as per approved design and artwork lighted with LED module on 1" clear acrylic / foam board / equivalent back-frame material at the back with complete fixtures. The job also includes vinyl pasting on PSO Logo using PSO approved colours.</p> <p>The job includes all electrical connections required for lighting the logo.</p> <p>Installation Miscellaneous Signage:</p> <p>Poster frame: White square metal frame (3/4" x 3/4") for Printed poster or picture isolated on a white background with 12mm foam board sheet</p> <p>Canopy Right Hand Side Wall: Size 42inch x 32inch x 2 no with round corner as per design.</p> <p>-----</p> <p>Installation of Electrical Works:</p> <p>installation, testing and commissioning of following items including all materials, labor, tools and accessories, complete in all respects ready to operate.</p> <p>Job includes all wiring to be done in PVC conduit of specified/appropriate size concealed in wall/column/ceiling. Contractor to submit samples of conduits, fittings, junction boxes, switches sockets for approval.</p> <p>-----</p> <p>Installation of Earthing:</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

21	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY % PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>20 mm diameter 99% copper earthing electrode (10 ft. Length) directly driven in ground including earthing leads up to earth connecting point/ DB and inspection chamber. To be done as per drawing and instruction of Engineer including earthing leads upto earth connection point/DB.</p> <p>-----</p> <p>Installation of LED Panel: (4 per canopy) LED light panel in ceiling of canopy as per following specifications: Class Ingress Rating: IP 30 or above LED panel size : 300mm x 300mm Operating temperature: -10 deg. C to + 50 deg. C Color: 6500K or above (White) Total Lumens : 3240 Lumens or above / 36W Accessories: Ceiling-Mounting accessories along with wiring. Operating Voltage: 12 V DC Life Span: 45000 hours or greater Approvals/Certifications: CE or UL/IEC or equivalent. The job includes all electrical connections and wiring.</p> <p>-----</p> <p>Epoxy Flooring on bay area</p> <p>Supply and applying of industrial grade (6mm) epoxy on floor as per approved specs on the floor of Oil Change.</p> <p>Surface preparation: surface to be free from any dust, crack, moisture etc. Applying of solid epoxy primer, base coat and finish coat in approved colour/shade as per satisfaction of PSO Engineer.</p> <p>-----</p> <p>Glass Wall Mount</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

22	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY %** Rs. _____ **PO/DD NO.** _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
7	<p>placement of Glass wall mount as per reference image. Base: 5mm acrylic with UV 5 color printing Front: 8mm glass Fitting: with SS spacers.</p> <p>-----</p> <p>Installation of U-Shape Pipe: Safety U-shape Pipe made with heavy-duty steel pipe, mounting in-ground or surface-mounted, designed to provide robust protection against vehicle collisions. Material: Constructed with robust materials like carbon steel or hot-dipped galvanized steel to resist corrosion and impact. Finish: With a high-visibility, safety yellow powder-coated finish. Pipe Diameter: 165mm for heavy duty Wall Thickness: Schedule 40 Height (Above Ground): 700mm Or 27inch Length/Width: 1000mm or 39inch.</p> <p>-----</p> <p>Installation of Ceiling Fan:</p> <p>-----</p> <p>Installation of Brochure stand:</p> <p>-----</p> <p>Installation of Heavy Duty Steel Car Service Ramp (Set)</p> <p>Quick Oil Change Canopy Supply and Fabrication of Mini Bay (10' X 10' X 12') Quick Oil Change Canopy as per drawings and below mention specification in North Zone Mini Bay Oil Change Canopy:</p>	PSO House	EA	3		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

23	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY %** Rs. _____ **PO/DD NO.** _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>Providing/Fabrication of Fiber Glass Oil Change Canopy with all required mechanical, electrical and signage/graphics works complete in all respect.</p> <p>Size: 10ft x 10ft x 11ft approx. as per set of drawings attached</p> <p>Composition / Material:</p> <ul style="list-style-type: none"> - Steel / MS Structure as per approved design - Fiber Glass Canopy, Wall, Roof Framing. - Signage/Graphics works of Acrylic / Vinyl / Flexible Substrate - LED Lights / Module -Electrical Accessories -Tempered Glass 8mm -Floor Tiles <p>Colors:</p> <p>Following color references will be used for canopy fabrication:</p> <p>White Color Pantone # 11-0601 TPX RAL 9010</p> <p>Blue Color Pantone # 2748 RAL 5026</p> <p>Yellow Color Pantone # 109C,</p> <p>Green Color Pantone # 355 CVC</p> <p>Fiber Glass Structure:</p> <p>Lube display Cabinet, Wall and Roof framing with fiberglass material; using unsaturated polyester GP (general-purpose resin), gel coat, cobalt. MEKP (Methyl Ethyl Ketone Peroxide) hardener and color pigments on all exposed sides, which shall be smooth finished.</p> <p>All Fiber Glass structures are required in Gel coat finish, having pigmented color and all fiber glass panels are required to be casted in moulds.</p> <p>Fiberglass Roof shall be of Plain sheet with 6mm thickness with combination of Chopped Glass Fiber 450 gm/sqm (Commonly known as CSM or Chopped Strand Mat) and Woven Roving (WR) 600 gm/sqm.</p> <p>Thickness of Fiberglass in walls is 4 mm thick. Thickness of Fiberglass in False Ceiling is 3 mm thick.</p> <p>Polystyrene sheet with 32kg/cum density cut to accurate size for fixing between two panels of walls.</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

24	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>Fiber Glass structure are required in Gel coat pigmented finish Fibreglass panels shall be installed as sandwich panels or applied on both sides of the steel structure.</p> <p>Steel Structure: Fabrication of Steel structure as per approved standards and set of drawings and specs including all trusses, purlins, runner, columns studs, bolts and all other steel structure. All welding electrodes shall conform to the latest edition of American Welding Society and ASTM 233. The electrodes should have a minimum yield strength of 60,000 psi and ultimate strength of 73,000 psi. Job includes Mechanical cleaning of all steel structure members by using hand tools up to the Swedish Standard of SSPC-SP10 and supply and application of minimum two coats of Red Lead Primer to DFT of 50 microns and finish coat of enamel paint of same make to DFT of 50 microns in smoke grey colour in a minimum of two coats. All steel structure shall be painted before erection and finally touched after erection for required finishing. Approvals / Certifications / Compliances: Steel Structures shall confirm to the following Standards ASTM A36 Steel ASTM A 307- Low Carbon Steel or to ASTM A325 AWS A5.1 for carbon steel electrodes for shielded metal arc welding</p> <p>Lube Display Cabinet: Concealed in wall with 5-layer adjustable shelves of 1inch shelve thick x 8inch depth x 2 Nos. Size per display cabinet: W-32"x H-72"x D-8" x 1 No. Black square metal frame for 5mm tempered glass door supporting structure As per drawings # as per 3D design single-bay oil change canopy.</p> <p>Signage:</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

25	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY % PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>Supply of 3D fascia Signage "auto care" as per approved design and artwork lighted with LED module.</p> <p>Acrylic channel letters in 3mm thick milky white 2.5" collar/depth backlit with LED modules on 1" clear acrylic / foam board / equivalent back frame material at the back with complete fixtures.</p> <p>The job also includes supplying and installation of fiberglass casing and 3D PSO logo moulded in 3mm thick acrylic milky white as per approved design and artwork lighted with LED module on 1" clear acrylic / foam board / equivalent back-frame material at the back with complete fixtures. The job also includes vinyl pasting on PSO Logo using PSO approved colours.</p> <p>The job includes all electrical connections required for lighting the logo.</p> <p>*****LED modules specifications*****</p> <p>Color: WHITE Color</p> <p>Temperature 6000-10,000 Kelvin (Cool day light)</p> <p>Color Rendering Index 80 or above</p> <p>Luminous efficacy 100 Lumens / watts or above</p> <p>IP 67 or above</p> <p>L50 Life time is 50,000 Hours</p> <p>Operating Environment -10°C to + 55°C or above</p> <p>lumens/module >= 80 lumens or above</p> <p>Operating voltage 12 V DC</p> <p>Watt/ Module <= 1.2 W nominal</p> <p>Certification: CE/UL/IEC approved or equivalent</p> <p>Warranty: 3 years replacement warranty</p> <p>Backing tray for LED module fixing</p> <p>*****POWER SUPPLY/ LED Driver*****</p> <p>Input Voltage Range AC: 230V +/- 20%</p> <p>Output Voltage Range DC: 12V +/- 10%</p> <p>Power factor >= 0.90</p> <p>Output Power DC: 150W or above (as per requirement)</p> <p>Efficiency 85% or above</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

26	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY %** Rs. _____ **PO/DD NO.** _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>Over temperature protection, Overload protection and Short-circuit protection Operating temperature: -10°C to + 55°C or above IP -65 or above Certification: CE/UL/IEC approved or equivalent Warranty: 3 years replacement warranty</p> <p>-----</p> <p>Supply of Miscellaneous Signage: Poster frame: White square metal frame (3/4" x 3/4") for Printed poster or picture isolated on a white background with 12mm foam board sheet Canopy Right Hand Side Wall: Size 42inch x 32inch x 2 no with round corner as per design.</p> <p>-----</p> <p>Electrical Works: Supply of following items including all materials, labor, tools and accessories, complete in all respects ready to operate. Job includes all wiring to be done in PVC conduit of specified/appropriate size concealed in wall/column/ceiling. Contractor to submit samples of conduits, fittings, junction boxes, switches sockets for approval.</p> <ul style="list-style-type: none"> - Circuit Wiring from distribution board to Switchboard = 2x2.5 sq.mm. + (Earth Continuity Conductor) ECC 1x2.5 sq.mm 1-core PVC insulated wires. - Wiring of lighting point to switch with 1.5 sq.mm 1-core wires for ECC green in colour and 2- 2.5 sq.mm common Neutral, &Live including 16 SWG sheet steel back boxes. - Wiring for 5 Amps switch socket = 3x2.5 sq.mm connected with Light circuit. - Wiring for 15- Amp switch socket = 3 x 4 sq.mm in PVC conduit from distribution board <p>All wires are of 600/1000 V and with PVC insulation BS-6346 "Electrical</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

27	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY %** Rs. _____ **PO/DD NO.** _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>Cables PVC insulated" or equivalent compliant. The cables are to be made of high conductivity copper as per BSEN 60228 "conductor of insulated material</p> <p>Distribution Board (DB): Type: Flush (Concealed) Size: 300 x 225 x 125 mm IP Rating: 43 or above Colour: Pearl Light Grey RAL 9022 Incoming: -3 Indication Lamp -01 x 32 Amp TP MCB Outgoing: -01 x 20 Amp TP MCB (For Compressor) -05 x 10 Amp SP MCB</p> <p>-----</p> <p>Supply of Earthing: 20 mm diameter 99% copper earthing electrode (10 ft. Length) directly driven in ground including earthing leads up to earth connecting point/ DB and inspection chamber. To be done as per drawing and instruction of Engineer including earthing leads upto earth connection point/DB.</p> <p>-----</p> <p>Supply of LED Panel: (4 per canopy) LED light panel in ceiling of canopy as per following specifications: Class Ingress Rating: IP 30 or above LED panel size : 300mm x 300mm Operating temperature: -10 deg. C to + 50 deg. C Color: 6500K or above (White) Total Lumens : 3240 Lumens or above / 36W Accessories: Ceiling-Mounting accessories along with wiring. Operating Voltage: 12 V DC</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

28	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY %** Rs. _____ PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>Life Span: 45000 hours or greater</p> <p>Approvals/Certifications: CE or UL/IEC or equivalent.</p> <p>The job includes all electrical connections and wiring.</p> <p>-----</p> <p>Glass Wall Mount</p> <p>Supply and placement of Glass wall mount as per reference image.</p> <p>Base: 5mm acrylic with UV 5 color printing</p> <p>Front: 8mm glass Fitting: with SS spacers.</p> <p>-----</p> <p>Supply of U-Shape Pipe:</p> <p>Safety U-shape Pipe made with heavy-duty steel pipe, mounting in-ground or surface-mounted, designed to provide robust protection against vehicle collisions.</p> <p>Material: Constructed with robust materials like carbon steel or hot-dipped galvanized steel to resist corrosion and impact.</p> <p>Finish: With a high-visibility, safety yellow powder-coated finish.</p> <p>Pipe Diameter: 165mm for heavy duty</p> <p>Wall Thickness: Schedule 40</p> <p>Height (Above Ground): 700mm Or 27inch</p> <p>Length/Width: 1000mm or 39inch.</p> <p>-----</p> <p>Supply of Ceiling Fan:</p> <p>Twister 16inch 2X2 False Ceiling Fan.</p> <p>Features:</p> <p>100 % pure copper winding motor for long life</p> <p>Three Speed adjustments with Remote Control.</p> <p>65 Watts Motor, Voltage 220-240 V, 50 Hz</p> <p>Remote Control with sonic Alert</p> <p>The job includes all electrical connections and wiring</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

29	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY % PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>-----</p> <p>Brochure stand: Supply of Brochure Stand as per reference image Structure: 3mm Acrylic base black front 3mm transparent pockets Size: 15" x 10"</p> <p>-----</p> <p>Supply of Heavy Duty Steel Car Service Ramp (Set) Design, fabrication, supply of heavy-duty steel ramps for lifting cars for Oil change purposes.</p> <p>1. Structure & Frame Fabrication of ramp frame using MS angle main frame:2"x2"x 2 soot(~7mm) thick Reinforcement ribs: 1.5" x 1.5"x 1.5 soot (~5mm) thick Front top stopper (wheel lock) integrated</p> <p>2. Ramp Dimensions Ramp type: Low profile inclined design Overall size (approx.): Length: 36 inch Width: 12inch, Height:10 inch Incline angle: Low angle (~9°#20°) for low clearance vehicles Anti-slip surface (checkered plate or grip coating)</p> <p>3. Load Capacity Minimum capacity: 2#5 Ton per pair</p> <p>The job include supply of set of 2 ramps (1 pair).</p> <p>-----</p> <p>Special Terms and Conditions: 1. Canopy works at a site shall be commenced by the contractor within 03 days after the go-ahead for site and shall be completed passing the</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

30	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>quality tests in 17 days' time, total 20 days for each site.</p> <p>2. Payment of each site will be done through Running Bills as per actual work done at site and verified by PSO Site Engineer.</p> <p>3. Contractor will develop 3D drawing containing the details of artworks of signage works for the approval prior to start of work.</p> <p>4. Contractor will be responsible for provision of all facilities required for the erection of canopies e.g. electrical connections, material for civil works</p> <p>5. PSO reserves the right to terminate the contract by giving one month notice if the performance of contractor will be found "poor".</p> <p>6. Contractor shall carry out detailed job hazard analysis before carrying out the job.</p> <p>7. The contractor shall inform the site dealer / Engineer at least 2 to 3 days before mobilization at site so the necessary arrangements can be made.</p> <p>8. The contractor shall be responsible for safe transportation and installation of components of canopy at site and the contractor shall be liable to rectify/remove any defects occur during transportation/installation.</p> <p>9. The transportation of components from contractor's workshop to site will be carried out in slake hours to avoid any untoward situation.</p> <p>10. All tools, equipment and vehicles used by the contractor must be properly maintained and remain PSO HSE compliant during the whole contract period.</p> <p>11. The contractor must ensure that the 'Job site' and other conditions</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

31	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON (Date)	21.05.2026	BY (Time)	
--------------	------------	--------------	--

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY % PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>are inspected and evaluated to determine ground conditions or strength of supporting structure, proximity of electric power lines, overhead obstructions, and wind conditions. The contractor must ensure to mitigate (if any of the unfavorable condition exist) and plan work execution accordingly. The contractor must ensure safe placement and connection of their equipment.</p> <p>12. The contractor will be responsible to ensure continuous supervision of their staff activities during work. Staff should not get involved in unethical or illegal activities (consuming illegal drugs, smoking in 'no smoking' area, etc.) during work. Contractors will also ensure proper work planning and risk assessment.</p> <p>13. The contractor will be responsible to train their staff on regular basis on fire fighting, First Aid and safe procedures to carry out work (specifically for electrical & work at height).</p> <p>14. The contractor shall be fully responsible for any accident (fatal or otherwise) caused while executing work for himself or his representatives. In all such cases, compensation payable to the claimant shall be on the contractors account and contractor shall keep PSO absolutely indemnified and free from such responsibility.</p> <p>15. The contractor will have to cordon off the site before carrying out the job.</p> <p>16. Contractor shall be responsible to rectify any damage that occurs to PSO property during execution of work without charging any cost to PSO.</p> <p>17. The contractor must follow all HSE standards laid down by the Company and any other specific guidelines or HSE instructions available in their work orders lined with company's Safety Booklet. They must also abide by any other instructions / notifications issued by the company from time to time.</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

32	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON (Date)	21.05.2026	BY (Time)	
--------------	------------	--------------	--

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	<p>18. Contractor should strictly follow the safety and security rules of PSO. Contractor to follow Company's rules and procedures as well as HSE guidelines and safety procedures. Contractor will provide and ensure usage of PPEs i.e. Safety Shoes, Gloves, Helmets, Goggles, Safety Harness, Safety Belts etc. during execution of work. Construction Safety Booklet, Electrical Safety Booklet, JHA's & Instructions are provided for information & compliance.</p> <p>19. All service, tools (non-ferrous if required), first aid box, ladder , materials and transportation required for execution of work to be arranged and provided by contractor.</p> <p>20. As the quantities may vary (increase or decrease according to the job requirements), therefore, payment will be made as per actual quantity of work done. However, part payment on part delivery is permissible.</p> <p>21. The work will only be accepted after inspection and approval by the Engineer In-charge.</p> <p>22. Contractor should maintain housekeeping of the worksite during progress of work and shall clear and remove all surplus materials and rubbish from site after completion of job as per instruction of Engineer In-charge.</p> <p>23. Quality is the prime concern of PSO, no compromise shall be made in this regard. Only first class approved quality material, workmanship and supervision will be utilized by the contractor which shall strictly conform to the WO / SO specification.</p> <p>24. Terms and Conditions (C-06), JHA, Safety Booklets, Drawings & Specification etc. as provided, which constitute part of this contract.</p> <p>25. Contractor must complete the entire project within stipulated time.</p>					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

33	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED		
	ON (Date)	21.05.2026	BY (Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY % PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
8	<p>26. The Contractor/Supplier hereby represents that he has paid the requisite amount of stamp duty to the concerned revenue authority on this Purchase/service/work Order. The Contractor/ Supplier shall indemnify and hold PSO and its officials harmless against any and all claims raised by the concerned revenue authority or any other authority established under the law for the time being in force, in respect of any deficiency or non-payment of stamp duty or penalty on this Purchase/service/work Order.</p> <p><u>Tool Trolley with 5 Drawer ST. 24"x36"</u></p> <p>Hand Cary Metal Tool Box Having Hand Tools:</p> <p>1) Hand carry metallic tool box having 05 Nos. tools carry trays (M.S Sheet with two long handles) Qty: 01</p> <p>2) Socket set (Gotti set) 24pcs (chrome vanadium). (Make: Solid China)</p> <p>3) Hex. Allen key set 1.5mm to 10mm 09pcs (chrome vanadium). (Make: wadfow China)</p> <p>4) Double open end spanners size 06mm to 22mm. 08pcs. (chrome vanadium). (Make: Fukung China)</p> <p>5) Combination spanner set 06mm to 24mm 12pcs. (chrome vanadium) (Make: Diamond China)</p> <p>6) Screw driver set (+) & (-) 07 pcs (Carbon Steel) (Make: Splix China)</p> <p>7) Lock grip plier 01 pc. (Carbon Steel) (Make: Diamond China)</p> <p>8) Plier set (Combination, nose, cutter) (Carbon Steel) 03 pcs (Make: Solid China)</p> <p>9) Brand logo Printing of tool box</p> <p>10) Match paint work on tool box lever strip</p>	<u>PSO House</u>	<u>EA</u>	3		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

34	OF	34
RFQ No	LM-19660AS	
DATE	06.05.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100016622

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

21.05.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Supply of Quick Oil Change Canopies at PSO's Retail Outlets at North Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	Sample Set to be approved prior from official of PSO.					