



Tender Enquiry

Tender Enquiry No. MNT/TE/027/2026

Dated: 13.05.2026

Messer's:

Dear Sir,

LED BULBS / LED FLOOD LIGHT ETC
INVITATION TO BID / INSTRUCTION TO BIDDER
OUR TENDER ENQUIRY NO. MNT/TE/027/2026
TENDER CLOSING DATE 02.06.2026 TIME: 15:00 HOURS
TENDER OPENING DATE 02.06.2026 TIME: 15:30 HOURS

1. Please submit your lowest and firm quotation with best delivery for the item given on attached sheet/sheets and return one copy of the sheet/sheets duly completed & signed by you latest by **15:00 Hours positively on 02.06.2026.**
2. Please include: -
 - (a) Our items No
 - (b) discount, if any
 - (c) full detail of any deviation from our specification
 - (d) Lump sum price in addition to unit price, carriage paid to our address as mention on attached sheet / sheets.
3. **The tender participation / issuance fee is Rs 500/- which should be submitted before tender opening in shape of pay order / CDR by the respective bidder along with copies of GST NTN & Professional Tax certificates with covering letter mentioning our tender number.**
4. **All Bidders are required to submit their quotation online on PPRA E-PADS and same should also be submitted in printed form in sealed envelopes before tender closing time at the following address: Senior Officer (Procurement), S.N.G.P.L (Transmission Office), Piran Ghaib Road Multan. Failure to submit bid on EPADS will result in non acceptance of printed bid if received at above address.**
5. **The quotation submitted through online E-PADS (Federal PPRA) and hard form at above mentioned address shall be the same. In case of any contradiction / difference, bid submitted through online E-PADS shall be considered for evaluation.**
6. The envelope should be headed "**Confidential**" and marked.

Tender Enquiry No. MNT/TE/027/2026 **Closing Date: 02.06.2026**

YOUR QUOTATION IS LIABLE TO BE CANCELLED IF YOU FAIL TO ADHERE TO THIS CLAUSE
7. Your quotation should remain open for at least a period of **60 days** from the date of closing of this tender enquiry.
8. All tender enquiries shall be publicly opened at **15:30 Hours** on the same day in our office at above mentioned address. Only one representative of each bidder possessing "Letter of Authority" to do so may attend the bid opening, if desired.
9. In case purchase order placed on you, you will be required to execute strictly in accordance with the terms and conditions of purchase order. In case terms and conditions violated we will have the right to cancel the purchase order or part as thereof, necessary.
10. In case purchase order on you and subject to (7) above, if the purchase order on you or part thereof is cancelled, we will have the right to make purchases from other sources at your risk and cost, and difference will be recovered from you.

11. In case purchase order is placed on you on the basis of your bid / quotation, material will be required by us within 30 days; however, you may quote your best delivery period.
12. We reserve the right to increase / decrease the tender quantities or cancel this enquiry in whole or in part before tender opening should our requirement. In change in the meantime. After tender opening, the quantities may be increased / decreased by 15% of the tender quantities. However, decrease beyond 15% shall be subject to concurrence by the successful bidder.
- 13 Relevant, leaflets/brochures should accompany your quotation.
- 14 Instead of writing the word “**Imported**” please give exact brand/make / Country of origin of each item quoted by you.

GENERAL CONDITIONS

1. All deliveries are to be consigned carriage paid to the address given on attached sheet / sheets.
2. Delivery challan (in triplicate) for each consignment should accompany the material.
3. Consignment will be received upto 12.30 P.M during summer on all working days and upto 3.00 P.M during winter on all working days of the week except Saturday & Sunday.
4. In case purchase order is placed on you on the basis of this tender enquiry, payment shall be made within 30 days from receipt of goods except when stores are received “Subject to Approval”. In such cases 30 days limit will commence from date of “Approval”.

BID SECURING DECLARATION: -

Every bidder shall furnish as part of its bid, **Bid Securing Declaration**, (as per specimen enclosed). This will serve as a guarantee of acceptance of purchase order in case his bid turns out to be the lowest bid.

Any Bid; which is not accompanied by the requisite **Bid Securing Declaration** (in original), will not be read out at the time of tender opening and will be considered as non responsive.

This **Bid Securing Declaration** will serve as guarantee in case bidder subsequently either withdraw, or unilaterally modify, vary or alter his bid after opening of the bids and before expiry of bid validity period, or fail to accept our purchase order, placed on them within the validity of their bid or its extended validity in case his bid turns out to be the most advantageous bid.


Every bidder is required to upload Bid Securing Declaration in EPAD in the respective column.

LATE DELIVERY CHARGES: -

1. Time shall be essence of the contract/purchase order and it will include a clause on Late Delivery charges. This interalia will state that if the materials, as given in the order have not been dispatched/delivered on time and as per stipulations in the contract except on account of Force Majeure, within the delivery period given in the contract, Sui Northern Gas Pipelines Limited (SNGPL) shall be entitled to recover 1% (One Percent) of the total value (excluding Sales Tax) of the delayed part of material for each week of delay, by way of Late Delivery Charges and not by way of penalty subject to a maximum of 10% of the total value (excluding sales tax) of the delayed part of the material.
2. The payment of such Late Delivery Charges shall not relieve the supplier from performing and fulfilling its obligations under the contract nor will the corresponding rights and entitlements of Sui Northern be affected or reduced in any manner.
3. Whenever Late Delivery Charges become payable, SNGPL, in its sole discretion shall quantify the same and recover Late Delivery Charges through deduction from outstanding bills of suppliers directly by Accounts Department while making payment to supplier.

Yours Faithfully,

SUI NORTHERN GAS PIPELINES LIMITED



(Muhammad Afzal)

SENIOR OFFICER (PROCUREMENT)
for **MANAGING DIRECTOR**

SUI NORTHERN GAS PIPELINES LIMITED

Annexure to Enquiry No. MNT/TE/027/2026

Sheet No. _____

Suppliers G.S.T _____

Suppliers N.T.N # _____

Ref. of suppliers _____

Date. _____

Item No	Description	Brand/Make Country of Origin	Unit	Qty	Rate / Unit Ex- GST	18% GST	Total Amount	F.O.R Delivery Period
01	ROD FOR FLOOD LIGHT, 400-WATT, 220 V, THREAD TYPE REQUIRED FOR FLOOD LIGHT		NOS.	15				Within 30 days at S.N.G.P.L (Stores), Multan.
02	MERCURY LAMP 250-WATT, BASE CAP: THREAD TYPE		NOS.	40				
03	LAMP HIGH PRESSURE MERCURY VAPOR (MDF / U) 3 PIN B.C. TYPE / SCREWED 125 WATTS		NOS.	30				
04	ENERGY SAVER 18 WATT		NOS.	18				
05	LED BULB 12 W, 220/230V, SCREW BASE, COOL WHITE		NOS.	305				
06	LED BULB 18 W, 220/240V, SCREW BASE, COOL WHITE		NOS.	320				
07	LED BULB 27 W, 220/240V, SCREW BASE, COOL WHITE		NOS.	100				
08	LED BULB 40 W, 220/240V, SCREW BASE, COOL WHITE		NOS.	110				
09	LED BATTEN LIGHT, 36 WA, 220/240 V, SCREW BASE, COOL WHITE		NOS.	35				
10	LED FLOOD LIGHT 100 WATT		NOS.	10				
11	LED PANEL LIGHT a) VOLTAGE: 100~230 VAC b) SIZE: 600 mm x 600 mm c) COLOR: COOL DAY d) THICKNESS: 12 mm e) WATAGE:48 WATTS f) COLOR TEMP: 6500 K g) LIFE: 30000 HRS h) LUMINANCE: 3500 LM		NOS.	8				
12	INTEGRATED SOLAR FLOOD LIGHTS		NOS.	3				
Technical Specification of item Nos. 05~10 & 12 attached as "Annexure-A, A-1 & A-3"					Grand Total:			

Bidders shall submit technical literature / brochure of quoted items along with bid.

NOTE:

1. ***Every bidder is required to quote only one proposal / option against purchase of one tender document set. Alternate / second option / proposal can be submitted by procuring new tender documents set. Submission of more than one option / offers against purchase of one tender document set will lead to disqualification / rejection of the whole bid.***
2. Rates should be valid up to 60 days.
3. Please mention the rates of material / Sales Tax separately instead of Lump Sum / quoted rates will be treated as inclusive of Sales Tax if Sales Tax is not mentioned separately.
4. We required good quality material with carriage (Loading / un-Loading) at our site.
5. Quotation should be complete in all respect i.e., GST/NTN No., Date & Signature, Country of origin, duly stamped and delivery period.
6. In case purchase order is placed on you on the basis of your bid / quotation, material will be required by us as per above delivery period; however, you may quote your best delivery period.
7. Material should be supplied as per our specification's substandard/defective/ inferior quality, poor workmanship, faulty design, faulty packing or short received material will have to be replaced by you on "No Charge Basis" even after our acceptance.
8. Discount if any should be boldly shown under the prices in figures. Discount, if conditional or not read at the time of bid opening shall not considered during bid evaluation.
9. Conditional offer will not be considered for evaluation.
10. Sales Tax will be paid to you on submission of documentary evidence.
11. The Company reserves the right to accept and /or to reject any offer without assigning any reason.
12. Bids will be evaluated and accepted for above offered quantity. No bid will acceptable for less than the quantity specified above in schedule of requirement.
13. Quotations should have not any over-writings. Corrections if any must be made by deleting and re-writing. All such deletions/cuttings must be authenticated by additional signature. Quotations carrying over-writing are likely to be dis-regarded.
14. Bids will be dis-qualified if relevant technical literature/ specifications are not attached to the offer.
15. The Company does not bind itself to accept the lowest priced bid or any particular bid or any part of a bid, nor will be responsible to pay the expenses or losses which may be incurred by any bidder in preparation of his bid.
16. You offer should be accompanied by a copy of valid Sales Tax Registration, NTN and Professional Tax Clearance Certificate.
17. You will be responsible / bound to supply the items on your quoted rates in case of any change / revision of rate at your end.
18. Any information required or sample if needed can be seen in the Procurement Office Multan on any working day in the office timing.

Supplier's Signature _____

Supplier's Stamp _____

BID SECURING DECLARATION
TENDER ENQUIRY # -----

M/s. Sui Northern Gas Pipelines Limited,

Dear Sirs,

We, M/s _____, hereby confirm that our bid against subject tender enquiry is firm & irrevocable.

We, M/s _____, also confirm & undertake that our said Bid Securing Declaration shall serve as guarantee that we shall not either withdraw, unilaterally modify, vary or alter our Bid after opening of the tenders and before expiry of bid validity period or extended bid validity period, and we shall accept purchase order placed on us within validity period of bid in case our bid turns out to be the most advantageous bid as per terms of the tender enquiry.

Authorized Signatories of the Bidder

Name: _____

Date: _____

E-mail address:- _____

Company Seal: _____

Place: _____



Annexure-A

Item Nos. 05 & 06

SPECIFICATIONS OF LED BULB 12 W

Description	LED Bulb 12W
Type	High efficiency LED bulb with integrated constant current driver
Base	E-27 (BIS/EIC) complaint
Power Rated	12W
Colour Temperature	6500K ± 300K (Cool Day Light White)
Colour Rendering Index (CRI)	≥ 75 - 80
Power Factor (PF)	≥ 0.85 – 0.9
Total Harmonic Distortion (THD)	≤ 20% - 30 %
Luminous Efficacy	≥ 90 - 100 lm/W
Input Voltage Range	200 – 240 V AC, 50 Hz
Operating Temperature	-10°C to +45°C
Surge Protection	Minimum 1.5 - 2.5 kV internal protection
Driver Type	Electronic constant current driver (non isolated or isolated)
Housing Material	Polycarbonate body with aluminium heat sink
Rated Life	≥ 15,000 - 25,000 hours (L70 at 25°C)
Protection	Built in protection against short circuit, over voltage and surge
Warranty	01 Year replacement warranty

SPECIFICATIONS OF LED BULB 18 W

Description	LED Bulb 12W
Type	High efficiency LED bulb with integrated constant current driver
Base	E-27 (BIS/EIC) complaint
Power Rated	18W
Colour Temperature	6500K ± 300K (Cool Day Light White)
Colour Rendering Index (CRI)	≥ 75 - 80
Power Factor (PF)	≥ 0.85 – 0.9
Total Harmonic Distortion (THD)	≤ 20% - 30 %
Luminous Efficacy	≥ 90 - 100 lm/W
Input Voltage Range	200 – 240 V AC, 50 Hz
Operating Temperature	-10°C to +45°C
Surge Protection	Minimum 1.5 - 2.5 kV internal protection
Driver Type	Electronic constant current driver (non isolated or isolated)
Housing Material	Polycarbonate body with aluminium heat sink
Rated Life	≥ 15,000 - 25,000 hours (L70 at 25°C)
Protection	Built in protection against short circuit, over voltage and surge
Warranty	01 Year replacement warranty



Item Nos. 07 & 08

SPECIFICATIONS OF LED BULB 27 W

Description	LED Bulb 12W
Type	High efficiency LED bulb with integrated constant current driver
Base	E-27 (BIS/EIC) complaint
Power Rated	27W
Colour Temperature	6500K ± 300K (Cool Day Light White)
Colour Rendering Index (CRI)	≥ 75 - 80
Power Factor (PF)	≥ 0.85 - 0.9
Total Harmonic Distortion (THD)	≤ 20% - 30 %
Luminous Efficacy	≥ 90 - 100 lm/W
Input Voltage Range	200 - 240 V AC, 50 Hz
Operating Temperature	-10°C to +45°C
Surge Protection	Minimum 1.5 - 2.5 kV internal protection
Driver Type	Electronic constant current driver (non isolated or isolated)
Housing Material	Polycarbonate body with aluminium heat sink
Rated Life	≥ 15,000 - 25,000 hours (L70 at 25°C)
Protection	Built in protection against short circuit, over voltage and surge
Warranty	01 Year replacement warranty

SPECIFICATIONS OF LED BULB 40 W

Description	LED Bulb 12W
Type	High efficiency LED bulb with integrated constant current driver
Base	E-27 (BIS/EIC) complaint
Power Rated	40W
Colour Temperature	6500K ± 300K (Cool Day Light White)
Colour Rendering Index (CRI)	≥ 75 - 80
Power Factor (PF)	≥ 0.85 - 0.9
Total Harmonic Distortion (THD)	≤ 20% - 30 %
Luminous Efficacy	≥ 90 - 100 lm/W
Input Voltage Range	200 - 240 V AC, 50 Hz
Operating Temperature	-10°C to +45°C
Surge Protection	Minimum 1.5 - 2.5 kV internal protection
Driver Type	Electronic constant current driver (non isolated or isolated)
Housing Material	Polycarbonate body with aluminium heat sink
Rated Life	≥ 15,000 - 25,000 hours (L70 at 25°C)
Protection	Built in protection against short circuit, over voltage and surge
Warranty	01 Year replacement warranty



Item No. 09

SPECIFICATIONS OF LED BATTEN LIGHT 36 W

Description	LED Batten Light 36W
Type	LED batten light with inbuilt electronic driver
Nominal Wattage	36W
Nominal Voltage	200 ~ 240 V AC, 50Hz
Colour Temperature	6500K ± 300K (Cool Day Light White)
Colour Rendering Index (CRI)	≥ 75 - 80
Power Factor (PF)	≥ 0.85 - 0.9
Total Harmonic Distortion (THD)	≤ 20% - 30 %
Luminous Efficacy	≥ 95 - 100 lm/W
Light Output	Uniform glare free illumination
Length	4 feet (approx. 1200 mm)
Driver Type	Electronic constant current driver (non isolated or isolated)
Housing / Body Material	Polycarbonate diffuser with aluminium heat sink for better thermal dissipation
Surge Protection	Minimum 1.5 - 2.5 kV internal protection
Operating Temperature	-10°C to ± 45°C
Ingress Protection	Minimum IP20 or higher (indoor use)
Rated Life	≥ 15,000 - 25,000 hours (L70 at 25°C)
Warranty	01 Year replacement warranty

BID EVALUATION CRITERIA

- i) Bidders must submit original technical literature of offered items with their bids.
- ii) Bid must fully comply with the technical specifications.

Item No. 10

LED FLOOD LIGHT 100 WATT


Twenty-Four (24) Numbers LED FLOOD LIGHTS OF 100 WATT required as per required specification:

PARAMETERS	VALUES
Wattage	100
Type	LED Flood Light
Input Voltage	220/240 V AC @ 50 Hz
Total Harmonic Distortion	< 15%
Housing	Aluminum Die Casting
Shape	Square
Luminous Flux(Lm)±10%	10000
Applications	Area Lighting, Hoardings on The Road

- Technical Manual/ Broacher should be provided with Bid documents.



Item No. 12

	SPECIFICATIONS		SNGPL Procurement SPECIFICATIONS Indent # MUI/T/LP/0065/26
	Title		
	Integrated Solar flood Lights		

1. Scope of Supply

Supply, installation, testing, and commissioning of three (03) integrated solar LED flood lights suitable for outdoor wall-mounted illumination at SNGPL premises. Each unit shall be self-contained with solar panel, battery, LED module, charge controller, and mounting bracket.

2. Technical Specifications

<u>Component</u>	<u>Specification</u>
Solar PV Module	50 – 60 W, mono/poly-crystalline silicon, efficiency \geq 18 %, lifetime > 5 years
Battery	30 – 35 Ah / 12 V Lithium battery (built-in), lifetime \geq 2 years
LED Light	40 – 50 W LED, total output \geq 5000 lumens; color temperature 5000 – 6500 K; lifespan > 40,000 hours
Charge Controller	High-efficiency; automatic dusk-to-dawn function; protections against over-charge/discharge, reverse polarity, short circuit
Operation Time	\geq 12 hours per night
Mounting Arrangement	Adjustable aluminum bracket for wall mounting; corrosion-resistant
Enclosure / Material	Die-cast aluminum alloy / ABS body, IP65 minimum protection rating
Operating Temperature	0 °C to 50 °C
Certifications	CE / RoHS compliance

3. Bid Evaluation Criteria

- Offered items must meet or exceed the above specifications.
- Bidder to clearly state brand, model, and country of origin.
- OEM datasheet and ISO 9001 certificate required.
- CE / ROHS certifications to be attached.
- Sample unit may be requested for inspection.
- Clause by clause commentary is mandatory.