



**PMDC**  
PAKISTAN MINERAL DEVELOPMENT CORP.

**Head Office**

Plot No: 13, Sector H/9, Islamabad  
44000, Pakistan.  
Tel: 9265123-24  
E-mail: [info@pmdc.gov.pk](mailto:info@pmdc.gov.pk)  
[www.pmdc.gov.pk](http://www.pmdc.gov.pk)

**Invitation of E-BID**

Pakistan Mineral Development Corporation is an autonomous corporation under the administrative control of Ministry of Energy (Petroleum Division), Government of Pakistan invites electronic bids from the interested Parties/contractors having valid registration Federal Board of Revenue (FBR)/Respective Revenue Boards for income tax & sales tax and who are on active taxpayer list (Income & Sales Tax) of the Federal Board of Revenue (FBR)/Respective Revenue Boards for **“Supply/Installation of CCTV & Facial Recognition Lan Based Access Control System along with Establishment of a Control/Disaster Security Management Room at PMDC Head Office, Islamabad.”**

E-Bidding documents containing detailed terms and conditions, method of procurement, bid security, opening of bid, etc. are available electronically and can be downloaded from EPADS-PPRA Website: <https://eprocure.gov.pk> free of cost.

The electronic bids, prepared in accordance with the instructions in the bidding document along with bid money **Rs.200,000/-** in the shape of demand draft/pay order from Schedule Bank in the name of Pakistan Mineral Development Corporation on account of bidder must be submitted by using **EPADs (1.0)** on or before **11.06.2026 at 02:00 PM**. Tenders will be opened on EPADs (1.0) on the same date at **02:30 PM** in the presence of participants who may desire to attend the tender opening.

**Note:-**

1. Original Bid Security Instrument Must be submitted to undersigned, before the online submission deadline of the bid; otherwise, respective bid will not be entertained.
2. In case of any technical difficulty in using EPADS, prospective bidders may contact PPRA Office, 1<sup>st</sup> Floor, FBC building Sector G-5/2, Islamabad. Contact Number 051-111-137-237.

**AVP (Procurement)**  
**PMDC Head Office, H-9/4, Islamabad**  
**Phone: 051-9265128**  
**E-mail: [dgm-pro@pmdc.gov.pk](mailto:dgm-pro@pmdc.gov.pk)**



**PMDC**  
PAKISTAN MINERAL DEVELOPMENT CORP.

**Head Office**

Plot No: 13, Sector H/9, Islamabad

44000, Pakistan.

Tel: 9265123-24

E-mail: [info@pmdc.gov.pk](mailto:info@pmdc.gov.pk)

[www.pmdc.gov.pk](http://www.pmdc.gov.pk)

**Tender Enquiry No. PMDC/PROC./CCTV/HO  
DUE FOR OPENING ON: 11.06.2026 AT 02.30 PM**

Electronic bids on Single Stage – Single Envelope Method from the interested Parties/contractors having valid registration with Federal Board of Revenue (FBR)/Respective Revenue Boards for income tax & sales tax and who are on active taxpayer list (Income & Sales Tax) of the Federal Board of Revenue (FBR)/Respective Revenue Boards for “Supply/Installation of CCTV & Facial Recognition Lan Based Access Control System along with Establishment of a Control/Disaster Security Management Room at PMDC Head Office, Islamabad.” as per BOQ given below:-

Sr. No.	Detail of Works	Unit Rate in PKR (inclusive of all taxes)	Qty.	Total Cost in PKR (inclusive of all taxes)
01	<p><b>Bullet Camera with accessories.</b></p> <p>04 Mega Pixel, progressive CMOS 2.8 mm fixed lens, H.265 &amp; H.264 dual-stream encoding, 20fps@4M(2688×1520) &amp; 25/30fps@3M(2304×1296), WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC, Multiple options network monitoring, IR LEDs Length 30m, IP67, PoE, Suitable to operate in extreme temperature environments, from -10° C to +60° C with 95% Humidity,</p> <p>Software Free monitoring/management/client software for windows, free iOS and Android app.</p> <p>Hikvision, Dahua or approved Equivalent</p> <p>Complete Supply along with auxiliary material in all respect or as directed by Engineer</p>		40 Nos.	
02	<p><b>PTZ Camera with accessories.</b></p> <p>Outdoor PTZ Network Camera having minimum 4 Megapixel resolution, 1/2.8" CMOS image sensor, 45× optical zoom, H.265/H.264 compression, minimum IR range 250 meters, auto tracking, intelligent video analytics,</p>		01 No.	



*[Handwritten signature]*

	<p>360° endless pan, weatherproof IP67 protection, ONVIF compliance, Software Free monitoring/management/client software for windows, free iOS and Android app.</p> <p>Hikvision, dahua or approved equivalent.</p> <p>Complete with suitable pole, mounting bracket, power supply, all accessories, fixing hardware, or as directed by Engineer</p>			
03	<p><b>NVR 64 Channel with accessories.</b></p> <p>Compatible with minimum 4 Megapixel IP cameras and above, Minimum 320 Mbps or higher, H.265+, H.265, H.264+, H.264, Support up to 12 MP recording resolution , Different HDMI, VGA Ports, RJ 45 Ports, USB 3.0 Ports, Simultaneous live view, recording, playback, backup and remote access display capability, Continuous, Scheduled, Motion Detection, Event Based recording modes, Simultaneous playback of minimum 16 channels, Power Supply, mouse and all allied accessories. Additional 02 HDMI cables for different displays.</p> <p>Hikvision, dahua or approved equivalent.</p> <p>Software Free monitoring/management/client software for windows, free iOS and Android app.</p> <p>Complete Supply in all respect or as directed by Engineer</p>		1 Nos.	
04	<p><b>Rack Double Cabin 15U with accessories.</b></p> <p>Powder Coated, Removable Side Panels, side locks; Knock-off holes for entering cables on both the top cover, bottom panel, and rear panel Turning angle of front door is over 180 degrees Degree of Protection : IP20</p> <p>Complete Supply in all respect or as directed by Engineer.</p>		01 No.	
05	<p><b>08 Port POE switch with accessories.</b></p> <p>Equipped with minimum 8 × Gigabit RJ45 PoE ports and, 2 × Gigabit SFP uplink ports for direct fiber optic connectivity with, PoE watchdog (auto port recovery), VLAN, QoS, IGMP Snooping and web-based management interface, Up to 300 m Long Range PoE Transmission, 6KV Surge Protection, Operating Temperature: -10°C to +55°C,</p>		08 Nos.	




	<p>Suitable for IP CCTV surveillance system, Hikvision, Dahua or approved Equivalent</p> <p>Complete Supply in all respect or as directed by Engineer.</p>			
06	<p><b>Rack 4U with accessories.</b> Powder Coated, Removable Side Panels, side locks; Knock-off holes for entering cables, Turning angle of front door is over 180 degrees Degree of Protection : IP20</p> <p>Complete Supply in all respect or as directed by Engineer.</p>		04 Nos.	
07	<p>Water Proof PVC Electric Box 4" X 4"</p> <p>Complete Supply in all respect or as directed by Engineer.</p>		45 Nos.	
08	<p><b>MS Poles for Cameras</b> Minimum height 3 feet, Round (2") OR Square (1.5" x 1.5"), with base plate, anchor bolts, concrete foundation, anti-rust coating, weatherproof paint, cable entry provision.</p> <p>Complete with all accessories suitable for installation of IP CCTV cameras or as directed by Engineer/In-Charge.</p>		12 Nos.	
09	<p><b>CAT – 6 Cables (305 Meter)</b> 23 AWG, Solid Copper Conductor, PE Insulation, PVC Sheathing for strong mechanical properties, and high tensile and compressive strength, Operating Temperature : +50 °C.</p> <p>Fast Cables or approved Eqv.</p> <p>Complete Supply in all respect or as directed by Engineer.</p>		05 Boxes of 305 meter each	
10	<p><b>06 core optical fiber cable single mode</b> Outdoor grade, suitable for conduit and aerial installation, jelly filled central loose tube construction, G.652D single mode fibers, steel tape armored with two parallel steel strength wires, PE outer sheath, having low attenuation and low dispersion characteristics, weatherproof and moisture resistant, suitable for harsh outdoor/ industrial environments, Operating Temperature : ~ +50 °C.</p> <p>PTCL or approved Eqv.</p>		400 meter	



	Complete Supply in all respect or as directed by Engineer.			
11	<p><b>8-Port Wall Mounted Optical Distribution Frame (ODF) Suitable for termination of 06-core single mode fiber with spare ports</b></p> <p>Steel Body powder coated, complete with splice tray, SC adapters, pigtails, cable management accessories and locking arrangement, suitable for single mode fiber optic termination.</p> <p>D/TP Link or approved Eqv.</p> <p>Complete in all respects as directed by Engineer Incharge.</p>		04 Nos.	
12	<p><b>65" Smart LED</b></p> <p>Ultra HD (4K) resolution (3840×2160) or higher, LED backlit display with high brightness, Complete with wall mounting kit, remote control, and all standard accessories. TCL or approved equivalent</p> <p>Complete in all respects or as directed by Engineer Incharge.</p>		03 Nos.	
13	<p><b>8TB Surveillance Grade Hard Disk Drive</b></p> <p>SATA interface, designed for 24×7 continuous recording, optimized for CCTV/NVR systems, high reliability and workload rating suitable for multi-channel HD/IP video surveillance, compatible with NVR system.</p> <p>Seagate or approved equivalent.</p> <p>Complete in all respects or as directed by Engineer Incharge.</p>		01 No.	
14	<p><b>2 Core Cable 7/29 copper</b></p> <p>Pakistan cable</p>		16 Roll	
15	<p><b>Inverter 5KVA</b></p> <p>ROHs &amp; Energy Star Certified.</p> <p>Including the Cost of Proper DC distribution box, breaker protection for NVR, Switch racks, LED display etc.</p> <p>Make Homage latest series or approved Eqv.</p> <p>Breakers : Chint or approved Eqv.</p> <p>Minimum Warranty 03 Years.</p> <p>Complete Supply in all respect or as directed by Engineer.</p>		01 No.	



16	<p><b>5 kWh Lithium Battery Bank - 100Ah</b></p> <p>LiFePO<sub>4</sub> chemistry, nominal voltage compatible with 5KVA inverter system, built-in Battery Management System (BMS) for protection against overcharge, deep discharge, short circuit and temperature variation, long cycle life, suitable for solar/backup power system for CCTV load etc..</p> <p>IP 65, Wall mounted &amp; Bracket design, 10 years warranty, 20 years life design.</p> <p>Inverex or approved Eqv. Complete Supply in all respect or as directed by Engineer.</p>		01 No.	
17	<p><b>24-Port Loaded Patch Panel</b></p> <p>CAT6 compliant, suitable for structured cabling and network rack installation, complete with RJ45 ports, labeling provision and mounting accessories etc.</p> <p>D-Link, TP-Link, Schneider Electric or equivalent.</p> <p>Complete Supply in all respect or as directed by Engineer.</p>		03 Nos.	
18	<p><b>CABLE MANAGER</b></p> <p>Supply of Cable Manager suitable for data rack/cabinet installation,</p> <p>Complete Supply in all respect or as directed by Engineer.</p>		03 Nos.	
19	<p><b>PATCH CORD SC-SC 3MTR</b></p> <p>Supply of Fiber Optic Patch Cord, SC-SC, Single Mode, Duplex, 3 Meter length, suitable for fiber optic networking and CCTV system.</p>		45 Nos.	
20	<p>Heavy gauge 1" PVC conduit pipe for CCTV/data cabling works, including couplers etc.</p> <p>Popular/Adam Jee or approved Eqv.</p> <p>Complete Supply in all respect or as directed by Engineer.</p>		150 feet	
21	<p>Supply of 1 inch dia. HDPE Pipe, heavy duty, suitable for underground protection of CCTV/data/electrical cables, of approved local make, complete in all respects (supply only).</p> <p>Popular/Adam Jee or approved Eqv.</p> <p>Complete Supply in all respect or as directed by Engineer.</p>		200 meter	
22	<p>PVC Cable Duct 16×25 mm &amp; 16×38 mm size (slotted type)</p> <p>Complete in all respects as directed by Engineer Incharge.</p>		150 feet	




23	<p><b>Stainless Steel Screws (SS 304)</b></p> <p>Corrosion resistant, suitable for outdoor CCTV installation, including washers and nuts where required, used for fixing cameras, junction boxes, poles and accessories.</p> <p>Complete in all respects as directed by Engineer Incharge.</p>		100 Pieces	
24	<p><b>8-inch Nylon Cable Ties</b></p> <p>High-strength UV resistant, suitable for outdoor and indoor cable management of CCTV and networking cables, used for fixing CAT6, power cables etc. and fiber protection in conduits and racks,</p> <p>Complete in all respects as directed by Engineer Incharge.</p>		100 Pieces	
25	<p>PVC Flexible Pipe (Flexible Conduit) 1 inch dia., heavy duty, suitable for CCTV/electrical/data cable protection, of approved local make, complete in all respects (supply only).</p> <p>Popular/Adam Jee or approved Eqv.</p> <p>Complete Supply in all respect or as directed by Engineer.</p>		As Required	
26	<p>RJ45 Modular Connector (CAT6 compatible), of AMP or equivalent, high-quality gold plated pins</p> <p>Complete in all respects as directed by Engineer Incharge.</p>		As Required	
27	<p><b>Civil Works for Cable Trenching, Excavation and Restoration etc. &amp; any other associated civil work (of any type)</b></p> <p>Excavation/digging of trenches of required depth and width for laying of CCTV/communication/electrical conduits, backfilling with selected earth/material after laying of pipes/cables, proper compaction in layers, removal of surplus soil, and making good all disturbed surfaces including roads, pavements, tiles, flooring, lawn/grass, or any other affected area to its original condition.</p> <p>Complete in all respects as directed by Engineer Incharge.</p>		01 Job	
28	<p><b>Installation, Testing, Configuration and Commissioning (ITC) of Complete CCTV Surveillance System.</b></p> <p>including installation of IP cameras, NVR system, PoE switches, network configuration, fiber optic termination and splicing, ODF termination, CAT6 cabling, power cabling, cable dressing, rack installation, labeling, grounding/earthing where required, system integration, software configuration, mobile and remote access setup, testing of all cameras and recording system, commissioning of complete system in operational condition, training of client staff and handing over all</p>		01 Job	



systems in working order including the cost of Miscellaneous items required for complete installation.  Complete in all respects as directed by Engineer Incharge.  <i>Site visit is recommended for bid submission.</i>			
<b>Grand Total in PKR (inclusive of all taxes)</b>			

### TERMS AND CONDITIONS

1. Electronic Bid must be submitted on EPAD on or before **11.06.2026** at **02:00 PM** which will be opened on the same day at **02:30 PM** in the presence of tenderers or their representatives who desire to participate.
2. Bid Money amounting to **Rs.200,000/-** in the form of pay order/demand draft made in the name of Pakistan Mineral Development Corporation on account of bidder from any scheduled bank shall accompany the bid/tender. Tender with less or without bid money (in the form of pay order/demand draft) or pay order/demand draft without the name of bidder shall not be considered.
3. Successful tender will be required to deposit security money @ 10% of the total value and bid money already deposited will be converted into security deposit while balance amount shall have to be deposited to maintain the Security deposit @ 10% of the total value which will be refunded after successful completion of DLP/Warranty.
4. Tenders will be evaluated on least cost method. Bidders meeting the required all mandatory required documents and relevant experience, will be considered Technical responsive among the technical responsive bidders the contract will be awarded to the bidder offering the lowest evaluated price.
5. The rates should be quoted in PKR and should be inclusive of all applicable/prevaling taxes. Any increase in taxes at any stage shall not be considered.
6. All taxes will be applicable/deducted as per prevailing Government rules.
7. The rates, prices and amounts shall be entered against each item in the Schedule of Prices/BOQ. Any item against which no rate or price is entered by the bidder will not be paid for by the Employer when executed and shall be deemed covered by the rates and prices for other items in the Schedule of Prices.
8. Interpretation of the PMDC regarding the tendered rates in case of any discrepancy regarding unit rates and total amount shall be final.
9. The bidder will be responsible to carry out the works as per detailed mentioned in BOQ and the payment to the contractor shall be made on actual work done.
10. Escalation of cost at any circumstances will not be permitted.
11. The scope of work shall be complete in all respects. Any item(s), material(s), accessory(ies), minor civil/electrical/networking work which are not specifically mentioned in the BOQ but are necessary for successful installation, testing, commissioning and proper functioning of the system shall be deemed to be included in the quoted rates. No additional payment shall be made for such incidental works/items required for completion of the system. The contractor is advised to visit the site before submission of bid to assess the full scope of work.
12. All equipment supplied shall be fully compatible with each other and shall be integrated into a single unified CCTV monitoring system. Any additional accessories, connectors, software configurations, or interfaces required for system integration shall be deemed included in the quoted rates.



13. All works shall be executed in accordance with relevant applicable national and international standards, manufacturer's recommendations, and best engineering practices.
14. The Contractor must ensure that the supplied equipment is as per international standards/IEC and is fully operational, new, genuine and performs properly.
15. Any component identified non-genuine, copy or refurbished during entire warranty will be rejected instantly and it will be supplier's responsibility to replace that whole or component on supplier cost.
16. All electrical, data, and communication cables (including CAT6, fiber optic cables, and power cables) shall be installed in proper conduits, PVC/HDPE pipes, cable ducts, or cable management systems as applicable. No loose, open, or surface-hanging wiring shall be accepted. All cabling shall be properly dressed, routed, secured, and protected to ensure mechanical safety, durability, and professional installation standards.
17. All CCTV system cabling including CAT6, fiber optic cables, and power cables shall be installed as per structured cabling standards. Proper labeling, tagging, and identification of all cables at both ends shall be carried out. All terminations shall be properly crimped, spliced, and tested to ensure error-free data transmission and stable system performance.
18. All installation works shall comply with safety standards. Proper earthing and grounding of equipment shall be ensured. Surge protection devices and proper electrical isolation shall be provided where required to protect CCTV system from voltage fluctuations and lightning effects.
19. The entire CCTV system shall be fully functional, integrated, and operational after completion. All cameras shall provide clear video quality during day and night conditions without interruption or data loss.
20. **DLP/Warranty for one (01) Year :-**

Under this period the contractor shall provide a comprehensive warranty for the complete CCTV surveillance system from the date of successful installation, testing, commissioning, and handing over. The warranty shall cover all supplied equipment, materials, accessories, and workmanship including but not limited to CCTV cameras, PTZ cameras, NVR, PoE switches, fiber optic system, ODF, CAT6 cabling, racks, storage devices, power backup system, conduits, ducts, poles, and all related installation works.

During the warranty period, the contractor shall be fully responsible for on-site rectification (within 12 hours) of all faults, troubleshooting, repair, replacement of defective parts, configuration errors, and system failures without any additional cost to the client. The system shall be maintained in fully operational condition, ensuring uninterrupted functionality including live monitoring, recording, playback etc.

All necessary manpower, tools, equipment, spare parts, and transportation required for warranty services shall be arranged by the contractor. Response time for fault rectification shall be immediate and system downtime shall be minimized to ensure continuous operation of the surveillance system.

21. If the Supplier, having been notified, fails to remedy the defect(s) within the specified period, PMDC may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense.
22. No running/interim payment will be applicable.
23. The Project Engineer may request samples of material to be installed in order to check its quality for approval purpose.
24. The quantity can be increased (upto 15% of the total contracted quantities/amount) or decreased during the period of the contract at the sole discretion of PMDC without any prior notice to contractor.



25. No extra item shall be allowed to be executed without written orders from the concern Project Manager.
26. Concern Project Engineer shall reserve the right to add/ delete any item from bill of quantities and the contractor will be responsible to execute any extra item required at site to complete the work and the payment for the same shall be made on mutually agreed rates.
27. The contractor shall arrange water, electricity, and all other required utilities at his own cost for execution of the work. In case the contractor does not arrange such utilities at his own cost and utilizes PMDC resources, water charges shall be deducted at the rate of 0.5% of the contract price, and electricity charges shall be deducted based on actual units consumed at the prevailing per-unit tariff, from the contractor's bills.
28. No extra payment for water and electricity works etc. shall be claimed by the contractor.
29. The Contractor shall be responsible to make complete arrangements for the transportation/storage /security of the material etc. and the security/stay of his staff/workers.
30. The contractor shall ensure that all personnel engaged in the execution of works strictly wear appropriate Personal Protective Equipment (PPE) at all times during site activities. PPE shall include, but not be limited to, safety helmets, safety shoes, reflective jackets, safety gloves, and any other safety equipment required for safe execution of the work
31. Any damages to PMDC assets, property, equipment, or any loss, injury, or harm to PMDC staff, contractor staff, or any third party of whatsoever nature arising during execution of the work, whether due to negligence, improper handling, or site activities, shall be the sole responsibility of the contractor. The contractor shall bear all costs, compensation, legal liabilities, and claims arising therefrom.
32. Bids should remain valid for a period of 90 days from the date of opening of tenders. In case no specific date of validity is mentioned in the offer, it will be presumed to be valid for a period of 90 days from the date of opening of tender.
33. The Firm/Contractor should have 03 years' experience in relevant Project/ work with Govt. departments and other organizations/companies. Proof of relevant experience/work order/completion certificate should be attached.
34. Firm/Contractor should be of sound financial health and shall provide Bank statement covering last 12 months (from the date of submission of bid).
35. Firm/Contractor must provide a list of the machinery/equipment available with the tenderer.
36. The tender for the supply / work will be completed / delivered at PMDC Head Office, Islamabad.
37. Completion time period will be 03 months. In case of delay, LD Charges @ rate 0.10% of total contract value will be applied per day upto 10 % of Total Contract Value.
38. The successful tender will have to execute a contract within the specified time, Payment will be made after satisfactorily completion work as per specifications and on submission of the bill along with satisfactory completion certificate/report whereas security deposit will be refunded after expiry of DLP/warranty period.
39. If the contractor fails to fulfill the contractual obligations of the contract, then the Security deposit will be forfeited.
40. The authorized representative of the bidder/bidding firm will only be allowed to sit in the tender opening on presentation of authority letter from the bidder/bidding firm issued in favor of representative to participate in the specific tender.



41. Firm/Contractor or any its subsidiary firms or of its directors/owners or any their relatives' parents, children, brother, sister) should not be under litigation with PMDC in any local or foreign court law.
42. Firm/Contractor or any its subsidiary firms or of its directors/owners or any their relatives parents, children, brother, sister) should not have any ongoing, under resolved business dispute with PMDC, PMDC shall be sole judge of fulfillment of this requirement.
43. Firm/Contractor or any its subsidiary firms or of its directors/owners or any their relatives' parents, children, brother, sister) should not have any direct or indirect conflict of interest with the procuring agency.
44. In case of any dispute regarding this purchase order/assignment, the same will be resolved between the relevant parties through negotiations. If negotiations shall fail, then matter will be referred to the Arbitrator. The MD, PMDC will act as sole Arbitrator as per Arbitration Act, 1940. Decision/award of Arbitrator will be final and binding on the both parties.
45. The tenderer/supplier shall appoint a representative at the project and furnish his postal address and contact number to PMDC. Any notice to be served on or document to be signed by the contractor shall be either delivered personally or through the representative and in case it is not possible it shall be treated to have delivered if it has been mailed by registered post on the Postal Address of the representative.
46. PMDC Reserved the right to accept or reject the tender of the tenderer at any time without assigning reasons and cannot be challenged in any court of law.
47. The tenderer/supplier will be blacklisted who is found to the tender process by making coercive practices, collusive practices, corrupt practices, fraudulent practices & obstructive practices.
48. I agree to the above terms and conditions and give my acceptance.
49. Checklist of documents to be attached.

Note: For any technical queries, please contact Mr. Masud Ahmed, Dy. Manager, PMDC Head Office, Islamabad , Ph. No. 0300-5674791

Signature of tenderer: \_\_\_\_\_

Name of tenderer: \_\_\_\_\_



AVP (Procurement)  
PMDC Head Office, H-9/4, Islamabad  
Phone: 051-9265128  
E-mail: dgm-pro@pmdc.gov.pk

**Check List**

<b>Sr. No.</b>	<b>Description</b>	<b>Yes</b>	<b>No</b>
1	Original Bid money amounting to Rs.200,000/- of is being deposited D.D/Pay Order _____ dated _____		
2	List of the machinery/equipment etc. available with the tenderer.		
3	Copy of CNIC and Authority Letter.		
4	Copy of registration certificate with FBR/relevant authority department.		
5	Copies of experience certificate, Completion Certificate and work orders.		
6	List of technical staff available with the tenderer who will execute/ supervise the work.		
7	Financial Soundness Proof (Bank Reference or Bank Statement, Audited Report / Accounts).		
8	Affidavit of litigation		
9	Affidavit regarding no dispute with PMDC.		
10	Affidavit regarding no conflict of interest with PMDC.		
11	Technical Brochure/Manuals, Drawings etc.		

**Tenderer/Bidder Signature**



Pakistan Mineral Development Corporation (PMDC)

