

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 15-06-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF “PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT” (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

TENDER BULLETIN

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGP102837	C5F92-90981	6740785240378 / HP LASERJET PRO M402DN/M404DN Printer		2 / EACH/NUMBER	HP LASERJET PRO M402DN					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
2	DNF103041	-----	6210705246112 / BRYTEX LED SERIES LED LIGHTS 1x2 ft		15 / EACH/NUMBER	general				TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
3	DGP103750	w1a53a	7025016843009 / printer hp laserjet pro m404dn		2 / EACH/NUMBER	prom404dn					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
4	DNO101703	450-5413	5310775266884 / BRIDGE		16 / EACH/NUMBER	3516E				TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - COMPONENT TYPE : VALVE BRIDGE MATERIAL: FORGED /MACHINED ALLOY STEEL HARDNESS: APPROX 50*60 HRC LUBRICATION: SPALASH OP TEMP: 200-250C GENERAL SPECIFICATION - COMPONENT TYPE : VALVE BRIDGE MATERIAL: FORGED /MACHINED ALLOY STEEL HARDNESS: APPROX 50*60 HRC LUBRICATION: SPALASH OP TEMP: 200-250C	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
5	DNO99143	Part No.1 (Teile No. 107)	534072525873 1 / Discharge casing		1 / EACH/NUMBER	SOB 113 W G2V V. 22				TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - Discharge casing anti corrosion coating mounting securing sealing marine (saltwater resistant) pump assembly /piping interface GENERAL SPECIFICATION - Discharge casing anti corrosion coating mounting securing sealing marine (saltwater resistant) pump assembly /piping interface	
6	DCC101708		840570338930 7 / MTD DRESS GREY 80/20 PLOYESTER VISCOSE WAIST-36 COLLAR-16		180 / EACH/NUMBER						TECHNICAL SPECIFICATION - MTD DRESS GREY 80/20 POLYESTER VISCOSE WAIST-36 COLLAR-16 GENERAL SPECIFICATION - MTD DRESS GREY 80/20 POLYESTER VISCOSE WAIST-36 COLLAR-16	the item is procured against tender sample.
7	DGP103646	4-719331-847241	705050735033 3 / motherboard		3 / EACH/NUMBER	b250m-d3h					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
8	DNF101595	MCTX-NLTK	591570524870 6 / ODF 8 PORTS		3 / EACH/NUMBER	MCTX-NLTK				TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - BRAND: NETLINK MODEL: MCTX - NLTK GENERAL SPECIFICATION - BRAND: NETLINK MODEL: MCTX - NLTK	
9	DNC100973	HPA 014	412070524093 5 / AIR CONDITIONING UNIT 24VDC ROOF TOP, 14000 BTU		10 / EACH/NUMBER	HPA014				TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
10	DNC100411	1N20514	291559528705 7 / SKIRT SEGMENT STANDARD OPEN		50 / EACH/NUMBER	N/A				TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
										D WITH QUOTATION		
11	DGP103656	MFP M479	743571523491 2 / HP COLOR LASER JER PRO MFP M479 SERIES		2 / EACH/NUMBER	HP COLOR LASER JET PRO MFP M479FDW					TECHNICAL SPECIFICATION - AS PER ATTACHEMETN GENERAL SPECIFICATION - AS PER ATTACHEMETN	
12	DGP98440	2KE231150	702571533285 3 / HARD DRIVE DELL 8TB SATA 7.2K 6GBPS 3.5"		1 / EACH/NUMBER	ULTRASTAR DC HC320					TECHNICAL SPECIFICATION - HDD DELL EMC 8TB SATA 7.2K 6 GBPS 3.5" 512E FORM FACTOR: 3.5" RPM: 7.2K SECTOR FORMAT: 512E CAPACITY: 8TB INTERFACE: SATA COMPANY: DELL GENERAL SPECIFICATION - HDD DELL EMC 8TB SATA 7.2K 6 GBPS 3.5" 512E FORM FACTOR: 3.5" RPM: 7.2K SECTOR FORMAT: 512E CAPACITY: 8TB INTERFACE: SATA COMPANY: DELL	
13	SCF101771		834559004067 1 / FLAG PANNENT NUMERAL ZERO NO 4 FTD SZ 9.16 X3.16FT		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG PANNENT NUMERAL ZERO NO 4 FTD SZ 9.16X3.16FT GENERAL SPECIFICATION - FLAG PANNENT NUMERAL ZERO NO 4 FTD SZ 9.16X3.16FT	
14	DGP103648	15csxusta3604611	705050531031 2 / lcd 15"		2 / EACH/NUMBER	phillips model no e200909					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
15	DNC101431	041518 h	481073528043 1 / VALVE BUTTER FLY dn80		3 / EACH/NUMBER	dn 80				TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
16	DNF101315	BUC (feed horn)	591570523955 3 / Feedhorn WITH BUC & LNB		1 / EACH/NUMBER	Feedhorn				TDS/BROCHER OR PIC OF ITEM MUST	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
										BE ENCLOSE D WITH QUOTATIO N		
17	DNF102781	dgs-1510-28p / DGS-1510-28X, DEM-310GT,	593070524633 3 / D-LINK 24 PORTS 10/100/1000 MBPS+4 10G SFP+PORTS SMARTPRO SWITCH, (EU PLUG) WITH 4 X K-LINK 1-P LX SM SFP (DGS-1510-28X & DEM-310GT)		6 / EACH/NUMBER	dgs-1510-28x,DEM-310GT,				TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSE D WITH QOUTATIO N.	<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
18	DCD102642		845550130043 7 / PAK MARINE INSIGNIA CPOs / SAILORS		400 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - PAK MARINE INSIGNIA CPOs / SAILORS</u> <u>GENERAL SPECIFICATION - PAK MARINE INSIGNIA CPOs / SAILORS</u>	item required as per tender samlpe
19	DNO101702	417-2406	536577526682 6 / SPRING		1 / EACH/NUMBER	3516E				TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N	<u>TECHNICAL SPECIFICATION - COIL SPRING HIGH GRADE SPRING STEEL HEAT TREATED ABSORBS SHOCK 0.1361 KG APPROX CATERPILLAR</u> <u>GENERAL SPECIFICATION - COIL SPRING HIGH GRADE SPRING STEEL HEAT TREATED ABSORBS SHOCK 0.1361 KG APPROX CATERPILLAR</u>	
20	SCP100601		653250010025 2 / CASES MATTRESSES HOSPITAL LENTH 208.28 CM BRATH 91.44CM		180 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - CASES MATTRESSES HOSPITAL LENTH 208.28CM BRATH 91.44CM</u> <u>GENERAL SPECIFICATION - CASES MATTRESSES HOSPITAL LENTH 208.28CM BRATH 91.44CM</u>	
21	DNF100981	420-00273-01	593078534409 6 / NETWORK SWITCH opzoon		1 / EACH/NUMBER	pt-3750e-28t -s v2				TDS/BROCHURE OR PIC OF ITEM MUST	<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
										NE ENCLOSE D WITH QOUTATIO N.		
22	DGP103 650	221417699 -PK	705050309045 0 / keyboard		2 / EACH/N UMBER	banda keyboard					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
23	SCP1008 66		841550270001 4 / SLEEPING BAG SIZE LENGTH 6FT 6INCHES WIDTH 2FT - 9INCHES WITH COVER		80 / EACH/N UMBER						TECHNICAL SPECIFICATION - SLEEPING BAG SIZE LENGTH 6FT 6INCHES WIDTH 2FT - 9INCHES WITH COVER GENERAL SPECIFICATION - SLEEPING BAG SIZE LENGTH 6FT 6INCHES WIDTH 2FT - 9INCHES WITH COVER	
24	DNO100 369	389-5860	668577526241 9 / HEATER-JACKET WATER		1 / EACH/N UMBER	C 9.3				TDS/BROCH ER OR PIC OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N	TECHNICAL SPECIFICATION - HEATER-JACKET WATER GENERAL SPECIFICATION - HEATER-JACKET WATER	
25	DNJ1027 89	65910-98J01	291076534490 8 / FUEL FILTER / FUEL WATER SEPARATOR ELEMENT		10 / EACH/N UMBER	65910-98J01-000				TDS/BROCH URE OR PIC OF ITEM MUST NE ENCLOSE D WITH QOUTATIO N.	TECHNICAL SPECIFICATION - FUEL FILTER / FUEL WATER SEPARATOR ELEMENT GENERAL SPECIFICATION - FUEL FILTER / FUEL WATER SEPARATOR ELEMENT	
26	DNJ1030 63	65910-98J01	291076534490 8 / FUEL FILTER / FUEL WATER SEPARATOR ELEMENT		8 / EACH/N UMBER	65910-98J01-000				TDS/BROCH URE OR PIC OF ITEM MUST NE ENCLOSE D WITH QOUTATIO N.	TECHNICAL SPECIFICATION - FUEL FILTER / FUEL WATER SEPARATOR ELEMENT GENERAL SPECIFICATION - FUEL FILTER / FUEL WATER SEPARATOR ELEMENT	
27	DGP103 651	c1208-r-2660	705050750976 6 / tid (tft lcd 8")		1 / EACH/N UMBER	toshiba model no ltm08c351					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											null	
28	DGP103647	mt190en02	7050505311026 / lcd 19"		1 / EACH/NUMBER	winmat model no r19i340					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
29	SNF52845	FSP120-ACB	5999705246880 / 24V 5AMP DC ADAPTER		12 / EACH/NUMBER	FSP120-ACB				TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION.	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
30	DNF100233	TIP BRAND	9558790750033 / TELEPHONE SET PUSH BUTTEN TYPE (TIP BRAND)	AUTOMATIC TELEPHONE	4 / EACH/NUMBER	TIP BRAND				TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION.	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
31	DNF101858	HU953UV	8040705009081 / ARALDITE AW 106 HARDNER	EM LOG	2 / EACH/NUMBER					TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION.	TECHNICAL SPECIFICATION - Colour (visual) Neutral Pale yellow SPecific gravity ca.1.15 ca. 0.95 ca. 1.05 Viscosity at 25 C 30-50 20-35 30-45 Pot Life (100 gm at 25 C) ca. 100 minutes GENERAL SPECIFICATION - Colour (visual) Neutral Pale yellow SPecific gravity ca.1.15 ca. 0.95 ca.1.05 Viscosity at 25 C 30-50 20-35 30-45 Pot Life (100 gm at 25 C) ca.100 minutes	
32	DNF102793	N250 PLUS EXIDE / OSAKA OR EQUALENT	0562795620006 / BATTERY LEAD ACID 12V 200AH	DG USED	5 / EACH/NUMBER	N250 PLUS EXIDE / OSAKA				TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION.	TECHNICAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE: 511X280X246MM EXIDE PAKISTAN. GENERAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE:511X280X246MM EXIDE PAKISTAN.	
33	DGP103709	JPN 8888/JPN-8840 110-	0583799427885 / TORCH-		2 / EACH/NUMBER	SOGO HUNTER					TECHNICAL SPECIFICATION - INPUT 220-240V 50/60Hz RANGE:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
		240V-50/60H2 SOGO	HAND-ELECT								1000M BATTERY: 6V 4Ah OUTPUT: 15W Rechargeable time : 20-24Hrs Dimension: 190x122x127mm. <u>GENERAL SPECIFICATION -</u> INPUT 220-240V 50/60Hz RANGE: 1000M BATTERY: 6V 4Ah OUTPUT: 15W Rechargeable time : 20-24Hrs Dimension: 190x122x127mm.	
34	DGP103 653	E2722H/M 27FW	743570521488 5 / LCD MONITOR 27 inch	Instructor Console	1 / EACH/N UMBER	E2417H (24") /e2722h/F 22P MCR Simulator	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	DELL		<u>TECHNICAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION- 1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA & 2 HDMI WEIGHT -3.68 KGS (UNPACKED)</u> <u>GENERAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA & 2 HDMI WEIGHT -3.68 KGS (UNPACKED)</u>	
35	DGP101 227	NIL	743570513771 9 / PRINTER COLOUR LASER JET 2605DN/ HP 3525.	COMPUTER	1 / EACH/N UMBER	JET2605 DN/HP35 25.		PK	PAKISTA N		<u>TECHNICAL SPECIFICATION - -</u> <u>GENERAL SPECIFICATION - -</u>	
36	DNF1028 06	SRX-300 / 210	701071520702 1 / JUNIPER FIREWALL SRX300	UFFAQ	1 / EACH/N UMBER	SRX-300 / 210		Juniper Networks, Inc. 1194 North Mathilda Avenue Sunnyvale, CA 94089 USA Phone: 888.JUNIPER (888.586.4737)	Juniper Networks. inc	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSE	<u>TECHNICAL SPECIFICATION - As Attached</u> <u>GENERAL SPECIFICATION - As Attached</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
								or 408.745.2000 Fax: 408.745.2100 www.juniper.net		D WITH QOUTATION.		
37	DNJ103077	15440-93J00-000/15440-93J00	2940765221800 / FILTER, FUEL (EPI)	SUZUKI DF300AP 300 HP OBM	2 / EACH/NUMBER	DF300AP	30002P-712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN	TDS/BROCHER OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION	TECHNICAL SPECIFICATION - NIL GENERAL SPECIFICATION - NIL	
38	DNJ102788	15440-93J00-000/15440-93J00	2940765221800 / FILTER, FUEL (EPI)	SUZUKI DF300AP 300 HP OBM	10 / EACH/NUMBER	DF300AP	30002P-712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN	TDS/BROCHURE OR PIC OF ITEM MUST NE ENCLOSED WITH QOUTATION.	TECHNICAL SPECIFICATION - NIL GENERAL SPECIFICATION - NIL	
39	DNJ103076	6CB-24501-01	2940765203359 / FILTER, FUEL	YAMAHA OBM	2 / EACH/NUMBER	NO DATA AVAILAB LE	6CE-1029885, 6CF-1009814	YAMAHA MOTOR CO. LTD JAPAN	JAPAN	TDS/BROCHURE OR PIC OF ITEM MUST NE ENCLOSED WITH QOUTATION.	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
40	DNJ83782	12933-69G10	4810765222285 / SEAT, VALVE SPRING	SUZUKI DF300AP 300 HP OBM	24 / EACH/NUMBER	DF300AP	30002P-712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN	TDS/BROCHURE OR PIC OF ITEM MUST NE ENCLOSED WITH QOUTATION.	TECHNICAL SPECIFICATION - NIL GENERAL SPECIFICATION - NIL	
41	DNJ83794	12160-98J00	2895765221704 / CONNROD ASSY	SUZUKI DF300AP 300 HP OBM	6 / EACH/NUMBER	DF300AP	30002P-712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN	TDS/BROCHURE OR PIC OF ITEM MUST NE ENCLOSED WITH	TECHNICAL SPECIFICATION - NIL GENERAL SPECIFICATION - NIL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
										QOUTATIO N.		
42	DNJ8434 1	12160-98J00	289576522170 4 / CONNROD ASSY	SUZUKI DF300AP 300 HP OBM	6 / EACH/NUMBER	DF300AP	30002P-712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION.	<u>TECHNICAL SPECIFICATION - NIL</u> <u>GENERAL SPECIFICATION - NIL</u>	
43	DNN100 039	050233 / 042137	482012147622 3 / SAFETY VALVE COMPRESSION STAGE 4	HPAC WP5500 FRANCE	1 / EACH/NUMBER	WP5500	112267	GIRODIN SAUER FRANCE, URBAN-VALLEY-BAT C, CHEMIN DU BAS DES INDES-95240- CORMEILLES EN PARISIS (FRANCE). CONTACT +33(0)1 34 117610, www.girodin-sauer.com , info@girodin-sauer.fr	GIRODIN SAUER FRANCE	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION.	<u>TECHNICAL SPECIFICATION - Safety Valve Compression Stage 4 AS PER TPI</u> <u>GENERAL SPECIFICATION - Safety Valve Compression Stage 4 AS PER TPI</u>	
44	DNJ8380 5	12892-93J10-283/ 12892-93J00-283	536576522238 7 / SHIM, TAPPET (T: 2825)	SUZUKI DF300AP 300 HP OBM	12 / EACH/NUMBER	DF300AP	30002P-712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION.	<u>TECHNICAL SPECIFICATION - NIL</u> <u>GENERAL SPECIFICATION - NIL</u>	
45	DNF1006 03	3MCA6	783071520694 3 / CABLE ROLL (CAT 6) (3MCA6) 1000 FEET COIL	UPGRADING OF MARITIME SAFETY INFORMATION MANAGMEN	2 / EACH/NUMBER	CAT 6E	CAT 6E 23AWG/4 PRSYD/T 817 236M	M/S Skill Orbit using ESIR GIS software orig USA	M/S Skill Orbit using ESIR GIS software orig USA	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION - Upgrading of Existing Maritime Safety Information Management System (MSI) is required for Navarea ix.</u> <u>GENERAL SPECIFICATION - Upgrading of Existing Maritime Safety Information Management System (MSI) is required for Navarea ix.</u>	
46	SNF4930 2	P-0113000	705078516678 9 / IPSAN HARDDISK_W D 2T	PSS	3 / EACH/NUMBER			M/s CETC Mansion, No. 5 Wulutong North Street. Xicheng Districe, Beijing, China	M/s CETC Internatio nal CO., LTD	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH	<u>TECHNICAL SPECIFICATION - Harddisk_WD 2T</u> <u>GENERAL SPECIFICATION - Harddisk_WD 2T</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
47	DNJ103007	64D-11631-22-90	2815765212444 / PISTON (STD)	150 AET OBM ENGINE	2 / EACH/NUMBER	150AET07 (6G47) 1024899	10248996G47	YAMAHA MOTOR CO LTD 2500 SHINGAI LWATA SHIZUOKA 438-8501 JAPAN PHONE 0081-538-37-1668 FAX 0081-538-37-1954	YAMAHA MOTOR CO LTD	QOUTATION. TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION.	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
48	DGP103748	PT-VMZ71	6730795203128 / FULL HIGH DEFINITION (FHD) MULTIMEDIA PROJECTOR	HITACHI	1 / EACH/NUMBER	PT-VMZ71	NIL	HITACHI	HITACHI (UK)		TECHNICAL SPECIFICATION - SPECIFICATION OF ITEMS: 1. BRIGHTNESS (WHITE/COLOR) = (7,000 LUM WUXGA) 2. RESOLUTION (NATIVE/NORMAL) WITH STANDARD FITTED LENS = 1920 x 1200 WUXGA 3. ASPECT RATION = 16:10 (WUXGA) 4. CONTRAST RATIO = 3,000,000:1, 5. DISPLAY TYPE = 3 LCD CHIP 6. COLOR PROCESSING = 8-BIT 7. INPUT = HDMI, VGA (15 PIN) 8. LAMP LIFE (MINIMUM) = 2000 HRS OR MORE (IN NORMAL MODE) 9. POWER = 580 WATTS, 100 240 V AC 60HZS 10. MAKE = PANASONIC 11. MODEL = PT-VMZ71 GENERAL SPECIFICATION - SPECIFICATION OF ITEMS: 1. BRIGHTNESS (WHITE/COLOR) = (7,000 LUM WUXGA) 2. RESOLUTION (NATIVE/NORMAL) WITH STANDARD FITTED LENS = 1920 x 1200 WUXGA 3. ASPECT RATION = 16:10 (WUXGA) 4. CONTRAST RATIO = 3,000,000:1, 5. DISPLAY TYPE = 3 LCD CHIP 6. COLOR PROCESSING = 8-BIT 7. INPUT = HDMI, VGA (15 PIN) 8. LAMP LIFE (MINIMUM) = 2000 HRS OR MORE (IN NORMAL MODE) 9. POWER = 580 WATTS, 100 240 V AC 60HZS 10. MAKE = PANASONIC 11. MODEL = PT-VMZ71	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
49	DGP103 655	PT-VMZ71	673079520312 8 / FULL HIGH DEFINITION (FHD) MULTIMEDIA PROJECTOR	HITACHI	1 / EACH/N UMBER	PT- VMZ71	NIL	HITACHI	HITACHI (UK)		<p><u>TECHNICAL SPECIFICATION - SPECIFICATION OF ITEMS:</u> 1. BRIGHTNESS (WHITE/COLOR) = (7,000 LUM WUXGA) 2. RESOLUTION (NATIVE/NORMAL) WITH STANDARD FITTED LENS = 1920 x 1200 WUXGA 3. ASPECT RATION = 16:10 (WUXGA) 4. CONTRAST RATIO = 3,000,000:1, 5. DISPLAY TYPE = 3 LCD CHIP 6. COLOR PROCESSING = 8-BIT 7. INPUT = HDMI, VGA (15 PIN) 8. LAMP LIFE (MINIMUM) = 2000 HRS OR MORE (IN NORMAL MODE) 9. POWER = 580 WATTS, 100 240 V AC 60HZS 10. MAKE = PANASONIC 11. MODEL = PT-VMZ71</p> <p><u>GENERAL SPECIFICATION - SPECIFICATION OF ITEMS:</u> 1. BRIGHTNESS (WHITE/COLOR) = (7,000 LUM WUXGA) 2. RESOLUTION (NATIVE/NORMAL) WITH STANDARD FITTED LENS = 1920 x 1200 WUXGA 3. ASPECT RATION = 16:10 (WUXGA) 4. CONTRAST RATIO = 3,000,000:1, 5. DISPLAY TYPE = 3 LCD CHIP 6. COLOR PROCESSING = 8-BIT 7. INPUT = HDMI, VGA (15 PIN) 8. LAMP LIFE (MINIMUM) = 2000 HRS OR MORE (IN NORMAL MODE) 9. POWER = 580 WATTS, 100 240 V AC 60HZS 10. MAKE = PANASONIC 11. MODEL = PT-VMZ71</p>	
50	DNF8622 4	APC BRAND SMC2000I / GX9- 2000	613078516675 2 / UPS 2KVA 2H O/P 220V 2000VA	PSS (CCTV SYS)	1 / EACH/N UMBER	APC BRAND/G X9-2000		M/s CETC Mansion, No. 5 Wulutong North Street. Xicheng Districe, Beijing, China	M/s CETC Internatio nal CO., LTD	TDS/BROC HURE OR PIC OF ITEM MUST NE ENCLOSE D WITH QOUTATIO N.	<p><u>TECHNICAL SPECIFICATION - OEM & SOA:</u>M/S CETC Mansion, NO.5 Wulutong North Street. Xicheng Districe, Beijing, China . <u>GENERAL SPECIFICATION - OEM & SOA:</u>M/S CETC Mansion, NO.5 Wulutong North Street. Xicheng Districe, Beijing, China .</p>	
51	DNJ1009 09	90794- 46911	291076523164 1 / FILTER	YAMAHA ENGINE 100HP	2 / EACH/N UMBER			YAMAHA MOTOR CO. LTD MARINE ENGINE DIVISION 2500 SHINGAI	YAMAHA JAPAN	TDS/BROC HURE OR PIC OF	<p><u>TECHNICAL SPECIFICATION - 10</u> Micron fuel/ water separator filter,</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			ELEMENT					IWATA SHI IWATA SHIZUOKA KEN JAPAN		ITEM MUST NE ENCLOSE D WITH QOUTATIO N.	typically a spin-on canister style. Height: 2.67 Inch DIMENSION / SIZE: Width: 2.66 Inch Inner hole: 0.80 InchGENERAL SPECIFICATION - 10 Micron fuel/ water separator filter, typically a spin-on canister style. Height: 2.67 Inch DIMENSION / SIZE: Width: 2.66 Inch Inner hole: 0.80 Inch	
52	DGP103 749	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	2 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port BothGENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
53	DGP103 657	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	3 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port BothGENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
54	DNJ1012 28	RM1100B/ RM1100A	432001570734 6 / RULE MATE AUTOMATIC BILGE PUMP 12VDC WITH ALL ACCE	OUTFITTING ITEM-RHIB	2 / EACH/N UMBER	RM1100B /RM1100 A		RULEMATE, Maxico, www. rule-industries.com		RULEMA TE, Maxico	TDS/BROC HURE OR PIC OF ITEM MUST NE ENCLOSE D WITH TECHNICAL SPECIFICATION - RULEMATE, Maxico, www.rule-industries.com Capacity: 1100GPH, with Skin fitting, One NRV, 5m flexible hose & hose clamp, 12V @ 3.4 Amp, Height: 4 1/4?, Width: 6?, Depth:3.25?, Footprint:2.75?x4.5?,	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
										QOUTATIO N.	Hose Size: 1 1/8?, Fuse size: 5GENERAL SPECIFICATION - RULEMATE, Maxico, www.rule-industries.com Capacity: 1100GPH, with Skin fitting, One NRV, 5m flexible hose & hose clamp, 12V @ 3.4 Amp, Height: 4 1/4?, Width: 6?, Depth: 3.25?, Footprint: 2.75?x4.5?, Hose Size: 1 1/8?, Fuse size: 5	
55	DNS102535	5268375	4320016038768 / PUMP SEA WATER	CUMMINS MAIN ENGINE CUMMINS MODEL QSB6.7?305MD USA	2 / EACH/NUMBER	QSB6.7-305MD		M/s Cummins Inc 500 Jackson Street Columbus IN, USA	CUMMIN S	tds/brocher or pic of item must be enclosed with quotation	TECHNICAL SPECIFICATION - OEM: M/s IMPEX NINE INC 412, DU PAHZE ST NAPERVILLE, IL 60565 USA CAGE 65KD2 USA GENERAL SPECIFICATION - OEM: M/s IMPEX NINE INC 412, DU PAHZE ST NAPERVILLE, IL 60565 USA CAGE 65KD2 USA	
56	DGP98300	LP-E-17	6665705207576 / LAPTOP CORE I5	G-3 SIMULATOR 2017 PAKISTAN	1 / EACH/NUMBER	2017	NA	M/S SOFT INOVATIVE SYSTEM 34-A/2, 1ST FLOOR, OPP LUXURY HOTEL, LALAZAR OFF. MT KHAN ROAD KARACHI TEL: +922135610429 +9221385610277	M/S SOFT INNOVATIVE SYSTEM S		TECHNICAL SPECIFICATION - PROCESSOR = INTEL CORE i5 RAM = 4GB HARD DRIVE= 500GB BLUETOOTH = BUILT-IN OPTICAL DRIVE= BUILT-IN MODEL & BRAND= LENOVO LDEAPAD 110/COMPATIBLE LAPTOP ADAPTER= INCLUDED DISPLAY= 15.6"GENERAL SPECIFICATION - PROCESSOR = INTEL CORE i5 RAM = 4GB HARD DRIVE= 500GB BLUETOOTH = BUILT-IN OPTICAL DRIVE= BUILT-IN MODEL & BRAND= LENOVO LDEAPAD 110/COMPATIBLE LAPTOP ADAPTER= INCLUDED DISPLAY= 15.6"	
57	DNS100464	MRN-102-016	4510FT1008612 / Fixed Type Shower Set	MRN Shower Wet Unit (with Wall Model Vacuum Toilet)	8 / EACH/NUMBER	MERCAN, MRN Shower Wet Unit	0	DERI ORGANIZE SANAYI BOLGESI 7. YOL F 7 PARSEL TUZLA	MERCAN GEMICILIK SAN. VE TIC. A.S.	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QOUTATION.	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
58	DNF100469	CMAC112K / CMAC	6615715141325 /	SKF MACHINE CONDITION	1 / EACH/NUMBER	NO DATA AVAILAB		US	M/S SKF RELIABILITY	TDS/BROCHURE OR	TECHNICAL SPECIFICATION - OEM ADD: M/S RELIABILITY	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		105	ACCELEROMETER WITH INTEGRAL CABLE FOR SKF MACHINE CONDITION ADVISOR	ADVISOR	NUMBER	LE			TY SYSTEM S,5271 VIEW BRIDGE COURT, SAN DIEGO CALIFORNIA,USA. TEL#+1 8584963400, FAX#+1 8584963531	PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION	SYSTEMS,5271 VIEW BRIDGE COURT,SAN DIEGO CALIFORNIA, USA.TEL#+1 8584963400,FAX#+1 8584963531GENERAL SPECIFICATION - OEM ADD:M/S RELIABILITY SYSTEMS,5271 VIEW BRIDGE COURT,SAN DIEGO CALIFORNIA,USA.TEL#+1 8584963400,FAX#+1 8584963531	
59	DNF101609	YSPL16L-24REG / 153060704	6210735204647 / INDICATION LIGHT (RE-GREEN)	MONITORING & ALARM SYSTEM YSPL16L-24REG KOREA	6 / EACH/NUMBER	YSPL16L-24REG	NIL	87, HWANGMUL-RO, DONGDAEMUN-GU, SEOUL, KOREA	YONGSUNG KOREA	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - PANNEL INDICATION LIGHT GREEN COLOR OEM: 87, Hwangmul-ro, Dongdaemun-gu, Seoul, Korea (IPC attached with Encl)GENERAL SPECIFICATION - PANNEL INDICATION LIGHT GREEN COLOR OEM: 87, Hwangmul-ro, Dongdaemun-gu, Seoul, Korea (IPC attached with Encl)	
60	DNF101610	YSPL16L-24RER / 153060702	6210735204646 / INDICATION LIGHT (RE-RED)	MONITORING & ALARM SYSTEM YSPL16L-24RER KOREA	6 / EACH/NUMBER	YSPL16L-24RER	NIL	87, HWANGMUL-RO, DONGDAEMUN-GU, SEOUL, KOREA	YONGSUNG KOREA	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	TECHNICAL SPECIFICATION - PANNEL INDICATION LIGHT RED COLOR Make/ model: Korea/YSPL16-L24RER OEM: 87, Hwangmul-ro, Dongdaemun-gu, Seoul, KoreaGENERAL SPECIFICATION - PANNEL INDICATION LIGHT RED COLOR Make/ model: Korea/YSPL16-L24RER OEM: 87, Hwangmul-ro, Dongdaemun-gu, Seoul, Korea	
61	DNF101611	YSPL16L-24SR / 164070701	6210735204645 / INDICATION LIGHT (SQ-RED)	MONITORING & ALARM SYSTEM YSPL16L-24SR KOREA	6 / EACH/NUMBER	YSPL16L-24SR	NIL	87, HWANGMUL-RO, DONGDAEMUN-GU, SEOUL, KOREA	YONGSUNG KOREA	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH	TECHNICAL SPECIFICATION - PANNEL INDICATION LIGHT RED COLOR OEM: 87, Hwangmul-ro, Dongdaemun-gu, Seoul, Korea see the attached ipc for more detailsGENERAL SPECIFICATION - PANNEL INDICATION LIGHT RED	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
										QUOTATIO N	COLOR OEM: 87, Hwangmul-ro, Dongdaemun-gu, Seoul, Korea see the attached ipc for more details	
62	DNF101607	YSAPL22-DL24RHG / 153060718	621073520465 5 / INDICATION LIGHT (R-GREEN)	MONITORING & ALARM SYSTEM YSAPL22-DL24RHG KOREA	6 / EACH/N UMBER	YSAPL22-DL24RHG	NIL	87, HWANGMUL-RO, DONGDAEMUN-GU, SEOUL, KOREA	YONGSU NG KOREA	TDS/BROC HER OR PIC OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N	TECHNICAL SPECIFICATION - PANNEL INDICATION LIGHT IT'S A NORMAL INDICATION LIGHT THAT IS USED IN ELECTRICAL SWITCH BOARD.GENERAL SPECIFICATION - PANNEL INDICATION LIGHT IT'S A NORMAL INDICATION LIGHT THAT IS USED IN ELECTRICAL SWITCH BOARD.	
63	DNS102535	5268375	432001603876 8 / PUMP SEA WATER	CUMMINS MAIN ENGINE CUMMINS MODEL QSB6.7?305MD USA	2 / EACH/N UMBER	QSB6.7-305MD		M/s Cummins Inc 500 Jackson Street Columbus IN, USA	M/s IMPEX NINE INC	tds/brocher or pic of item must be enclosed with quotation	TECHNICAL SPECIFICATION - OEM: M/s IMPEX NINE INC 412, DU PAHZE ST NAPERVILLE, IL 60565 USA CAGE 65KD2 USA GENERAL SPECIFICATION - OEM: M/s IMPEX NINE INC 412, DU PAHZE ST NAPERVILLE, IL 60565 USA CAGE 65KD2 USA	
64	DNC100413	000-14443-001	599871522589 0 / SIMRAD GO9 (ENGINE MONITORING DISPLAY)	MAB	2 / EACH/N UMBER	G09		SIMRAD FISHERIES 19210 33rd Ave W, Lynnwood, WA 98036, USA. Tel : +1 425 712 1136 Fax : +1 425 712 1193 fish.usa.support@simrad.com / fish.usa.sales@simrad.com	SIMRAD, USA	TDS/BROC HURE OR PIC OF ITEM MUST NE ENCLOSE D WITH QOUTATIO N.	TECHNICAL SPECIFICATION - Manufacturer : SIMRAD,USA Part No. 000-14443-001 , Description : SIMRAD GO9 (ENGINE MONITORING DISPLAY) Model G09 , Series XSE . Display 9inches GENERAL SPECIFICATION - Manufacturer : SIMRAD,USA Part No. 000-14443-001 , Description : SIMRAD GO9 (ENGINE MONITORING DISPLAY) Model G09 , Series XSE . Display 9inches	
65	DNN100204	itd/AL-0220 SH	299050520588 0 / SHADE COVER, FLUORESCEN T TUBE LIGHT-02X20 WATT	TUBE LIGHT PAKISTAN	10 / EACH/N UMBER	-	-	AL-MEENA MARINE ENGINEERS PLOT NO 122-C, KEMARI TOWNSHIP KRMARI KARACHI - PHONE NO 32856521,32850282 FAX. 021-32852598	PAKISTA N	TDS/BROC HURE OR PIC OF ITEM MUST NE ENCLOSE D WITH QOUTATIO N.	TECHNICAL SPECIFICATION - Materials: i. Thermnoplasic (Polycarbonate)? 1. Density g/cm3 = 1.20 to 1.40 2. Heat Effect at 1000 C = No Effect 3. Chemical Effect a. NaOH-50% = No Effect b. Lube Oil = No effect c. HCL (Conct) = No effect 4. Colour = Transparent II. Foam Rubber for Sealing Purpose 1. Density g/cm3 = 0.90 to 1.0 2. Heat Effect at 1000 C = No Effect 3. Chemical Effect a. NaOH50% No Effect b. Lube Oil = No effect c. HCL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											(Conct) =nNo effect <u>GENERAL SPECIFICATION</u> - Materials: i. Thermnoplasic (Polycarbonate)? 1. Density g/cm3 = 1.20 to 1.40 2. Heat Effect at 1000 C = No Effect 3. Chemical Effect a. NaOH-50% = No Effect b. Lube Oil = No effect c. HCL (Conct) = No effect 4. Colour = Transparent II. Foam Rubber for Sealing Purpose 1. Density g/cm3 = 0.90 to 1.o0 2. Heat Effect at 1000 C = No Effect 3. Chemical Effect a. NaOH50% No Effect b. Lube Oil = No effect c. HCL(Conct) =nNo effect	
66	DCC102095		8405703266410 / DRESS NO 3 WHITE HALF SLEEVES SIZE 10 WAIST 46" COLLAR 17.5"		160 / PAIR						<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
67	DCC102097		8405703266411 / DRESS NO 3 WHITE HALF SLEEVES SIZE 11 WAIST 48" COLLAR 18"		160 / PAIR						<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
68	DCC102094		8405703266409 / DRESS NO 3 WHITE HALF SLEEVES SIZE 9 WAIST 44" COLLAR 17.5"		160 / PAIR						<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
69	DCW98283		8430700663482 / SAFETY SHOES FOR INDUSTRIAL		95 / PAIR						<u>TECHNICAL SPECIFICATION</u> - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 7 <u>GENERAL SPECIFICATION</u> -	ITEM REQUIRED AS PER SPECIFICATIONS

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			STAFF RUBBER SOLE SIZE 7								SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 7	
70	DCW982 81		843070066368 4 / SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOALE SIZE 9		100 / PAIR						TECHNICAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOALE SIZE 9 GENERAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOALE SIZE 9	ITEM REQUIRED AS PER SPECIFICATIONS
71	DGP103 688	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		10 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.</p>	
72	DGP103 747	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		7 / SET	CORE I5 12 GEN					<p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5.</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.</p>	
73	DGP103 652	NO DATA AVAILABL E	743570511487 0 / PERSONAL COMPUTER CORE i7 (AS PER NHQ APPROVED SPEC)	SELF	3 / SET						<p><u>TECHNICAL SPECIFICATION - SPECIFICATION OF PC:</u> 1. HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 2. CPU TECHNOLOGY: INTEL ® CORE I7 (12TH GENERATION OR ABOVE) (MINIMUM 2.4 TO 4.7 GHZ OR ABOVE), 3. SYSTEM MEMORY: 16 GB RAM DDR3/DDR4 4. HARD DISK: 01 TB SSD 5. OPTICAL DISK DRIVE: DVD RW 6. KEYBOARD: WIRED/USB 7. MOUSE: WIRED/USB 8. LED: 18.5" HDMI DISPLAY 9. LAN: ETHERNET CARD: 10/100/1000 MBPS 10. WARRANTY: 3 YEARS 11. OPERATING SYSTEM: WINDOWS (LICENSED VERSION WINDOW-10 OR ABOVE). 12. GRAPHICS: INTEL ® HD GRAPHICS 750, (MINIMUM 2 GB SHARED/ DEDICATED GRAPHIC CARD) 13. MISCELLANEOUS REQUIREMENTS: A. OEM SEALED GENUINE PC. B. AUTHORIZED DEALER/ OEM COC. C. CERTIFICATE OF GENUINENESS. D. ONLINE PC VERIFICATION. E. PC WITHOUT MODIFICATION/</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											UPGRADATION. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - SPECIFICATION OF PC: 1. HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 2. CPU TECHNOLOGY: INTEL © CORE I7 (12TH GENERATION OR ABOVE) (MINIMUM 2.4 TO 4.7 GHZ OR ABOVE), 3. SYSTEM MEMORY: 16 GB RAM DDR3/DDR4 4. HARD DISK: 01 TB SSD 5. OPTICAL DISK DRIVE: DVD RW 6. KEYBOARD: WIRED/USB 7. MOUSE: WIRED/USB 8. LED: 18.5" HDMI DISPLAY 9. LAN: ETHERNET CARD: 10/100/1000 MBPS 10. WARRANTY: 3 YEARS 11. OPERATING SYSTEM: WINDOWS (LICENSED VERSION WINDOW-10 OR ABOVE). 12. GRAPHICS: INTEL © HD GRAPHICS 750, (MINIMUM 2 GB SHARED/ DEDICATED GRAPHIC CARD) 13. MISCELLANEOUS REQUIREMENTS: A. OEM SEALED GENUINE PC. B. AUTHORIZED DEALER/ OEM COC. C. CERTIFICATE OF GENUINENESS. D. ONLINE PC VERIFICATION. E. PC WITHOUT MODIFICATION/ UPGRADATION. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
74	DGP102 596	169191937 10 (EXPRESS SERVICE CODE)	743578520521 9 / SVAS WEB TERMINAL (LAPTOP DELL/HP CI3)	SVAS SYSTEM NY-SVAS-08 CHINA	2 / SET	NY- SVAS-08	NA	DELL INC 1 DELL WAY, ROUND ROCK, TEXAS CHINA 78682. TEL 1-866- 931-3355	CHINA		TECHNICAL SPECIFICATION - Processor: Intel (R) Core (TM) i3- 6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15GENERAL SPECIFICATION - Processor: Intel (R) Core (TM) i3- 6006 u CPU 2.00 GHz RAM; 4.00 GB	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15	
75	DNF103040	FSP2166040	621078521667 2 / LED LIGHTS 2x2 SUSPENDED PANEL WITH FIX BRAND:SE WORLD MODEL: 4014 SMD	LED Lights 2? x2? suspended lighting panel with fix	8 / SET	se-cl-2x2 panel	NA	FOSHAN Electrical & Lighting Co. Ltd. 64 North FengJiang Road, Foshan China.	FOSHAN Electrical & Lighting Co. Ltd.	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<u>TECHNICAL SPECIFICATION</u> - shape ;square lamp power;48 w size ;600 mm pf ;> 0.95 LUMINOUS ;100 LM/W LAMP MATERIAL ; ALUMINUM IP GRADE ;IP 40 VOLTAGE ;AC 90-265 V Brand: SE WORLD Model: 4014 <u>GENERAL SPECIFICATION</u> - shape ;square lamp power;48 w size ;600 mm pf ;> 0.95 LUMINOUS ;100 LM/W LAMP MATERIAL ; ALUMINUM IP GRADE ;IP 40 VOLTAGE ;AC 90-265 V Brand: SE WORLD Model: 4014 SMD	
76	DNF103024	99-743-0489	614599892004 2 / ELECTRICAL CABLE 2 CORE CABLE 2.5MM2	MS930MM GUN	1000 / METER					TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	
77	DNJ101863	90109-08022	530876520319 5 / BOLT CONNECTING ROD	YAMAHA 90 HP OBM ENGINE JAPAN	12 / ASSEMBLY	NIL	NIL	YAHAMA PAKISTAN	YAMAHA MOTOR CO LTD JAPAN	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<u>TECHNICAL SPECIFICATION</u> - YAMAHA 90 HP OBM ENGINE RHIB BOAT BOLT CONNECTING ROD <u>GENERAL SPECIFICATION</u> - YAMAHA 90 HP OBM ENGINE RHIB BOAT BOLT CONNECTING ROD	
78	DNA102894	AMD002K	494073514141 2 / O RING KIT METRIC , 397 PIECES	AIR&HYDERALIC SYSTEM	1 / KIT	Jam Walker		00	M/S AMAANDO PVT LTD 150 SILVERWATER ROAD. SILVERW	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<u>TECHNICAL SPECIFICATION</u> - OEM: M/S AMAANDO PVT LTD 150 SILVERWATER ROAD. SILVERWATER 2128 N.S.W AUSTRALIA TEL:+61-2-9647 1288 FAX:+61 2-9647 1311 E.MAIL: SALES@AMAANDO.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									ATER 2128 N.S. W AUSTRAL IA TEL: +61-2- 9647 1288 FAX:+61 2-9647 1311 E. MAIL: SALES@ AMAAND O.COM	N.	COMGENERAL SPECIFICATION - OEM: M/S AMAANDO PVT LTD 150 SILVERWATER ROAD. SILVERWATER 2128 N.S.W AUSTRALIA TEL:+61-2-9647 1288 FAX:+61 2-9647 1311 E.MAIL: SALES@AMAANDO.COM	