

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 29-06-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF “PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT” (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

TENDER BULLETIN

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	SNF101253	RJ 45 Connector	593578523278 6 / CAT6A STP RJ45 CONNECTOR FOR ETHERNET CABLE		1000 / EACH/NUMBER	RJ45				TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOT	TECHNICAL SPECIFICATION - AS PER BROUCHER ENCLOSED a. Schneider Electric/Actassi Cat-6 RJ45 connectors/China/Rs 2700/50 Pcs . b. 3M Micro link /Cat-6 RJ45 Connectors/China/Rs 1999/100 Pcs. c. Black copper/Cat-6 RJ45 connectors/China/Rs 1350/100 Pcs. GENERAL SPECIFICATION - AS PER BROUCHER ENCLOSED a. Schneider Electric/Actassi Cat-6 RJ45 connectors/China/Rs 2700/50 Pcs . b. 3M Micro link /Cat-6 RJ45 Connectors/China/Rs 1999/100 Pcs. c. Black copper/Cat-6 RJ45 connectors/China/Rs 1350/100 Pcs.	
2	DNJ101230	94702-00400	536576520335 8 / PLUG, SPARK (NGK LFR6A-11)	YAMAHA OBM	54 / EACH/NUMBER	NO DATA AVAILAB LE	6CE-1029885, 6CF-1009814	YAMAHA MOTOR CO. LTD JAPAN	JAPAN	TDS/BROCHURE MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
3	SNF16037	ML-1102S-AML-1102S-B (RJ-45 PORTS) /4V1D	609978516657 5 / FIBER MEDIA CONVERTER FOR IP CAMERAS	CCTV SYSTEM (PSS)	30 / PAIR	ML-1102S-A RJ45/4V1D		CETC Mansion No 5 walatong north street, Xicheng District, Beijing China 100120	M/S CETC international Co.Ltd	TDS/BROCHURE MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - Optical Transceiver model number: ML-1102S-A ML-1102S-B (2 RJ-45 Ports sPEC: transceivers HAVING 100/1000 MBPS (GB) oem: MICROLINKGENERAL SPECIFICATION - Optical Transceiver model number: ML-1102S-A ML-1102S-B (2 RJ-45 Ports	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											sPEC: transceivers HAVING 100/1000 MBPS (GB) oem: MICROLINK	
4	DNF102771	DLS/RS-70	6135795149048 / MAINT FREE BATTERY 12V 50AH	RHIB BOAT ENGINE STARTING	1 / EACH/NUMBER	8004-250	2003010838	OPTIMA BATTERIES INC 17500 EAST 22nd AVENUE AURORA, CO 80011 USA	OPTIMA BATTERIES	TDS/BROCHURE MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - DIMENSIONS: LENGTH=25.4CM WIDTH=17.7CM HEIGHT=17.7CM GENERAL SPECIFICATION - DIMENSIONS: LENGTH=25.4CM WIDTH=17.7CM HEIGHT=17.7CM	
5	DNF102776	BAT 12200 / WPG 200-12 AN	6130775153454 / MAINTENANCE FREE MARINE BATTERY 12V 200H	GRP POLICE BOAT (BATTERY CHARGER SYS)	2 / EACH/NUMBER	BAT 12200		M/S VETUS N.V. FOKKERSTRAAT 571 SCHIEDAM NETHERLANDS 3125 BD 010-4377700 / 010-4152634 KVK 24219798 0000 SALES@VETUS.NL	VETUS HOLLAND	TDS/BROCHURE OR PICS OF ITEM MUST BE ENCLOSED WITH QUOT	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
6	DNO103408	1-1/2*1	4730705344487 / Reducing Tee 1 1/2" x 1 1/2" x 1 BRASS		1 / EACH/NUMBER	1-1/2*1				TDS/Brochure may be provided	TECHNICAL SPECIFICATION - REDUCING TEE 1 1/2" X 1 1/2" X 1 BRASS GENERAL SPECIFICATION - REDUCING TEE 1 1/2" X 1 1/2" X 1 BRASS	
7	DCP100910		6532500601092 / SHEET HOSPITAL WHITE COTTON SIZE 100"X68" (254X170CM)		288 / EACH/NUMBER						TECHNICAL SPECIFICATION - SHEET HOSPITAL WHITE COTTON SIZE 100"X68" (254X170CM) GENERAL SPECIFICATION - SHEET HOSPITAL WHITE COTTON SIZE 100"X68" (254X170CM)	
8	DNO102750	006-5707	5340775266433 / ELBOW-PIPE		100 / EACH/NUMBER	3516E				3516E Caterpillar Main propulsion engine	TECHNICAL SPECIFICATION - ELBOW-PIPE GENERAL SPECIFICATION - ELBOW-PIPE	
9	DCP100927		6532500400063 / BLANKET SCARLET RED HOSPITAL		200 / EACH/NUMBER						TECHNICAL SPECIFICATION - BLANKET SCARLET RED HOSPITAL GENERAL SPECIFICATION - BLANKET SCARLET RED HOSPITAL	
10	DCP101987		8415502501550 / BLANKET OFFICER		14 / EACH/NUMBER						TECHNICAL SPECIFICATION - Color: Blue, Weight: 2250g (+)(-) 100g Material: 90% Imported Wool and 10% Soft Fabric Size: 60"x96" Side Cloth Piping GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<u>SPECIFICATION</u> - Color: Blue, Weight: 2250g (+)(-) 100g Material: 90% Imported Wool and 10% Soft Fabric Size: 60"x96" Side Cloth Piping	
11	DNZ103174	AD371X10	482078503474 1 / BUTTER FLY VALVEDN200P N10DIA200MM REMOTE OPERATEDWI THOUT-BF09	PIPING PART NASR	1 / EACH/NUMBER					TDS/Brochure may be provided	<u>TECHNICAL SPECIFICATION</u> - MATERIAL OF ITEM (CAST IRON) <u>GENERAL SPECIFICATION</u> - MATERIAL OF ITEM (CAST IRON)	
12	SNG98499	A.A.2517	513000277948 7 / WIRE BRUSH ROUND WHEEL		3 / EACH/NUMBER					TDS/Brochure may be provided	<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	
13	DNZ103186	MXS-60115-SEW/520	432076506050 7 / MECHANICAL SEAL Inner DIA 60mm, length 115mm	CARGO FRESH WATER PUMP	2 / EACH/NUMBER					TDS/Brochure may be provided	<u>TECHNICAL SPECIFICATION</u> - a. DIMENSION INNER DIA Bore 60 mm b. Length 115 mm c. M/seal outer dia 80 mm d. Stationary dia 82 mm <u>GENERAL SPECIFICATION</u> - a. DIMENSION INNER DIA Bore 60 mm b. Length 115 mm c. M/seal outer dia 80 mm d. Stationary dia 82 mm	
14	DNF103341	N1537	611070515526 0 / ENERGY SAVER 220V-240V ,11W. (screw type)	SELF, FOR DISTRIBUTION SYS.	20 / EACH/NUMBER			SOURCE OF AVAILABILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI.	PHILIPS CO LTD.	TDS/Brochure may be provided	<u>TECHNICAL SPECIFICATION</u> - SOURCE OF AVAILABILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address: K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi <u>GENERAL SPECIFICATION</u> - SOURCE OF AVAILABILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierlite OEM Email: www. Pierlite.com Country of Origin: China. 2. Philips Pakistan Address; K-2/I,11 Main Ch Khaleeq Uz Zaman Road Gizri Karachi	
15	DNF103401	CMS-118	5998705219304 / POWER EXTENSION BOARD CAMELLION MODEL CMS-118	SM RACK	1 / EACH/NUMBER	CMS-118 (CAMELLION)	NA	Commercially Of The Shelf (COTS)/Local Market	COTS	TDS/Brochure may be provided	<u>TECHNICAL SPECIFICATION -</u> 220V Power Connection Board. Used in mounting racks.pakistan <u>GENERAL SPECIFICATION -</u> 220V Power Connection Board. Used in mounting racks.pakistan	
16	DNJ103411	RM1100B/RM1100A	4320015707346 / RULE MATE AUTOMATIC BILGE PUMP 12VDC WITH ALL ACCE	OUTFITTING ITEM-RHIB	1 / EACH/NUMBER	RM1100B/RM1100A		RULEMATE, Maxico, www.rule-industries.com	RULEMATE, Maxico	TDS/Brochure may be provided	<u>TECHNICAL SPECIFICATION -</u> RULEMATE, Maxico, www.rule-industries.com Capacity: 1100GPH, with Skin fitting, One NRV, 5m flexible hose & hose clamp,12V @ 3.4 Amp, Height: 4 1/4?, Width: 6?, Depth:3.25?, Footprint:2.75?x4.5?, Hose Size: 1 1/8?, Fuse size:5 <u>GENERAL SPECIFICATION -</u> RULEMATE, Maxico, www.rule-industries.com Capacity: 1100GPH, with Skin fitting, One NRV, 5m flexible hose & hose clamp,12V @ 3.4 Amp, Height: 4 1/4?, Width: 6?, Depth:3.25?, Footprint:2.75?x4.5?, Hose Size: 1 1/8?, Fuse size:5	
17	DNF103168	S4600-28P-SI/J9776A	7025145837789 / SWITCH UNIT 24 PORT WITH 4SFP & Accessories	Local Area Network (LAN) (Intranet)	1 / EACH/NUMBER	S4600-28P-SI/CSS326-24G-2SRM	0	1 AV DU CANADA LES ULIS LES ULIS	HEWLETT-PACKARD CENTRE COMPETENCE FRANCE	TDS/Brochure may be provided	<u>TECHNICAL SPECIFICATION -</u> Switch unit 24 port with 4SFP & Accessories DCN S4600-28P-SI LAYER-2 24 PORT WITH 4SFP <u>GENERAL SPECIFICATION -</u> Switch unit 24 port with 4SFP & Accessories DCN S4600-28P-SI LAYER-2 24 PORT WITH 4SFP	
18	DNS101575	27 513 001 GROHE/2751200F/MRN-102-051/ CODE257, CODE 269	4510FT1008599 / Muslim Shower	MRN Shower Wet Unit (with Wall Model Vacuum Toilet)	2 / EACH/NUMBER	MERCAN, MRN Shower Wet Unit	0	DERI ORGANIZE SANAYI BOLGESI 7. YOL F 7 PARSEL TUZLA	MERCAN GEMICILIK SAN. VE TIC. A.S.	TDS/Brochure may be provided	<u>TECHNICAL SPECIFICATION -</u> null <u>GENERAL SPECIFICATION -</u> null	
19	DCW104		843070124100		150 /						<u>TECHNICAL SPECIFICATION -</u>	item as per

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	038		8 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 9		PAIR						SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 9 GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 9	specificator
20	DCW104 045		843070124101 0 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 11		150 / PAIR						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	ITEM AS PER SPECIFICATION
21	DCW104 044		843070124100 9 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 10		150 / PAIR						TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 10 GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 10	ITEM AS PER SPECIFICATION
22	DCW104 040		843070124100 6 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 7		150 / PAIR						TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 7 GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 7	item as per specificator
23	DCW104 046		843070124101 1 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 12		150 / PAIR						TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 12 GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 12	ITEM AS PER SPECIFICATION
24	DCW104 041		843070124100 7 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 8		150 / PAIR						TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 8 GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 8	ITEM AS PER SPECIFICATION
25	DCW104 043		843070124100 5 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 6		150 / PAIR						TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 6 GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 6	ITEM AS PER SPECIFICATION
26	DNO103 410	B-NM 32/12A-60A	432075534448 6 / centrifugal Pump With Motor & Starter		1 / SET	B-NM 32/12A-60A				TDS/Brochure may be provided	TECHNICAL SPECIFICATION - CENTRIFUGAL PUMP WITH MOTOR STARTER CONTROLLER 1.1KW 1.5HP 2900RPM 3 PHASE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			1.1kw 1.5hp 230/440v								230/440V POLE 2 flow rate 110-250 l/mint inlet dn50 outlet dn32 <u>GENERAL SPECIFICATION - CENTRIFUGAL PUMP WITH MOTOR STARTER CONTROLLER 1.1KW 1.5HP 2900RPM 3 PHASE 230/440V POLE 2 flow rate 110-250 l/mint inlet dn50 outlet dn32</u>	
27	DNV103 140	H76228-8	533079522923 4 / SERVICE KIT C	PROPULSION SHAFT SEAL	1 / KIT	200 PSE	NIL	WARTSILA UK LTD MARPLES WAY, HAVANT HAMPSHIRE, PO9 INX,UK	WARTSIL A UK	TDS/Brochu re may be provided	<u>TECHNICAL SPECIFICATION - SEE ATTACHED DOCUMENT</u> <u>GENERAL SPECIFICATION - SEE ATTACHED DOCUMENT</u>	
28	DNF1031 67	ZA3000D/ ZA3000E/ SWTG DS- 6.3	635070522032 3 / SMART WALK THROUGH GATE	SWTG	1 / EACH/N UMBER	DS-6.3 /ZA3000E		DEFENCE SCIENCE AND TECHNOLOGY ORGANIZATION CHAKLALA CANTT RAWALPINDI	DESTO	TDS/BROC HURE OR PIC OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	<u>TECHNICAL SPECIFICATION - DIMENSIONS H: 2210MM W: 810MM D: 605MM OPERATING VOLTAGE AC 200-230V/DC 12V POWER CONSUPTION 35 WATT WORK ENVIRONMENT -5c-50c NO OF ZONES 06 DISPLAY TYPE LCD</u> <u>GENERAL SPECIFICATION - DIMENSIONS H: 2210MM W: 810MM D: 605MM OPERATING VOLTAGE AC 200-230V/DC 12V POWER CONSUPTION 35 WATT WORK ENVIRONMENT -5c-50c NO OF ZONES 06 DISPLAY TYPE LCD</u>	
29	DGP102 947	NIL	703070519872 6 / IVORY CARD (OFF WHITE) 350GSM +-5% 22X28	STATIONERY ITEM	1 / PACKE T	STATION ERY ITEM	NIL	LOCAL MARKET	INDONES IA/ CHINA	..	<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
30	DGP101 027	169191937 10 (EXPRESS SERVICE CODE)	743578520521 9 / SVAS WEB TERMINAL (LAPTOP DELL/HP CI3)	SVAS SYSTEM NY-SVAS-08 CHINA	1 / SET	NY- SVAS-08	NA	DELL INC 1 DELL WAY. ROUND ROCK, TEXAS CHINA 78682. TEL 1-866- 931-3355	CHINA	..	<u>TECHNICAL SPECIFICATION - Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM: 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15</u> <u>GENERAL SPECIFICATION - Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM: 4.00 GB Upto 12 GB System type: 64 bit</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15	
31	DGP103 506	NIL	751070510204 3 / COLOR TONER CARTRIDGE FOR PRINTER 4500/HP4025/ CP5225DN HP	PRINTER- 4500/HP4025	1 / SET						<u>TECHNICAL SPECIFICATION -</u> Color of Toner/ Cartridge for printer CP5225dn hp color laser jet printer: a. Black Cartridge: CE740A b. Cyan Cartridge : CE741A c. Magenta Cartridge: CE743A d. Yellow Cartridge: CE742A <u>GENERAL SPECIFICATION -</u> Color of Toner/ Cartridge for printer CP5225dn hp color laser jet printer: a. Black Cartridge: CE740A b. Cyan Cartridge : CE741A c. Magenta Cartridge: CE743A d. Yellow Cartridge: CE742A	
32	DNF1031 64		6130PK508112 0 / U P S 650VA UPS+AVR (LUCID)	U P S	4 / EACH/N UMBER					TDS/BROC HURE OR PIC OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	<u>TECHNICAL SPECIFICATION -</u> 2 HOURS BACK UP MADE BY CREATIVE/STABIMATIC <u>GENERAL SPECIFICATION -</u> 2 HOURS BACK UP MADE BY CREATIVE/STABIMATIC	
33	DNF1034 02	HTS-SFP- 850	591570524869 6 / SFP MODULE		4 / EACH/N UMBER	SFP-850				TDS/BROC HURE OR PIC OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N.	<u>TECHNICAL SPECIFICATION -</u> null <u>GENERAL SPECIFICATION -</u> null	
34	DGP104 222	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION -</u> 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.</p>	
35	DGP104 220	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		4 / SET	CORE I5 12 GEN					<p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory=</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.</p>	
36	DGP104 200	CORE I5	702570524609 1 / PERSONAL		3 / SET	CORE I5 12 GEN					<p><u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			COMPUTER (CORE: i5)								<p>Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
37	DGP104 240	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p>REQUIRED.</p> <p><u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
38	DGP102 921		00515000063 7 / FORM F (NS)21 SURVEY REPORT		800 / BOOK						TECHNICAL SPECIFICATION - SIZE: LENGTH: 8 INCH WIDTH: 6.5 INCH WEIGHT: 65 GSM ± 5% PAPER COLOUR: WHITE PRINTING INK: RED PRINTING: SINGLE SHEET PAPER PRINTED ON ONE SIDE (05 PAGES PER SET) PACKING: 50 SET PER PAD, EACH SET CONTAINS 05 PAGES, EACH PAD CONTAINS 250 PAGES, 100 PAD PER BOX. <u>GENERAL</u> <u>SPECIFICATION</u> - SIZE: LENGTH: 8 INCH WIDTH: 6.5 INCH WEIGHT: 65 GSM ± 5% PAPER COLOUR: WHITE PRINTING INK: RED PRINTING: SINGLE SHEET PAPER PRINTED ON ONE SIDE (05 PAGES PER SET) PACKING: 50 SET PER PAD, EACH SET CONTAINS 05 PAGES, EACH PAD CONTAINS 250 PAGES, 100 PAD PER BOX.	
39	DGP102 510		753070500718 2 / WHITE OFFSET PAPER SIZE 50.8CMX76. 2CM GSM 62+5%,62-5%		30 / REAM						<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL</u> <u>SPECIFICATION</u> - NO DATA AVAILABLE	
40	DGP102 511		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91. 44CM		30 / REAM						<u>TECHNICAL SPECIFICATION</u> - GM 80 (+-) 10 gm <u>GENERAL</u> <u>SPECIFICATION</u> - GM 80 (+-) 10 gm	
41	DGP103 460		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91. 44CM		5 / REAM						<u>TECHNICAL SPECIFICATION</u> - GM 80 (+-) 10 gm <u>GENERAL</u> <u>SPECIFICATION</u> - GM 80 (+-) 10 gm	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
42	DGP102 495		753070500828 5 / PAPER WHITE OFFSET GSM 62+5%REAM OF 500 SHEETSB-02 500X707MM		40 / REAM						TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM ± 5% PAPER IN WHITE COLOR SHEET	
43	DGP102 516		751070504225 7 / PLAIN PAPER (OFFSET) VRG SHEET 80 GSM SIZE 27X24 INCH		1 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
44	DGP104 201	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	4 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
45	DGP104 260	CP1515N/ HP COLOR LASER 150A PRINTER 4ZB94A	361070506112 0 / HP COLOR LASER JET CP1515N PRINTER	SELF/ANY COMPUTER OR LAPTOP	1 / EACH/N UMBER	CP1515N/ HP COLOR LASER 150A PRINTER 4ZB94A					TECHNICAL SPECIFICATION - SPECIFICATION: (A)TYPE:COLOR. (B)PRINT TECHNOLOGY:COLOR LASER. (C)PROCESSOR SPEED: 450 MHZ. (D)STANDARD RAM:96 MB. (E)MAX RAM:352 MB. (F) RESOLUTION:600X600 dpi. (G) PRINT SPEED COLOR:8ppm. (H) PRINT SPEED B/W:12 PPM. PRICE OFLASER JET CP1515 RS:46,490/-. GENERAL SPECIFICATION - SPECIFICATION: (A)TYPE:COLOR. (B)PRINT TECHNOLOGY:COLOR	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											LASER. (C)PROCESSOR SPEED: 450 MHZ. (D)STANDARD RAM:96 MB. (E)MAX RAM:352 MB. (F) RESOLUTION:600X600 dpi. (G) PRINT SPEED COLOR:8ppm. (H) PRINT SPEED B/W:12 PPM. PRICE OFLASER JET CP1515 RS:46,490/-.	
46	DNF103261	DH-IPC-HFW2231 T-ZS-S2 / ZKIP370	583678517105 9 / IP FIXED CAMERA WITH HOUSING & MOUNTING	N/A	1 / EACH/NUMBER	ZKIP370		CHINA		CHINA	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION. TECHNICAL SPECIFICATION - MODEL ZKIP 370 IMAGE RESOLUTION 1280*720 POWER SUPPLY POE 802 3af Gross weight . 66 Kg GENERAL SPECIFICATION - MODEL ZKIP 370 IMAGE RESOLUTION 1280*720 POWER SUPPLY POE 802 3af Gross weight . 66 Kg	
47	DNF103176	MA3000C-48/BL820E	444079506152 4 / DEHUMIDIFIER PORTABLE	(YSD) GENERAL USE	1 / EACH/NUMBER	PREM-I-AIR ELITE EH1418 XTREEM					TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION. TECHNICAL SPECIFICATION - IP Rating: IP 21 or above Voltage RATING: 110/220 V 50/60 Hz Power Rating: 470 Watts Over-current PROTECTION: Should be installed with circuit breaker/ fuse protection against over-current and short-circuit Grounding/ Earthing: Must comply with Unit's earthing system Cable/ Plug Design: Special electrical cable with fol properties: ζ Extra flexible ζ Tough outer covering Flame retardant with 3 Pin Plug Material Body: Special Plastic/ Composite with Fire Retardant Additives Refrigerant: R-22 Water Tank Capacity: 6 Liters Weight: 21 Kg Size: 455 mm x 350 mm x 603mm Dehumidifying Capacity: 28-35 Ltrs per day D/fying capc(Ltrs):28-35 per day Power input (Watt): 510 D/fying: 4.8 Refrigrent: R22 W/tank cap (Ltr): 06 Rated power:470W Rated current: 4.1A Opertaing Temp: 5-35C N/weight:21 Kg G/Weight:23kg Product Size: 455mmx350mmx603mm Material: Body special type of plastic/composition material Max	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension	
											<p>power:600W</p> <p><u>GENERAL SPECIFICATION</u> - IP Rating: IP 21 or above Voltage RATING: 110/220 V 50/60 Hz Power Rating: 470 Watts Over-current PROTECTION: Should be installed with circuit breaker/ fuse protection against over-current and short-circuit Grounding/ Earthing: Must comply with Unit's earthing system Cable/ Plug Design: Special electrical cable with fol properties: ζ Extra flexible ζ Tough outer covering Flame retardant with 3 Pin Plug Material Body: Special Plastic/ Composite with Fire Retardant Additives Refrigerant: R-22 Water Tank Capacity: 6 Liters Weight: 21 Kg Size: 455 mm x 350 mm x 603mm Dehumidifying Capacity: 28-35 Ltrs per day D/fying capc(Ltrs):28-35 per day Power input (Watt): 510 D/fying: 4.8 Refrigerant: R22 W/tank cap (Ltr): 06 Rated power:470W Rated current: 4.1A Opertaing Temp: 5-35C N/weight:21 Kg G/Weight:23kg Product Size: 455mmx350mmx603mm Material: Body special type of plastic/composition material Max power:600W</p>		
48	DNF101613	PS12260NB	6135715141490 / RECHARGEABLE DRY BATTERY 12V 26AMP/HR SIZE W:16.5 CM H:12.5CM L:17.5CM	UPS	1 / EACH/NUMBER	NO DATA AVAILAB LE		US		M/S POWER SONIC CORPORATION 7550 PANASONIC WAY SANDIEGO CALIFORNIA USA	TDS/BROCHURE OR PIC OF ITEM MUST BE ENCLOSED WITH QUOTATION.	<p><u>TECHNICAL SPECIFICATION</u> - OEM:M/S POWER SONIC CORPORATION 7550 PANASONIC WAY SANDIEGO CALIFORNIA USA</p> <p><u>GENERAL SPECIFICATION</u> - OEM: M/S POWER SONIC CORPORATION 7550 PANASONIC WAY SANDIEGO CALIFORNIA USA</p>	
49	DNF103171	3MCAT6	7830715206943 / CABLE ROLL (CAT 6)	UPGRADING OF MARITIME SAFETY INFORMATION	3 / EACH/NUMBER	CAT 6E	CAT 6E	M/S Skill Orbit using ESIR GIS software orig USA		M/S Skill Orbit using ESIR GIS	TDS/BROCHURE OR PIC OF ITEM MUST	<p><u>TECHNICAL SPECIFICATION</u> - Upgrading of Existing Maritime Safety Information Management</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			(3MCAT 6) 1000 FEET COIL	MANAGMEN					software orig USA	BE ENCLOSE D WITH QUOTATIO N.	System (MSI) is required for Navarea ix. <u>GENERAL SPECIFICATION -</u> Upgrading of Existing Maritime Safety Information Management System (MSI) is required for Navarea ix.	
50	DGP102 381	169191937 10 (EXPRESS SERVICE CODE)	743578520521 9 / SVAS WEB TERMINAL (LAPTOP DELL/HP C13)	SVAS SYSTEM NY-SVAS-08 CHINA	2 / SET	NY- SVAS-08	NA	DELL INC 1 DELL WAY. ROUND ROCK, TEXAS CHINA 78682. TEL 1-866- 931-3355	CHINA	..	<u>TECHNICAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3- 6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON <u>15GENERAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3- 6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15	
51	DGP939 01	NO DATA AVAILABL E	005050000037 4 / PAPER CONTINOUS COMPUTER 11 PART SIZE 9 1/2"		2850 / SHEET	NO DATA AVAILAB LE				..	<u>TECHNICAL SPECIFICATION - NO</u> <u>DATA AVAILABLE</u> <u>GENERAL</u> <u>SPECIFICATION - NO DATA</u> <u>AVAILABLE</u>	
52	DGP104 471	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.</p>	
53	DGP104 406	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<p>TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
54	DGP103 273	Core i7 12th or 13th Gen (Intel)	705071528069 1 / PERSONAL COMPUTER, CORE I7, 12TH /13TH GEN OR LATEST		1 / SET	CORE I7 12TH/13T H GEN (CUSTOM BUILT PC)					TECHNICAL SPECIFICATION - SPECIFICATIONS: PROCESSOR: CORE I7 12TH /13TH GEN OR LATEST RAM: 32GB DDR4/DDR5 HARD-DISK: 512 GB NVME M.2 SSD ALONG WITH 1 TB HARD-DISK POWER SUPPLY: 850 WATT PLUS GOLD GRAPHICS CARD: 8 GB NVIDIA GPU RTX COOLING:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											COOLER MASTER OR ANY OTHER EQUIVALENT MONITOR (LED); 27" 2K GRAPHICS BEZEL-LESS CASING: RGB ACCESSORIES: KEYBOARD/MOUSE + CABLES PC WITHOUT WIFI & BLUETOOTH IS REQUIRED <u>GENERAL SPECIFICATION -</u> SPECIFICATIONS: PROCESSOR: CORE I7 12TH /13TH GEN OR LATEST RAM: 32GB DDR4/DDR5 HARD-DISK: 512 GB NVME M.2 SSD ALONG WITH 1 TB HARD-DISK POWER SUPPLY: 850 WATT PLUS GOLD GRAPHICS CARD: 8 GB NVIDIA GPU RTX COOLING: COOLER MASTER OR ANY OTHER EQUIVALENT MONITOR (LED); 27" 2K GRAPHICS BEZEL-LESS CASING: RGB ACCESSORIES: KEYBOARD/MOUSE + CABLES PC WITHOUT WIFI & BLUETOOTH IS REQUIRED	
55	DGP968 71	260 GSM- +5% 22X28	589571520222 8 / MULTI COLOUR CARD SHEET SEPARATERS 260GSM 22X28	FOR PRINTING STY ITEM	2 / PACKE T			M/S STACKO COMPANY. KARACHI	LOCAL		<u>TECHNICAL SPECIFICATION - b.</u> Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28" <u>GENERAL SPECIFICATION - b.</u> Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATERS 260 GSM-+5% 22X28"	
56	DGP971 31		361070500569 9 / P/BRD BLU (PUR H/DYED) GSM240+ _5% SZ B-02 (500X707MM) PKT100SHT.		5 / PACKE T						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
57	DGP95490	0	3610705005700 / PULP BOARD GREEN GSM 210+-5% FORIMPORTE D A-01 594X841MMG SM240		5 / PACKE T						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
58	DGP103547	4003DN	7435705138632 / PRINTER HP LASER JET	COMPUTER	5 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
59	DNN104184	AM3-AD09	7310FP9000006 / Dish Washer w/Support	AM-3 DISH WASHER (GALLEY EQUIPMENT)	1 / EACH/N UMBER	AM-3	N/A			HOTELST AR MARINE EQUIPME NT MANUFA CTURE CO.,LTD	TDS/BROC HER OR PICS OF ITEM MUST BE ENCLOSE D WITH QUOTATIO N TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
60	DGP104438	KLV32R302E/ P-0114000	7730785166767 / LED TV SONY 32 INCH	PSS VIGIL SYSYTEM	1 / EACH/N UMBER	SONY KLV32R302E		M/s CETC Mansion, No. 5 Wulutong North Street, Xicheng Districe, Beijing, China		M/s CETC Internatio nal CO., LTD	TECHNICAL SPECIFICATION - BRAVIA SONY 32BX350 or Equivelent GENERAL SPECIFICATION - BRAVIA SONY 32BX350 or Equivelent	
61	DNN104183	DCG40-2009/ Z.H. TS-80	7310FP1000006 / ELECTRIC TILTING FRYING PAN	DCG40 TILTING FRYING PAN (GALLEY EQUIPMENT)	1 / EACH/N UMBER	DCG40	N/A			HOTELST AR MARINE EQUIPME NT MANUFA CTURE	TDS/BROC HER OR PICS OF ITEM MUST BE ENCLOSE D WITH TECHNICAL SPECIFICATION - TECHNICAL SPECS: MODEL: JZH-TS MADE: ITALIAN FOGAR POWER: 10.5KW VOLTAGE: 380V CAPACITY: 60 LTR DIM: 700x750x850 GENERAL SPECIFICATION - TECHNICAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
									CO.,LTD	QUOTATIO N	SPECS: MODEL: JZH-TS MADE: ITALIAN FOGAR POWER: 10.5KW VOLTAGE: 380V CAPACITY: 60 LTR DIM: 700x750x850	
62	DGP104 407	NIL	5930735277330 / LAPTOP CORE i7 11th Generation		1 / EACH/N UMBER	NIL					<p><u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel ® Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes</p> <p><u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel ® Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes</p>	
63	DGP104 408	T-3028P	7045705344221 / TONER CARTRIDGE original BLACK TOSHIBA		1 / EACH/N UMBER	T-3028P					<p><u>TECHNICAL SPECIFICATION -</u> TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449</p> <p><u>GENERAL SPECIFICATION -</u> TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449	
64	DGP104 437		5820ZO524876 7 / LED TV 55 INCH		2 / EACH/N UMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
65	DGP102 608		804070500716 7 / GLUE LIQUED TIP TOP (400 GRAMS) FOR PASTING WOOD/FARMI CA.		100 / BOTTLE					..	TECHNICAL SPECIFICATION - ,h Glue Liquid Tip Top ,h Packing 400 GSM bottle ,h Best quality Glue Liquid Tip Top used for binding of books, file covers and miscellaneous papers will be acceptable GENERAL SPECIFICATION - ,h Glue Liquid Tip Top ,h Packing 400 GSM bottle ,h Best quality Glue Liquid Tip Top used for binding of books, file covers and miscellaneous papers will be acceptable	
66	DGP795 36		046150000845 1 / TARGETS PAPER GREY 26"X50"		700 / SHEET					..	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
67	DGP980 25	NO DATA AVAILABL E	005050000006 6 / INK-RED- FOR-RUBBER- STAMP-PAD 28.50GM (1 OZ)(DOLLOR BRAND)		36 / BOTTLE	NO DATA AVAILAB LE				..	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	