

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 27-07-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF “PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT” (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

TENDER BULLETIN

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	SNF104861	LP12-200/6FM-200A/H	613078515655 2 / 12V 200AH VALVE REGULATED SEALED LEAD ACID BATTERY	DOMESTIC 6FM-200A/H (NAVY BARGE 001)	2 / EACH/N UMBER	6FM- 200A/H , SN 12200, RP 200- 12		CHANGHAISTAR CHANGHAI CHINA	CHINA		<u>TECHNICAL SPECIFICATION -</u> CHANGHAISTAR CHANGHAI CHINA a. Priority 1 Make: XINNENG () QUANXHO Singlang electric technology Co Ltd (China) Model: SN 12200 Brand/ Equivalent: 12V 200AH Maintenance free sealed lead acid b. Priority 2 Make: Rocket (China) Model: RP 200-12 Brand/ Equivalent: 12V 200AH c. priority 3 make: homage/VISION model: 6fm200 voITAGE 12v AMP: 200ah <u>GENERAL SPECIFICATION -</u> CHANGHAISTAR CHANGHAI CHINA a. Priority 1 Make: XINNENG () QUANXHO Singlang electric technology Co Ltd (China) Model: SN 12200 Brand/ Equivalent: 12V 200AH Maintenance free sealed lead acid b. Priority 2 Make: Rocket (China) Model: RP 200-12 Brand/ Equivalent: 12V 200AH c. priority 3 make: homage/VISION model: 6fm200 voITAGE 12v AMP: 200ah	
2	DGP105458	NO DATA AVAILABL E	751070504225 8 / PLAIN PAPER (OFFSET) VRG 80 GSM SIZE 12X12 INCH	STATIONERY NA10S	1 / REAM						<u>TECHNICAL SPECIFICATION - NO</u> DATA AVAILABLE <u>GENERAL</u> <u>SPECIFICATION - NO DATA</u> <u>AVAILABLE</u>	
3	DGP105540	CORE I5	702570524609 1 / PERSONAL		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			COMPUTER (CORE: i5)								Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											REQUIRED.	
4	DGP105514	S5750E-52X-SI	705078521629 2 / DCN 48 PORT LAYER 3 SWITCH	SELF	1 / EACH/N UMBER	S5750E-52X-SI		Digital Technology Plaza No. 9 Shnagdi 9th Street, Haidian District Beijing China		DIGITAL CHINA NETWORK (DCN)	TECHNICAL SPECIFICATION - DCN SWITCH 48 PORTS S5750E (R2)series NEXT GENERATION 10G STACKABLE ROUTING OPTIONAL VEE AND IEEE 802.3 48 X 10/100/1000 BASE T + 4 X10GE (SFP+) SWITC HING CAPACITY -176GBPS , THROUGHOUT -131 MBPS WITH 02 SFP MODULES 1.25 G AND 02 SFP MODULES 10 DUEL CORE WWW.DCNGLOBAL.COM GENERAL SPECIFICATION - DCN SWITCH 48 PORTS S5750E (R2)series NEXT GENERATION 10G STACKABLE ROUTING OPTIONAL VEE AND IEEE 802.3 48 X 10/100/1000 BASE T + 4 X10GE (SFP+) SWITC HING CAPACITY -176GBPS , THROUGHOUT -131 MBPS WITH 02 SFP MODULES 1.25 G AND 02 SFP MODULES 10 DUEL CORE WWW.DCNGLOBAL.COM	
5	DGP105573	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	2 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
6	DGP105399	NO DATA AVAILABL E	005050000022 3 / PAPER DUPLICATING COLOUR WHITE		211 / REAM	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
7	DGP105408	NO DATA AVAILABLE	0050500000160 / REGISTER RULED WHITE 02-QR		1391 / EACH/NUMBER	NO DATA AVAILABLE					<u>GENERAL SPECIFICATION -</u> LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON <u>TECHNICAL SPECIFICATION -</u> GSM 70±5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5± 0.5MM THICK CARD BOARD HARD & FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. <u>GENERAL SPECIFICATION -</u> GSM 70±5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5± 0.5 MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.	
8	DGP105 459		751070504225 9 / PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	STATIONERY NA10S	1 / REAM						TECHNICAL SPECIFICATION - PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES, VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PLAIN PAPER (OFF SET)VRG SHEET 80GSM ± 5% SIZE 610X914MM OR 24X36 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
9	DGP105 569		753570513302 1 / LAPTOP COMPUTER	COMPUTER	1 / EACH/NUMBER	NIL		PK	VIDE NHQ LETTER ST-S/3200/81 98 DT 23/07/08		TECHNICAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL @ HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION). <u>GENERAL SPECIFICATION -</u> HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL@ CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL @ HD/HD GRAPHICS 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
10	DGP105571	PT-VMZ71	6730795203128 / FULL HIGH DEFINITION (FHD) MULTIMEDIA PROJECTOR	HITACHI	1 / EACH/NUMBER	PT-VMZ71	NIL	HITACHI		HITACHI (UK)	<u>TECHNICAL SPECIFICATION -</u> SPECIFICATION OF ITEMS: 1. BRIGHTNESS (WHITE/COLOR) = (7,000 LUM WUXGA) 2. RESOLUTION (NATIVE/NORMAL) WITH STANDARD FITTED LENS = 1920 x 1200 WUXGA 3. ASPECT RATION = 16:10 (WUXGA) 4. CONTRAST RATIO = 3,000,000:1, 5. DISPLAY TYPE = 3 LCD CHIP 6. COLOR PROCESSING = 8-BIT 7. INPUT = HDMI, VGA (15 PIN) 8. LAMP LIFE (MINIMUM) = 2000 HRS OR MORE (IN NORMAL MODE) 9. POWER = 580 WATTS, 100 240 V AC 60HZS 10. MAKE = PANASONIC 11. MODEL = PT-VMZ71 <u>GENERAL SPECIFICATION -</u> SPECIFICATION OF ITEMS: 1. BRIGHTNESS (WHITE/COLOR) = (7,000 LUM	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											WUXGA) 2. RESOLUTION (NATIVE/NORMAL) WITH STANDARD FITTED LENS = 1920 x 1200 WUXGA 3. ASPECT RATION = 16:10 (WUXGA) 4. CONTRAST RATIO = 3,000,000:1. 5. DISPLAY TYPE = 3 LCD CHIP 6. COLOR PROCESSING = 8-BIT 7. INPUT = HDMI, VGA (15 PIN) 8. LAMP LIFE (MINIMUM) = 2000 HRS OR MORE (IN NORMAL MODE) 9. POWER = 580 WATTS, 100 240 V AC 60HZS 10. MAKE = PANASONIC 11. MODEL = PT-VMZ71	
11	DGP105 507	LQ-2190	702573515050 5 / EPSON LQ-2190 DOT MATRIX PRINTER	EPSON	1 / EACH/N UMBER	EPSON		EPSON	EPSON		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
12	DGP105 483	T-3028P	704570534422 1 / TONER CARTRIDGE original BLACK TOSHIBA		3 / EACH/N UMBER	T-3028P					TECHNICAL SPECIFICATION - TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449 GENERAL SPECIFICATION - TONER CARTRIDGE BLACK TOSHIBA YIELDS 43000 PAGES CLOUR BLACK WEIGHT 700GRAMS PARENT EQUIPMENT E-STUDIO355/E-STUDIO357/ E-STUDIO3528A(35CPM),E-STUDIO, E-3508A NSN 3610705140449	
13	DGP105 505		005150000065 0 / FORM F (NS)34 GATE PASS		667 / BOOK						TECHNICAL SPECIFICATION - SIZE: LENGTH: 5.7 INCH WIDTH: 08 INCH WEIGHT: 65 GSM + 5% PAPER COLOUR: WHITE PRINTING INK: BLACK PRINTING: BOOK OF 150 PAAGES PRINTED ON ONE SIDE (50 SET OF 3 PAGES) PACKING: 40 BOOKS PER BOX GENERAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SIZE: LENGTH: 5.7 INCH WIDTH: 08 INCH WEIGHT: 65 GSM + 5% PAPER COLOUR: WHITE PRINTING INK: BLACK PRINTING: BOOK OF 150 PAAGES PRINTED ON ONE SIDE (50 SET OF 3 PAGES) PACKING: 40 BOOKS PER BOX	
14	DGP105 516	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
15	DGP105 484	NIL	764070511028 1 / PERSONEL FOLDER FOR RECORD KEEPING OF CPOS/SAILORS	NIL(AUTH:ST-S/3922 24 DEC 04	550 / EACH/NUMBER						TECHNICAL SPECIFICATION - 1. Size of Folder a. Length: 365 mm ± 1 mm b. Width: 260 MM ± 1 MM c. Width of Folding Portion: 35 MM ± 1 MM 2. Material: a. Outer and inner cover: Textured Raxin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm ± 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm± 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm ± 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Rexin : Navy blue GENERAL SPECIFICATION - 1. Size of Folder a. Length: 365 mm $\pm$ 1 mm b. Width: 260 MM $\pm$ 1 MM c. Width of Folding Portion: 35 MM $\pm$ 1 MM 2. Material: a. Outer and inner cover: Textured Raxin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm $\pm$ 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm $\pm$ 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm $\pm$ 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
16	DGP105450	NIL	764070511028 1 / PERSONEL FOLDER FOR RECORD KEEPING OF CPOS/SAILOR S	NIL(AUTH;ST- S/3922 24 DEC 04	550 / EACH/N UMBER						approval by Drafting Authority 6. Colour of Rexin : Navy blue TECHNICAL SPECIFICATION - 1. Size of Folder a. Length: 365 mm ± 1 mm b. Width: 260 MM ± 1 MM c. Width of Folding Portion: 35 MM ± 1 MM 2. Material: a. Outer and inner cover: Textured Raxin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm ± 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm± 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm ± 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Rexin : Navy blue GENERAL SPECIFICATION - 1. Size of Folder a. Length: 365 mm ± 1 mm b. Width: 260 MM ± 1 MM c. Width of Folding Portion: 35 MM ± 1 MM 2. Material: a. Outer and inner cover: Textured Raxin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											4.5 mm ± 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm± 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm ± 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Rexin : Navy blue	
17	DGP105 485	169191937 10 (EXPRESS SERVICE CODE)	743578520521 9 / SVAS WEB TERMINAL (LAPTOP DELL/HP CI3)	SVAS SYSTEM NY-SVAS-08 CHINA	1 / SET	NY-SVAS-08	NA	DELL INC 1 DELL WAY. ROUND ROCK, TEXAS CHINA 78682. TEL 1-866-931-3355	CHINA		<u>TECHNICAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15 <u>GENERAL SPECIFICATION -</u> Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15	
18	DGP105 403	F(MD)-67	753070504926 0 / F(MD)-67 LOCAL PURCHASE		120 / PAD						<u>TECHNICAL SPECIFICATION -</u> PAPER COLOR= (YELLOW, PINK, WHITE, GREY), PAPER WEIGHT= GSM: 48 ± 5% BOOK OF 400	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			OF MEDICINES (COLOR "Y", "P", "W", "G") BOOK OF 400 PAGES								PAGES, REQUIRED IN PAD, GENERAL SPECIFICATION - PAPER COLOR= (YELLOW, PINK, WHITE, GREY), PAPER WEIGHT= GSM: 48 ± 5% BOOK OF 400 PAGES, REQUIRED IN PAD,	
19	DGP104 548	169191937 10 (EXPRESS SERVICE CODE)	743578520521 9 / SVAS WEB TERMINAL (LAPTOP DELL/HP CI3)	SVAS SYSTEM NY-SVAS-08 CHINA	1 / SET	NY-SVAS-08	NA	DELL INC 1 DELL WAY. ROUND ROCK, TEXAS CHINA 78682. TEL 1-866-931-3355	CHINA		TECHNICAL SPECIFICATION - Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15 GENERAL SPECIFICATION - Processor: Intel (R) Core (TM) i3-6006 u CPU 2.00 GHz RAM; 4.00 GB Upto 12 GB System type: 64 bit operating system X 64 based Processor Window: 10 pro HDD/ SSD: 500 GB Upto 1 TB SVAS WEB Terminal (SVAS configured laptop) 3000 SERIES INSPIRON 15	
20	DGP105 570	TOSHIBA E-STUDIO 282	361070511825 6 / PLAIN PAPER COPIER HEAVY DUTY (PHOTO STATE MACHINE) F-8		1 / EACH/NUMBER	"E-STUDIO-2528A (25 CPM)"					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
21	DGP105 486		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/NUMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A---- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA e-STUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA e-STUDIO	
22	DGP105487		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91.44CM		25 / REAM						<u>TECHNICAL SPECIFICATION - GM 80 (+-) 10 gm</u> <u>GENERAL SPECIFICATION - GM 80 (+-) 10 gm</u>	
23	DGP103547	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	5 / EACH/NUMBER	NO DATA AVAILABLE		PK		PAKISTAN	<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
24	DGP105436		753070500717 3 / PAPER WHITE OFFSET BRIGHT GSM 84+5% 500SHEET A-04 594X841MM		10 / REAM						<u>TECHNICAL SPECIFICATION -</u> LENGTH 19.5" WIDTH 27.83" 62 GSM $\pm$ 5% Paper in White color Sheet <u>GENERAL SPECIFICATION -</u> LENGTH 19.5" WIDTH 27.83" 62 GSM $\pm$ 5% Paper in White color Sheet	
25	DGP105457		751070504225 6 / PLAIN PAPER (OFFSET) VRG SHEET 80 GSM $\pm$ 5% SIZE	STATIONERY NA10S	1 / REAM						<u>TECHNICAL SPECIFICATION -</u> PLAIN PAPER(OFFSET) VRG SHEET 80 GSM $\pm$ 5% SIZE 914MMX1016MM OR 36X40 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE <u>GENERAL</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			914MMX1016MM OR 36X40 INCHES,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE								SPECIFICATION - PLAIN PAPER (OFFSET) VRG SHEET 80 GSM ± 5% SIZE 914MMX1016MM OR 36X40 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
26	DGP105568	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		3 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
27	DGP105534	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION</u> - 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
28	DGP105639	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		4 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR4 SDRAM. 3. Hard Disk= 512 GB SSD OR NVME.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 19" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
29	DGP105 628	NO DATA AVAILAB L E	005150000052 5 / FORM F (MT)3 DUTY SLIP		575 / BOOK	NO DATA AVAILAB L E					TECHNICAL SPECIFICATION - SIZE: LENGTH: 11.8 INCH WIDTH: 8.9 INCH 65 GSM ± 5% COLOR PAPER: WHITE PRINTING INK: BLACK PRINTING: 100 PAGES PER BOOK PRINT ON ONE SIDE PACKING: 50 BOOKS PER COTTON/BOX GENERAL SPECIFICATION - SIZE: LENGTH: 11.8 INCH WIDTH: 8.9 INCH 65 GSM ± 5% COLOR PAPER: WHITE PRINTING INK: BLACK PRINTING: 100 PAGES PER BOOK PRINT ON ONE SIDE PACKING: 50 BOOKS PER COTTON/BOX	
30	DGP105 620		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91.44CM		34 / REAM						TECHNICAL SPECIFICATION - GM 80 (+-) 10 gmGENERAL SPECIFICATION - GM 80 (+-) 10 gm	
31	DGP105 631		005150000073 8 / FORM F (PA)1 CASH BOOK.		339 / BOOK						TECHNICAL SPECIFICATION - SIZE: LENGTH: 16 INCH WIDTH: 11.75 INCH WEIGHT: 65 GSM ± 5% PAPER COLOUR: WHITE PRINTING INK: BLACK PAINTING: 100 PAGES OF BOOK, PRINTED	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											ON BOTH SIDES. PACKING: 100 BOOKS PER COTTON GENERAL SPECIFICATION - SIZE: LENGTH: 16 INCH WIDTH: 11.75 INCH WEIGHT: 65 GSM $\pm$ 5% PAPER COLOUR: WHITE PRINTING INK: BLACK PAINTING: 100 PAGES OF BOOK, PRINTED ON BOTH SIDES. PACKING: 100 BOOKS PER COTTON	
32	DGP105 613	F(MD)-67	753070504926 0 / F(MD)-67 LOCAL PURCHASE OF MEDICINES (COLOR "Y", "P", "W", "G") BOOK OF 400 PAGES		150 / PAD						TECHNICAL SPECIFICATION - PAPER COLOR= (YELLOW, PINK, WHITE, GREY), PAPER WEIGHT= GSM: 48 $\pm$ 5% BOOK OF 400 PAGES, REQUIRED IN PAD, GENERAL SPECIFICATION - PAPER COLOR= (YELLOW, PINK, WHITE, GREY), PAPER WEIGHT= GSM: 48 $\pm$ 5% BOOK OF 400 PAGES, REQUIRED IN PAD,	
33	DGP105 633		753070505460 1 / FORM F (CP)-37 ATTENDANCE CARD (NEW)	STATIONARY	33180 / EACH/NUMBER						TECHNICAL SPECIFICATION - SIZE: LENGTH: 8.5 INCH WIDTH: 3.5 INCH WEIGHT: 240 GSM $\pm$ 5% CARD COLOUR: WHITE PRINTING INK: BLUE INK ON FRONT SIDE AND RED INK ON BACK SIDE PACKING: 1000 CARD IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 8.5 INCH WIDTH: 3.5 INCH WEIGHT: 240 GSM $\pm$ 5% CARD COLOUR: WHITE PRINTING INK: BLUE INK ON FRONT SIDE AND RED INK ON BACK SIDE PACKING: 1000 CARD IN EACH BOX	
34	DGP105 625	BOOK OF 400 PAGES	005150510416 8 / BINDING GATHERING NUMBERING GUMING CUTTING PADING OF F (MD)67		500 / EACH/NUMBER						TECHNICAL SPECIFICATION - SIZE= LENGTH= 8.4 INCHS, WIDTH= 7.5 INCHS, NUMBERING AND BINDING GENERAL SPECIFICATION - SIZE= LENGTH= 8.4 INCHS, WIDTH= 7.5 INCHS, NUMBERING AND BINDING	
35	DGP105 618	NIL	361070513904 9 /	COMPUTER	1 / EACH/NUMBER	NO DATA AVAILAB		PK		PAKISNA N	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SHREDDING MACHINE C270		UMBER	LE						
36	DGP105616	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		<u>TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF</u> SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF</u> SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	