

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 17-08-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF “PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT” (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

TENDER BULLETIN

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGP106597	E-STUDIO355/E-STUDIO357/E-STUDIO3528A (35CPM), E-STUDIO, E-3508A	3610705140449 / PLAIN PAPER COPIER TOSHIBA E-STUDIO 355 /357 HEAVY DUTY/CANNON 2535	PLAIN PAPER COPIER	1 / EACH/NUMBER	E-STUDIO355/E-STUDIO357/ e-studio3528a (35cpm)		TOSHIBA SINGAPUR PTE LTD	TOSHIBA JAPAN		<u>TECHNICAL SPECIFICATION -</u> AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC <u>PAPERGENERAL SPECIFICATION</u> AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER	
2	DNF106307	TQ-400	7310015604677 / TOASTER ELECTRIC (CONVEYOR TYPE)		2 / EACH/NUMBER	TQ400				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> TOASTER ELECTRIC (CONVEYOR TYPE) DEPTH 17.75 INCHES HEIGHT 14.875 INCHES WIDTH 14.500 INCHES TOASTING SLICE 360/HRS TYPE ELECTRIC VOLTAGE 120 VOLTS MINIMUM FREQUENCY50/ 60HZ SINGLE PHASE TOASTER CONVEYER TYPE DUTY CYCLE CONTINUE WEIGHT 21 KGS TOASTING CAPACITY 360 SLICES PER HOUR COLOR GUARD SENSING SYSTEM TO ADJUSTING CONVEYOR SPEED FRONT OR REAR DISCHARGE COOL EXTERIOR DESIGN FOR SAFETY GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SPECIFICATION - TOASTER ELECTRIC (CONVEYOR TYPE) DEPTH 17.75 INCHES HEIGHT 14.875 INCHES WIDTH 14.500 INCHES TOASTING SLICE 360/HRS TYPE ELECTRIC VOLTAGE 120 VOLTS MINIMUM FREQUENCY50/ 60HZ SINGLE PHASE TOASTER CONVEYER TYPE DUTY CYCLE CONTINUE WEIGHT 21 KGS TOASTING CAPACITY 360 SLICES PER HOUR COLOR GUARD SENSING SYSTEM TO ADJUSTING CONVEYOR SPEED FRONT OR REAR DISCHARGE COOL EXTERIOR DESIGN FOR SAFETY	
3	DGP106 509	tcl-40s6500 inch lcd	773070515254 9 / 40 inch lcd	PSS VIGIL SYSTEM	1 / EACH/NUMBER	KDL-43W800G		PK		SONY	TECHNICAL SPECIFICATION - 40 inch lcd full hd smart tv GENERAL SPECIFICATION - 40 inch lcd full hd smart tv	
4	DGP106 618	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	2 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441		HP	TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
5	DGP106 593	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	1 / EACH/NUMBER	NO DATA AVAILAB LE		PK		PAKISTAN	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Both <u>GENERAL SPECIFICATION</u> - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
6	DGP106 492	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	<u>TECHNICAL SPECIFICATION</u> - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION</u> - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
7	DGP106 511	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	<u>TECHNICAL SPECIFICATION</u> - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION</u> - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
8	DGP106 617	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	5 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	<u>TECHNICAL SPECIFICATION</u> - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											BothGENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
9	DGP106 495		773070517439 1 / SAMSUNG/CH ANGHONG RUBA/TCL LED TV 46/49/50/55 INCH	LED TV	1 / EACH/N UMBER			SAMSUNG		SAMSUN G	TECHNICAL SPECIFICATION - SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china GENERAL SPECIFICATION - SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china	
10	DGP106 510	KX- FLM661	580578520267 7 / MULTI FUNCTION LASER FAX MACHINE KX- FLM661	FAX/ MACHINE KX- FLM661 CHINA	1 / BOX	KX- FLM661	NIL	MULTIFUNCTION LASER FAX MACHINE KX-FLM661 CHINA		MUITIFU NCTION LASER FAX MACHINE CHINA	TECHNICAL SPECIFICATION - MULTIFUNCTION LASER FAX MACHINE KX-FLM661 33.6KBPS Laser Fax w/Print scan and fax capabilities Genral Specification . 1. Print Method Laser 2.Print Speed 3. Paper Tray Capacity 250 Sheets 3. ADF Capacity 20 Sheets 4.Interface HI Speed USB 2.0 5.2. Line 16 character LCD Disply YesGENERAL SPECIFICATION - MULTIFUNCTION LASER FAX MACHINE KX-FLM661 33.6KBPS Laser Fax w/Print scan and fax capabilities Genral Specification . 1. Print Method Laser 2.Print Speed 3. Paper Tray Capacity 250 Sheets 3. ADF Capacity 20 Sheets 4.Interface HI Speed USB 2.0 5.2. Line 16 character LCD Disply Yes	
11	DGP106 597	E- STUDIO35 5/E- STUDIO35 7/ E- STUDIO35 28A (35CPM), E-STUDIO	361070514044 9 / PLAIN PAPER COPIER TOSHIBA E- STUDIO 355 /357 HEAVY DUTY/CANNO N 2535	PLAIN PAPER COPIER	1 / EACH/N UMBER	E- STUDIO3 55/E- STUDIO3 57/ e- studio352 8a (35cpm)		PK		PAKISTA N	TECHNICAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPERGENERAL SPECIFICATION -AUTOMATIC DUPLEX (RADF)	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		E-3508A									MR3022 SRDF, PAPER SIZE A3 A5R, CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER	
12	DGP106 490	32D2900	582073520849 6 / 32 INCH LED DISPLAY WITH HDMI & VGA I/P	CCTV System	1 / EACH/N UMBER	32D2900		TCL Electronics Australia Pty Ltd, Address: 797 Springvale Rd, Mulgrave, VIC 3170	M/s TCL Australia		<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	
13	DGP106 493	E2722H/M 27FW	743570521488 5 / LCD MONITOR 27 inch	Instructor Console	2 / EACH/N UMBER	E2417H (24") /e2722h/F 22P MCR Simulator	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	DELL		<u>TECHNICAL SPECIFICATION</u> - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION- 1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED) <u>GENERAL SPECIFICATION</u> - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI- GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED)	
14	DGP106 349		005150000063 7 / FORM F (NS)21 SURVEY REPORT		398 / BOOK						<u>TECHNICAL SPECIFICATION</u> - SIZE: LENGTH: 8 INCH WIDTH: 6.5 INCH WEIGHT: 65 GSM ± 5% PAPER COLOUR: WHITE PRINTING INK: RED PRINTING: SINGLE SHEET PAPER PRINTED ON ONE SIDE (05 PAGES PER SET) PACKING: 50 SET PER PAD, EACH SET CONTAINS 05 PAGES.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											EACH PAD CONTAINS 250 PAGES, 100 PAD PER BOX. <u>GENERAL SPECIFICATION - SIZE: LENGTH: 8 INCH WIDTH: 6.5 INCH WEIGHT: 65 GSM ± 5% PAPER COLOUR: WHITE PRINTING INK: RED PRINTING: SINGLE SHEET PAPER PRINTED ON ONE SIDE (05 PAGES PER SET) PACKING: 50 SET PER PAD, EACH SET CONTAINS 05 PAGES, EACH PAD CONTAINS 250 PAGES, 100 PAD PER BOX.</u>	
15	DGP106 350		0051500000650 / FORM F (NS)34 GATE PASS		220 / BOOK						<u>TECHNICAL SPECIFICATION - SIZE: LENGTH: 5.7 INCH WIDTH: 08 INCH WEIGHT: 65 GSM + 5% PAPER COLOUR: WHITE PRINTING INK: BLACK PRINTING: BOOK OF 150 PAGES PRINTED ON ONE SIDE (50 SET OF 3 PAGES) PACKING: 40 BOOKS PER BOX</u> <u>GENERAL SPECIFICATION - SIZE: LENGTH: 5.7 INCH WIDTH: 08 INCH WEIGHT: 65 GSM + 5% PAPER COLOUR: WHITE PRINTING INK: BLACK PRINTING: BOOK OF 150 PAGES PRINTED ON ONE SIDE (50 SET OF 3 PAGES) PACKING: 40 BOOKS PER BOX</u>	
16	DGP106 488	CP1515N/ HP COLOR LASER 150A PRINTER 4ZB94A	3610705061120 / HP COLOR LASER JET CP1515N PRINTER	SELF/ANY COMPUTER OR LAPTOP	1 / EACH/NUMBER	CP1515N/ HP COLOR LASER 150A PRINTER 4ZB94A					<u>TECHNICAL SPECIFICATION - SPECIFICATION: (A)TYPE:COLOR. (B)PRINT TECHNOLOGY:COLOR LASER. (C)PROCESSOR SPEED: 450 MHZ. (D)STANDARD RAM:96 MB. (E)MAX RAM:352 MB. (F) RESOLUTION:600X600 dpi. (G) PRINT SPEED COLOR:8ppm. (H) PRINT SPEED B/W:12 PPM. PRICE OFLASER JET CP1515 RS:46,490/-.</u> <u>GENERAL SPECIFICATION - SPECIFICATION: (A)TYPE:COLOR. (B)PRINT TECHNOLOGY:COLOR LASER. (C)PROCESSOR SPEED: 450 MHZ. (D)STANDARD RAM:96 MB. (E)MAX RAM:352 MB. (F)</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											RESOLUTION:600X600 dpi. (G) PRINT SPEED COLOR:8ppm. (H) PRINT SPEED B/W:12 PPM. PRICE OFLASER JET CP1515 RS:46,490/-.	
17	DGP106 489	G2102560 EU	361070509130 4 / SHREDDING MACHINE, GBC DUO (SHERED MASTER)		2 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION -</u> <u>TECHNICAL</u> SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs. <u>GENERAL SPECIFICATION -</u> <u>TECHNICAL</u> SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.	
18	DGP106 596		580570505869 2 / FAX MACHINE	FAX MACHINE	1 / EACH/N UMBER	LATEST MODEL/k x-ft907cx					<u>TECHNICAL SPECIFICATION - A.</u> Brothers FAX-2840 B. Modem speed 33.6 KBPS with automatic fallback C. Memory 16 MB D. Toner cartridge approx. 1,200 pages (A4) E. Drum cartridge approx. 12,000 pages (A4) F. Monochrome laser printing process G. Paper tray up to 400 sheets H. Printer, copier, scan & fax functions <u>GENERAL</u> <u>SPECIFICATION - A.</u> Brothers FAX- 2840 B. Modem speed 33.6 KBPS	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											with automatic fallback C. Memory 16 MB D. Toner cartridge approx. 1,200 pages (A4) E. Drum cartridge approx. 12,000 pages (A4) F. Monochrome laser printing process G. Paper tray up to 400 sheets H. Printer, copier, scan & fax functions	
19	DGP106 508	NO DATA AVAILABLE	7730705088583 / LED TV 32 INCH	TELEVISION	1 / EACH/NUMBER	tdl					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
20	DGP106 507	SONY/SAMSUNG/LG/TCL 20, 21, 18, 32 INCH	7730705059182 / LED 32 INCH		1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
21	DGP106 567	F(MD)-67	7530705049260 / F(MD)-67 LOCAL PURCHASE OF MEDICINES (COLOR "Y", "P", "W", "G") BOOK OF 400 PAGES		120 / PAD						TECHNICAL SPECIFICATION - PAPER COLOR= (YELLOW, PINK, WHITE, GREY), PAPER WEIGHT= GSM: 48 ± 5% BOOK OF 400 PAGES, REQUIRED IN PAD, GENERAL SPECIFICATION - PAPER COLOR= (YELLOW, PINK, WHITE, GREY), PAPER WEIGHT= GSM: 48 ± 5% BOOK OF 400 PAGES, REQUIRED IN PAD,	
22	DGP106 343		8040705007167 / GLUE LIQUID TIP TOP (400 GRAMS) FOR PASTING WOOD/FARMICA.		257 / BOTTLE						TECHNICAL SPECIFICATION - ,h Glue Liquid Tip Top ,h Packing 400 GSM bottle ,h Best quality Glue Liquid Tip Top used for binding of books, file covers and miscellaneous papers will be acceptable GENERAL SPECIFICATION - ,h Glue Liquid Tip Top ,h Packing 400 GSM bottle ,h Best quality Glue Liquid Tip Top used for binding of books, file covers and miscellaneous papers will be acceptable	
23	DGP106 569	NO DATA AVAILABLE	0051500000462 / FORM F (MD)10 CLINICAL CHART		100000 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 8 INCH WIDTH: 11.5 INCH WEIGHT: 50 GSM + 5% PAPER COLOUR: WHITE PRINTING COLOUR: BLACK INK PRINT ON BOTH SIDES PACKING: 100 PAGES OF PAD, 100 PAD IN	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											PER BOX GENERAL SPECIFICATION - SIZE: LENGTH: 8 INCH WIDTH: 11.5 INCH WEIGHT: 50 GSM + 5% PAPER COLOUR: WHITE PRINTING COLOUR: BLACK INK PRINT ON BOTH SIDES PACKING: 100 PAGES OF PAD, 100 PAD IN PER BOX	
24	DGP106 367		005150000097 1 / FORM F (SV)11 VICTUALLING STORE ACCOUNT		1795 / SET						TECHNICAL SPECIFICATION - LENGTH 16.5" WIDTH 13.25" 60 GSM ± 5% Light Green Color Paper printed With Black Ink 1 to 12 Form Set GENERAL SPECIFICATION - LENGTH 16.5" WIDTH 13.25" 60 GSM ± 5% Light Green Color Paper printed With Black Ink 1 to 12 Form Set	
25	DGP106 494		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO	
26	DGP106 594		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO <u>GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A</u> (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: TOSHIBA e sTUDIO	
27	DGP106 365		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91.44CM		25 / REAM						<u>TECHNICAL SPECIFICATION - GM 80 (+-) 10 gm</u> <u>GENERAL SPECIFICATION - GM 80 (+-) 10 gm</u>	
28	DGP106 548	NO DATA AVAILABL E	0050500000015 9 / REGISTER RULED WHITE 01-QR		1055 / EACH/N UMBER	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION -</u> GSM70±5% 96 PAGES, SIZE: A-4, 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5± 0.5MM THICKNESS CARD BOARD HARD & FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.<u>GENERAL SPECIFICATION</u> - GSM70±5% 96 PAGES, SIZE: A-4, 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER &DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5± 0.5 MM THICKNESS CARD BOARD HARD & FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.	
29	DGP106549	NO DATA AVAILABLE	0050500000160 / REGISTER RULED WHITE 02-QR		523 / EACH/NUMBER	NO DATA AVAILABLE					<u>TECHNICAL SPECIFICATION</u> - GSM 70±5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER &DATE TO BE PRINTED ON BACK SIDE OF EACH	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5± 0.5MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. <u>GENERAL SPECIFICATION</u> - GSM 70±5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER &DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5± 0.5 MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.	
30	DGP106550	NO DATA AVAILABLE	0050500000162 / REGISTER RULED WHITE 04-QR		790 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5± 0.5MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. <u>GENERAL SPECIFICATION -</u> GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5± 0.5 MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INK PRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.	
31	DGP106 556	NO DATA AVAILAB E	005050000022 3 / PAPER DUPLICATING COLOUR WHITE		397 / REAM	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION -</u> LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON <u>GENERAL SPECIFICATION -</u> LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
32	DGP106 623	NO DATA AVAILAB E	005050000022 3 / PAPER DUPLICATING COLOUR WHITE		500 / REAM	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION -</u> LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON <u>GENERAL SPECIFICATION -</u> LENGTH: 11.69 INCH WIDTH: 8.27	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
33	DGP106 568	NO DATA AVAILABLE	0051500000520 / FORM F (MD)65 TREATMENT CARD MALE OUT PATIENTS AT NCS		120000 SHEET	NO DATA AVAILABLE					<u>TECHNICAL SPECIFICATION -</u> SIZE: LENGTH: 8 INCH WIDTH: 5 INCH WEIGHT: 60 GSM ± 5% COLOR PAPER: WHITE PRINTING: SINGLE PAPER ON ONE SIDE PRINTING INK: BLACK PACKING: 1000 SHEETS PER BOX <u>GENERAL SPECIFICATION -</u> SIZE: LENGTH: 8 INCH WIDTH: 5 INCH WEIGHT: 60 GSM ± 5% COLOR PAPER: WHITE PRINTING: SINGLE PAPER ON ONE SIDE PRINTING INK: BLACK PACKING: 1000 SHEETS PER BOX	
34	DGP106 353	NO DATA AVAILABLE	0051500000525 / FORM F (MT)3 DUTY SLIP		655 / BOOK	NO DATA AVAILABLE					<u>TECHNICAL SPECIFICATION -</u> SIZE: LENGTH: 11.8 INCH WIDTH: 8.9 INCH 65 GSM ± 5% COLOR PAPER: WHITE PRINTING INK: BLACK PRINTING: 100 PAGES PER BOOK PRINT ON ONE SIDE PACKING: 50 BOOKS PER COTTON/BOX <u>GENERAL SPECIFICATION -</u> SIZE: LENGTH: 11.8 INCH WIDTH: 8.9 INCH 65 GSM ± 5% COLOR PAPER: WHITE PRINTING INK: BLACK PRINTING: 100 PAGES PER BOOK PRINT ON ONE SIDE PACKING: 50 BOOKS PER COTTON/BOX	
35	DGP106 595	300X	3610705239452 / HAND FREE AUTOFEED SHREDDERS		1 / EACH/NUMBER	GBC AUTO-130X / 300X					<u>TECHNICAL SPECIFICATION -</u> 1. Dimension :650mm X 350mm X 490mm 2. Cutting Style :Cross cut 3. Shred Capacity :320 Sheets of 70g 300 Sheets of 80g (08 by pass) 4. DIN Security Level : 03 5. Shred Size : 4 X 40mm 6. Shred Speed : 2.8 m/min 7. Working Width : 230mm 8. Bin Capacity : 40 L 9. Sound Level (db) : 60 10. Working Cycle on/off :12 on/ 40 off 15 min (Run time from cold) 11. Weight : 26.7 Kg 12. Staples : Yes 13. Paper Clips : Yes	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											14. Credit Cards : Yes 15. CD's : Yes 16. Auto Oiling : No 17. Motor Capacity in Watts : UK: 270 Watts GENERAL SPECIFICATION - 1. Dimension :650mm X 350mm X 490mm 2. Cutting Style :Cross cut 3. Shred Capacity :320 Sheets of 70g 300 Sheets of 80g (08 by pass) 4. DIN Security Level : 03 5. Shred Size : 4 X 40mm 6. Shred Speed : 2.8 m/min 7. Working Width : 230mm 8. Bin Capacity : 40 L 9. Sound Level (db) : 60 10. Working Cycle on/off :12 on/ 40 off 15 min (Run time from cold) 11. Weight : 26.7 Kg 12. Staples : Yes 13. Paper Clips : Yes 14. Credit Cards : Yes 15. CD's : Yes 16. Auto Oiling : No 17. Motor Capacity in Watts : UK: 270 Watts	
36	DGP106564	DELL 7020 CORE I5	702570524609 1 / PERSONAL COMPUTER CORE i5 DELL 7020 TOWER 14 GENERATION		2 / SET	DELL 7020 CORE I5					TECHNICAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<u>REQUIRED. GENERAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.</u>	
37	DGP106 329	DELL 7020 CORE I5	702570524609 1 / PERSONAL COMPUTER CORE I5 DELL 7020 TOWER 14 GENERATION		3 / SET	DELL 7020 CORE I5					<u>TECHNICAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION</u> with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
38	DGP106452	DELL 7020 CORE I5	702570524609 1 / PERSONAL COMPUTER CORE i5 DELL 7020 TOWER 14 GENERATION		2 / SET	DELL 7020 CORE I5					<u>TECHNICAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION</u> with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION</u> with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
39	DGP106 616	DELL 7020 CORE I5	702570524609 1 / PERSONAL		2 / SET	DELL 7020					<u>TECHNICAL SPECIFICATION - PERSONAL COMPUTER DELL</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			COMPUTER CORE i5 DELL 7020 TOWER 14 GENERATION			CORE I5					MODEL7020 CORE I5 TOWER 14 GENERATION with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION</u> with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
40	DNF106027	TQ-400	731001560467 7 / TOASTER ELECTRIC (CONVEYOR TYPE)		3 / EACH/NUMBER	TQ400				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - TOASTER ELECTRIC (CONVEYOR TYPE) DEPTH 17.75 INCHES HEIGHT 14.875 INCHES WIDTH 14.500 INCHES TOASTING SLICE 360/HRS TYPE ELECTRIC VOLTAGE 120 VOLTS MINIMUM FREQUENCY50/ 60HZ SINGLE PHASE TOASTER CONVEYER TYPE DUTY CYCLE CONTINUE WEIGHT 21 KGS TOASTING CAPACITY 360 SLICES PER HOUR COLOR GUARD SENSING SYSTEM TO ADJUSTING CONVEYOR SPEED FRONT OR REAR DISCHARGE COOL EXTERIOR DESIGN FOR SAFETY <u>GENERAL SPECIFICATION</u> - TOASTER ELECTRIC (CONVEYOR TYPE) DEPTH 17.75 INCHES HEIGHT 14.875 INCHES WIDTH 14.500 INCHES TOASTING SLICE 360/HRS TYPE ELECTRIC VOLTAGE 120 VOLTS MINIMUM FREQUENCY50/ 60HZ SINGLE PHASE TOASTER CONVEYER TYPE DUTY CYCLE CONTINUE WEIGHT 21 KGS TOASTING CAPACITY 360 SLICES PER HOUR COLOR GUARD SENSING SYSTEM TO ADJUSTING CONVEYOR SPEED FRONT OR REAR DISCHARGE COOL EXTERIOR DESIGN FOR SAFETY	
41	DNF106146	TQ-400	731001560467 7 / TOASTER ELECTRIC (CONVEYOR TYPE)		1 / EACH/NUMBER	TQ400				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE	TECHNICAL SPECIFICATION - TOASTER ELECTRIC (CONVEYOR TYPE) DEPTH 17.75 INCHES HEIGHT 14.875 INCHES WIDTH 14.500 INCHES TOASTING SLICE 360/HRS TYPE ELECTRIC	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
										ENCLOSED WITH QUOTATION	VOLTAGE 120 VOLTS MINIMUM FREQUENCY 50/ 60HZ SINGLE PHASE TOASTER CONVEYER TYPE DUTY CYCLE CONTINUE WEIGHT 21 KGS TOASTING CAPACITY 360 SLICES PER HOUR COLOR GUARD SENSING SYSTEM TO ADJUSTING CONVEYOR SPEED FRONT OR REAR DISCHARGE COOL EXTERIOR DESIGN FOR SAFETY <u>GENERAL SPECIFICATION - TOASTER ELECTRIC (CONVEYOR TYPE) DEPTH 17.75 INCHES HEIGHT 14.875 INCHES WIDTH 14.500 INCHES TOASTING SLICE 360/HRS TYPE ELECTRIC VOLTAGE 120 VOLTS MINIMUM FREQUENCY 50/ 60HZ SINGLE PHASE TOASTER CONVEYER TYPE DUTY CYCLE CONTINUE WEIGHT 21 KGS TOASTING CAPACITY 360 SLICES PER HOUR COLOR GUARD SENSING SYSTEM TO ADJUSTING CONVEYOR SPEED FRONT OR REAR DISCHARGE COOL EXTERIOR DESIGN FOR SAFETY</u>	
42	DGP106563	tcl-40s6500 inch lcd	7730705152549 / 40 inch lcd	PSS VIGIL SYSTEM	1 / EACH/NUMBER	KDL-43W800G		PK	SONY		<u>TECHNICAL SPECIFICATION - 40 inch lcd full hd smart tv</u> <u>GENERAL SPECIFICATION - 40 inch lcd full hd smart tv</u>	
43	DNF106352	A/p SPECCS pak cable/ Allied Cable	6145705132683 / POWER CABLE 2 CORE 3/29 P. V.C WIRE 220/440 VOLTS	CCTV SYSTEM	1500 / METER	PAK CABLE		PK	M/S AYUB ENGINEERING MANUFACTURES, REPAIRING & GENERAL SUPPLIER GROUND FLOOR,	TDS/BROCHURE OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION - brand: pakistan cable equivalent: Allied Cable ; 1.5mm 2 core flat pvc insulated 300/500v (brochure Attached) 2. 2 core 3 strains copper wire per core with cross sectional area .646 mm2 outer daimeter: 0.282 ohm/km pure copper wire 99% current carrying capacity: 11 aMps acceptance criteria: item should satisfied all mentioned specifications testing: testing is to be performed to verify all the mentioned specs.</u> <u>GENERAL SPECIFICATION - brand:</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									NORTH WING, MULES MANSION, KEAMARI, KARACHI		pakistan cable equivalent: Allied Cable ;1.5mm 2 core flat pvc insulated 300/500v (brochure Attached) 2. 2 core 3 strains copper wire per core with cross sectional area .646 mm2 outer daimeter: 0.282 ohm/km pure copper wire 99% current carrying capacity: 11 aMps acceptance criteria: item shouldd satisfied all mentioned specifications testing: testing is to be performed to verify all the mentioned specs.	
44	DNF106460	12X50 Aculon A211	055279001907 1 / BINOCULAR 12X50 BLACK		20 / EACH/N UMBER	NIKON 12X50				TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION - Nikon 12x50 Black</u> <u>GENERAL SPECIFICATION - Nikon 12x50 Black</u>	
45	DNF106451	HU953UV	804070500908 1 / ARALDITE AW 106 HARDNER	EM LOG	4 / EACH/N UMBER					tds/brocher or pics of item must be enclosed with quotation	<u>TECHNICAL SPECIFICATION -</u> Colour (visual) Neutral Pale yellow SPecific gravity ca.1.15 ca. 0.95 ca. 1.05 Viscosity at 25 C 30-50 20-35 30-45 Pot Life (100 gm at 25 C) ca. 100 minutes <u>GENERAL SPECIFICATION -</u> Colour (visual) Neutral Pale yellow SPecific gravity ca.1.15 ca. 0.95 ca.1.05 Viscosity at 25 C 30-50 20-35 30-45 Pot Life (100 gm at 25 C) ca.100 minutes	
46	DNF106338	LSH20 (LIMN02) /710S00607	143074511886 6 / RESCUER SART 9.2-9.5 GHZ	SART	1 / EACH/N UMBER					TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> Operating frequency AIS 1: 161.975 MHz AIS 2: 162.025 MHzPower Output 1 Watt EIRP Weight 283 Grams including battery Maximum diameter 70 mm Length 300 mm <u>GENERAL SPECIFICATION -</u> Operating frequency AIS 1: 161.975 MHz AIS 2: 162.025 MHzPower Output 1 Watt EIRP Weight 283 Grams including battery Maximum diameter 70 mm Length 300 mm	
47	DNZ1063	136391	614072534480		6 /	EP 1200				TDS/BROC	<u>TECHNICAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	72		5 / dual agm maintenance free battery 1200 watt/hr 12V 140 AH		EACH/NUMBER					HER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	EXIDE DUAL AGM maintenance free BATTERY 12V 1200 watt/hr 140 AH EP1.200; X capacity 1200watt/hour 140a/h ccaa 700 diemention lwxh= 513x 189x 223 mm weight 45kgs features: Absolutely maintenance free Suitable for long resting periods Internal gas recombination No location constraints (safe for cabin High inclination High vibration & tilt resistant Faster recharge Up to 50% faster recharging Extra start & supply <u>GENERAL SPECIFICATION -</u> EXIDE DUAL AGM maintenance free BATTERY 12V 1200 watt/hr 140 AH EP1.200; X capacity 1200watt/hour 140a/h ccaa 700 diemention lwxh= 513x 189x 223 mm weight 45kgs features: Absolutely maintenance free Suitable for long resting periods Internal gas recombination No location constraints (safe for cabin High inclination High vibration & tilt resistant Faster recharge Up to 50% faster recharging Extra start & supply	
48	DNF106461	ZKX8S	5815151717958 / ZK-TECO ZK-8S/ZKTECO G3 PLUS BIOMETRIC FINGER PRINT READER.		4 / EACH/NUMBER	zcx8s/ZK Teco G3 Plus				TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> null <u>GENERAL SPECIFICATION -</u> null	
49	DCC106068		8405500692581 / OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-IV		120 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION -</u> OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-IV <u>GENERAL SPECIFICATION -</u> OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-IV	the item is procured against tender sample , as per specification
50	DNJ106348	56130-93j02/5613	4730765265166 / HOSING		2 / EACH/NUMBER	F150FET X				TDS/BROCHER OR	<u>TECHNICAL SPECIFICATION -</u> null <u>GENERAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		0-93J01	DRIVE SHOF T BRG		UMBER					PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	null	
51	DCC106067		8405500692580 / OVERALL BLUE PANTONE COLOUE SHADE 19-3920 TC 100% COTTON SIZE-III		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUE SHADE 19-3920 TC 100% COTTON SIZE-III GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUE SHADE 19-3920 TC 100% COTTON SIZE-III	the item is procured against tender sample , as per specification
52	DCC106066		8405500692579 / OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-II		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-II GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-II	the item is procured against tender sample , as per specification
53	DCC106065		8405500692578 / OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-I		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-I GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-I	the item is procured against tender sample , as per specification
54	DNF106371	EP104UC	5925505344143 / BREAKERS MCB 04 POLE 10 AMPS		4 / EACH/NUMBER	N/A				TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - amperas 10a pole 4 pole minature circuit breaker B10 GENERAL SPECIFICATION - amperas 10a pole 4 pole minature circuit breaker B10	
55	DCC106069		8405500692582 / OVERALL		120 / EACH/N						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE	the item is procured

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-V		UMBER						COLOUR SHADE 19-3920 TC 100% COTTON SIZE-V GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-V	against tender sample , as per specification
56	DNJ106440	17410-99E10	2895765310118 / CASE, WATER PUMP		1 / EACH/NUMBER	N/A				TDS/BROCHER OR PICS OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
57	DGP106779	HP Scanner 20G05A/L2747A	7490705218483 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	2 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD, OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
58	DGP106178	PCR90106745	7520705280446 / PLOTTER PAPER SIZE: 42" (1067 MM) X 35 to 50 m, GSM 90 ± 5%		5 / ROLL	HP DESIGNJET T1708					TECHNICAL SPECIFICATION - PLOTTER PAPER SIZE: 42" (1067 MM) X 35 TO 50 M, GSM 90 ± 5% NOTE: DETAIL SPECS ATTACHED GENERAL SPECIFICATION - PLOTTER PAPER SIZE: 42" (1067 MM) X 35 TO 50 M, GSM 90 ± 5% NOTE: DETAIL SPECS ATTACHED	
59	DGP106648	4003DN	7435705138632 / PRINTER	COMPUTER	1 / EACH/NUMBER	NO DATA AVAILAB		PK		PAKISTAN	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			HP LASER JET		UMBER	LE					x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
60	DGP106 776	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	4 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
61	DGP106 711	4003DN	743570513863 2 / PRINTER HP LASER JET	COMPUTER	2 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
62	DGP106 773		773070517439 1 /	LED TV	1 / EACH/N			SAMSUNG		SAMSUN G	<u>TECHNICAL SPECIFICATION -</u> SAMSUNG/CHANGHONG	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			SAMSUNG/CH ANGHONG RUBA/TCL LED TV 46/49/50/55 INCH		UMBER						RUBA/TCL LED TV 46/49/50 INCH origin: china <u>GENERAL SPECIFICATION - SAMSUNG/CHANGHONG RUBA/TCL LED TV 46/49/50 INCH origin: china</u>	
63	DGP106 715	G2102560 EU	361070509130 4 / SHREDDING MACHINE, GBC DUO (SHERED MASTER)		1 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS:</u> 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs. <u>GENERAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS:</u> 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.	
64	DGP106 778		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					<u>TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A—</u> (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA e	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											<u>sTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO</u>	
65	DGP106 712		749070504130 8 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	2 / EACH/N UMBER	CPM 25					<u>TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-400%). cOMPANY nAME: tOSHIBA e sTUDIO</u>	
66	DGP106 782		749076504539 7 / SHREDDER HEAVY DUTY MODEL SHIN CHANG C-407A		2 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
67	DGP106 587	MFP M479/MFP 4303/FDW	743571523491 2 / HP COLOR LASER JER PRO MFP M479 SERIES/MFP 4303FDW		1 / EACH/N UMBER	HP COLOR LASER JET PRO MFP M479FD W					<u>TECHNICAL SPECIFICATION - AS PER ATTACHEMETNGENERAL SPECIFICATION - AS PER ATTACHEMETN</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
68	DGP106774	RB2011Ui as-rM	5895735274884 / MIKROTIK L-2 ROUTER/ SWITCH		1 / PCS	RB2011Ui AS-RS					TECHNICAL SPECIFICATION - NETWORKING LAYER 2 SWITCH GENERAL SPECIFICATION - NETWORKING LAYER 2 SWITCH.	
69	DGP106515	DELL 7020 CORE I5	7025705246091 / PERSONAL COMPUTER CORE i5 DELL 7020 TOWER 14 GENERATION		2 / SET	DELL 7020 CORE I5					TECHNICAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION</u> with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
70	DGP106 647	DELL 7020 CORE I5	702570524609 1 / PERSONAL COMPUTER CORE I5 DELL 7020 TOWER 14 GENERATION		2 / SET	DELL 7020 CORE I5					TECHNICAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. GENERAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION with following 1. CPU Technology= Intel® Core i5 Processor 14th	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
71	DGP106783	DELL 7020 CORE I5	702570524609 1 / PERSONAL COMPUTER CORE I5 DELL 7020 TOWER 14 GENERATION		2 / SET	DELL 7020 CORE I5					<u>TECHNICAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION</u> with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION</u> with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
72	DGP106 649	DELL 7020 CORE I5	702570524609 1 / PERSONAL COMPUTER CORE I5 DELL 7020 TOWER 14 GENERATION		2 / SET	DELL 7020 CORE I5					<u>TECHNICAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION</u> with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION</u> with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
73	DGP106695	DELL 7020 CORE I5	702570524609 1 / PERSONAL COMPUTER CORE I5 DELL 7020 TOWER 14 GENERATION		2 / SET	DELL 7020 CORE I5					<u>TECHNICAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020 CORE I5 TOWER 14 GENERATION</u> with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory=	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020</u> CORE I5 TOWER 14 GENERATION with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
74	DGP106 685	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	2 / EACH/N UMBER	HP Scanner 20G05A/P ro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION</u> - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
75	SNF1066 81	FBs-CBE	599973522833 1 / COMMUNICAT ION BOARD	STEERING CONTROL	1 / EACH/N UMBER		NIL	M/S FATEK AUTOMATION CORPORATION 26FL,No 29,Sec.2, jung,jeng E Road Danshuei Dist, New Taipei city 25170,Taiwan, R.O.C. TEL : +886-2-2808-2192 FAX : +886-2-2809-2618.	FATEK TAIWAN	TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - 1 PORT 10 BASE T EATHERNET BOARD (M/S FATEK AUTOMATION CO. TAIWAN.) <u>GENERAL SPECIFICATION</u> - 1 PORT 10 BASE T EATHERNET BOARD (M/S FATEK AUTOMATION CO. TAIWAN.)	
76	SNF1066 82	DJ 12-7/WP7-12/WP123 6W/CP1270	614079514046 2 / 12V7AH LEAD ACID MAINTENANC E FREE BATTERY	FIRE ALARM / UPS 6KVA STABMATIC	47 / EACH/N UMBER	CP1270	UK		STABIMATICO LTD UK	TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION -- <u>GENERAL SPECIFICATION</u> --	
77	DNF1027 91	TG-24/50 / RE4020	056479222657 3 / CHARGER BATTERY 30A/50A 230V50HZ	BATTERY CHARGERS	1 / EACH/N UMBER					TDS/BROCHURE OR PICS OF ITEM MUST BE ENCLOSED WITH	TECHNICAL SPECIFICATION - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
										QUOTAION		
78	DGP106 680		046259000464 5 / PAPER-BROWN-SHEET GSM 50+5% SIZE 750MM X 1110MM		1220 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
79	DNF1030 69	120MM2	594079508076 4 / TERMINAL LUGS FOR CABLE SIZE 120MM2	ELECTRICAL CABLE	100 / EACH/NUMBER					TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
80	DGP106 702	NO DATA AVAILABLE	005150000043 5 / FORM F (GN)23 (S-1418) EXPENSE BOOK NAVAL ARMAMENT		173 / BOOK	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - DEN(03) BOOK Paper of 70 Grm GENERAL SPECIFICATION - DEN(03) BOOK Paper of 70 Grm	
81	DGP106 700	NO DATA AVAILABLE	005150000045 8 / FORM F (MD)6 FORM FOR ADMISSION EXAMINATION		200 / PAD	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - Item Specification : F(MD)-6 ADMISSION EXAMINATION GSM 65 +- 5% SIZE: 8" x 11.5" 100 NO OF PAGES IN ONE PAD GENERAL SPECIFICATION - Item Specification : F(MD)-6 ADMISSION EXAMINATION GSM 65 +- 5% SIZE: 8" x 11.5" 100 NO OF PAGES IN ONE PAD	
82	DGP106 688	NO DATA AVAILABLE	005150000106 0 / FORM F (NL)1 PUNISHMENT RETURN		2270 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
83	DGP106 686		005150000108 5 / FORM F (NL)25 GANG WAY BOOK		145 / BOOK						TECHNICAL SPECIFICATION - LENGTH 12" WIDTH 8.5" 60 GSM ± 5% White Color Paper printed With Black Ink Book (100 Pages)	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											GENERAL SPECIFICATION - LENGTH 12" WIDTH 8.5" 60 GSM ± 5% White Color Paper printed With Black Ink Book (100 Pages)	
84	DGP106691	NO DATA AVAILABLE	0051500000521 / NAVALCENTRALSURGERY TREATMENT CARD (MD)66		100000 SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
85	DNF103181	BG-424	5995755124607 / CABLE ELECTRICAL MINIATURE 04 CORE FOR MIC	SRE SYSTEM ITALY	1260 / METER					TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
86	DGP106903	DELL 7020 CORE I5	7025705246091 / PERSONAL COMPUTER CORE I5 DELL 7020 TOWER 14 GENERATION		2 / SET	DELL 7020 CORE I5					TECHNICAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL 7020 CORE I5 TOWER 14 GENERATION with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											WITHOUT WIFI & BLUETOOTH IS REQUIRED. <u>GENERAL SPECIFICATION - PERSONAL COMPUTER DELL MODEL7020</u> CORE I5 TOWER 14 GENERATION with following 1. CPU Technology= Intel® Core i5 Processor 14th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). 2. System Memory= Minimum 8 GB DDR5 SDRAM. 3. Hard Disk= 512 GB NVME. 4. Keyboard= USB (3D Optical) . 5. Mouse= USB (Optical LED) 6. LED= 22" (Min) or higher (same brand) 7. LAN= Yes (Built in 1000) 8. Warranty= Minimum 01 Year or as provided by OEM, 9. OPERATING SYSTEM= MS - DOS ONLY (WITHOUT PRE-INSTALLED WINDOW). 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. F. PC WITHOUT WIFI & BLUETOOTH IS REQUIRED.	
87	DNF106562	LP-12- 200 LEOCH / RP200-12/ 93290064 C	999973517901 6 / BATTERY 12V 200A/H H (MAINTENCE FREE)	Diesel Generator cummince	11 / EACH/NUMBER	RP200-12		ROCKT PREMIUM BATTERY.KOREA.WWW.gbattery.com		ROCKT PREMIUM BATTERY.KOREA	TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION <u>TECHNICAL SPECIFICATION - ROCKT PREMIUM BATTERY.</u> KOREA.WWW.gbattery.com <u>GENERAL SPECIFICATION - ROCKT PREMIUM BATTERY.</u> KOREA.WWW.gbattery.com	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
89	DNF106628	S4600-28P-SI / J9776A	7025145837789 / SWITCH UNIT 24 PORT WITH 4SFP & Accessories	Local Area Network (LAN) (Intranet)	1 / EACH/NUMBER	S4600-28P-SI / CSS326-24G-2SRM	0	1 AV DU CANADA LES ULIS LES ULIS	HEWLETT-PACKARD CENTRE COMPETENCE FRANCE	QUOTATION TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> Switch unit 24 port with 4SFP & Accessories DCN S4600-28P-SI <u>LAYER-2 24 PORT WITH 4SFP</u> <u>GENERAL SPECIFICATION -</u> Switch unit 24 port with 4SFP & Accessories DCN S4600-28P-SI <u>LAYER-2 24 PORT WITH 4SFP</u>	
90	DNF106529	MD3003B1 / BS-HH-D7	6665705208217 / HAND HELD METAL DETECTOR	METAL DETECTOR DESTO PAK	3 / EACH/NUMBER	MD3003B1 / BS-HH-D7	NA	DESTO (HQ) CHAKLALA cant, Rawalpindi-46200, Pakistan	DESTO	TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION - a.</u> Operating Frequency :25/27/93 KHz b.Length c.Weight d.Tuning e.Battery f.Maximum Detection Depth at 70 KHz Paper Pin: 2-3 cm Razor Blade/Knife: 9-15 cm Pistol: 15-18 cm g. Normal Operation duration: 12 hrs <u>GENERAL SPECIFICATION - a.</u> Operating Frequency :25/27/93 KHz b.Length c.Weight d.Tuning e.Battery f.Maximum Detection Depth at 70 KHz Paper Pin: 2-3 cm Razor Blade/Knife: 9-15 cm Pistol: 15-18 cm g. Normal Operation duration: 12 hrs	
91	DNF106583	ZA3000D/ ZA3000E/ SWTG DS-6.3	6350705220323 / SMART WALK THROUGH GATE	SWTG	1 / EACH/NUMBER	DS-6.3 / ZA3000E		DEFENCE SCIENCE AND TECHNOLOGY ORGANIZATION CHAKLALA CANTT RAWALPINDI	DESTO	TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> DIMENSIONS H: 2210MM W: 810MM D: 605MM OPERATING VOLTAGE AC 200-230V/DC 12V POWER CONSUMPTION 35 WATT WORK ENVIRONMENT -5c-50c NO OF ZONES 06 DISPLAY TYPE LCD <u>GENERAL SPECIFICATION -</u> DIMENSIONS H: 2210MM W: 810MM D: 605MM OPERATING VOLTAGE AC 200-230V/DC 12V POWER CONSUMPTION 35 WATT WORK ENVIRONMENT -5c-50c NO OF ZONES 06 DISPLAY TYPE LCD	
92	DNC106555	WBCL000636	4820745133146 / DENFOS EXPANSION VALVE TCBE1	A/C SYSTEM PNS KARRAR	1 / EACH/NUMBER	NO DATA AVAILABLE		FR	WEBASTO MARINE COMFORT		<u>TECHNICAL SPECIFICATION -</u> brass /stainless steel single flow -40c to +10c tube length 750-800 mm 34 bar pressure 1/4 -3/8 (pdf /flare)	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
									FRANCE		GENERAL SPECIFICATION - brass /stainless steel single flow -40c to +10c tube length 750-800 mm 34 bar pressure 1/4 -3/8 (odf /flare)	
93	DNJ106551	38890-98J00	2815765221422 / ACTUATOR, SHIFT	SUZUKI DF300AP 300 HP OBM	1 / EACH/NUMBER	DF300AP	30002P-712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN	TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - NIL GENERAL SPECIFICATION - NIL	
94	DNF106528	LP12-200/6FM-200A/H	6130785156552 / 12V 200AH VALVE REGULATED SEALED LEAD ACID BATTERY	DOMESTIC 6FM-200A/H (NAVY BARGE 001)	4 / EACH/NUMBER	6FM-200A/H, SN 12200, RP 200-12		CHANGHAISTAR CHANGHAI CHINA	CHINA	TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - CHANGHAISTAR CHANGHAI CHINA a. Priority 1 Make: XINNENG () QUANXHOUSinglang electric technology Co Ltd (China) Model: SN 12200 Brand/ Equivalent: 12V 200AH Maintenance free sealed lead acid b. Priority 2 Make: Rocket (China) Model: RP 200-12 Brand/ Equivalent: 12V 200AH c. priority 3 make: homage/VISION model: 6fm200 voITAGE 12v AMP: 200ah GENERAL SPECIFICATION - CHANGHAISTAR CHANGHAI CHINA a. Priority 1 Make: XINNENG () QUANXHOUSinglang electric technology Co Ltd (China) Model: SN 12200 Brand/ Equivalent: 12V 200AH Maintenance free sealed lead acid b. Priority 2 Make: Rocket (China) Model: RP 200-12 Brand/ Equivalent: 12V 200AH c. priority 3 make: homage/VISION model: 6fm200 voITAGE 12v AMP: 200ah	
95	DNF106626	FLUKE-414D	6680715204976 / LASER DISTANCE METER	Fluke-414D USA	2 / EACH/NUMBER	414D		Fluke Corporation PO Box 9090, Everett, WA USA 98206 In the U.S.A. (800) 443-5853 or Fax (425) 446-5116	Fluke	TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH	TECHNICAL SPECIFICATION - Reduction of estimation errors, saving both time and money,most advanced laser technology for distance measurement,Quick calculation of area (square footage) and volume, Easy addition and	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
										QUOTATION	subtraction of measurements, Improved battery life from automatic shut-off feature. <u>GENERAL SPECIFICATION</u> - Reduction of estimation errors, saving both time and money, most advanced laser technology for distance measurement, Quick calculation of area (square footage) and volume, Easy addition and subtraction of measurements, Improved battery life from automatic shut-off feature.	
96	DNF106522	N250 PLUS EXIDE / OSAKA OR EQUIVALENT	0562795620006 / BATTERY LEAD ACID 12V 200AH	DG USED	4 / EACH/NUMBER	N250 PLUS EXIDE / OSAKA				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION</u> - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE: 511X280X246MM EXIDE PAKISTAN. <u>GENERAL SPECIFICATION</u> - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE: 511X280X246MM EXIDE PAKISTAN.	
97	DNF106664	N250 PLUS EXIDE / OSAKA OR EQUIVALENT	0562795620006 / BATTERY LEAD ACID 12V 200AH	DG USED	3 / EACH/NUMBER	N250 PLUS EXIDE / OSAKA				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION</u> - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE: 511X280X246MM EXIDE PAKISTAN. <u>GENERAL SPECIFICATION</u> - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA SIZE: 511X280X246MM EXIDE PAKISTAN.	
98	DNF106547	N150/ N140, 125, EXIDE	0562799004653 / BATTERY 12V 115-125 AH SEC ACID TYPE	GENERAL USE	4 / EACH/NUMBER	N140, N125 EXIDE				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION</u> - oem exide karachi pakistan. <u>GENERAL SPECIFICATION</u> - oem exide karachi pakistan	
99	DNJ106607	94703-00040	2920765022466 / PLUG SPARK P/N 94703 00040	YANMAR 10 KVA DIESEL GENERATOR	10 / PKT						<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE. <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			FOR WORK BOAT (10 PCS PER BOX)									
100	DNF106523	MD231 (CROWN) /EH1504 /EH1418	444079510254 4 / PREMI-AIR DEHUMIDIFIERS, 300W, 220/240V SIZE: 350X452X275 MM	DEHUMIDIFIERS	1 / EACH/NUMBER	MD231 (CROWN) /EH1504 /EH1418				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> Rated Voltage: 220-240 V- Rated Frequency: 50Hz Power: 240W Working Temperature: 5 oC-35 oC Dehumidifying Capacity: 10 l/Day Hi Side Pressure: 1.7MPa Low Side Pressure: 0.7MPa Refrigerant Charge: R134A/0.09 KG Weight: 10.5 KG <u>GENERAL SPECIFICATION -</u> Rated Voltage: 220-240 V- Rated Frequency: 50Hz Power: 240W Working Temperature: 5 oC-35 oC Dehumidifying Capacity: 10 l/Day Hi Side Pressure: 1.7MPa Low Side Pressure: 0.7MPa Refrigerant Charge: R134A/0.09 KG Weight: 10.5 KG	
101	DNF106699	PP3 , 6F22, (6135-00-900-2139)	613570100411 8 / BATTERY DRY FOR MULTIMETER 09V EVER/ENERGIZ 047X25.75X017MM	AVO METER	27 / EACH/NUMBER					TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> 09V EVER/ENERGIZ 047X25.75X017MM OEM RS COMPONENTS LIMITED. <u>GENERAL SPECIFICATION -</u> 09V EVER/ENERGIZ 047X25.75X017MM OEM RS COMPONENTS LIMITED.	
102	DNF106697		611070506020 4 / STABILIZER 2KVA I/P50-130V/160-240VAC 50/60HZ O/P110/220LOCAL	GENERAL ELECTRICAL USE	10 / EACH/NUMBER					TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION -</u> NO DATA AVAILABLE <u>GENERAL SPECIFICATION -</u> NO DATA AVAILABLE	
103	DNF106573	00-928-3127 / 357-9326-000	961171001001 4 / COAXIAL-CONNECTOR-COAXIAL CABLE	TRANSCEIVER GRC-171	4 / EACH/NUMBER					TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE	<u>TECHNICAL SPECIFICATION -</u> NO DATA AVAILABLE <u>GENERAL SPECIFICATION -</u> NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
										ENCLOSED WITH QUOTATION		
104	DNF106629	ep-1000t/blazer vista 1000	7035705059927 / UPS 1KVA WITH BATTERY BACKUP 10 MINUTES (AS PER APPROVAL)	BVBS-2	11 / EACH/NUMBER	BLAZER VISTA 1000/Aurora				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION</u> - backup time: 10 minutes Product Name: AURORA Input: 220V <u>GENERAL SPECIFICATION</u> - backup time: 10 minutes Product Name: AURORA Input: 220V AC	
105	DNF106518	ep-1000t/blazer vista 1000	7035705059927 / UPS 1KVA WITH BATTERY BACKUP 10 MINUTES (AS PER APPROVAL)	BVBS-2	8 / EACH/NUMBER	BLAZER VISTA 1000/Aurora				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	<u>TECHNICAL SPECIFICATION</u> - backup time: 10 minutes Product Name: AURORA Input: 220V <u>GENERAL SPECIFICATION</u> - backup time: 10 minutes Product Name: AURORA Input: 220V AC	
106	DGP98025	NO DATA AVAILABLE	0050500000066 / INK-RED-FOR-RUBBER-STAMP-PAD 28.50GM (1 OZ)(DOLLOR BRAND)		36 / BOTTLE	NO DATA AVAILABLE					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE	

108	DNF106552	ZKX8S	5815151717958 / ZK-TECO ZK-8S/ZKTECO G3 PLUS		3 / EACH/NUMBER	zkx8s/ZK Teco G3 Plus				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST	<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null	
-----	-----------	-------	--	--	-----------------	-----------------------	--	--	--	---	--	--

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			BIOMETRIC FINGER PRINT READER.							BE ENCLOSED WITH QUOTATION		
109	DNF106634	B00E50202754	5999725344875 / INTERFACE CONVERTER USB 2.0 TO 2S SERIAL RS-232/422/485 PORT		1 / EACH/NUMBER	USB 2.0 TO 2S SERIAL RS-232/422/485				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - INTERFACE CONVERTER USB 2.0 TO 2S SERIAL RS-232/422/485 PORT 2-PORT RS-232/422/485 COMBO SERIAL TO USB ADAPTER. IT IS AN INTELLIGENT EXPANSION MODULE THAT CONNECTS TO A PC OR SERVER VIA THE UNIVERSAL SERIAL BUS (USB), PROVIDING HIGH SPEED SERIAL CONNECTIVITY.THE SERIAL PORTS ARE FULL COMPITABLE WITH RS232/422/485 STANDARD BY BUNDLED VIRTUAL COM PORT DRIVERS.GENERAL SPECIFICATION - INTERFACE CONVERTER USB 2.0 TO 2S SERIAL RS-232/422/485 PORT 2-PORT RS-232/422/485 COMBO SERIAL TO USB ADAPTER. IT IS AN INTELLIGENT EXPANSION MODULE THAT CONNECTS TO A PC OR SERVER VIA THE UNIVERSAL SERIAL BUS (USB), PROVIDING HIGH SPEED SERIAL CONNECTIVITY.THE SERIAL PORTS ARE FULL COMPITABLE WITH RS232/422/485 STANDARD BY BUNDLED VIRTUAL COM PORT DRIVERS.	
110	DNF106546	SRXV2-2V13-EBT-1R/IBP 221-1R	6710705246090 / PELCO BULLET CAMERA SARIX SERIES (SRX-PRO 2 ENV-POE 24V/12V 2MP, -3-10MM LENS)		8 / EACH/NUMBER	IBP 221-1R				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
111	DNO106635	349-7378/369-7561	662077524994 1 / SENSOR GP-PRESSURE		2 / EACH/NUMBER	C9.3				TDS/BROCHURE OR PHOTOGRAPH OF ITEM MUST BE ENCLOSED WITH QUOTATION	TECHNICAL SPECIFICATION - SENSOR GP-PRESSURE GENERAL SPECIFICATION - SENSOR GP-PRESSURE	

113	DGP102947	NIL	703070519872 6 / IVORY CARD (OFF WHITE) 350GSM +-5% 22X28	STATIONERY ITEM	1 / PACKET	STATIONERY ITEM	NIL	LOCAL MARKET	INDONESIA/ CHINA		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
-----	-----------	-----	--	-----------------	------------	-----------------	-----	--------------	------------------	--	--	--