



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

1	OF	4
RFQ No	RC-19866IA	
DATE	02.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017633

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply of Air Compressors for PSO Retail Outlets at Central Store KTB.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
1	<u>AIR COMPRESSOR 5 HP</u> Supply of 5HP Air Compressors to be used at PSO Retail Outlets. SPECIFICATIONS: Composition (Parts of Equipment): - Compressor. - Motor. Technical Data: a. Electrical: - Voltage: 380-400 V. - Frequency: 50 Hz. - Phase: 3 phase. - Input Power: 3.7-4.1 Kw (5.0HP - 5.5HP). - Efficiency: Greater than 85%. - Speed: 1300-1550 rpm (as per requirement). - Starter: DOL starter with circuit breaker, over load protection, thermal protection and reset. - Insulation Class: F. - IP Rating: IP54. - Motor should be totally enclosed fan cooled. b. Mechanical: - Working Pressure: 140-180 psi - Free Air Delivery: 600-650 Liters / Minute - No. of Cylinder: Two - Air Receiver Capacity: 0.2-0.3 Cubic Meters - Air Receiver Type: Horizontal - Type / System: Horizontal shaft, wheel mounted. - Automatic start / stop pressure control switch with Pressure Gauge.	<u>Keamari Terminal</u>	<u>EA</u>	80		
2	<u>AIR COMPRESSOR 2 HP</u> Supply of 2HP Air Compressors to be used at PSO Retail Outlets.	<u>Keamari Terminal</u>	<u>EA</u>	15		



2	OF	4
RFQ No	RC-19866IA	
DATE	02.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100017633

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED			
	ON (Date)	18.08.2026	BY (Time)	2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY** Fix %
Rs. _____ PO/DD NO. _____

Title: Supply of Air Compressors for PSO Retail Outlets at Central Store KTB.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	SPECIFICATIONS: Composition (Parts of Equipment): - Compressor. - Motor. Technical Data: a. Electrical: - Voltage: 220/240 V. - Frequency: 50 Hz. - Phase: Single phase. - Input Power: 1.5-1.9 Kw (2HP-2.5HP). - Efficiency: Greater than 90%. - Motor Speed: 1300-1550 rpm. - Starter: DOL starter with circuit breaker, over load protection, thermal protection and reset. - Insulation Class: F. - IP Rating: IP54. - Motor should be totally enclosed fan cooled. b. Mechanical: - Working Pressure: 120-160 psi. - Free Air Delivery: 250-275 Liters / Minute. - No. of Cylinder: Two. - Air Receiver Capacity: 0.1-0.15 Cubic Meters. - Air Receiver Type: Horizontal. - Type / System: Horizontal shaft, wheel mounted. - Automatic start / stop pressure control switch with Pressure Gauge. ===== WARRANTY: - Free warranty for maintenance and repair including replacement of parts for 18 months from date of equipment supply at PSO store. Note: The supplier shall ensure rectification of any fault in the equipment within 24 hours of reporting. In the event that the fault is not resolved within this timeframe, the supplier shall provide a replacement unit of equivalent specifications on a temporary basis to					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

3	OF	4
RFQ No	RC-19866IA	
DATE	02.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017633

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply of Air Compressors for PSO Retail Outlets at Central Store KTB.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	ensure uninterrupted operations until the original equipment is fully restored. HSE: - HSE requirements/features Equipment must be supplied with electrical and mechanical safety parameters for its operation. Pulley Guard should be easily mounted and removed to change belt if required. TESTING: - Hydro test of equipment to be done at 1.5 times the rated pressure of the compressor for 10 minutes. This test is to be performed by contractor under the supervision of PSO representative. The sample to be taken as per MIL-STD-105E. GENERAL REQUIREMENTS: - Complete diagram and manual for operation and maintenance. - Fixed Asset Number (FXA)" to be printed / embossed on each equipment at a clearly visible place in the following SAMPLE format: PSO FXA # 38005765 The printing / embossing should be of permanent type and not peel off or fade out with time. The series of fixed Asset Numbers for all equipment will be provided at the time of issuance of Purchase Order. The same number should appear on the packing of the equipment for ease of identification. - Acceptance of equipment may be subject to prior inspection of Equipment/ Material and Packing by any PSO nominated 3rd party (to be arranged by PSO). - The supplier/ Manufacturer will arrange Equipment inspection at their Factory premises before shipment. The manufacturer has to make available sufficient quantity of unpacked lot to third party inspector for random inspection as per MIL standard 105 E, Level III, AQL 1.0. The 3rd party will also inspect the equipment specifications along with the packing in wooden frame quality and necessary marking on packing. The goods will be shipped after clearance / acceptance of Inspection Certificate from PSO provided by Third Party Inspector after successful completion of job at manufacturer's premises.					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

4	OF	4
RFQ No	RC-19866IA	
DATE	02.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017633

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply of Air Compressors for PSO Retail Outlets at Central Store KTB.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	- Final acceptance of the equipment would be subject to inspection by concerned Dept. of PSO after Delivery of Equipment at Central store Kemari. - PSO reserves the right to change (increase or decrease by +/-15%) the quantities after issuance of tender or purchase order with prior information. - The Original Equipment Manufacturer (OEM) to submit a duly signed and stamped spec to spec, clause by clause technical compliance table (Format provided with tender documents) with respect to PSO specifications mentioned in tender. - Supplier will submitted Technical Literature/Brochures and all necessary details at the time of bidding. DELIVERY SCHEDULE: - Air Compressors are to be delivered within 90 days from the issuance of Purchase Order at PSO Central Stores, Kemari Terminal B. - In accordance with the agreed delivery schedule, the Supplier shall deliver the materials in specified lots within the stipulated timelines as outlined in the Purchase Order/Contract. In the event of failure to deliver any lot(>,<,>) either in full or in part, within the specified time, a penalty shall be imposed on the undelivered quantity as follows: 1. Penalty Rate: A penalty at the rate of 0.1% of the total value of the undelivered quantity per day of delay shall be levied, subject to a maximum of 10 % of the value of the work order. 2. Calculation: Penalty = (Value of Undelivered Quantity) × (Penalty Rate per day) × (Number of days delayed). AMOUNT OF BID SECURITY: - RS. 250,000/-.					