



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

1	OF	*
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
1	<u>Demolition</u>	<u>PSO House</u>				
1.01	<u>Demolition Work (JOB)</u> Demolition Work (JOB): Demolition and dismantling of existing infrastructure as per the drawings including: 1. Walls, built in brick work, or Concrete blocks, or in stone masonry <(>,<)> built in any CM, including pillars, lintels, struts etc. 2. Removal of Wooden Doors 3. Removal of Chowkats 4. Removal of Aluminium window and ventilators with Glass 5. Removal of 12mm Glass partition and door 6. Wooden partition 7. Existing Floor Tiles (At Ground Floor and 1st Floor, except bedrooms) 8. Kitchen Top marble. 9. Wash Basin and Venity bowl 10. Water Closet (WC), European pattern 11. Existing Fire Place in Lounge 12. AC pipe and fittings (if required) 13. Stair steps marble(Internal) 14. Main Steel Gate 15. Stair steps marble(External) 16. 13mm thick marble(Porch,Ver) 17. Concrete tiles This includes Ground Floor, Basement and 1st floor with exterior area. Inclusive of collecting, temporary storage before disposal, cartage, all kinds of labor, disposal of debris from any level up to any lead and lift as directed by PSO. Note: 1. The contractor shall be responsible for dumping the debris at the appropriate dumping site out of PSO premises. 2. Collectible items shall be safely transferred to the PSO designated	<u>JOB</u>	1			



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

2	OF	*
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
1.02	storage area. <u>Termite Proofing (JOB)</u> Vermin and termite full spectrum fumigation done on following three (3) stages. i. After complete demolition, before commencement of any construction. ii. After construction of all walls and partitions. iii. On completion of all construction and finishing. The product should have protecting structural integrity for atleast 10 years. - THE FUMIGATION CHEMICAL SHOULD BE APPROVED BY PROJECT ENGINEER.		<u>JOB</u>	1		
2	<u>Civil Works</u>	<u>PSO House</u>				
2.01	<u>P/L Solid brick masonry (SS)</u> Brick work, in wall 115mm & 230mm thick, laid and jointed in CM 1:6(> ,<)> straight or to curve with inner radius of 6m and over, upto roof level Note : M3 = CFT		<u>M3</u>	1,800.000		
2.02	<u>P/L Solid brick masonry (SS)</u> Providing and laying of RCC with 3000 psi compressive cylindrical strength in different structural elements in roof slabs, landings(>,<)> plinth beams, stairs and bands etc. all as specified including form work all as specified. Reinforcement to be measured and paid. Note: M3 = CFT		<u>M3</u>	50.000		
2.03	<u>Plaster Work (Sft)</u> Providing and laying cement sand plaster 1:4 using O.P.C & fine sand on walls, columns and wherever required of any shape, curve and design using expanded metal mesh on joints columns with wall and on conduits filling scaffolding with making edges corners, hoisting, watering, curing at any height smoothly finished including making drip course at all projections, slabs offsets or where as required complete as per specifications and instruction of the engineer/ architect. This includes making grooves in plaster using grinder wherever required.		<u>SFT</u>	2,800		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

3	OF	*
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
3	<u>Aluminium & steel Works</u>	<u>PSO House</u>				
3.01	<u>Glass Partition Works (Sft)</u> Supply and Fixing of Aluminium Sliding window<(>,<)> Deluxe Quality, of Anodized Aluminium extruded section 2.00mm in any size, colour and texture as specified, including fixing on concrete, wood or steel frames, complete with all necessary fittings including with Double glazed 5mm tempered glass with wire gauze.		<u>SFT</u>	850		
3.02	<u>Glass Partition Works (Sft)</u> Supply and Fixing of Aluminium swing window door, Deluxe Quality <(>,<)> of Anodized Aluminium extruded section 2.00mm in any size, colour and texture as specified, including fixing on concrete, wood or steel frames, complete with all necessary fittings including with Double glazed 5mm tempered glass with wire gauze. Dining Hall to Balcony & Lounge to terrace.		<u>SFT</u>	50		
3.03	<u>Glass Partition Works (Sft)</u> Supply and Fixing Aluminium Sliding Door, Deluxe Quality, of Anodized Aluminium extruded section 2.00mm in any size, colour and texture, including fixing on concrete, wood or steel frames, including Double glazed 12mm tempered glass, high quality lock and handle.		<u>SFT</u>	28		
3.04	<u>Glass Partition Works (Sft)</u> Supply and Fixing of Aluminium Fixed Frame, Deluxe Quality, of Anodized Aluminium extruded section in any size, colour and texture as specified, including fixing on concrete, wood or steel frames surface, including 12mm thick tempered Glass partition/including all necessary accessories etc. - For Staircase railing		<u>SFT</u>	650		
4	<u>Flooring works</u>	<u>PSO House</u>				
4.01	<u>Porcelain Tile Works (Sft)</u> Providing and laying best quality approved full-body porcelain tiles not exceeding 7200 Sq cm of glazed/ matt finish, anti-slip to be laid over existing floor using dry bond with spacer as specified by architect/ engineer on-site including dressing, cutting, jointing and grouting, finishing and cleaning etc.		<u>SFT</u>	3,000		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

4	OF	*
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	laid in a pattern. Samples & tile-cutting drawings are to be approved by engineer/architect. Complete in all respects as shown in drawings and as directed by engineer/ architect. Note: Samples & tile-cutting drawings are to be approved by engineer/architect.					
4.02	<u>Porcelain Tile Works (Sft)</u> Providing and laying best quality approved full-body porcelain tiles not exceeding 1800 Sq cm of glazed/ matt finish, anti-slip to be laid over existing floor using dry bond with spacer as specified by architect/ engineer on-site including dressing, cutting, jointing and grouting, finishing and cleaning etc. laid in a pattern. Samples & tile-cutting drawings are to be approved by engineer/architect. Complete in all respects as shown in drawings and as directed by engineer/ architect.		<u>SFT</u>	2,000		
4.03	<u>Corian Works (Sft)</u> Providing and fixing of Corian countertop of approved shade and design. Having ss trim 0.5-inch-thick on joining surfaces and 0.5 inch below joint line. Chinese Corian or equivalent. Inclusive of cost of double frame 1/2 " by 3/4" MS frame red oxide and painted on top. - For vanity Note: the top surface area shall be considered for billing purpose.		<u>SFT</u>	80		
4.04	<u>Fixing of glazed Tiles / Marble tiles</u> Providing and laying Standard quality granite marble tiles (Tan Brown Granite / equivalent) 20 mm thick including setting, jointing, pointing and chemical polishing complete all as specified. (for entrance steps)		<u>FT2</u>	46		
4.05	<u>Fixing of glazed Tiles / Marble tiles</u> Providing and laying Standard quality marble tiles (Boticina Cream / equivalent), of any size, 13 mm thick including setting, jointing<(>,<)> bonding and chemical polishing, complete all as specified.(for steps in G Floor Lounge)		<u>FT2</u>	50		
4.06	<u>Fixing of glazed Tiles / Marble tiles</u> Providing and laying Standard quality granite marble tiles (Calcutta		<u>FT2</u>	304		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

5	OF	*
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
4.07	white / equivalent), of any size, 20 mm thick including setting, jointing, pointing and chemical polishing complete all as specified. (For complete stairs) <u>Rigid Core Flooring</u> Providing and laying best quality approved rigid core flooring of matt finish and wooden texture, anti-slip to be laid over existing floor as specified by architect/ engineer on-site including floor preparation, finishing and cleaning etc. laid in a pattern. Samples & tile-cutting drawings are to be approved by engineer/ architect. Complete in all respects as shown in drawings and as directed by engineer/ architect. Note: Specification of the floor is to be as per attached compliance sheet.		<u>SFT</u>	360		
5	<u>Paint and Polishing</u>	<u>PSO House</u>				
5.01	<u>Paint Works (Sft)</u> Plastic emulsion paint (on ceiling) 3 coats (washable paint) - Providing and applying paint on walls/ etc. Including rubbing with sandstone filling the uneven surfaces with putty, cracker, and epoxy treatment (if required), rubbing with sandpaper and preparing the surface. Applying coats of primer on internal walls to prepared surface of plastered and finish paint coats as indicated in sub items, complete in all respects as per drawings. (ici easy care or equivalent) - Paint to be used after approval of color code and finish		<u>SFT</u>	25,000		
5.02	<u>Wooden Polishing Works (Sft)</u> Laquer Polishing of existing wooden items including doors and furniture etc. The rates should be quoted for polishing on both sides. The rate also includes replacement of wooden beading where required with matching polish.		<u>SFT</u>	900		
6	<u>Wood Works</u>	<u>PSO House</u>				
6.01	<u>Supply and fixing of wooden doors</u> Providing, fabricating, and installing a custom solid wood door		<u>JOB</u>	32		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

6	OF	*
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
6.02	comprising a seasoned Partial wood internal structural frame clad on both faces with premium Oak plywood. The scope of work encompasses the supply and precise fixing of the door shutter along with a matching wooden door frame, fully integrated with all necessary premium hardware <(>,<)> including heavy-duty hinges, a mortise lockset, handles, and door stoppers. The installation includes complete surface preparation, fine sanding, and the application of a high-quality clear polish finish on all exposed surfaces to enhance the natural oak grain. The door shall have wooden moldings as per the picture given in compliance sheet. The quoted rate shall be comprehensive, covering all materials, adhesives <(>,<)> concealed anchoring hardware, and the skilled labor required to ensure smooth operation, perfect alignment, and seamless joinery, complete in all respects to the full satisfaction and approval of the Admin Team. The job also includes all necessary hardware, hinges and Handle lock of high quality. Note: JOB = SFT <u>Supply and fixing of wooden doors</u> Supply and fix, Engineering Paneled Door,soft wood(Ash wood) 38 mm thick shutter with frame in polish finish including 4" beading with all necessary fittings, mongery, with vision frosted glass 5mm thick with gola both sides, and complete all as specified. As per 3D drawings (Main Lobby G-Floor and Basement). The job also includes all necessary hardware, hinges and Handle lock of high quality. Note: JOB = SFT		<u>JOB</u>	96		
6.03	<u>RE-POLISHING OF EXISTING DOORS</u> Already fixed existing Engineering paneled Door, soft wood 38 mm thick shutter with frame<(>,<)> with changing its ply sheet and polish finish and fixing wooden moldings as per the picture given in compliance		<u>EA</u>	9		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

7	OF	*
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
7	sheet. including necessary fittings, complete all as specified. Door average size: 3ft x 7ft The job also includes all necessary hardware, hinges and Handle lock of high quality.	<u>PSO House</u>				
7.01	<u>Gypsum Ceiling Works (Sft)</u> POP Ceiling works as per 3d design. with matte paint finish		<u>SFT</u>	1,500		
7.02	<u>Gypsum Ceiling Works (Sft)</u> P/f in position gypsum board ceiling, consisting of GI. frame work of approved sections with GI hangers and 16-18 swg. 12mm thick gypsum board sheet fixed on frame with approved paint finish on gypsum, cutting of opening for light fixtures / ac cassettes with making of light pelmet<(> ,<)> fiber tape on joints, metal tape on edges, including primer coat filling if required and all other hardware, wastage, scaffolding, making access panel (where required), etc., complete in all respect. Note: flat area of ceiling will be measured and paid. The contractor will have to get a sample approved from the consultant before execution. The sample should have a grove and white matt paint finish.		<u>SFT</u>	200		
7.03	<u>Access Panels on Gypusm Ceiling</u> Providing and fixing of access panels in gypsum ceiling of approved quality and finish.		<u>EA</u>	5		
8	<u>Wall Cladding Works</u>	<u>PSO House</u>				
8.01	<u>Wall Cladding Works (Sft)</u> Providing and installing custom wall cladding comprising a base layer of high-quality marine plywood securely anchored to the structural wall, overlaid with an Al-Noor/Patex Super Gloss Sheet / tactile sheet of an approved shade and color. The scope of work encompasses all necessary cutting, sizing, and the application of premium-grade adhesives to ensure a seamless, bubble-free lamination. The quoted rate shall be		<u>SFT</u>	800		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

8	OF	*
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
8.02	comprehensive, covering the supply of all materials, precise edge finishing, concealed fastening hardware or wall-plugging for the plywood base, and the skilled labor required to achieve a perfectly flush, plumb, and rigid installation, complete in all respects to the full satisfaction and approval of the Admin Team. <u>Providing locker cabinet</u> FULL HEIGHT FILING CABINETS: > SIZE: 9' FEET HEIGHT, 1'-4" DEEP. > THE STRUCTURE OF THE CABINETS SHALL BE MADE OF AL NOOR / PATEX / EQUIVALENT AND THE DOORS OF THE CABINET SHALL BE MADE OF AL NOOR / PATEX / EQUIVALENT > PROVIDING AND INSTALLATION OF WOODEN FILING CABINETS MADE OF AL-NOOR OR EQUIVALENT. > LAMINATED SHEET (TACTILE / SUPER MATT), INCLUDING APPROVED HINGES<(> ,<)> LOCKS AND SHELF, SHUTTER FINISH WITH APPROVED DRAWING AND DESIGN COMPLETE IN ALL RESPECT. > THE SINGLE CABINET SHALL HAVE MULTIPLE SHELVES. > ALL CABINETS SHALL HAVE 16MM BACK SHEET. > COMPLETE DESIGN DETAILS ARE TO BE AS PER THE PICTURE. THE WIDTH OF THE SHELVES WILL BE FINALIZED AS PER SITE. NOTE: MB WILL BE DONE BASED ON THE AREA OF FRONT FACE. Note: M2 = SFT		<u>M2</u>	280		
8.03	<u>Wall Cladding Works (Sft)</u> Providing and installation of 20 mm thick clay bricks on basement lounge wall as shown in 3d. Complete in all respect as per site conditions & safety requirements and as directed by the engineer / architect. Note: Material must be duly approved by Company's appointed Admin representative before execution.		<u>SFT</u>	475		
8.04	<u>Wall Cladding Works (Sft)</u> Providing and installing 5 mm wide and 10 mm deep Stainless Steel (SS) profile trims into the existing wall cladding. The scope of work encompasses the precise routing or grooving of the existing cladding panels to accurately accommodate the 10 mm depth of the metal trim,		<u>SFT</u>	250		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

9	OF	*
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	ensuring a perfectly flush and seamless integration with the surrounding surface. The architectural-grade SS trims shall be securely fixed into the prepared channels using high-strength epoxy or specialized adhesives to guarantee absolute stability and prevent any displacement. The quoted rate shall be comprehensive, covering the supply of the SS trims in the approved finish, all necessary precision cutting, grooving, jointing, adhesives, post-installation surface cleaning, and the skilled labor required to achieve perfectly aligned horizontal or vertical metallic details, complete in all respects to the full satisfaction and approval of the Admin Team.					
	Note: SFT = RFT					
8.05	<u>Wall Cladding Works (Sft)</u>		<u>SFT</u>	300		
	Supply and fix, UV Sheet 19mm thick in any position.(Including All Decorative and Feature wall) complete, all as specified.(Colour as per 3D drawing)					
9	<u>External Development</u>	<u>PSO House</u>				
9.01	<u>Plaster Work (Sft)</u>		<u>SFT</u>	5,707		
	Providing and laying cement sand plaster 1:4 using O.P.C & fine sand on walls, columns and wherever required of any shape, curve and design using expanded metal mesh on joints columns with wall and on conduits filling scaffolding with making edges corners, hoisting, watering, curing at any height smoothly finished including making drip course at all projections, slabs offsets or where as required complete as per specifications and instruction of the engineer/ architect. This includes making grooves in plaster using grinder wherever required.					
9.02	<u>Fixing of glazed Tiles / Marble tiles</u>		<u>FT2</u>	1,600		
	Providing and laying Standard Concrete tiles including setting, jointing, complete in all respect.(Colour and design as approved)					
9.03	<u>Water Proofing Works (Sft)</u>		<u>SFT</u>	2,500		
	Providing and laying horizontal water proofing with Two coats of					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

10	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
9.04	Elastomeric Cementitious Water Proofing Coating, applied as per manufacturer's instructions, all as specified, after the concrete hour dried surface of concrete slab area or as per drawings and specifications or as per directed by the Engineer / architect. Floor Screeding Works Top Roof Screeding min 2" to 3" thick avg Chips in Concrete floor in 3'-0"x3'-0" panel with marble patti (Thickness varies as per slope)<(>,<)> including screening and working of aggregates, mechanical mixing<(>,<)> lifting and placing at upto any floor any heights and dimensions or shown on the drawings, curing, cleaning, including grinding and polishing. Complete in all respects as per drawings, technical specification or as directed by the Engineer in charge. Note: CFT = SFT		CFT	2,500		
9.05	Miscellaneous services Manholes repair: These Manholes are existing only repair and maintenance required, and removal of existing Manhole covers, and fixing of new CI Manhole covers any shape circular and square.		JOB	10		
9.06	Paint Works (Sft) Providing and applying of Weather Shield paint (ICI) or equivalent approved manufacturer and shade in three coats on the beams <(>,<)> columns, exterior walls and boundary walls of the building. The job includes sand papering, dusting, and filling the holes, cracks and inequalities, if any, at any height in any floor. Complete in all respect.		SFT	10,872		
9.07	Miscellaneous services Back Store Room Slab screeding<(>,<)> Paint<(>,<)> repair maintenance etc		JOB	3		
9.08	Porcelain Tile Works (Sft) Providing and laying best porcelain tiles suitable for exterior surface of any make not exceeding 7200 Sq cm, including setting, jointing and bonding, complete all as specified.(Facade)Colour and Design as per 3D drawing.		SFT	400		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

11	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
9.09	<u>Glass Partition Works (Sft)</u> Providing, Laying and Fixing of Covered Shed with Steel frame in panel at MS Plate of size 9"x9"x3/8" fixing 04 Rawal bolt 6" long at both sides @ 3' c/c spacing. MS C-Channel of size 4"x2"x1/4" both sides along with wall through, and in between C-Channel divider @ 10' c/c spacing, and then internal in between divider area of C-Channel both ways MS hollow pipe of size (2"x2"x1/4") @ 3' c/c spacing both ways, including 12mm tempered Glass including all fixing arrangements with enamel paint finish. Complete in all respects from ground to basement area. Left side Down Gallery.		<u>SFT</u>	410		
9.10	<u>Fabrication of Miscellaneous Items.</u> Supply and fix 6"x4.5", MS hollow pipe square, 16 gauge including welding/ jointing and enamelled paint etc.(Front elevation steel structure is shown rendered image.) Note: EA = SFT		<u>EA</u>	180		
9.11	<u>Glass Partition Works (Sft)</u> Supply and Fixing of Aluminium Fixed Frame, Deluxe Quality, of Anodized Aluminium D-48B section 2.00mm in any size, colour and texture as specified, including fixing on concrete, wood or steel frames surface<(> ,<)> including 12mm thick tempered Glass partition/including all necessary accessories etc. For front railing of rooftop		<u>SFT</u>	165		
9.12	<u>Miscellaneous services</u> Carefully dismantling and removing the existing floor finishes and underlying concrete base along the designated trench alignment, followed by the excavation of earth to the required depth and gradient. The scope of work encompasses the safe dismantling, extraction, and disposal of the old piping infrastructure, followed by the proper laying and installation of the new plumbing pipes as per the approved mechanical layouts. Upon successful installation and testing of the new pipes, the contractor shall meticulously backfill the trenches using approved excavated material or selected sand, thoroughly compacted in layers to achieve the required density and prevent future settlement. The quoted rate shall be comprehensive, covering all necessary manual or mechanical		<u>JOB</u>	1		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

12	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
9.13	labor, tools, equipment, necessary shoring, hauling of debris away from the site, and thorough site cleanup, complete in all respects to the full satisfaction and approval of the Admin Team. <u>Fixing of glazed Tiles / Marble tiles</u>		<u>FT2</u>	301		
9.14	Providing and laying Standard quality marble tiles or tiles specialized for Car porch, of any size, 13 mm thick including setting, jointing, bonding and chemical polishing, complete all as specified. <u>Paint Works (Sft)</u>		<u>SFT</u>	50		
10	Services for repair, repaint of existing Main Gate. The job includes removal of rust, removal of existing paint and applying enamel paint as approved by architect / PSO admin team. The is complete in all respects including replacement of hinges, brackets and all other hardware necessary as per the satisfaction of client. <u>Plumbing Works</u>	<u>PSO House</u>				
10.01	<u>PVC Piping Work (6 inch Dia)</u> Providing and fixing, testing and commissioning of UPVC sch. 40 Pipes conforming to (ASTM D1785), Soil, Waste, Strom & Vent water pipes with all fittings and special like bend, tee, Yees, reducing socket, junction door, Vents, syphones, traps, etc, the hanging and supporting system shall be 100% imported with all galvanized hanger rods, bases and clamps with non aging rubber gaskets etc including all excavation preparation of surface cutting, providing holes in civil works, core cutting, laying of pipes and back filling, connections with fixtures, leak testing etc, complete in all respects as per specifications, drawings and as approved by the Consultant.		<u>RFT</u>	200		
10.02	<u>PVC Piping Work (4 inch Dia)</u> Providing and fixing, testing and commissioning of UPVC sch. 40 Pipes conforming to (ASTM D1785), Soil, Waste, Strom & Vent water pipes with all fittings and special like bend, tee, Yees, reducing socket, junction door, Vents, syphones, traps, etc, the hanging and supporting system shall be 100% imported with all galvanized hanger rods, bases and clamps with non aging rubber gaskets etc including all excavation preparation of surface cutting, providing holes in civil works, core cutting, laying		<u>RFT</u>	100		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

13	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	of pipes and back filling, connections with fixtures, leak testing etc, complete in all respects as per specifications, drawings and as approved by the Consultant.					
10.03	<u>PVC Piping Work (2 inch Dia) (RFT)</u>		<u>RFT</u>	60		
10.04	<u>PVC Piping Work (2 inch Dia) (RFT)</u> Providing, fixing, hydrostatic testing, commissioning, and balancing of PPRC, PN-20, Cold & Hot Water Pipes with all fittings and specials like bend, tee, reducing socket etc, this piping shall be complete with approved hanger & support system. This pipe hanging and supporting system shall be 100% imported with galvanized iron fully threaded rods <(>,<)> bases and clamps with non aging gaskets, complete in all respects as per specifications and drawings and as approved by the Consultant.(PAK ARAB or Equivalent)		<u>RFT</u>	400		
10.05	<u>PVC Piping Work (1.5 inch Dia) (RFT)</u> Providing, fixing, hydrostatic testing, commissioning, and balancing of PPRC, PN-20, Cold & Hot Water Pipes with all fittings and specials like bend, tee, reducing socket etc, this piping shall be complete with approved hanger & support system. This pipe hanging and supporting system shall be 100% imported with galvanized iron fully threaded rods, bases and clamps with non aging gaskets, complete in all respects as per specifications and drawings and as approved by the Consultant.(PAK ARAB or Equivalent)		<u>RFT</u>	180		
10.06	<u>PVC Piping Work (1 inch Dia) (RFT)</u>		<u>RFT</u>	60		
10.07	<u>Supply & installation of gate valve</u> Providing and fixing water flow control devices of PN 16 pressure rating made of Brass/bronze threaded Valves All Fittings and specials etc in water supply lines, and connecting in piping with suitable arrangements, complete in all respects as per specifications and drawings and as approved by the consultant. Gate Valves Kitz 50mm (2") diameter		<u>JOB</u>	2		
10.08	<u>Supply & installation of gate valve</u> Providing and fixing water flow control devices of PN 16 pressure rating made of Brass/bronze threaded Valves All Fittings and specials etc in		<u>JOB</u>	2		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

14	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
10.09	water supply lines, and connecting in piping with suitable arrangements, complete in all respects as per specifications and drawings and as approved by the consultant. Gate Valves Kitz 32mm (1-1/4") diameter <u>Supply & installation of gate valve</u>		<u>JOB</u>	2		
10.10	Providing and fixing water flow control devices of PN 16 pressure rating made of Brass/bronze threaded Valves All Fittings and specials etc in water supply lines, and connecting in piping with suitable arrangements, complete in all respects as per specifications and drawings and as approved by the consultant. Gate Valves Kitz 25mm (1") diameter <u>Supply and inst of ball valve 1 inch</u>		<u>JOB</u>	1		
10.11	Ball valves, brass (Corydon) or other approved pattern, with plastic ball screwed for iron (brass ferrule), 25mm dia supply and fixing. <u>Supply and inst of ball valve 1 inch</u>		<u>JOB</u>	1		
10.12	Ball valves, brass (Corydon) or other approved pattern, with plastic ball screwed for iron (brass ferrule), 40mm dia supply and fixing. <u>Supply and inst of ball valve 1 inch</u>		<u>JOB</u>	1		
10.13	Ball valves, brass (Corydon) or other approved pattern, with plastic ball screwed for iron (brass ferrule), 50mm dia supply and fixing. <u>GI pipe and its Laying per ft</u>		<u>FT</u>	200		
11	Galvanized Iron water pipes (cold and hot water, on roof) Conforming to BS-1387 (1985), Medium Grade, I/c all fittings, wrapping glass wool thermal insulation with aluminium vapour barrier and G.I (28 gauge) cladding, supports, clamps & hangers, painting, making holes in concrete or masonry and then repairing holes, etc. of approved make, of the following diameters, complete in all respects as per specifications and drawings and as approved by the Consultant. Pipe size: 50mm (2") dia <u>Electric Works</u>	<u>PSO House</u>				
11.01	<u>Distribution Board (DB) Works (JOB)</u> Distribution Board, steel sheet (16 BG) with hinged over, having locking arrangement, enamel painted, suitable for housing of different capacities of MCCBs etc (as required), supply and fixing.		<u>JOB</u>	3		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

15	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
11.02	1X Main Pannel (24"X36"X18")<(>,<)> 2XSub DB (18"X24"X12")concealed with the following items: up Grade L.T SWITCHBOARDS /SUB MAIN DISTRIBUTION BOARDS Providing<(>,<)> installation, testing & commissioning of following floor standing or wall mounted (surface), totally enclosed, cubical type, dust protected and vermin proof Main Distribution Boards (MDB's) with incoming and outgoing breakers and other components as per SLD with cable terminations. made with 16/14 SWG sheet metal housing powder coated with approved color. Complete in all respects: 1. 10 AMP SP: 29 (EA) 2. 16 AMP SP: 29 (EA) 3. 20 AMP SP: 36 (EA) 4. 40 AMP TP MCCB: 2 (EA) 5. 60 AMP TP MCCB: 1 (EA) 6. 80 AMP TO MCCB: 1 (EA) (DB to Switch Socket) (EA) Wiring from DB to all Switch Board / gang switch- 2 x 2.5 mm + 1 x 1.5mm ECC - Circuit wiring from respective distribution board to switch board using following size of Stranded/Flexible, PVC Insulated wire in appropriate size of PVC conduit / channel/cable tray including all accessories as shown in the drawings.		<u>EA</u>	55		
11.03	Wiring (Gangswitch to First Light Point) Gang Switch to first light point - 3 x 1.5mm - Wiring for light point from switch board to first light point using single core PVC insulated, Stranded Copper Conductor, color coded wires of 1.5 Sq.mm for phase, 1.5 Sq.mm for common neutral and 1.5 Sq.mm for common earth in 25mmof PVC conduit / channel / cable tray including complete with all accessories as shown in the drawings.		<u>EA</u>	40		
11.04	Wiring (Light Point to Point) (EA) Light point to point wiring - 3 x 1.5mm - Wiring for light		<u>EA</u>	120		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

16	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
11.05	point to point using single core PVC insulated, Stranded Copper Conductor, color coded wires of 1.5 Sq.mm for phase, 1.5 Sq.mm for common neutral and 1.5 Sq.mm for common earth in 25mm size of PVC conduit / channel / cable tray complete with all accessories as shown in the drawings. <u>Laying of power cables</u>		<u>M</u>	40		
11.06	Providing and laying a 4-core, 35 sq mm main electrical feeder cable (Brand: Pakistan Cables or approved equivalent) to establish the primary power distribution from the Main Distribution Board (MDB) to the designated Sub Distribution Boards (SDBs). The scope of work encompasses the supply, safe routing, pulling, and secure laying of the cable through conduits, cable trays, or trenches as per the site requirements. The quoted rate shall be comprehensive, covering all necessary proper cable terminations, heavy-duty copper crimping lugs, brass cable glands, heat shrink tubes, phase color coding, electrical continuity and insulation resistance testing, and the skilled labor required for a safe and compliant installation, complete in all respects to the full satisfaction and approval of the Admin Team. <u>Point Wiring (2.5mm) (EA)</u>		<u>EA</u>	50		
11.07	Wiring for Socket Point to Point - 3 x 2.5 mm - Wiring for 13A Multi Pin / 15A 3-Pin Switch Socket units from outlet to outlet using following Stranded/Flexible Copper Conductor, color coded wires in 25 mm dia. PVC conduit under floor. Complete with all accessories as shown in the drawings. Wiring on same workstation shall be counted as one. Item include floor/wall cutting if required as per site conditions. <u>Electric Load Balancing (JOB)</u>		<u>JOB</u>	1		
11.08	Complete electric load balancing and provision of report to project team. <u>LED Rope Light Works (RFT)</u>		<u>RFT</u>	400		
11.09	LED Strip Light With 10W/mtr. As approved by architect. <u>CAT6 Wiring (Point Wiring) (EA)</u>		<u>EA</u>	20		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

17	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
11.10	Category 6, UTP Cables (3M Certified), for data communication system at local workstations in 25mm dia. PVC conduits under floor as shown in the layout plan and schematic diagrams. Work includes all terminations<(>,<)> management and tagging at both ends. The vendor will leave additional 3M cable on each point for future extension. The payment will be made on number of points for workstation<(>,<)> table<(>,<)> Wifi<(>,<)> Printers<(>,<)> IP phones etc. <u>Access Point Installation Works (EA)</u>		<u>EA</u>	5		
11.11	Installation of client provided Wifi Access Points at specified locations. <u>Wiring (DB to Workstation) (EA)</u>		<u>EA</u>	5		
11.12	Wiring from DB to Workstation Technology Box - 2 x 2.5 mm - 1 x 1.5mm ECC Circuit wiring from respective distribution board to Technology Box (first outlet) using following Stranded/flexible Copper Conductor, color coded wire in 25 mm dia. PVC conduit under floor. Complete with all accessories as shown in the drawings. Item include floor/wall cutting if required as per site conditions. The first point will have a dedicated pull box installed in floor for connection to adjacent set of workstation via connector strips. Junction boxes will be installed on workstation modesties for concealing connector strips for parallel workstation connections. Connections for switch socket to switch socket on a single workstation is included in this rate. <u>Wiring (Workstation Point Wiring) (EA)</u>		<u>EA</u>	3		
	Wiring from Workstation to Workstation Technology Boxes - 3 x 1.5 mm - Circuit wiring from respective Technology Box to Technology Box using following Stranded/flexible Copper Conductor, color coded wire in 25 mm dia. PVC conduit under floor. Complete with all accessories as shown in the drawings. Item include floor/wall cutting if required as per site conditions. Connections for switch socket to switch socket on a single workstation is included in this rate.					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

18	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
11.13	As-Built Drawings of Site Preparation and submission of detailed shop drawings of complete project including dimensions, mounting heights, exact routes, single line diagrams etc. Item includes hard copies (3sets) in A3 size or as desired by PSO and soft copies in CD for consultants/clients/building management. The shop drawings shall be submitted after verification of consultant. This includes provision of all testing services (Fluke test <(>,<)> meager test) etc.		JOB	1		
12	Single Leaf Door Supply and installation of a premium-quality solid golden teak wood door frame (chowkat), of the sizes specified in the drawings, finished with deco paint as approved by the Engineer/Architect. The scope shall include all necessary cutting, fitting, joining, planing, sanding, priming, and finishing, complete with all required hardware, fasteners, screws, anchors, adhesives, shims, and other accessories required for proper installation. The door frame shall be installed true to line, level, and plumb, securely fixed in position, and completed in accordance with the project specifications and approved drawings, including all labour, tools, equipment, and incidentals necessary to deliver a complete and satisfactory installation. Average size: 3' 6" x 8'	PSO House	EA	3		
13	Basin Supply and Fix Wash Hand Basin (WHB) of Porta / equivalent, including, pedestal, waste pipe, / and Single Lever Basin Mixer etc., complete all as specified.	PSO House	EA	3		
14	COMMODE Western water closet (Commode) - Providing and fixing squatting type white glazed earthen ware WC. pan with front flush inlet and complete with including the cost of flushing cistern with internal fitting and flush pipe with bend and making requisite holes in walls plinth and floor for pipe connection and making good in cement concrete 1:2:4 (foreign equivalent) with 4" dia trap. Contractor to ensure all fittings and proper flushing is performed end to end utilising perfect slope on site	PSO House	EA	5		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

19	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	as per site conditions.					
15	<u>Vanity Mirror</u> Supply and installation of high quality vanity mirror with tapered edges. Looking mirror 5 mm best quality belgium or equivalent made fixed with clips complete in all respect and size as per site requirement Note: EA = SFT	<u>PSO House</u>	<u>EA</u>	120		
16	<u>Basin</u> Supply and Fix Wash Hand Venity Bowl of Porta/equivalent, including waste pipe, coupling and Single Liver Mixer etc., complete all as specified.	<u>PSO House</u>	<u>EA</u>	3		
17	<u>SINK MIXER</u> Providing & fixing high quality single bowl stainless steel sink. Complete in all respect. Specification to be as per compliance sheet.	<u>PSO House</u>	<u>EA</u>	1		
18	<u>SINK MIXER</u> Basin mixer tap (Lever Type) - Wash basin hot and cold water mixer, etc. (Porta or equivalent)	<u>PSO House</u>	<u>EA</u>	5		
19	<u>Miscellaneous Accessories</u> Supply and Fix Accessory set 7 pieces, Standard Quality. Brand: Master / equivalent	<u>PSO House</u>	<u>KW1</u>	5		
20	<u>Toilet Shower White Color (MASTER)</u> Supply and Fix Wall shower with mixer. brand: porta / equivalent	<u>PSO House</u>	<u>EA</u>	5		
21	<u>Toilet Shower White Color (MASTER)</u> Muslim Shower Toilet hand spray with flexible chain & telephone type shower complete in all respect.	<u>PSO House</u>	<u>EA</u>	5		
22	<u>BIB COCK</u> Supply and Fix Double Bib Cock, master / porta / equivalent	<u>PSO House</u>	<u>EA</u>	5		
23	<u>Tee Cock</u> Supply and Fix Tee Cock, porta / master/equivalent	<u>PSO House</u>	<u>EA</u>	5		
24	<u>Painting (4 ft x 3 ft)</u> PVC material Photo frame 1"(must will be similar to 3D drawings) including printing of paintings on canvas etc complete in all respects	<u>PSO House</u>	<u>EA</u>	5		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

20	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
25	Size upto 21 SFT <u>Painting (4 ft x 3 ft)</u> PVC material Photo frame 1"(must will be similar to 3D drawings) including printing of paintings on canvas etc complete in all respects Size upto 15 SFT	<u>PSO House</u>	<u>EA</u>	5		
26	<u>Painting (4 ft x 3 ft)</u> PVC material Photo frame 1"(must will be similar to 3D drawings) including printing of paintings on canvas etc complete in all respects Size upto 7 SFT	<u>PSO House</u>	<u>EA</u>	5		
27	<u>Wall Panel</u> Supply of an imported quality electric fireplace with a stainless steel finish, complete with an 8 mm plain tempered glass front panel. Overall dimensions: 30 inches (W) x 24 inches (H). The unit shall be factory-finished, suitable for indoor installation, and supplied complete with all standard accessories and mounting hardware.	<u>PSO House</u>	<u>SFT</u>	1		
28	<u>WINDOW ROLL-UP BLINDS</u> Provide and install in position roll-up window blinds of approved color and specifications, chain operated roller blind (protector or approved equivalent) with approved fabric screw on walls, including all hardware, wastage, lifting, cutting, fixing, scaffolding etc., complete as per drawing & instruction of the engineer. For payment net installed blind (including top & bottom channel) area will be measured	<u>PSO House</u>	<u>FT2</u>	788		
29	<u>MAIN GATE MOTO X</u> Supply, fabricate, and install a heavy-duty mild steel sliding gate complete with all accessories, including guide track, rollers, guide brackets, end stops, locking arrangement, handles, stoppers, and all other hardware required	<u>PSO House</u>	<u>FT2</u>	150		



21			OF			26		
RFQ No			AD-19873AS					
DATE			04.08.2026					

Company PSO Dummy Vendor PAKISTAN		QUOTATION REQUIRED			
ON (Date)		18.08.2026		BY (Time)	

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **Rs.** _____ **EARNEST MONEY %** _____ **PO/DD NO.** _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	for smooth, safe, and reliable operation. The gate shall be designed to slide horizontally and shall match the architectural design and finish of the boundary wall, in accordance with the approved drawings and specifications. The contractor shall quote the rate on a per square foot (Sft) basis. The gate shall be fabricated from mild steel using the following materials and specifications: Finish: Enamel spray paint Main Outer Frame: 2" × 2" × 3 mm MS square pipe (ASTM A36 / S275JR) Horizontal Stiffeners: 1.5" × 1.5" × 2.5 mm MS square pipe (ASTM A36) Vertical Infill Bars: 16 mm MS square bar or ¾" MS solid bar (Fe 250) Bottom Kick Plate: 6" × 3 mm MS sheet (Hot Rolled) Lock Plate: 4" × 6" × 5 mm MS plate Laser-Cut Decorative Panel (Optional): 3 mm CNC-cut MS sheet Sliding Mechanism: Heavy-duty galvanized steel track, roller assemblies, guide rollers, end catcher, guide channel, stoppers, and all necessary accessories suitable for the gate size and weight. Execution Specifications: Fabrication shall be carried out with 45° mitred corner joints for the outer frame. All joints shall be fully welded using E6013 electrodes and ground smooth. Vertical infill bars shall be spaced at a maximum of 4.5" center-to-center unless otherwise shown on the approved drawings. The sliding gate shall be fabricated true to line and level, ensuring					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

22	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	smooth and effortless movement without binding or excessive play. The sliding track shall be securely anchored to a reinforced concrete foundation or structural member as per the approved drawings, with proper alignment to ensure long-term performance. Heavy-duty roller assemblies and guide rollers shall be installed to support the gate weight and maintain alignment during operation. All locking mechanisms, handles, end stops, anti-lift devices, and safety accessories shall be installed complete. The entire gate assembly shall be cleaned, treated against corrosion, and finished as specified, with the gate appearance coordinated to match the boundary wall design. The gate shall be enamel paint finished. The contractor shall include all labour, materials, equipment, welding <(>,<)> installation, adjustments, testing, and incidentals required to provide a complete, operational sliding gate in accordance with the project drawings and specifications.					
30	<u>Drain Jali 6" x 6" (Five Star)</u> Providing & fixing best quality stainless steel floor drain cover. (qabil or an approved equivalent)	<u>PSO House</u>	<u>EA</u>	20		
31	<u>Drain Jali 6" x 6" (Five Star)</u> Vent Cowl including joint and connection with pipes	<u>PSO House</u>	<u>EA</u>	20		
32	<u>EXHAUST FAN</u> Providing and installation of exhaust fan for washroom / kitchen exhaust ventilation. The work includes proper mounting of the exhaust. All required accessories, supports, tools, and labor shall be included to complete the installation in all respects as per approved drawings, specifications, and	<u>PSO House</u>	<u>EA</u>	10		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

23	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
33	instructions of the Engineer. Light DOWN LIGHTS Down Light with 10W , as approved by architect, As approved by architect. - Supply, Installation, testing and commissioning of the lighting fixture including all accessories like electronic ballast, lamps, mounting arrangements etc. Complete in all respects. Mounting accessories shall be provided by contractor like mdf wooden box (where needed), screws, nuts, bolts, strings etc. Temp: 3000K / 4000K	PSO House	EA	150		
34	Light SPOT LIGHT Moveable Spot Light with 20W LED As approved by architect. - Supply, Installation, testing and commissioning of the lighting fixture including all accessories like electronic ballast, lamps, mounting arrangements etc. Complete in all respects. Mounting accessories shall be provided by contractor like screws, nuts, bolts, strings etc	PSO House	EA	50		
35	Light LINEAR LED LIGHT Linear Led Light with 40W LED LIGHT As approved by architect. - Supply, Installation, testing and commissioning of the lighting fixture including all accessories like electronic ballast, lamps, mounting arrangements etc. Complete in all respects. Mounting accessories shall be provided by contractor like screws, nuts, bolts, strings etc.	PSO House	EA	5		
36	Light CUSTOMIZED LED LIGHT Customize LED Light With 80W LED Light for GM Rooms As present at PSO House. - Supply, Installation, testing and commissioning of the lighting fixture including all accessories like electronic ballast, lamps, mounting arrangements etc. Complete in all respects. Mounting accessories shall be provided by contractor like screws, nuts, bolts, strings etc (For all lights, recommended brand is Phillips)	PSO House	EA	5		
37	Light HANGING LIGHT	PSO House	EA	20		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

24	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
38	Hanging Light With 8W each LED Light As approved by architect. - Supply, Installation, testing and commissioning of the lighting fixture including all accessories like electronic ballast, lamps, mounting arrangements etc. Complete in all respects. Mounting accessories shall be provided by contractor like screws, nuts, bolts, strings etc. (For all lights, recommended brand is Phillips) Light GARDERN LIGHT Gardern Light of 5W having Aluminium Body and is IP65 Waterproof As approved by architect. - Supply, Installation, testing and commissioning of the lighting fixture including all accessories like electronic ballast, lamps, mounting arrangements etc. Complete in all respects. Mounting accessories shall be provided by contractor like screws, nuts, bolts, strings etc. (phillips / equivalent)	PSO House	EA	20		
39	Gang Switch Four Gang one way 10A Switch , including 16 SWG MS Powder Coated back boxes, flush with wall as shown in drawings and details. Brand: clipsal / TJ / Clopal	PSO House	EA	15		
40	Gang Switch Three Gang one way 10A Switch , including 16 SWG MS Powder Coated back boxes, flush with wall as shown in drawings and details. Brand: clipsal / TJ / Clopal	PSO House	EA	6		
41	Gang Switch Two Gang one way 10A Switch , including 16 SWG MS Powder Coated back boxes, flush with wall as shown in drawings and details. Brand: clipsal / TJ / Clopal	PSO House	EA	5		
42	Gang Switch One Gang one way 10A Switch , including 16 SWG MS Powder Coated back boxes, flush with wall as shown in drawings and details. Brand: clipsal / TJ / Clopal	PSO House	EA	5		
43	ELECTRIC BOARD W/BOX Floor Pull box made of PVC Sheet for use as junction box on floor under workstation riser	PSO House	EA	1		
44	Switch socket outlet 15A, Simplex switch Socket Unit , including 16 SWG MS Powder Coated back boxes, flush with wall as shown in drawings and details.	PSO House	EA	10		
45	Switch socket outlet	PSO House	EA	10		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

25	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	13A, Simplex switch Socket Unit , including 16 SWG MS Powder Coated back boxes, flush with wall as shown in drawings and details.					
46	Cooling fan Supply and Installation of Ceiling Fan with the following specifications: - Superior quality aluminum alloy construction. - Energy efficient Electrical Steel Sheet and 99.9% Pure Copper Wire. - E grade varnish insulation to protect from electric shock and voltage fluctuation. - Aerodynamically designed blades for maximum air delivery. - High quality paint for superior finishing. - Packed in strong corrugated cartons with protective thermopore - Remote Controlled	PSO House	EA	10		
47	WINDOW ROLL-UP BLINDS Supply, deliver, and install premium-quality window curtains of the approved design, colour, and fabric, complete with all necessary accessories. The scope shall include curtain fabric, heavy-duty curtain rods or tracks, brackets, finials, rings, hooks, gliders, tie-backs, end caps, fasteners, and all other fittings required for a complete installation.	PSO House	FT2	200		
48	Signage & Graphics Solid Wood Room Name Plate with Brass Letters # 18" x 8" Note: M2 = EA	PSO House	M2	6		
49	Light Fancy lights similar as given in 3d Note: 01) The project is divided into two jobs. The furniture work is a part of a different tender. The contractor must be performing the job in coordination with the construction vendor. 02) Acceptance of the equipment / materials is subjected to inspection	PSO House	EA	3		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

26	OF	26
RFQ No	AD-19873AS	
DATE	04.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017691

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

18.08.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Renovation of RM Office, Islamabad

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	by PSO representatives 03) The contractor must depute a supervisor / manager / Engineer at the site during the delivery of items. 04) Contractor will utilize skilled manpower for the execution of complete Project. Manpower should be provided with required PPEs, overalls, and identification by the contractor. Contractor is also responsible for providing all kinds of Tools & Equipment required to execute the complete job / project. 05) The contractor must share complete project schedule and get it approved from PSO Admin team prior to commencement of job.					