



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

1	OF	*
RFQ No	RF19909SZ	
DATE	19.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017921

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

03.09.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Refurbishment Of Electronic Dispensing Units in Central Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
1	<u>DU Refurbishment</u>	<u>PSO House</u>				
1.01	<u>DU Refurbishment for GDA Tatsuno</u> JOB INCLUDES: 1. Isolation of each electrical/, mechanical assembly or parts of the DU. 2. Diagnostic check of each electrical/mechanical part of the DU. 3. Standardized Cadmium process for nuts bolts solenoid valve, moto rand pumping unit base plate, all internal fittings and accessories, silver spray paint of internal piping complete job in all respects. 4. Silver spray paint of pumping unit is included in scope of job 5. Re assembling of all parts and making DU fit for use. 6. Installation of all items of DU.		EA	100		
1.02	<u>Repairing of Keypad</u> Job includes: Diagnosis and troubleshooting of keypad. Repair of keypad including replacement of faulty keys, membrane<(>,<)> connectors, or electronic components, if required. Installation, calibration, and functional testing after repair. Services, transportation, consumables, tools, and all allied works for complete rectification.		EA	2		
1.03	<u>Repairing of CPU</u> Job includes: Diagnosis and troubleshooting of CPU/control board. Repair of CPU including replacement of faulty electronic components<(>,<)> ICs, connectors, or PCB, if required. Software configuration/programming (where applicable), installation, and functional testing. Services, transportation, consumables, tools, and all allied works for complete rectification.		EA	2		
1.04	<u>OVP Repair Works</u> Job includes: Diagnosis and troubleshooting of OVP (Overfill Prevention) system. Repair of OVP including replacement of faulty sensors, switches, wiring		EA	3		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

2	OF	*
RFQ No	RF19909SZ	
DATE	19.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017921

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

03.09.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Refurbishment Of Electronic Dispensing Units in Central Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
1.05	<(>,<)> connectors, or associated components, if required. Calibration, functional testing, and commissioning after repair. Services, transportation, consumables, tools, and all allied works for complete rectification. <u>Power supply Repair Works</u> Job includes: Diagnosis and troubleshooting of power supply unit. Repair of power supply including replacement of faulty electronic components, transformer, fuses, regulators, or connectors, if required. Installation, output voltage testing, and functional testing after repair. Services, transportation, consumables, tools, and all allied works for complete rectification.		EA	5		
1.06	<u>Power sequence Repair Works</u> Job includes: Diagnosis and troubleshooting of power sequence circuit. Repair of power sequence module including replacement of faulty relays <(>,<)> timers, connectors, or electronic components, if required. Functional testing, calibration, and commissioning after repair. Services, transportation, consumables, tools, and all allied works for complete rectification.		EA	5		
1.07	<u>Fabrication of Panel Door</u> FABRICATION OF NEW DISPLAY PANEL JOB INCLUDES: Fabrication of panel door using suitable gauge 18 SWG sheet as per OEM dimensions. Surface preparation, powder coating/painting, and installation with hinges, lock, and hardware. Alignment, fitting, and functional testing. Services, transportation, consumables, tools, and all allied works for complete installation. respects		EA	8		
1.08	<u>Motor Rewinding Works</u> Job includes: Dismantling, inspection, and rewinding of dispensing unit motor.		EA	5		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

3	OF	*
RFQ No	RF19909SZ	
DATE	19.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017921

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

03.09.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Refurbishment Of Electronic Dispensing Units in Central Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
1.09	Replacement of damaged winding wire, insulation, bearings, and other consumables, if required. Reassembly, insulation testing, trial run, and commissioning. Services, transportation, consumables, tools, and all allied works for complete rectification. <u>Replacement of Motor Clutch</u> Job includes: Removal of defective motor clutch and supply & installation of new motor clutch. Alignment, adjustment, and coupling with motor and pumping assembly. Functional testing and commissioning after replacement. Services, transportation, consumables, tools, and all allied works for complete installation.		EA	8		
1.10	<u>Replacement of Ball bearing in Motor</u> Job includes: Removal of defective ball bearings and supply & installation of new ball bearings. Alignment, lubrication, reassembly, and functional testing of motor. Trial run and commissioning after replacement. Services, transportation, consumables, tools, and all allied works for complete installation.		EA	2		
1.11	<u>Pulsar repair works</u> Job includes: Diagnosis and troubleshooting of DU pulsar. Repair of pulsar including replacement of faulty electronic/mechanical components, if required. Calibration, functional testing, and commissioning after repair. Services, transportation, consumables, tools, and all allied works for complete rectification.		EA	4		
1.12	<u>DU Pumping Assembly Repair Works</u> Diagnosis and troubleshooting of flow meter assembly. Repair of flow meter assembly including replacement of worn or defective internal components, seals, bearings, and gaskets, if required. Calibration, accuracy testing, and commissioning after repair. Services, transportation, consumables, tools, and all allied works for		EA	10		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

4	OF	*
RFQ No	RF19909SZ	
DATE	19.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017921

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

03.09.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Refurbishment Of Electronic Dispensing Units in Central Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
1.13	complete rectification. <u>DU packing (Polythene bag)</u> Du packing JOB INCLUDES: - Wrapping of DU in-polythene sheet covering complete DU and tape pasting. - Placing DU on wooden pallet and fixing wooden frame with pallet and four sides of DU and top frame. - Fixing wooden sheets on four sides and top frames by means of nails. - Cutting and finishing of sharp edges where required. - packing of nozzles, hose pipes, swivels and breakaway couplings in suitable polyester bag and keep the bag in lower portion of DU safely as per instructions of site Engineer. Wooden case can be reused		EA	70		
1.14	<u>DU paint and graphics</u> JOB INCLUDES: Cleaning surface and smoothing, applying putting where required. Applying two coats of spray paint, approx. 50 microns of black or white paint (depending on original paint) on whole Dispensing Unit (Deco or equivalent) by means of 5HP Compressor maintaining the pressure of 10bars. Complete in all respects. Necessary finishing works where required. Job also includes: Removing old/existing graphics, cleaning surface, providing and pasting new PSO standard graphics (3M) on both sides of Dispensing Unit small panel- 7 inch dia, large panel- 9 inch dia.		EA	80		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

5	OF	*
RFQ No	RF19909SZ	
DATE	19.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017921

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

03.09.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Refurbishment Of Electronic Dispensing Units in Central Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	Provision and installation of Zero meter stickers as per PSO approved design are the part of the job. Graphics works for all models of TATSUNO is included in the job.					
2	<u>Display Board of DU-Retail Outlet</u>	<u>PSO House</u>	<u>EA</u>	10		
	Provision and installation of Display Board for Dispensing Unit Compactible for TATSUNO GDA. Model : EP-1631					
3	<u>Display Board of DU-Retail Outlet</u>	<u>PSO House</u>	<u>EA</u>	40		
	Provision and installation of 5 Digit Display Board for Dispensing Unit Compactible for TATSUNO GDA. Model : EP-1632					
4	<u>Preset Board of DU-Retail Outlet</u>	<u>PSO House</u>	<u>EA</u>	40		
	Provision and installation of Keypad Preset for Dispensing Unit Compatible for TATSUNO GDA Model					
5	<u>CPU Board of DU-Retail Outlet</u>	<u>PSO House</u>	<u>EA</u>	30		
	Supply and installation of CPU Board EP-1627 Compactible with Tatsuno GDA Model (Twin Nozzle)					
6	<u>CPU Board of DU-Retail Outlet</u>	<u>PSO House</u>	<u>EA</u>	2		
	Supply and installation of CPU Board Compactible with Tatsuno GDA Model (Single Nozzle)					
7	<u>Pulsar (ID) DU</u>	<u>PSO House</u>	<u>EA</u>	15		
	Supply and installation of Pulsar NON-ID for flowmeter assembly, Compactible with Tatsuno GDA Model					
8	<u>Power Supply of DU-Retail Outlet</u>	<u>PSO House</u>	<u>EA</u>	25		
	Supply and installation of Power supply for control board for TATSUNO GDA Model					
9	<u>Power Sequence of DU-Retail Outlet</u>	<u>PSO House</u>	<u>EA</u>	25		
	Supply and installation of Power Sequence relay for control board for TATSUNO GDA Model					
10	<u>RELAY 024-23962-000</u>	<u>PSO House</u>	<u>EA</u>	20		
	Provision and installation of 24 Operational relay for CPU Board for Dispensing Unit Compactible for TATSUNO GDA MODEL					
11	<u>OVP Tatsuno GDA new version</u>	<u>PSO House</u>	<u>EA</u>	30		
	Provision and installation of Over protection relay of CPU Board for Dispensing Unit Compactible for TATSUNO GDA MODEL					
12	<u>Totalizer Tatsuno GDA New Version</u>	<u>PSO House</u>	<u>EA</u>	120		
	Supply and installation of Mechanical Totalizer , Compactible with Tatsuno GDA Model					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

6	OF	*
RFQ No	RF19909SZ	
DATE	19.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017921

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

03.09.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Refurbishment Of Electronic Dispensing Units in Central Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
13	<u>3C Cable Set- (JB to Power Supply) DU</u> Provision and installation of 3C-CABLE SET from main power supply toJB in Control panel for Dispensing Unit Compactible for TATSUNO/WAYNE MODEL	<u>PSO House</u>	<u>EA</u>	5		
14	<u>Emergency Switch DU</u> Material PO text:Provision and installation of 2C-CABLE SET (Earth cable) from mainpower supplyto JB in Control panel for Dispensing Unit Compatible for TATSUNO/WAYNE MODEL	<u>PSO House</u>	<u>EA</u>	120		
15	<u>Micro switch Tatsuno GDA new version</u> Provision and installation of Microswitch for Dispensing Unit Compatible for TATSUNO GDA MODEL	<u>PSO House</u>	<u>EA</u>	120		
16	<u>Solenoid Valve DU</u> Provision and installation of Solenoid valve for Dispensing UnitCompactiblefor TATSUNO GDA MODEL	<u>PSO House</u>	<u>EA</u>	10		
17	<u>Diaphragm for solenoid valve</u> Supply and Installation of new solenoid diaphragm for TATSUNO /WAYNEMODEL	<u>PSO House</u>	<u>EA</u>	30		
18	<u>Keypad Sticker of DU-Retail Outlet</u> Provision and installation of Complete keypad stickers both sides forDispensing Unit Compatible for TATSUNO GDA MODEL	<u>PSO House</u>	<u>EA</u>	80		
19	<u>Display Sticker of DU-Retail Outlet</u> Provision and installation of Complete display stickers both side forDispensing Unit Compactible for TATSUNO GDA MODEL	<u>PSO House</u>	<u>EA</u>	80		
20	<u>D/U Single Electronic Remote</u> Provision and installation of Remote control for TWIN/Quadro Dispensing Unit Compatible for TATSUNO GDA/SUNNY XE MODEL	<u>PSO House</u>	<u>EA</u>	10		
21	<u>Display Side panel door DU-Retail Outlet</u> Provision and installation of Display panel door for Dispensing Unit Compactible for WAYNE IGM MODEL	<u>PSO House</u>	<u>EA</u>	20		
22	<u>Panel lock set DU</u> Provision and installation of Panel lock set with keys (complete locksof 01DU) for Dispensing Unit Compactible for TATSUNO GDA MODEL	<u>PSO House</u>	<u>EA</u>	20		
23	<u>Automatic Nozzle of DU-Retail Outlet</u> Provision and installation of dispensing nozzle for Dispensing UnitCompactiblefor TATSUNO GDA / Wayne IGM	<u>PSO House</u>	<u>EA</u>	120		
24	<u>Nozzle Switch Assembly DU</u> Provision and installation of dispensing nozzle switch/lever forDispensingUnit	<u>PSO House</u>	<u>EA</u>	20		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

7	OF	*
RFQ No	RF19909SZ	
DATE	19.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017921

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

03.09.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Refurbishment Of Electronic Dispensing Units in Central Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
25	Compactible for TATSUNO GDA / Wayne IGM Nozzle boot Tatsuno GDA new version Supply and installation of Nozzle boot DU NOZZLE BOOT WORKS JOBINCLUDES:Supply and installation of Nozzle Boot (Original Make) for the TATSUNOGDAModel	PSO House	EA	20		
26	Swivel of DU-Retail Outlet Supply and installation of new Swivel assembly for Dispensing UnitCompatiblefor TATSUNO GDA/ Wayne IGM Model	PSO House	EA	120		
27	Extension pipe Tatsuno GDA NV Supply and installation of extension pipe for all kind ofTatsuno/Wayne DU	PSO House	EA	120		
28	Hosepipe of DU-Retail Outlet Supply and installation of new Hose pipe for TATSUNO GDA Model/ WayneIGM Model	PSO House	EA	120		
29	Breakaway Coupling of DU-Retail Outlet Supply and installation of breakaway coupling for TATSUNO GDA/ WayneIGM Model	PSO House	EA	120		
30	Motor 750W of DU-Retail Outlet Supply and installation of New Explosion Proof Motor for TATSUNO GDAModel.Body: Metallic Capacity/rating: 750W	PSO House	EA	15		
31	Pumping Unit Assembly DU-Retail Outlet Supply and installation of new Pumping Unit Assembly compatible withTatsunounit	PSO House	EA	20		
32	Flow Meter Assembly of DU-Retail Outlet Supply and installation of new Flow meter assembly compatible withTatsuno unit	PSO House	EA	10		
33	Adjuster Pulley-Pumping Unit DU Supply and installation of Adjuster pulley for pumping unit forTATSUNO GDA/Wayne IGM Model	PSO House	EA	30		
34	Steel Support For Motor fixing DU Supply and installation of Steel suport structure for fixingCPU/Display/pOwersupply and other electronic equipment in control panel for TATSUNOGDA/ WayneIGM Model	PSO House	EA	30		
35	Pipe for Pumping Unit DU Supply and installation of pipe set form pumping unit to flow meterassembly inpumping unit for TATSUNO GDA/ Wayne IGM Model	PSO House	EA	15		
36	Jain Sheet Pumping Unit DU Supply and installation of Jian sheet for sealing of pumping unit forTATSUNOGDA/ Wayne IGM Model	PSO House	EA	50		
37	Motor Belt DU Supply and installation of Motor beit "Jaw type" for pumping unit for	PSO House	EA	30		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

8	OF	*
RFQ No	RF19909SZ	
DATE	19.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017921

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)


03.09.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Refurbishment Of Electronic Dispensing Units in Central Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
38	TATSUNOGDA/ Wayne IGM Model Explosion proof Gland DU Supply and installation of Explosiion proof gland for cables passing forTATSUNO GDA/ Wayne IGM Model	PSO House	EA	10		
39	Perforated MS Sheet DU Supply and installation of MS sheet for fixing mechanical assembly/pumping unitinside TATSUNO GDA/ Wayne IGM Model	PSO House	EA	50		
40	Display Board of DU-Retail Outlet Provision and installation of Display Board for Dispensing Unit Compactible forWAYNE IGM MODEL	PSO House	EA	30		
41	Preset Board of DU-Retail Outlet Provision and installation of Preset/keypad Board for Dispensing Unit Compactible for WAYNE IGM MODEL	PSO House	EA	24		
42	CPU Board of DU-Retail Outlet Provision and installation of CPU Board for Dispensing Unit Compactible forWAYNE IGM MODEL	PSO House	EA	15		
43	Pulsar (Non-ID) DU Provision and installation of Pulsar Non-ID of Flow Meter Assembly for Dispensing Unit Compactible for WAYNE IGM MODEL	PSO House	EA	8		
44	Power Supply of DU-Retail Outlet Provision and installation of power supply of CPU Board for Dispensing UnitCompactible for WAYNE IGM MODEL	PSO House	EA	15		
45	Power Sequence of DU-Retail Outlet Provision and installation of power sequence relay of CPU Board for DispensingUnit Compactible for WAYNE IGM MODEL	PSO House	EA	2		
46	Motor 750W of DU-Retail Outlet Provision and installation of 750W motor for Dispensing Unit Compactible forWAYNE IGM MODEL	PSO House	EA	18		
47	Solenoid DU Provision and installation of Solenoid Coil for Dispensing Unit Compactible forWAYNE IGM MODEL	PSO House	EA	8		
48	OVP Tatsuno GDA new version Provision and installation of Over protection relay of CPU Board for DispensingUnit Compactible for WAYNE IGM MODEL	PSO House	EA	2		
49	Solenoid Valve DU	PSO House	EA	10		



SAP No. 6100017921

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	Provision and installation of Solenoid valve for Dispensing Unit Compactiblefor WAYNE IGM MODEL					
50	<u>Display Sticker of DU-Retail Outlet</u>	<u>PSO House</u>	<u>EA</u>	30		
	Provision and installation of Complete display stickers both side for Dispensing Unit Compactible for WAYNE IGM MODEL					
51	<u>Keypad Sticker of DU-Retail Outlet</u>	<u>PSO House</u>	<u>EA</u>	30		
	Provision and installation of Complete keypad stickers both sides for Dispensing Unit Compactible for WAYNE IGM MODEL					
52	<u>D/U Single Electronic Remote</u>	<u>PSO House</u>	<u>EA</u>	8		
	Provision and installation of Remote control for TWIN/Quadro Dispensing UnitCompactible for WAYNE IGM/HELIX/VISTA MODEL					
53	<u>Pumping Unit Assembly DU-Retail Outlet</u>	<u>PSO House</u>	<u>EA</u>	20		
	Provision and installation of Complete new pumping assemnbly compatible withWAYNE MODEL					
54	<u>Flow Meter Assembly of DU-Retail Outlet</u>	<u>PSO House</u>	<u>EA</u>	10		
	Provision and installation of flow meter assembly for Dispensing Unit Compactible for WAYNE IGM MODEL					

	TERMS AND CONDITIONS					
	1. All Govt. taxes and transportation charges are included in price.					
	2. The arrangement of qualified technicians (at least 03 Nos) for the job along with 02 Nos labor personals is the sole responsibility of the contractor. CV of the technician to be submitted to concerned Engineer incharge before deployment.					
	3. The technicians as wells as labor staff would be strictly bound to follow the timing and operating rules and regulations of the PSO management/operational staff at the location. Contractor is bound to provide uniforms and all necessary PPEs (i.e. Electrical gloves, Safety shoes, helmets, Goggles, Welding shield, and others) to the staff working at any location.					
	4. Contractor to deliver the parts at PSO Locations (where required).					
	5. Contractor to arrange mobilization of the technician and labor to the location along with 1st required listed material is with in 15 days from the PO signing date by the vendor.					
	6. The material and tools already available inside workshop will be handed					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

10	OF	14
RFQ No	RF19909SZ	
DATE	19.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017921

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

03.09.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Refurbishment Of Electronic Dispensing Units in Central Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	over to Contractor after necessary documentation. The contractor will be responsible to hand over tools and material back to PSO concerned Engineer incharge once the contractor is over/expired. (The inventory with tools condition to remain intact). 7. Contractor or his nominee to physically deliver the parts to the PSO Engineer incharge or his nominee. Delivery through courier is not acceptable. 8. All parts would be physically and technically inspected by Engineer Incharge. Delivery challan will be signed by Engineer incharge after Verification of the parts. Payments would only be applicable for acceptable parts. 9. Part payment is allowed for the contractor. The first bill to be claimed at least after 20% of the PO consumption. 10. In case of malfunctioning of any spare/part during inspection, contractor will reproduce/deliver the replacement of the part with in 3 working days from the inspection date. 11. The refurbished unit prepared by contractor will be inspected by third party inspector nominated by PSO, any discrepancies/observations raised by third party contractor will be rectified by Contractor without any extra charges. 12. All necessary documentation (i.e. FXA wise details of each refurbished DU showing Nos. of spare replaced, no. of services charged, entry and exit details via gate pass and all purchases with store material ledger) is the sole responsibility of contractor. The contractor will maintain/update the record on daily basis. However, the format of each documentation will be shared by PSO. The status/pics/copies of the mentioned documents is mandatory while claiming any part bill. 13. The contractor to install labels by signboards/flex at each workshop/location showing "SCRAP AREA, REFURBISHED DISPENSING UNITS, WORKSTATION, EARTHING STATION, MATERIAL STORE, DU UNDER REFURBISHMENT. The format and artwork to be decided with consent of Engineer incharge. 14. Contractor to ensure all necessary HSE pre-requisite for the job as per PSO policy. Risk register for the job to be maintained and updated by the contractor with consent of concerned engineer incharge. 15. Contractor should strictly follow the Safety and Security Rules of PSO.					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

11	OF	14
RFQ No	RF19909SZ	
DATE	19.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017921

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

03.09.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Refurbishment Of Electronic Dispensing Units in Central Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	Contractor labor and as well as technicians to mark their entry/attendance of gate/security entry register of each location on daily basis. 16. Contractor will provide 01 year warranty of all parts provided by him. The warranty period will start form the date of Unit installation/commissioning at site. 17. For each refurbished unit/ the calibration would be tested by PSO MQTU, the contractor is responsible for providing/applying necessary rectification work for calibration of DUs up till satisfaction of PSO MQTU without any extra charges. 18. For on-site installation job contractor will communicate with the concerned DE prior to the job, all necessary pre-requisites i.e. Voltage stabilizers, Earthing cable, Separate cable for control and power and others to be ensured by contractor prior installation of DU. GENERAL CONDITIONS 1. Contractor should strictly follow the safety and security rules of PSO. Contractor to follow Company's rules and procedures as well as HSE guidelines and safety procedures. Contractor will provide and ensure usage of PPEs i.e. Safety Shoes, Gloves, Helmets, Goggles, Safety Harness, Safety Belts etc during execution of work. HSE Manual & Instructions are provided for information & compliance. 2. All service, tools (non-ferrous if required), first aid box, ladder, materials and transportation required for execution of work to be arranged and provided by contractor. 3. As the quantities may vary (increase or decrease according to the job requirements), therefore, payment will be made as per actual quantity of work done. 4. PSO may reduce /increase/modify quantities after bid opening as deem necessary according to specific requirements or due to budgetary constraints. 5. Mentioned rates are inclusive of all Govt. taxes and duties. 6. The work will only be accepted after inspection and approval by the Location Incharge/ Engineer. 7. Contractor should maintain housekeeping of the worksite during progress of work and shall clear and remove all surplus materials and rubbish from site after completion of job and/or as per instruction of Engineer Incharge.					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

12	OF	14
RFQ No	RF19909SZ	
DATE	19.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017921

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

03.09.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Refurbishment Of Electronic Dispensing Units in Central Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	8. Quality is the prime concern of PSO, no compromise shall be made in this regard. Only first class approved quality material, workmanship and supervision will be utilized by the contractor which shall strictly conform to the WO/SO specification. 9. Terms and Conditions PUR-03(S), Compliance Sheet, JHAs, Conflict of Interest Form etc. as provided with bidding documents of tender, are integral part of this Service order. 10. PSO reserves the right to terminate this contract by giving 30 days notice without assigning any reason. 11. Complaint/Cancellation of Order/Blacklisting/Forfeiture of Earnest Money: a) PSO may take action that may include but not limited to restriction on participation in the procurement process, cancelation of Work Order/Service Order/Purchase Order or Letter of Intent or forfeiture of the earnest money/performance guarantee/security against the bidder/supplier/contractor on the following grounds: -Unsatisfactory general conduct; -Misrepresentation of facts in bid documents; -Refusal to replace defective material. -Failure to meet delivery schedule without giving any satisfactory justification resulting in loss to the Company or having adverse effect on operations of the Company; - Violating the terms and conditions of the Purchase/service Order; -Refusal or deny accepting WO/SO/PO/LOI issued by the Company. b) PSO also reserves the right to initiate the process of blacklisting (permanent or temporary) against the bidder/supplier/contractor if found to be indulged in corrupt or fraudulent practices or on consistent failure to provide satisfactory performance. c) In case of Blacklisting (permanent or temporary) in accordance with Rule 19 of the Public Procurement Rules, 2004, such action shall be posted on PSO's website and also communicated to the Public Procurement Regulatory Authority. The bidder/supplier/contractor shall not be eligible for contracts/participating in PSO's procurement proceedings in accordance with the Order passed in pursuance of the matter. 12. PSO reserve the right that at any stage of the procurement proceedings, having credible reasons for or prima facie evidence of any defect in supplier's or contractor's capacities, it may require the suppliers or contractors to provide information concerning their professional, technical, financial, legal or managerial competence. In the event the contractor fails to furnish the					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

13	OF	14
RFQ No	RF19909SZ	
DATE	19.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017921

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

03.09.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Refurbishment Of Electronic Dispensing Units in Central Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	requisite information, he shall not be considered further for procurement proceedings. 13. PSO shall disqualify a supplier or contractor if it finds, at any time, that the information submitted by him concerning his qualification as supplier or contractor was false and materially inaccurate or incomplete. 14. In case of breach of any terms and conditions attached to the contract, the Performance Security Deposit of the Contractor will be liable to be forfeited by PSO besides annulment of the contract. 15. The Contractor/Supplier hereby represents that he has paid the requisite amount of stamp duty to the concerned revenue authority on this Purchase Order. The Contractor/Supplier shall indemnify and hold PSO and its officials harmless against any and all claims raised by the concerned revenue authority or any other authority, established under the law for the time being in force, in respect of any deficiency or non-payment of stamp duty or penalty on this Purchase Order. 16. In case of any change in any applicable indirect taxes only such as sales tax that will be revised/considered by PSO accordingly as per the govt. notification. 17. Wherever applicable, contractor is bound to engage certified licensed electrician for electrical works. 18. Contractor will not start/continue the works after sunset or during unusual weather conditions (like heavy rain fall, thunderstorm, etc.). For any special case, approval from DE will be required and work will be performed under supervision of DE. 19. The contractor must ensure that the "work area" and other conditions are inspected and evaluated to determine ground conditions or strength of supporting structure, proximity of electric power lines, overhead obstructions, and wind conditions. The contractor must ensure to mitigate (if any of the unfavorable condition exist) and plan work execution accordingly. The contractor must ensure safe placement and connection of their equipment. 20. Contractor to deliver the parts at PSO Locations (where required). Contractor or his nominee to physically deliver the parts to the PSO Engineer incharge or his nominee. Delivery through courier is not acceptable. 21. All parts would be physically and technically inspected by Engineer Incharge. Delivery challan will be signed by Engineer incharge after					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

14	OF	14
RFQ No	RF19909SZ	
DATE	19.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017921

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

03.09.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: Refurbishment Of Electronic Dispensing Units in Central Zone

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	Verification of the parts. Payments would only be applicable for acceptable parts. 22. In case of malfunctioning of any spare/part during inspection, contract will reproduce/deliver the replacement of the part within 3 working days from the inspection date. 23. Contractor to ensure all necessary HSE pre-requisite for the job as per PSO policy. 34. Contractor should strictly follow the Safety and Security Rules of PSO. 24. All material labor and tools are included in the scope. 25. Contractor may supply spares part wise but not more than 6 months in total span. PENALTY: In the event of Contractor's/Supplier failure to deliver the Services/Goods within the time mention in purchase order/service order, in that event PSO shall be entitled to deduct from his bills /outstanding payments or other works done by him for PSO or from any a mount due to him by PSO a sum of Rs.0.1% of Purchase Order/Service Order value per day as liquidated damages for the period which the said services/material remains incomplete or fails to pass the quality tests subject to a maximum 10% of work order amount to be recovered from the contractor on his default. Note: Penalty/ liquidity damages may be waived in case of force majeure situation provided the contractor will be required to furnish documentary proof.					