

TENDER NOTICE NO.16/2026

TENDER NOTICE FOR THE PURCHASE OF HOSPITAL FURNITURE, WOODEN FURNITURE & FIXTURE & ELECTRONIC ITEMS THROUGH OPEN TENDER

A Public Sector Hospital invites sealed tenders from eligible / reputed firms / suppliers registered with Income Tax / General Sale Tax Department for the purchase of Hospital Furniture, Wooden Furniture / Fixtures & Electronic Items under Single Stage – Two Envelopes Bidding Procedure from the eligible tenderers / suppliers / manufacturers for the following items on **FOR Islamabad basis**.

Sr. #	Tender No.	Description	Tender Fee	Last Date / Time of Bid submission	Bids Opening Date / Time
1.	16/2026	Hospital Furniture, Wooden Furniture / Fixtures & Electronic Items	2,000/-	10-09-2026 At 10:00 Hrs	10-09-2026 At 10:30 Hrs

- i) A set of tender documents along with terms and conditions can be downloaded from **PPRA website: www.ppra.org.pk** at a cost of **Rs. 2,000/-** payable in the shape of "Pay Order/Demand Draft" in favor of "**Head (LAO), Public Sector General Hospital, Islamabad**". **The Pay Order/Demand Draft and tender request must be submitted separately along with tender proposals before closing date of tender.** Tender / Proposal will not be accepted without Tender Fee.
- ii) This tender can be seen on PPRA website www.ppra.org.pk also.
- iii) The Competent Authority reserves the right to reject any or all the tenders.

Admin Officer

Public Sector General Hospital
H-11/4 Islamabad
Ph: 051-9257171
Ext: - 289

INSTRUCTIONS

TO FILL UP THE TENDER DOCUMENTS

Technical worksheet

- Download file named "Tender File Hospital Furniture, Wooden Furniture / Fixtures & Electronic Items" from URL: www.ppra.org.pk for quoting technical specification of "Hospital Furniture, Wood Furniture / Fixtures & Electronic Items".
- Open relevant file.
- Save the file when it is complete to fill up the cells of as many brands as you want to quote.
- Please write "NQ" against non-quoted items in empty cells.
- Technical Proposal should not indicate any price. There will be two different files; one for Technical Proposal only and one for Financial Proposal. All pages of hard copy should be stamped, signed and dated of Technical Proposal. The format of which is contained in the required proposal attached with tender documents available at PPRA website.
- In addition to the hard copy, a soft copy as CD should also be submitted with the technical proposal in MS Excel / MS Office format.
- The hard and soft copies should be identical.
- Variation in hard and soft copy will not be acceptable.
- Put duly signed / stamped print-outs and CD of "Technical" worksheet in an envelope and name it as "Technical Proposal" along with following documents:
 - i) GST Certificate
 - ii) NTN Certificate
 - iii) Professional / Trade Tax Clearance Certificate
 - iv) Original Bank Draft of Earnest Money @ 2% of total value of contract
 - v) Valid Authority/ Distribution letter if required
 - vi) Original Bank Draft of Rs. 2000/- as Tender Fee (in separate envelope) and written request for purchase of said tender
 - vii) Agency agreement with manufacturer (foreign / local)
- Properly seal the envelope named "Technical Proposal".

Financial worksheet

- Open same saved file again as above.
- Take print outs of "Financial" worksheet and sign & stamp each page.
- Write a CD or "Save As" the file in CD for making a soft copy of "Financial" worksheet (Keep in mind that Technical worksheet will also be included in the saved file).
- Put duly signed / stamped print-outs and CD of "Financial" worksheet in an envelope and name it as "Financial Proposal".
- Put both the envelopes named "Technical Proposal" and Financial Proposal" in a large envelope and Mark it as "Tender for Hospital Furniture, Wood Furniture / Fixtures & Electronic Items" and properly seal it. Submit the tender documents to the specified address: Admin Officer, Public Sector General Hospital, H-11/4, Islamabad (PGHI) or directly drop it to the office of Procurement Branch, Islamabad.

TERMS & CONDITIONS

**PAKISTAN ATOMIC ENERGY COMMISSION
GENERAL HOSPITAL H-11/4
ISLAMABAD**

No. Hosp-1(1710)/26-27

Dated: -08-2026

M/S _____

Subject: **TENDER ENQUIRY FOR THE PURCHASE OF HOSPITAL FURNITURE, WOOD FURNITURE /
FIXTURES & ELECTRONIC ITEMS AGAINST OPEN TENDER**

Dear Sir,

The following instructions may kindly be complied with while forwarding quotations for the purchase of Hospital Furniture, Wood Furniture / Fixtures & Electronic Items against open tender for Public Sector General Hospital, H-11/4, Islamabad.

1. The quotations should be addressed to **Admin Officer, Public Sector General Hospital, H-11/4, Islamabad.** The bidders will submit their offers using single stage two envelopes bidding procedure as per following details: -
 - i. The bid will be comprised of a **Single Package containing Two Separate Envelopes**. Each envelope will contain separately the "Technical Proposal" and the "Financial Proposal" in both soft and hard copy in the shape of CD and print-outs respectively.
 - ii. The separate envelopes should be marked as **"TECHNICAL PROPOSAL"** and **"FINANCIAL PROPOSAL"** in **bold and legible letters** in order to avoid confusion.
 - iii. Initially only the envelopes marked **"TECHNICAL PROPOSAL"** will be opened.
 - iv. The envelopes marked as **"FINANCIAL PROPOSAL"** will be retained in safe custody without being opened until opening date for financial proposals.
 - v. The technical proposal will be evaluated **without reference to any Price** and any proposal that do not conform to the specified requirements will be rejected.
 - vi. No amendment in the Technical Proposal will be permitted during evaluation.
 - vii. The Financial Proposal of the bids will be opened publicly at a specified time; date and venue announced and communicated in advance to the bidders of technically accepted bids only. The Financial proposal of the bids found non-responsive or without offered rates will be returned to the respective bidder and would be treated as cancelled.
 - viii. If any company/manufacturer nominates a specific distributor in respective city other than Rawalpindi/Islamabad for other Public Sector Hospitals situated in different cities then it may be communicated and mentioned in the cover letter of the Tender Documents.

General terms & conditions:

2. All the **Technical Proposals and Financial Proposals in Separate Sealed Envelopes** clearly marked as **"for the purchase of Hospital Furniture, Wood Furniture / Fixtures & Electronic Items"** should reach the undersigned on or before the tender opening date i.e. **10-09-2026** up to **10:00am**. Technical bids of **Hospital Furniture, Wood Furniture / Fixtures & Electronic Items** will be opened on **10-09-2026** at **10:30am** in **Old Conference Room, Public Sector General Hospital, Sector H-11/4, Islamabad** in the presence of bidders who would have submitted their offers as per instructions/ requirements and intend to be present. In case of falling holiday on the opening date, the tenders will be opened on the next working day at the same time.

3. No tender will be considered if:-

- a. It is received after the time and date fixed.
- b. The tender and related documents are not signed.
- c. The offer is ambiguous.
- d. Items offered differ in descriptions/requirements/format etc. from those required.
- e. It is submitted without tender fee, earnest money or with less earnest money as a general policy.

4. Following Documents must be attached with Technical Proposal: -

- i. GST Certificate
 - ii. NTN Certificate
 - iii. Profession / Trade Tax Clearance Certificate
 - iv. Original Earnest Money
 - v. Valid Authority/ Distribution letter if required
5. **The offered rates will remain fix throughout the tender period** and must be valid for at least **06 Months**. The offer must be strictly according to attached specification etc.
6. **Earnest money** 2% of total value in the form of **Pay Order/ Bank Draft**, in favor of **Sr. Accounts Officer, Public Sector General Hospital, Islamabad** must be attached **along with the Technical Offer in separate sealed envelope. Financial proposal should contain only offered price / rate.**
7. Earnest money will be returned to the unsuccessful bidders soon after finalization of the financial proposal.
8. The supplier is required to submit a certificate that the films have been stored at facilities in accordance with temperature and environment as specified by the manufacturer of the relevant stores.
09. The supplier is required to present his agency agreement with the manufacturer (local or foreign) to establish linkage with the manufacturers for the products authorized for sale by the distributor. PGHI will have the right to verify authenticity of agency agreement.
10. The quantities to be purchased from the suppliers can be increased or decreased as per requirements of PGHI. The suppliers are to ensure timely delivery of items as specified failing to which liquidated damages / late delivery (L.D) charges will be applied @ 2% per day subject to a maximum of 10% of the purchase order.
11. **Special Instructions: -**
- i. **18 % GST may be charged as per Government rules.**
 - ii. No change will be allowed during the currency of contract in supplier's distribution and the supply orders will be generated in the name of same supplier quoted in the tender.
 - iii. **Samples is mandatory** if required against items mention in BOQ. Samples will be checked as per quality / specifications given in the BOQ of the tender documents. Bidders must submit their samples to General Store (PGHI) at the time of submission of bid. In case of non-compliance, the bidder will be disqualified for the bidding process.

- iv. **In case GST is not mentioned in financial offer, the prices shall be considered as inclusive of GST.**
 - v. **Rates must be quoted unit price in the specified file available on PPRA website. Any proposal submitted without observing the instructions will be rejected.**
12. Any correspondence regarding this tender must be addressed to **Admin Officer, Public Sector General Hospital, H-11/4, Islamabad** only. For any additional information contact on telephone numbers mentioned below.
13. The Competent Authority reserves the right to accept or reject any or all the offers.

(Muhammad Anwar Kamal)

Admin Officer

Public Sector General Hospital, H-11/4, Islamabad

Phone: 051-9257171 Ext: 289

Fax: 051-9258862

On firm Letter Head

Ref No. _____

Dated: - _____

**SPECIFICATIONS FOR HOSPITAL FURNITURE, WOOD FURNITURE / FIXTURES & ELECTRONIC
ITEMS**

TECHNICAL SHEET

Sr. #	Specification Required	Qty	Specification Quoted
1(a)	Chairs / sofa steel 3 in 1/ bench type for waiting area, local or imported (Sample required) Standard Size. Fabrication of seat and back out of S.S sheet (16 SWG). Side arms made with molding S.S sheet (18 SWG). Base stand made of 4inch x 2-inch (16 SWG) M.S pipe. Legs made of 2-1/4inch oval shape. S.S pipe (16SWG) plastic / rubber boots on foot bottom. Complete in all respect as per prevailing standard.	52 No	
1(b)	Chairs / sofa steel 3 in 1/ bench type for waiting area, local or imported (Sample required) Standard Size. Fabrications of seat and back out of PU finish with side arms made with PU. Base made of 4-inch x 2-inch (16 SWG) M.S pipe. Legs made of 2-1/4-inch oval shape M.S. pipe (16SWG) chrome plated including plastic / rubber boots on foot bottom. Complete in all respect as per prevailing standard.		
1(c)	Chairs / sofa steel 3 in 1/ bench type for waiting area, local or imported (Sample required) Standard Size. Fabrications with M.S pipe, with powder coating paint. Having 2" x 1—1/2" M.S pipe 18 SWG for whole frame, including side arms. Providing foam Cosigning on seat and back. With 2" thick master Molty foam, and best quality leatherite / Fabric. Provide Rubber boots on foot bottom. Complete in all respect as per prevailing standard.		
2	Reception counter, Size. (24'' to 30'' Deep & 36'' to 42'' Height) - Using Chip board Lamination sheet 16 mm (Patex Brand) for counter box complete (sides, top, bottom, side also) with best quality 1 mm high class PVC edging tape. - Using High gloss UV sheet 17 mm (Al Noor) for shutter doors, and counter Top also (as per giving design) with best quality 1 mm PVC edging tape. Having 3 D hinges, good quality of handle, lock in each door (SMC brand)	450 SFT	

	- Having drawers, cabinet's shutters, key board tray, and CPU cabin arrangements as per requirement. - Providing 1" x 1" Squire S.S Pipe (16 SWG) Floor Stand of 4" height as base of wooden counter, Providing plastic best quality end cap stopper on each foot. (Note: - Please quoted rates of counter in SFT)		
3	Protection Glass (if required) 8mm tempered glass 2 feet height with side edging, holes cutting and grinding complete with S.S clips/rod fitting. Complete in all respects Note: please quoted rates of Protection glass in SFT	200 SFT	
4	Reception counter chair Standard Back with arms , local or imported (Sample required) Standard Size. Having five-star revolving bases (320mm) with tilting / hydraulic system to be provided. Internal seat frame out of molded ply standard thickness size, 3''th foam (Molty Foam) on seat covered with approved quality of fabric / leatherette back. Arms made of unbreakable material. Complete in all respect as per prevailing standard.	05 No	
5(a)	Office table Executive Table Size. 5'-0" x 3'-0"	09 No	
5(b)	- Using Chip board Lamination sheet 16 mm (Patex Brand) for whole table, (sides, bottom, side also) with best quality 1 mm high class PVC edging tape. - Using High gloss UV sheet 17 mm (Al Noor) for table top with 1-1/2" side edging (as per giving design) with best quality 1 mm PVC edging tape. Good quality of handle, lock in each drawer and door (SMC brand) - Having double side 2/3 drawers. (sample required)		
5(c)	Office table Executive Table Size. 5'-0" x 3'-0" Using chip board Shesham veneer vin board sheet Fabrication of whole table including top out of 1-1/2" thick side with shesham veneer vin board / lamination chip board PATAX or equivalent, Same beading / molding, footing & rails. Lock, handle, hinges, catcher, sliding grip channel high quality SMC or equivalent. Two drawer unit (on both side of the table to be provided. Including high class lacquer polish, Complete in all respect as per prevailing standard. (sample required) 8 mm Glass top for Office Table Providing 8 mm Plain Glass with edge beveling as per instructions.		
6(a)	Office table Table Size. 4-ft x 2 ½ ft Using Chip board Lamination sheet 16 mm (Patex	135 SFT	

6(b)	Brand) for whole table, (sides, bottom, top, back also) with best quality 1 mm high class PVC edging tape. - Using best quality of handle, lock, drawer channel and hardware - Having double side 2/3 drawers (Sample Required) Office table Table Size. 4-ft x 2 ½ ft - Fabrication of whole table including top out of 1-1/2" thick shesham veneer vin board, Same beading / molding, footing & rails. Lock, handle, hinges, catcher, sliding grip channel high quality SMC or equivalent. Two drawer unit (on both side of the table to be provided. Including high class lacquer polish, Complete in all respect as per prevailing standard. (Sample Required) 8 mm Glass top for Office Table	19 No	
6(c)	Providing 8 mm Plain Glass with edge beveling as per instructions.	190 SFT	
7	Computer Table W20" x L 36" x H 30", - Using Chip board Lamination sheet 16 mm (Patex Brand) for complete table (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape. - Having key board sliding shelf, with two drawers, and CPU cabin - Using best quality of handle, lock, drawer channel and hardware	18 No	
8	A) <u>Wooden Cabinet 22" depth (Floor Standing Type)</u> - Using Chip board Lamination sheet 16 mm (Patex Brand) for cabinet's box complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape. 22" deep and 32" height with one adjustable self in each box. - Using High gloss MDF lamination sheet 17 mm (ZRK/AI Noor) for shutter door, with best quality 1 mm PVC edging tape. Having 3 D hinges, good quality of handle, lock in each door (SMC brand) - Providing one drawer in each 4 feet unit - Providing lock in each cabinet/drawer B) <u>Granite Marble Top (24" wide Marble Top)</u> - Having best quality 24" wide black granite marble top with proper edging gola with proper fixing and water proofing arrangement. C) <u>Wooden Cabinets 12" depth (wall hanging Type)</u> - Using Chip board Lamination sheet 16 mm (Patex Brand) for cabinet's box complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape. 12" deep and 30" to 48" height (as required) with one adjustable self in each box. - Using MDF High gloss lamination sheet 17 mm (ZRK/AI Noor) for shutter door, with best quality 1 mm PVC edging tape. Having 3 D hinges, good	350 SFT 70 SFT 400 SFT	

	quality of aluminum handle, lock in each door (SMC brand) • Providing lock in each cabinet and drawer. D) <u>Pigeonhole Rack/ Cabinet for medicine</u> • Using 8 mm tempered glass for making pigeonhole rack 12" depth and maximum size of 10" x 10" to 12" x 12" box open type E) <u>Pigeonhole Rack/ Cabinet for medicine</u> • Using Chip board Lamination sheet 16 mm (Patex Brand) for complete cabinet's box (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape. 12" depth and maximum size of 10" x 10" to 12" x 12" box open type F) <u>S.S Sink vanity with Sink Mixture</u> • Providing of sink bowl 60 x 45 CM • Providing of sink mixture (Faisal brand) G) <u>PVC Cabinet 22" depth (floor standing type)</u> • Using high density PVC Sheet 16 mm for cabinet box complete (side, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape. • Using UV high gloss MDF lamination sheet for shutter door. Using 3 D hinges, good quality of aluminum handle, lock in each door (SMC brand) H) <u>Wooden vertical Cupboard 22" depth (floor standing type)</u> • Using Chip board Lamination sheet 16 mm (Patex Brand) for cabinet's box complete (sides, top, bottom, and back side also) with best quality 1 mm PVC edging tape. 22" depth, (height and width as per requirement) with three shelves in each box. • Using MDF High gloss lamination sheet (ZRK/Al Noor) for shutter door, with best quality 1 mm PVC edging tape. Having four 3 D hinges on each shutter door, good quality aluminum handle, lock in each door and drawer. • Providing one hanger portion as per required size, with hanging rod for hangers. • Providing one sliding drawer (inside) in each cupboard with locking arrangement. I) <u>Wooden vertical Lockers 22" depth (floor standing type)</u> • Using Chip board Lamination sheet 16 mm (Patex Brand) for lockers' box complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape. 22" deep, 15" width, and 42" height. Maximum height of unit is 84" or required size. • Using UV, MDF High gloss lamination sheet 17 mm	360 SFT 360 SFT 01 Set 20 SFT 650 SFT 300 SFT	
--	---	---	--

	(ZRK/AI Noor) for shutter door, with best quality 1 mm PVC edging tape. Having 3 D hinges, good quality of aluminum handle, lock in each door (SMC brand) J) <u>Wooden Lockers Pigeonhole type 16" depth (wall hanging or floor standing type)</u> - Using Chip board Lamination sheet 16 mm (Patex Brand) for lockers' box complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape. 16" deep and 15" x 15" box. - Using UV, MDF High gloss lamination sheet 17 mm (ZRK/AI Noor) for shutter door, with best quality 1 mm PVC edging tape. Having 3 D hinges, good quality of aluminum handle, lock in each door (SMC brand) K) <u>S.S Floor Stand</u> - Floor Stand of 4" height and required depth and length for floor standing units. - Using 1" x 1" Squire S.S Pipe (18 SWG) for outer frame and feet. Using 1" x ½ "S.S Pipe (18 SWG) for internal support of stand @ distance of 2 feet. - Providing plastic/Rubber end cap/stopper/ boot (best quality) on each foot (Sample required)	350 SFT 350 CFT	
9	Executive Office chair High Back, local or imported (Sample required) Standard Size. Having five-star revolving base (320mm) with tilting / hydraulic system to be provided. Internal seat frame out of moulded ply standard thickness size, 3''th foam (Molty Foam) on seat and back covered with approved quality of fabric / leatherite back. Complete in all respect as per prevailing standard. (sample required)	05 No	
10	Office guest chair, Wooden (Shesham Seasoned) (Sample required) Standard Size: Outer frame and legs out of shesham wood. Internal frame seat and back out of hard wood. 3''th foam on seat & 2''th foam on back covered with fabric / leatherite. Lacquer finish. Complete in all respect as per prevailing standard. (sample required)	212 No	
11	Revolving Chair High Back, local or imported (Sample required) Standard Size. Having five-star revolving base (320mm) with tilting / hydraulic system to be provided. Internal seat frame out of moulded ply standard thickness size, 3''th foam (Molty Foam) on seat and back covered with approved quality of fabric / leatherite back. Complete in all respect as per prevailing standard. (sample required)	48 No	
12	Computer Revolving Chair, local or imported (Sample required) Standard Size. Having five-star revolving base (320mm) with tilting / hydraulic system to be provided. Internal seat frame out of moulded ply	22 No	

	standard thickness size, 3''th foam (Molty Foam) on seat and back covered with approved quality of fabric / leatherite back. Complete in all respect as per prevailing standard.		
13	Patient Stools , with standard size base made of chrome plated S.S pipe ¾'' (16 SWG), top standard size made of S.S (16 SWG) with 4mm base plate construction of 5'' (16 SWG) pipe supporting. Complete in all respect as per prevailing standard. Best quality (Sample required)	17 Nos.	
14	Medical Torch , Local or imported rechargeable warm light medium size	No	
15	43'' LED TV waiting area Smart T.V android	No	
16	Water dispenser , Hot & Cool	No	
17	A) Single Bed - Using Shesham veneer Vin board Sheet 16 mm for bed top and bottom side with shesham wood side frame. - Using Shesham wood 6'' x 1- ½ ''main supporting. - Using ¾ thick vin board sheet in bottom/base of bed. - Providing best quality wooden polish on bed B) Bed Side Table (18'' x 18'' x 18'') - Using Shesham veneer vin board Sheet 16 mm for whole table. - Providing one sliding drawer, one shutter cabinet in each table - Providing best quality wooden polish on bed, and using sliding drawer channel, lock for drawer	05 NO 02 No	
18	Sofa Set (3 seat) - Using seasoned Shesham / Keeker wood for whole structure of Sofa set. - Using best quality leatherette / raxin for poshing of sofa set - Using best quality Molty foam for inside of sofa set. - Using best quality 5'' thick Molty foam seat and 4'' thick back side of seat. (sample required)	30 No	
19	Center Table (4' x 2') - Using seasoned Shesham wood for whole frame structure of Table. - Using 6 mm thick plain glass inside of table top. - Providing best quality wooden polish (sample required)	18 No	
20	Notice Board (3' x 4') (Sample Required) - Using ¾ ''thick soft board with aluminum U channel for all around of board. - Using best quality green brazer cloth on front side of board. - Providing two hanging clips (sample required)	30 No	
21	Dice Rostom (30'' x 24'' x 42'') - Using 16 mm Shesham vin board sheet, with required best quality Shesham wood. - Providing best quality wooden polish	01 No	
22	Shoe Rack 4' x 4'x 12''	8 No	

	Using Chip board Lamination sheet 16 mm (Patex Brand) for whole shoe rack complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape, with five shelves		
23	Conference Table 8' x 4' - Using chip board Shesham veneer vin board sheet 16 mm thick, for table top with 1-1/2" sides edge. - Using 1st class seasoned shesham wood for whole structure of table, 3" x 3" size of foot, with 3" x 1-1/2" size of table top bottom frame. - Apply best quality lacquer polish on whole table	01 No	
24	File Rack 4' x 4' x 18" Using Chip board Lamination sheet 16 mm (Patex Brand) for whole rack complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape, with three shelves	17 No	
25	Book Shelf 4' x 6' x 2' - Using Chip board Lamination sheet 16 mm (Patex Brand) for whole book shelf / rack complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape - Providing two drawers and shutter door, up to 30" height, and providing two open shelves on upper side of book rack. (as per sketch)	10 No	
26	Side Rack 2'-6" x 3'-0" x 1'-3" - Using Chip board Lamination sheet 16 mm (Patex Brand) for whole rack complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape - Providing three open shelves in each rack. Size required as per site (as per sketch)	10 No	
27	Patient Examination couch , use 1" x 1/2" M.S pipe (18 SWG) for Mild steel construction two-part upholstery 2" high quality foam head section adjustable using manual ratchet rubber boot on feet for grip epoxy powder coated finish. Complete in all respect as per prevailing standard. Best quality (Sample required)	19 No	
28	Patient Attendant Bench Mild steel sheet construction, 3" foam covered with washable Rexene cover, epoxy powder coated finish, dimension 6'x 2'x 18" Strongman or equivalent (sample required)	30 No	
29	Wheel Chair Mild steel construction, high quality poshish seat and arm rests, utility basket underneath, side bumpers for protection against bumps and scratches, 8" wheels on back and 5" castors on front, stainless steel foldable foot rest, dimension 32"x 28"x 20" (L x W x H) Strongman or equivalent	20 No	
30	Steel Almirah (4'x8') with glass door 20 gauge Galvanized mild steel sheet construction, total 6 shelves including bottom platform, lockable doors, mild steel pipe doors with glass inside, leveling screws	06 No	

	on 4 feet, epoxy powder coated finish, dimension 3'x 6', Strongman or equivalent		
31	IV Stand Mild steel / stainless steel construction, stainless steel telescopic rod, plastic base, mobile on 05 wheels, four stainless steel hooks, Strongman or equivalent	80 No	
32	Foot step single Mild steel construction, rubber boot on all feet, rubber matt on sheet top for maximum grip, epoxy powder coated finish, Strongman or equivalent	62 No	
33	Foot step double Mild steel construction, rubber boot on all feet, rubber matt on sheet top for maximum grip, epoxy powder coated finish, Strongman or equivalent	10 No	
34	Emergency Stretcher Trolley Mild steel, construction, fixed height trolley, utility basket underneath, removable stretcher top with washable Rexene cover and Velcro straps, removable pillow with stretcher top, stainless steel easy to use side guards, all around bumper protection, mobile on 8"castors, cylinder holder, IV pole supplied, dimension 75"x 26"x 32" (L x W x H) Strongman or equivalent	11 No	
35	Medicine Trolley Stainless steel grade 304 construction, 2 drawers with 2shelves, mobile on four 3" castors, Strongman or equivalent	01No	
36	Hamper Trolley Mild steel construction, used for collecting dirty linen, removable washable parachute bag, mobile on 3 swivel castors, dimension 18" dia x 33"H, Strongman or equivalent	04 No	
37	Steel cabinet Galvanized mild steel sheet construction, three tier lockers, dual ventilation in lockable doors, three hooks and one shelf in each locker, leveling screws on all four feet, epoxy powder coated finish, Stainless steel grade 304 construction, recessed trays, mobile on castors, dimension 45x75 cm, Strongman or equivalent	12 No	
38	Cylinder Trolley Foldable for easy storage, chain for cylinder securing, Strongman or equivalent	02 No	
39	Instrument Trolley (Large) Stainless steel grade 304 construction, recessed trays, mobile on castors, dimension 60x90 cm, Strongman or equivalent	04 No	
40	Instrument Trolley (Small) Stainless steel grade 304 construction, recessed trays, mobile on castors, dimension 45x75 cm, Strongman or equivalent	04 No	
41	Crash Cart Light weight fabrication for easy mobility, full extensions drawers, foldable side shelf, single oxygen cylinder holders, wrap-around-bumper to protect from humps and scratches, stainless steel top, drawers are furnished with a central locking device for protection, CPR board included, utility basket on side, epoxy powder coated in red color, mobile on	04 No	

	5"swivel castors, dimension 22"x 34.5"x 35"(L x W x H), Stainless steel grade 304 construction, recessed trays, mobile on castors, dimension 45x75 cm, Strongman or equivalent		
42	Mayo Stand Stainless steel grade 304 construction, telescopic height adjustment, stainless steel ring to hold removable tray, mobile on 02 castors, Strongman or equivalent	05 No	
43	Hydraulic Stretcher 1. Two section patient trolleys operate. 2. Adjustable height using dual sided foot controls. 3. The Trolleys have been developed specifically to allow straight forward interface with medical and diagnostic devices, including Radiological equipment, C-Arm and X-Ray Intensifiers. <u>General Feature:</u> ➤ Wide lying surface ➤ Minimal transfer gap with no lateral protrusions. ➤ Full length x-ray cassette options. ➤ A range of optional push handles to ensure trolleys meet clinical needs. ➤ 200 mm ø castors as standard for easy movement through 360° with 5th wheel. ➤ Trendelenburg and reverse Trendelenburg as standard. ➤ 0 - 70° variable adjustment on backrest. ➤ Height adjustment pedals on both sides of trolley. ➤ Oxygen tank holders as standard. ➤ Patient documents/ personal items space as standard. ➤ High quality 8 ~12 cm anti-static, pressure reducing mattress. ➤ Safe working load 250 kg minimum ± 5 <u>Technical Specification:</u> a) Total length: 180 ~200 cm or above b) Total width: 60 ~ 75 cm or above c) Mattress Base Height 570 mm to 900 mm or more d) Height adjustment range 330 mm. e) Trendelenburg and reverse Trendelenburg: ±12° f) Backrest angle: 70° ±2% g) Space between pedestal and platform: Minimum 11 cm h) Distance between two columns: Minimum 125 ~ 150 cm i) Surface area, radio-transparent platform: More than 45 x 150 cm j) Central braking system one wheel with steering control on head side. k) Dual side height / Trendelenburg controls. l) Radio-translucent x-ray base and x-ray cassette runners. m) Collapsible side rails full length. <u>Standard Accessory:</u> a) Backrest supports for x-ray cassette b) Retractable push handles c) Hooks on both sides for fluid bag. d) Safety belt e) Oxygen cylinder and holder	06 No	

	f) Lateral bumper bars g) Document storage bay wire basket. h) IV stand with 4 hooks i) Antistatic Mattress Optional Accessory: a) X-ray cassette tray Note: If technical committee required demonstration or quoted model can be asked to supplier firms during technical evaluation. Warranty: 03 years warranty		
--	---	--	--

Note: Item # 08 is complete package base, not a single item base.



Signature:

CEO / Director:

Name & Address:

Cell Phone Number:

E-mail:

On firm Letter Head

Ref No. _____

Dated: - _____

FINANCIAL SHEET

Sr. #	Specification Required	Qty	Unit Price (with 18% GST)	Total Price (with 18% GST)
1(a)	Chairs / sofa steel 3 in 1/ bench type for waiting area , local or imported (Sample required) Standard Size. Fabrication of seat and back out of S.S sheet (16 SWG). Side arms made with molding S.S sheet (18 SWG). Base stand made of 4inch x 2-inch (16 SWG) M.S pipe. Legs made of 2-1/4inch oval shape. S.S pipe (16SWG) plastic / rubber boots on foot bottom. Complete in all respect as per prevailing standard.	52 No		
1(b)	Chairs / sofa steel 3 in 1/ bench type for waiting area , local or imported (Sample required) Standard Size. Fabrications of seat and back out of PU finish with side arms made with PU. Base made of 4-inch x 2-inch (16 SWG) M.S pipe. Legs made of 2-1/4-inch oval shape M.S. pipe (16SWG) chrome plated including plastic / rubber boots on foot bottom. Complete in all respect as per prevailing standard.			
1(c)	Chairs / sofa steel 3 in 1/ bench type for waiting area , local or imported (Sample required) Standard Size. Fabrications with M.S pipe, with powder coating paint. Having 2" x 1—1/2" M.S pipe 18 SWG for whole frame, including side arms. Providing foam Cosigning on seat and back. With 2" thick master Molty foam, and best quality leatherite / Fabric. Provide Rubber boots on foot bottom. Complete in all respect as per prevailing standard.			
2	Reception counter, Size. (24'' to 30'' Deep & 36'' to 42'' Height) - Using Chip board Lamination sheet 16 mm (Patex Brand) for counter box complete (sides, top, bottom, side also) with best quality 1 mm high class PVC edging tape. - Using High gloss UV sheet 17 mm (Al Noor) for shutter doors, and counter Top also (as per giving design) with best quality 1 mm PVC edging tape. Having 3 D hinges, good quality of handle, lock in each door (SMC brand)	450 SFT		

	- Having drawers, cabinet's shutters, key board try, and CPU cabin arrangements as per requirement. - Providing 1" x 1" Squire S.S Pipe (16 SWG) Floor Stand of 4" height as base of wooden counter, Providing plastic best quality end cap stopper on each foot. (Note: - Please quoted rates of counter in SFT)			
3	Protection Glass (if required) 8mm tempered glass 2 feet height with side edging, holes cutting and grinding complete with S.S clips/rod fitting. Complete in all respects Note: please quoted rates of Protection glass in SFT	200 SFT		
4	Reception counter chair Standard Back with arms, local or imported (Sample required) Standard Size. Having five-star revolving bases (320mm) with tilting / hydraulic system to be provided. Internal seat frame out of molded ply standard thickness size, 3''th foam (Molty Foam) on seat covered with approved quality of fabric / leatherette back. Arms made of unbreakable material. Complete in all respect as per prevailing standard.	05 No		
5(a)	Office table Executive Table Size. 5'-0" x 3'-0" - Using Chip board Lamination sheet 16 mm (Patex Brand) for whole table, (sides, bottom, side also) with best quality 1 mm high class PVC edging tape. - Using High gloss UV sheet 17 mm (Al Noor) for table top with 1-1/2" side edging (as per giving design) with best quality 1 mm PVC edging tape. Good quality of handle, lock in each drawer and door (SMC brand) - Having double side 2/3 drawers. (sample required)	09 No		
5(b)	Office table Executive Table Size. 5'-0" x 3'-0" Using chip board Shesham veneer vin board sheet Fabrication of whole table including top out of 1-1/2" thick side with shesham veneer vin board / lamination chip board PATAX or equitant, Same beading / molding, footing & rails. Lock, handle, hinges, catcher, sliding grip channel high quality SMC or equivalent. Two drawer unit (on both side of the table to be provided. Including high class lacquer polish, Complete in all respect as per prevailing standard. (sample required)			
5(c)	8 mm Glass top for Office Table Providing 8 mm Plain Glass with edge beveling	135 SFT		

[illegible]

	C) <u>Wooden Cabinets 12" depth (wall hanging Type)</u> - Using Chip board Lamination sheet 16 mm (Patex Brand) for cabinet's box complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape. 12" deep and 30" to 48" height (as required) with one adjustable self in each box. - Using MDF High gloss lamination sheet 17 mm (ZRK/AI Noor) for shutter door, with best quality 1 mm PVC edging tape. Having 3 D hinges, good quality of aluminum handle, lock in each door (SMC brand) - Providing lock in each cabinet and drawer. D) <u>Pigeonhole Rack/ Cabinet for medicine</u> - Using 8 mm tempered glass for making pigeonhole rack 12" depth and maximum size of 10" x 10" to 12" x 12" box open type E) <u>Pigeonhole Rack/ Cabinet for medicine</u> - Using Chip board Lamination sheet 16 mm (Patex Brand) for complete cabinet's box (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape. 12" depth and maximum size of 10" x 10" to 12" x 12" box open type F) <u>S.S Sink vanity with Sink Mixture</u> - Providing of sink bowl 60 x 45 CM - Providing of sink mixture (Faisal brand) G) <u>PVC Cabinet 22" depth (floor standing type)</u> - Using high density PVC Sheet 16 mm for cabinet box complete (side, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape. - Using UV high gloss MDF lamination sheet for shutter door. Using 3 D hinges, good quality of aluminum handle, lock in each door (SMC brand) H) <u>Wooden vertical Cupboard 22" depth (floor standing type)</u> - Using Chip board Lamination sheet 16 mm (Patex Brand) for cabinet's box complete (sides, top, bottom, and back side also) with best quality 1 mm PVC edging tape. 22" depth, (height and width as per requirement) with three shelves in each box. - Using MDF High gloss lamination sheet (ZRK/AI Noor) for shutter door, with best quality 1 mm PVC edging tape. Having four	360 SFT 360 SFT 01 Set 20 SFT 650 SFT 300 SFT		
--	---	---	--	--

	3 D hinges on each shutter door, good quality aluminum handle, lock in each door and drawer. • Providing one hanger portion as per required size, with hanging rod for hangers. • Providing one sliding drawer (inside) in each cupboard with locking arrangement. I) <u>Wooden vertical Lockers 22" depth (floor standing type)</u> • Using Chip board Lamination sheet 16 mm (Patex Brand) for lockers' box complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape. 22" deep, 15" width, and 42" height. Maximum height of unit is 84" or required size. • Using UV, MDF High gloss lamination sheet 17 mm (ZRK/Al Noor) for shutter door, with best quality 1 mm PVC edging tape. Having 3 D hinges, good quality of aluminum handle, lock in each door (SMC brand) J) <u>Wooden Lockers Pigeonhole type 16" depth (wall hanging or floor standing type)</u> • Using Chip board Lamination sheet 16 mm (Patex Brand) for lockers' box complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape. 16" deep and 15" x 15" box. • Using UV, MDF High gloss lamination sheet 17 mm (ZRK/Al Noor) for shutter door, with best quality 1 mm PVC edging tape. Having 3 D hinges, good quality of aluminum handle, lock in each door (SMC brand) K) <u>S.S Floor Stand</u> • Floor Stand of 4" height and required depth and length for floor standing units. • Using 1" x 1" Squire S.S Pipe (18 SWG) for outer frame and feet. Using 1" x ½ "S.S Pipe (18 SWG) for internal support of stand @ distance of 2 feet. • Providing plastic/Rubber end cap/stopper/ boot (best quality) on each foot (Sample required)	350 SFT		
		350 CFT		
9	Executive Office chair High Back, local or imported (Sample required) Standard Size. Having five-star revolving base (320mm) with tilting / hydraulic system to be provided. Internal seat frame out of moulded ply standard thickness size, 3"th foam (Molty Foam) on seat and back covered with approved quality of fabric / leatherite back. Complete in all respect as per prevailing standard. (sample required)	05 No		
10	Office guest chair, Wooden (Shesham Seasoned) (Sample required)	212 No		

	Standard Size: Outer frame and legs out of shesham wood. Internal frame seat and back out of hard wood. 3''th foam on seat & 2''th foam on back covered with fabric / leatherite. Lacquer finish. Complete in all respect as per prevailing standard. (sample required)			
11	Revolving Chair High Back, local or imported (Sample required) Standard Size. Having five-star revolving base (320mm) with tilting / hydraulic system to be provided. Internal seat frame out of moulded ply standard thickness size, 3''th foam (Molty Foam) on seat and back covered with approved quality of fabric / leatherite back. Complete in all respect as per prevailing standard. (sample required)	48 No		
12	Computer Revolving Chair, local or imported (Sample required) Standard Size. Having five-star revolving base (320mm) with tilting / hydraulic system to be provided. Internal seat frame out of moulded ply standard thickness size, 3''th foam (Molty Foam) on seat and back covered with approved quality of fabric / leatherite back. Complete in all respect as per prevailing standard.	22 No		
13	Patient Stools, with standard size base made of chrome plated S.S pipe ¾'' (16 SWG), top standard size made of S.S (16 SWG) with 4mm base plate construction of 5'' (16 SWG) pipe supporting. Complete in all respect as per prevailing standard. Best quality (Sample required)	17 Nos.		
14	Medical Torch, Local or imported rechargeable warm light medium size	No		
15	43'' LED TV waiting area Smart T.V android	No		
16	Water dispenser, Hot & Cool	No		
17	B) Single Bed - Using Shesham veneer Vin board Sheet 16 mm for bed top and bottom side with shesham wood side frame. - Using Shesham wood 6" x 1- ½ "main supporting. - Using ¾ thick vin board sheet in bottom/base of bed. - Providing best quality wooden polish on bed B) Bed Side Table (18" x 18" x 18") - Using Shesham veneer vin board Sheet 16 mm for whole table. - Providing one sliding drawer, one shutter cabinet in each table - Providing best quality wooden polish on bed, and using sliding drawer channel, lock for drawer	05 NO 02 No		

18	Sofa Set (3 seat) - Using seasoned Shesham / Keeker wood for whole structure of Sofa set. - Using best quality leatherette / raxin for poshing of sofa set - Using best quality Molty foam for inside of sofa set. - Using best quality 5" thick Molty foam seat and 4" thick back side of seat. (sample required)	30 No		
19	Center Table (4' x 2') - Using seasoned Shesham wood for whole frame structure of Table. - Using 6 mm thick plain glass inside of table top. - Providing best quality wooden polish (sample required)	18 No		
20	Notice Board (3' x 4') (Sample Required) - Using $\frac{3}{4}$" thick soft board with aluminum U channel for all around of board. - Using best quality green brazer cloth on front side of board. - Providing two hanging clips (sample required)	30 No		
21	Dice Rostom (30" x 24" x 42") - Using 16 mm Shesham vin board sheet, with required best quality Shesham wood. - Providing best quality wooden polish	01 No		
22	Shoe Rack 4' x 4' x 12" Using Chip board Lamination sheet 16 mm (Patex Brand) for whole shoe rack complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape, with five shelves	8 No		
23	Conference Table 8' x 4' - Using chip board Shesham veneer vin board sheet 16 mm thick, for table top with 1-1/2" sides edge. - Using 1st class seasoned shesham wood for whole structure of table, 3" x 3" size of foot, with 3" x 1-1/2" size of table top bottom frame. - Apply best quality lacquer polish on whole table	01 No		
24	File Rack 4' x 4' x 18" Using Chip board Lamination sheet 16 mm (Patex Brand) for whole rack complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape, with three shelves	17 No		
25	Book Shelf 4' x 6' x 2' - Using Chip board Lamination sheet 16 mm (Patex Brand) for whole book shelf / rack complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape - Providing two drawers and shutter door, up to 30" height, and providing two open shelves on upper side of book rack.	10 No		

	(as per sketch)			
26	Side Rack 2'-6" x 3'-0" x 1'-3" - Using Chip board Lamination sheet 16 mm (Patex Brand) for whole rack complete (sides, top, bottom, and back side also) with best quality 1 mm high class PVC edging tape - Providing three open shelves in each rack. Size required as per site (as per sketch)	10 No		
27	Patient Examination couch , Mild steel construction two-part upholstery 2'' high quality foam head section adjustable using manual ratchet rubber boot on feet for grip epoxy powder coated finish. Complete in all respect as per prevailing standard. Best quality (Sample required)	19 No		
28	Patient Attendant Bench Mild steel sheet construction, 3" foam covered with washable Rexene cover, epoxy powder coated finish, dimension 6'x 2'x 18" Strongman or equivalent (sample required)	30 No		
29	Wheel Chair Mild steel construction, high quality poshish seat and arm rests, utility basket underneath, side bumpers for protection against bumps and scratches, 8" wheels on back and 5" castors on front, stainless steel foldable foot rest, dimension 32"x 28"x 20"(L x W x H) Strongman or equivalent	20 No		
30	Steel Almira (4'x8') with glass door 20 gauge Galvanized mild steel sheet construction, total 6 shelves including bottom platform, lockable doors, mild steel pipe doors with glass inside, leveling screws on 4 feet, epoxy powder coated finish, Strongman or equivalent	06 No		
31	IV Stand Mild steel / stainless steel construction, stainless steel telescopic rod, plastic base, mobile on 05 wheels, four stainless steel hooks, Strongman or equivalent	80 No		
32	Foot step single Mild steel construction, rubber boot on all feet, rubber matt on sheet top for maximum grip, epoxy powder coated finish, Strongman or equivalent	62 No		
33	Foot step double Mild steel construction, rubber boot on all feet, rubber matt on sheet top for maximum grip, epoxy powder coated finish, Strongman or equivalent	10 No		
34	Emergency Stretcher Trolley Mild steel, construction, fixed height trolley, utility basket underneath, removable stretcher top with washable Rexene cover and Velcro straps, removable pillow with stretcher top, stainless steel easy to use side guards, all around bumper protection, mobile on	11 No		

	8"castors, cylinder holder, IV pole supplied, dimension 75"x 26"x 32" (L x W x H) Strongman or equivalent			
35	Medicine Trolley Stainless steel grade 304 construction, 2 drawers with 2shelves, mobile on four 3" castors, Strongman or equivalent	01 No		
36	Hamper Trolley Mild steel construction, used for collecting dirty linen, removable washable parachute bag, mobile on 3 swivel castors, dimension 18" dia x 33"H, Strongman or equivalent	04 No		
37	Steel cabinet Galvanized mild steel sheet construction, three tier lockers, dual ventilation in lockable doors, three hooks and one shelf in each locker, leveling screws on all four feet, epoxy powder coated finish, Stainless steel grade 304 construction, recessed trays, mobile on castors, dimension 45x75 cm, Strongman or equivalent	12 No		
38	Cylinder Trolley Foldable for easy storage, chain for cylinder securing, Strongman or equivalent	02 No		
39	Instrument Trolley (Large) Stainless steel grade 304 construction, recessed trays, mobile on castors, dimension 60x90 cm, Strongman or equivalent	04 No		
40	Instrument Trolley (Small) Stainless steel grade 304 construction, recessed trays, mobile on castors, dimension 45x75 cm, Strongman or equivalent	04 No		
41	Crash Cart Light weight fabrication for easy mobility, full extensions drawers, foldable side shelf, single oxygen cylinder holders, wrap-around-bumper to protect from humps and scratches, stainless steel top, drawers are furnished with a central locking device for protection, CPR board included, utility basket on side, epoxy powder coated in red color, mobile on 5"swivel castors, dimension 22"x 34.5"x 35"(L x W x H), Stainless steel grade 304 construction, recessed trays, mobile on castors, dimension 45x75 cm, Strongman or equivalent	04 No		
42	Mayo Stand Stainless steel grade 304 construction, telescopic height adjustment, stainless steel ring to hold removable tray, mobile on 02 castors, Strongman or equivalent	05 No		
43	Hydraulic Stretcher 4. Two section patient trolleys operate. 5. Adjustable height using dual sided foot controls. 6. The Trolleys have been developed specifically to allow straight forward interface with medical and diagnostic devices, including Radiological equipment, C-Arm and X-Ray Intensifiers. General Feature:	06 No		

➤ Wide lying surface ➤ Minimal transfer gap with no lateral protrusions. ➤ Full length x-ray cassette options. ➤ A range of optional push handles to ensure trolleys meet clinical needs. ➤ 200 mm ø castors as standard for easy movement through 360° with 5th wheel. ➤ Trendelenburg and reverse Trendelenburg as standard. ➤ 0 - 70° variable adjustment on backrest. ➤ Height adjustment pedals on both sides of trolley. ➤ Oxygen tank holders as standard. ➤ Patient documents/ personal items space as standard. ➤ High quality 8 ~12 cm anti-static, pressure reducing mattress. ➤ Safe working load 250 kg minimum ± 5 <u>Technical Specification:</u> n) Total length: 180 ~200 cm or above o) Total width: 60 ~ 75 cm or above p) Mattress Base Height 570 mm to 900 mm or more q) Height adjustment range 330 mm. r) Trendelenburg and reverse Trendelenburg: ±12° s) Backrest angle: 70° ±2% t) Space between pedestal and platform: Minimum 11 cm u) Distance between two columns: Minimum 125 ~ 150 cm v) Surface area, radio-transparent platform: More than 45 x 150 cm w) Central braking system one wheel with steering control on head side. x) Dual side height / Trendelenburg controls. y) Radio-translucent x-ray base and x-ray cassette runners. z) Collapsible side rails full length. <u>Standard Accessory:</u> j) Backrest supports for x-ray cassette k) Retractable push handles l) Hooks on both sides for fluid bag. m) Safety belt n) Oxygen cylinder and holder o) Lateral bumper bars p) Document storage bay wire basket. q) IV stand with 4 hooks r) Antistatic Mattress <u>Optional Accessory:</u> b) X-ray cassette tray Note: If technical committee required demonstration or quoted model can be asked to supplier firms during technical evaluation. Warranty: 03 years warranty			
---	--	--	--



Signature:

CEO / Director:

Name & Address:

Cell Phone Number:

E-mail:
