



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |   |
|--------|------------|---|
| 1      | OF         | * |
| RFQ No | RFA4923AA  |   |
| DATE   | 24.08.2026 |   |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Location                | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------|-----|-------------------|---------------|
| 1     | <b><u>Maintenance of Dispensing Units</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b><u>PSO House</u></b> |      |     |                   |               |
| 1.01  | <b><u>Annual Contract of Electronic Dus</u></b><br>Maintenance of Old Model Tatsuno (Green Display) (Single / Twin / Quadro DUs) installed in PSO Central Region (LHR, FSD, GJW, MUL, SWL and BWP).<br>The purpose of this contract is that on behalf of PSO, vendor will ensure all types of Old Model Tatsuno (Green Display) DUs installed in the divisions mentioned above are rendering the services in perfect running condition at all times through proper, regular, and timely preventive/schedule and breakdown maintenance activities.<br><br>Here EA=no. of (Single/Twin DUs)<br>Note :<br>-Billing shall be done on fixed monthly rates irrespective of number of breakdown, preventive or other visits i.e fixed rate per DU per month on the basis of number of DUs maintained in particular division for the scope defined here and other terms of contract provided in detail below.<br>-Vendor to submit division-wise monthly bills and payment will be made on actual number of DUs maintained and duly verified by PSO's Divisional Engineer.<br><br>SCOPE OF WORK<br>-Preventive Maintenance as per OEM recommendation, and it must be ensured that all DUs are inspected at least once in three months time for this scheduled Maintenance activity .<br>-The scope of breakdown maintenance (complaint handling) comprises of defect investigation and rectification i.e all kind of Labor Services for maintenance and repairs/replacement of all parts , assemblies, sub-assemblies and all mechanical and electronic parts including computer/display boards and power supplies, cabling~ filters etc.<br>This is INCLUSIVE of replacement of all consumable | <b><u>EA</u></b>        | 800  |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |   |
|--------|------------|---|
| 2      | OF         | * |
| RFQ No | RFA4923AA  |   |
| DATE   | 24.08.2026 |   |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
|       | <p>components as listed below</p> <p>"&lt;(&gt;,,&lt;)&gt;Hose pipes (Short &amp; Long)&lt;(&gt;,&lt;)&gt;</p> <p>"&lt;(&gt;,,&lt;)&gt;Swivel&lt;(&gt;,&lt;)&gt;</p> <p>"&lt;(&gt;,,&lt;)&gt;Nozzle &amp; scarf&lt;(&gt;,&lt;)&gt;</p> <p>"&lt;(&gt;,,&lt;)&gt;Key pad Stickers&lt;(&gt;,&lt;)&gt;</p> <p>"&lt;(&gt;,,&lt;)&gt;Spouts&lt;(&gt;,&lt;)&gt;</p> <p>"&lt;(&gt;,,&lt;)&gt;Belts&lt;(&gt;,&lt;)&gt;</p> <p>"&lt;(&gt;,,&lt;)&gt;Fuses</p> <p>"&lt;(&gt;,,&lt;)&gt;Any other minor nature consumable items</p> <p>-These items are covered in fixed monthly rates and shall NOT be paid separately (both in Preventive and breakdown jobs) except in accident/complete refurbishment cases. (All consumables should be replaced with new components, where required as per condition of DU and instructions by PSO Engineer ).</p> <p>-However, Cost of replacement parts NOT included which is to be charged separately. It is the responsibility of vendor to timely manage the maintenance requirement from the inventory of spares maintained in Division-wise stores.</p> <p>-Defective parts of DUs are to be replaced with new parts only.</p> <p>-Scope also includes external &amp; internal cleaning of dispensing units as per the requirement or instructions of the concerned Divisional Engineer.</p> |          |      |     |                   |               |
| 1.02  | <p><b>Cleaning Miscellaneous</b></p> <p>Services are required for cleaning of line filters/strainers installed in the product line of fuel dispensing units at designated retail outlets across Central Region.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          | EA   | 5   |                   |               |
| 1.03  | <p><b>Testing of pipeline</b></p> <p>UOM: EA</p> <p>Services are required to carry out pneumatic pressure testing of the underground GI (Galvanized Iron) and UPP (Underground Petrol Pipe) product pipelines from the underground storage tank (UST) to the fuel dispensing units at designated retail outlets. The testing shall be performed using suitable inert gas/air under the specified test pressure to verify the integrity of the pipeline system and identify any leakage</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |          | M    | 10  |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |   |
|--------|------------|---|
| 3      | OF         | * |
| RFQ No | RFA4923AA  |   |
| DATE   | 24.08.2026 |   |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1.04  | <p>or pressure loss. The contractor shall provide all necessary testing equipment, calibrated pressure gauges, safety arrangements, manpower, and consumables required for the execution of the job. A detailed test report, including the applied test pressure, holding time, pressure readings, observations, and recommendations, shall be submitted to the concerned PSO Engineer within 48 hours of completion of the testing after intimation of the job.</p> <p>Pneumatic pressure testing shall be carried out at a test pressure ranging from 3.5 to 5.0 bar (50#75 psi), or as recommended by the pipeline manufacturer, whichever is lower, with a minimum pressure holding period of 30 minutes to 60 minutes. Any pressure drop beyond the permissible limit shall be treated as an indication of leakage and investigated accordingly.</p> <p><b><u>DU Display/LCD Repair works</u></b></p> <p>Services are required for troubleshooting, repair, rectification, and restoration of faulty display boards/modules of Tatsuno and Wayne fuel dispensing units installed at designated retail outlets. The scope includes diagnosis of faults, replacement/repair of defective electronic components, calibration and testing of the display board, reinstallation, commissioning, and verification of proper operation of the dispensing unit after repair.</p> |          | <b><u>JOB</u></b> | 50  |                   |               |
| 1.05  | <p><b><u>DU Display/LCD Repair works</u></b></p> <p>Services are required for troubleshooting, repair, rectification, and restoration of faulty display panels of Tatsuno and Wayne fuel dispensing units installed at designated retail outlets. The scope includes diagnosis of faults, replacement/repair of defective electronic components, calibration and testing of the display panel, reinstallation, commissioning, and verification of proper operation of the dispensing unit after repair.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |          | <b><u>JOB</u></b> | 50  |                   |               |
| 1.06  | <p><b><u>DU Pumping Assembly Repair Works</u></b></p> <p>Services are required for troubleshooting, repair, calibration, and restoration of the flow meter assembly of Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes dismantling of the flow meter assembly, inspection of internal components, replacement/repair of worn or defective parts such as</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          | <b><u>JOB</u></b> | 40  |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |   |
|--------|------------|---|
| 4      | OF         | * |
| RFQ No | RFA4923AA  |   |
| DATE   | 24.08.2026 |   |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1.07  | bearings, seals, gears, pulser coupling, or other associated components as required, reassembly, calibration, accuracy verification, leak testing, and commissioning of the dispensing unit.<br><b><u>DU Keypad/Preset Repair Works</u></b>                                                                                                                                                                                                                                                                                                                                                                       |          | <b><u>JOB</u></b> | 50  |                   |               |
| 1.08  | Services are required for troubleshooting, repair, replacement, and restoration of the keypad assembly of Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes diagnosis of keypad faults, dismantling of the keypad assembly, repair or replacement of defective keys, membrane, switches, connectors, or associated electronic components as required, reinstallation, functional testing, and commissioning of the dispensing unit.<br><b><u>DU Motherboard/CPU Repair Works</u></b>                                                                             |          | <b><u>JOB</u></b> | 30  |                   |               |
| 1.09  | Services are required for troubleshooting, repair, overhauling, and restoration of the electric motor of Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes dismantling of the motor assembly, inspection and testing of electrical and mechanical components, repair or replacement of defective parts such as bearings, windings, capacitors, cooling fan, shaft, seals, or other associated components as required, reassembly, alignment, performance testing, and commissioning of the dispensing unit.<br><b><u>Contract repairing electrical motor</u></b> |          | <b><u>EA</u></b>  | 20  |                   |               |
| 1.10  | Services are required for troubleshooting, repair, overhauling, and restoration of the pumping assembly of Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes dismantling of the pumping assembly, inspection of all mechanical components, repair or replacement of defective parts such as vanes, rotor, shaft, bearings, seals, gaskets, couplings, and other associated                                                                                                                                                                                       |          | <b><u>JOB</u></b> | 30  |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |   |
|--------|------------|---|
| 5      | OF         | * |
| RFQ No | RFA4923AA  |   |
| DATE   | 24.08.2026 |   |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
| 1.11  | components as required, reassembly, alignment, leak testing, performance testing, and commissioning of the dispensing unit.<br><b><u>Installation of D/Units on pump island</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          | EA   | 10  |                   |               |
| 1.12  | Services are required for the installation, commissioning, testing, and calibration of Wayne and Tatsuno fuel dispensing units at designated retail outlets. The scope includes unloading, positioning, alignment, mechanical installation, electrical wiring, product pipeline connections, earthing, integration with the forecourt controller (where applicable), functional testing, leak testing, and complete commissioning of the dispensing unit. The contractor shall carry out calibration of each nozzle using certified calibration measures to ensure dispensing accuracy in accordance with the manufacturer's specifications, Legal Metrology requirements, and applicable PSO standards. The dispensing unit shall be handed over in fully operational condition after successful testing and calibration.<br><b><u>PROCUREMENT OF BREAKAWAY COUPLINGS</u></b><br>Supply and Installation of new Reconnectable Breakaway Couplings of dispensing units alongwith small hosepipe 2ft of 0.75inch dia at NVROs of Central Region as suggested by the concerned DE. Breakaway couplings must be of following specifications:<br>1) Standard 3/4" NPT fitting<br>2) Main Spring: Stainless Steel<br>3) Metal body with protective sleeves for impact resistance<br>4) Instant seals at both ends of break<br>5) Ability to automatically stop the flow of fuel and limit fuel spillage when break<br>6) Pull Force: no more than 350 lbs<br>7) Ability to absorb the effects of normal line shock<br>8) Ability to easily reconnect<br>9) May be reconnected under wet or dry hose conditions<br>10) Hot and cold weather compatible<br>11) Life Cycle: 5 years from the date of manufacturing. The #Make# together with #Expiry# or #Remove by# date must be clearly imprinted on breakaway coupling |          | EA   | 200 |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |   |
|--------|------------|---|
| 6      | OF         | * |
| RFQ No | RFA4923AA  |   |
| DATE   | 24.08.2026 |   |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
| 1.13  | <p><b><u>Installation of Nozzle</u></b></p> <p>Supply and replacement of automatic fuel dispensing nozzle (USN China or OPW) for Wayne and Tatsuno fuel dispensing units. The nozzle shall be compatible with unleaded petrol (MS) and High-Speed Diesel (HSD) dispensing applications and shall have a nominal size of ¾ inch (19 mm) with a flow capacity of up to 60 LPM. The nozzle shall be of cast aluminum body construction with a stainless-steel spout, automatic shut-off mechanism, low-pressure drop design, durable seals compatible with petroleum fuels, and swivel connection compatible with the existing dispensing hose. The scope includes removal of the defective nozzle, installation of the new nozzle, leak testing, functional testing, calibration verification, and commissioning to ensure proper operation in accordance with the manufacturer's specifications and applicable PSO standards.</p> <p>Recommended Technical Specifications</p> <p>•,Brand: USN China or OPW</p> <p>•,Type: Automatic shut-off fuel dispensing nozzle</p> <p>•,Application: Petrol (MS) / Diesel (HSD)</p> <p>•,Nominal Size: ¾ inch (19 mm)</p> <p>•,Flow Rate: Up to 60 LPM</p> <p>•,Working Pressure: Up to 3.5 bar (50 psi) minimum</p> <p>•,Body Material: Die-cast aluminum</p> <p>•,Spout Material: Stainless steel</p> <p>•,Inlet Thread: ¾" NPT/BSP (compatible with existing hose fittings)</p> <p>•,Features: Automatic shut-off, low-pressure drop, anti-drip design, ergonomic hand guard, Viton/NBR seals suitable for hydrocarbon fuels</p> |          | EA   | 200 |                   |               |
| 1.14  | <p><b><u>Swivel Joint OPW(Imported)</u></b></p> <p>Supply and replacement of fuel dispensing hose swivel for Wayne and Tatsuno fuel dispensing units. The swivel shall be compatible with petrol (MS) and High-Speed Diesel (HSD) dispensing applications and designed to prevent hose twisting, reduce operator fatigue, and ensure smooth rotation during fueling operations. The scope includes removal of the defective swivel, installation of the new swivel, replacement of</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |          | EA   | 200 |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |   |
|--------|------------|---|
| 7      | OF         | * |
| RFQ No | RFA4923AA  |   |
| DATE   | 24.08.2026 |   |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
| 1.15  | sealing components as required, leak testing, functional testing, and commissioning to ensure safe and reliable operation.<br>Type: 360° rotating hose swivel<br>Nominal Size: ¾ inch (19 mm)<br>Features: Low friction rotation, leak-proof construction, anti-twist design, suitable for continuous retail fueling operations<br><b>Del Hose Pipe 1" Dia 12 feet Long</b><br>Supply and replacement of fuel dispensing hose assembly for Wayne and Tatsuno fuel dispensing units. The hose shall be 12 feet (3.66 m) in length and suitable for dispensing Motor Spirit (MS) and High-Speed Diesel (HSD). The scope includes removal of the existing hose, installation of the new hose complete with end fittings, leak testing, functional testing, and commissioning to ensure safe and reliable operation of the dispensing unit.<br># Application: Fuel dispensing for MS & HSD<br># Length: 12 ft (3.66 m)<br># Nominal Size: ¾ inch (19 mm)<br># Construction: Reinforced synthetic rubber with textile and/or steel wire reinforcement<br># Inner Tube: Oil- and fuel-resistant nitrile rubber (NBR)<br># Outer Cover: Abrasion-, weather-, ozone-, and fuel-resistant synthetic rubber<br># Working Pressure: 20 bar (300 psi) minimum<br># Burst Pressure: 80 bar (1,200 psi) minimum<br># End Connections: Compatible with Wayne and Tatsuno dispensing units (¾" threaded fittings)<br># Temperature Range: -30°C to +70°C (minimum)<br># Features: Anti-kink, anti-static, flexible, suitable for continuous retail fueling operations, compatible with petrol, diesel, and ethanol-blended fuels (where applicable). |          | EA   | 250 |                   |               |
| 1.16  | <b>Installation of Nozzle</b><br>Supply and replacement of nozzle jacket/hand guard for Wayne and Tatsuno fuel dispensing unit nozzles. The scope includes removal of the damaged nozzle jacket and installation of a new high-quality, fuel-resistant protective nozzle jacket compatible with the existing automatic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          | EA   | 80  |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |   |
|--------|------------|---|
| 8      | OF         | * |
| RFQ No | RFA4923AA  |   |
| DATE   | 24.08.2026 |   |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
| 1.17  | dispensing nozzle.<br><br>Color Requirements:<br><br>Single-product dispensers: Black<br>Quadro (multi-product) dispensers: Product-specific color coding, i.e.<br>Black, Red, and Green (as applicable to the product grade)<br><b><u>Nozzle OPW spout (Imported)</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |          | EA   | 110 |                   |               |
| 1.18  | Supply and replacement of nozzle spout for automatic fuel dispensing nozzles installed on Wayne and Tatsuno fuel dispensing units. The scope includes removal of the damaged or worn nozzle spout, installation of a new spout complete with retaining hardware and seals (where applicable), inspection of the automatic shut-off sensing port, functional testing, leak testing, and commissioning to ensure safe and reliable operation.<br><b><u>Providing electric motor pump (Siemens)</u></b><br><br>Supply and replacement of 0.75 HP suction motor for Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes removal of the defective motor, installation of a new motor, alignment with the pumping assembly, electrical connections, coupling adjustment, insulation resistance testing, performance testing, leak inspection, and commissioning of the dispensing unit.<br><br>Minimum Technical Specifications:-<br>Type: Electric Suction Motor for Fuel Dispensing Unit<br>Power Rating: 0.75 HP (0.55 kW)<br>Supply Voltage: 220#240 VAC, Single Phase, 50 Hz<br>Speed: Approximately 2,800#2,900 RPM<br>Enclosure: TEFC (Totally Enclosed Fan Cooled)<br>Insulation Class: Class F (minimum)<br>Protection Class: IP55 or higher<br>Duty: Continuous Duty (S1)<br>Mounting: Compatible with Wayne and Tatsuno pumping assemblies<br>Shaft Material: High-strength steel<br>Bearings: Heavy-duty sealed ball bearings<br>Rotation: As per existing pump assembly (clockwise/counter-clockwise as |          | EA   | 30  |                   |               |





# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |   |
|--------|------------|---|
| 9      | OF         | * |
| RFQ No | RFA4923AA  |   |
| DATE   | 24.08.2026 |   |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
| 1.19  | required)<br>Application: Suitable for Motor Spirit (MS) and High-Speed Diesel (HSD) dispensing units<br>Compliance: Compatible with OEM requirements and applicable PSO standards.<br><b>Capacitor 80-110 uf (1/2 HP) China</b><br>Supply and replacement of motor capacitor for the suction motor of Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the motor starting circuit, removal of the defective capacitor, installation of a new capacitor of the specified rating, inspection of associated wiring and terminals, functional testing of the motor, and commissioning of the dispensing unit to ensure smooth and reliable operation. The installed capacitor shall be fully compatible with the existing motor and shall comply with the manufacturer's specifications and applicable PSO standards.<br><br>Minimum Technical Specifications:-<br>Type: Motor Run Capacitor (or Start Capacitor, as applicable)<br>Application: 0.75 HP suction motor for Wayne and Tatsuno dispensing units<br>Capacitance: 20#25 µF (or as per OEM motor specification)<br>Rated Voltage: 450 VAC minimum<br>Frequency: 50/60 Hz<br>Tolerance: ±5%<br>Dielectric: Metallized Polypropylene (Self-Healing)<br>Operating Temperature: -25°C to +85°C<br>Enclosure: Aluminum or flame-retardant plastic casing<br>Protection: Moisture- and vibration-resistant<br>Compliance: IEC 60252 or equivalent international standard |          | EA   | 50  |                   |               |
| 1.20  | <b>Clutch Plate</b><br>Supply and replacement of motor clutch/coupling for the suction motor of Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes dismantling of the existing motor coupling, removal of the defective clutch, installation of a new flexible motor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |          | EA   | 10  |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 10     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
| 1. 21 | clutch compatible with the existing motor and pumping assembly, alignment of the motor and pump shafts, tightening of all fasteners, functional testing, vibration check, and commissioning of the dispensing unit. The installed motor clutch shall ensure efficient power transmission, smooth operation, and minimum vibration in accordance with the manufacturer's specifications and applicable PSO standards.<br><b>Motor Pulley 2.5" Dia</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |          | EA   | 10  |                   |               |
| 1. 22 | Supply and replacement of motor pulley for the suction motor of Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes removal of the defective motor pulley, inspection of the motor shaft and keyway, installation of a new pulley of the required size and profile, alignment with the driven pulley, adjustment of belt tension (where applicable), functional testing, and commissioning of the dispensing unit.<br><b>Inst of overcurrent &amp; earth fault relay</b><br>Supply and replacement of motor relay/contactator for the suction motor of Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the motor control circuit, removal of the defective relay/contactator, installation of a new relay of the specified rating, inspection and tightening of all electrical connections, functional testing of the motor starting and stopping sequence, and commissioning of the dispensing unit.<br><br>Minimum Technical Specifications:-<br>Type: Electromagnetic Motor Relay/Contactor<br>Application: 0.75 HP suction motor of Wayne and Tatsuno fuel dispensing units<br>Coil Voltage: 220#240 VAC, 50 Hz<br>Current Rating: 9 A minimum (AC-3 duty)<br>Power Rating: Suitable for 0.75 HP (0.55 kW) single-phase motor<br>Contact Configuration: 3 NO (or as per OEM control circuit requirement)<br>Electrical Life: Minimum 100,000 operations<br>Mechanical Life: Minimum 1 million operations<br>Mounting: DIN rail or panel mount, compatible with existing control panel |          | EA   | 10  |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 11     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
| 1.23  | Standards: IEC 60947-4-1 or equivalent<br>Compatibility: Fully compatible with Wayne and Tatsuno dispensing unit electrical control systems<br>Compliance: OEM-compatible and in accordance with applicable PSO standards.<br><b>EMERGENCY PUSH BUTTON</b><br>Supply and replacement of Emergency Stop (E-Stop) push button complete with safety identification sticker for Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes removal of the defective emergency stop button, installation of a new industrial-grade mushroom-type emergency stop push button, replacement of the safety identification sticker, wiring and integration with the dispensing unit control circuit, functional testing, and commissioning. The Emergency Stop button shall immediately interrupt the control circuit and render the dispensing unit completely inoperative until the button is manually reset. Performance Requirement: Upon pressing the Emergency Stop button, the dispensing unit shall immediately stop dispensing fuel and all dispensing functions shall be disabled until the Emergency Stop button is manually reset. |          | EA   | 80  |                   |               |
| 1.24  | <b>Electrical Miscellaneous</b><br>Supply and replacement of Over Voltage Protector (OVP) for the electrical supply circuit of Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes removal of the defective OVP, installation of a new automatic over/under voltage protection device, termination of all electrical connections, setting of operating parameters and time delay, functional testing, and commissioning. The OVP shall protect the dispensing unit against over-voltage, under-voltage, and voltage fluctuations by automatically disconnecting the power supply when voltage exceeds or falls below the preset limits and restoring the supply after stabilization.<br><br>Minimum Technical Specifications:-<br>Type: Automatic Over/Under Voltage Protector (OVP)<br>Application: Protection of Wayne and Tatsuno fuel dispensing units<br>Supply Voltage: 220#240 VAC, Single Phase, 50 Hz                                                                                                                                                                                                                |          | EA   | 50  |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 12     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1.25  | Rated Current: 40 A minimum<br>Over Voltage Trip Setting: Adjustable, typically 260#270 VAC<br>Under Voltage Trip Setting: Adjustable, typically 170#180 VAC<br>Reconnect Delay: Adjustable 5#300 seconds<br>Display: Digital LED voltage display<br>Protection Functions:<br>- Over-voltage protection<br>- Under-voltage protection<br>- Automatic reconnection after voltage stabilization<br>Mounting: DIN rail<br>Protection Rating: IP20 minimum<br>Compliance: IEC 60947 or equivalent international standard<br>Compatibility: Suitable for electrical protection of Wayne and Tatsuno dispensing units and compliant with applicable PSO standards.<br><b><u>DU Motherboard/CPU Repair Works</u></b> |          | <b><u>JOB</u></b> | 50  |                   |               |
| 1.26  | Supply and replacement of power supply module (SMPS/Power Supply Unit) for Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the electrical and electronic power circuit, removal of the defective power supply module, installation of a new OEM-compatible power supply unit, termination of all electrical connections, verification of output voltages, functional testing of all dispenser electronic systems, and commissioning of the dispensing unit.<br><b><u>DU Motherboard/CPU Repair Works</u></b>                                                                                                                                      |          | <b><u>JOB</u></b> | 8   |                   |               |
| 1.27  | Supply and replacement of Non-ID Pulsar for Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the pulsar assembly, removal of the defective Non-ID pulsar, installation of a new OEM-compatible pulsar, alignment with the flow meter assembly, wiring termination, pulse output verification, calibration, functional testing, and commissioning of the dispensing unit.<br><b><u>DU Motherboard/CPU Repair Works</u></b>                                                                                                                                                                                                                          |          | <b><u>JOB</u></b> | 3   |                   |               |
|       | Supply and replacement of OEM-compatible ID Pulsar for Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the pulsar assembly, removal of the                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |                   |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 13     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1.28  | defective ID pulsar, installation of a new OEM-compatible ID pulsar, alignment with the flow meter assembly, electrical wiring and connector termination, programming/configuration (if required), pulse signal verification, calibration, functional testing, and commissioning of the dispensing unit.<br><b><u>DU Pumping Assembly Repair Works</u></b><br>Supply and replacement of complete pumping assembly for Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes dismantling and removal of the defective pumping assembly, installation of a new OEM-compatible pumping assembly complete with pump housing, rotor, vanes, shaft, bearings, seals, gaskets, bypass valve, check valve, and all associated internal components. The work also includes alignment with the drive motor, coupling adjustment, connection to the product pipeline, leak testing, suction and discharge pressure verification, calibration, functional testing, and commissioning of the dispensing unit.<br><br>Minimum Technical Specifications:-<br>Type: Complete Pumping Assembly (OEM-Compatible)<br>Application: Tatsuno Fuel Dispensing Units<br>Pump Type: Positive Displacement Rotary Vane Pump<br>Flow Capacity: Up to 50 LPM (or as per dispenser model)<br>Operating Pressure: 2#3.5 bar<br>Body Material: Cast Iron or Aluminum Alloy<br>Rotor Material: Hardened Steel<br>Vanes: Carbon Graphite or OEM-approved wear-resistant material<br>Shaft: Hardened Stainless Steel<br>Bearings: Sealed Heavy-Duty Ball Bearings<br>Seals & Gaskets: NBR/Viton, compatible with MS and HSD<br>Bypass Valve: Factory calibrated, integrated<br>Check Valve: Integrated non-return valve<br>Compatibility: Suitable for Tatsuno dispensers<br>Compliance: Fully OEM-compatible and compliant with applicable PSO standards and Legal Metrology requirements. |          | <b><u>JOB</u></b> | 35  |                   |               |
| 1.29  | <b><u>DU Pumping Assembly Repair Works</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          | <b><u>JOB</u></b> | 70  |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 14     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Location | Unit       | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------------------|---------------|
|       | Supply and replacement of solenoid valve diaphragm for Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the solenoid valve assembly, dismantling of the solenoid valve, removal of the defective diaphragm, installation of a new OEM-compatible diaphragm complete with seals and O-rings, reassembly, leak testing, functional testing of the solenoid valve operation, and commissioning of the dispensing unit.<br><br>Minimum Technical Specifications:-<br>Type: Solenoid Valve Diaphragm (OEM-Compatible)<br>Application: Tatsuno Fuel Dispensing Units<br>Material: Fuel-resistant NBR (Nitrile Rubber) or Viton (FKM), compatible with MS and HSD<br>Temperature Range: -20°C to +80°C<br>Pressure Rating: Suitable for operating pressure up to 3.5 bar (50 psi)<br>Chemical Resistance: Compatible with petrol (MS), diesel (HSD), and ethanol-blended fuels (where applicable)<br>Seal Kit: Complete with compatible O-rings and sealing components<br>Compatibility: Suitable for Tatsuno OEM solenoid valve assemblies<br>Compliance: OEM-compatible and in accordance with applicable PSO standards. |          |            |     |                   |               |
| 1. 30 | <b><u>DIU Pumping Assembly Repair Works</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          | <b>JOB</b> | 30  |                   |               |
|       | Supply and replacement of OEM-compatible solenoid valve for Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the solenoid valve assembly, removal of the defective solenoid valve, installation of a new complete solenoid valve assembly including solenoid coil, valve body, plunger, diaphragm, seals, and associated fittings, electrical connections, leak testing, functional testing, calibration verification, and commissioning of the dispensing unit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |          |            |     |                   |               |
| 1. 31 | <b><u>2" DIA UPP FLEXIBLE PIPE</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          | <b>RET</b> | 5   |                   |               |
|       | UOM : EA<br>Supply and replacement of suction flexible pipe for Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes removal of the defective suction flexible hose, installation of                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |            |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 15     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1.32  | a new fuel-resistant flexible suction pipe complete with end fittings, clamps, seals, and gaskets, tightening of all connections, leak testing, vacuum/suction testing, functional testing, and commissioning of the dispensing unit.<br><b><u>DU Keypad/Preset Repair Works</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                      |          | <b><u>JOB</u></b> | 50  |                   |               |
| 1.33  | Supply and replacement of totalizer meter for Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the totalizer assembly, removal of the defective totalizer meter, installation of a new OEM-compatible mechanical totalizer meter, alignment with the flow meter and pulser assembly, functional testing, calibration verification, and commissioning of the dispensing unit.<br><b><u>DU Keypad/Preset Repair Works</u></b>                                                                                                                                                                                                                          |          | <b><u>JOB</u></b> | 60  |                   |               |
| 1.34  | Supply and replacement of neutral switch for Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the neutral switch assembly, removal of the defective switch, installation of a new OEM-compatible neutral switch, adjustment and alignment with the meter/pulser mechanism, electrical connection (where applicable), functional testing, and commissioning of the dispensing unit. The neutral switch shall accurately detect the neutral (idle) position of the dispensing mechanism to ensure proper sequencing of dispensing operations and prevent unauthorized or erroneous fuel delivery.<br><b><u>Contract repairing electrical motor</u></b> |          | <b><u>EA</u></b>  | 50  |                   |               |
| 1.35  | Supply and replacement of V-belt for the drive motor of Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes removal of the worn or damaged V-belt, inspection of the motor and pump pulleys for wear or damage, installation of a new OEM-compatible V-belt, alignment of the motor and pump pulleys, adjustment of belt tension, tightening of all mounting bolts, functional testing, vibration and noise inspection, and commissioning of the dispensing unit.<br><b><u>DU Pumping Assembly Repair Works</u></b>                                                                                                                                                        |          | <b><u>JOB</u></b> | 15  |                   |               |
|       | Supply and replacement of complete flow meter assembly for Tatsuno fuel dispensing units installed at designated retail outlets. The scope                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |                   |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 16     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
| 1. 36 | <p>includes dismantling and removal of the defective flow meter assembly, installation of a new OEM-compatible positive displacement flow meter complete with meter housing, measuring chamber, rotor/piston assembly, bearings, shaft, seals, gaskets, and associated internal components. The work also includes alignment with the pumping assembly, installation of the pulser coupling, leak testing, calibration, accuracy verification using certified calibration measures, functional testing, and commissioning of the dispensing unit.</p> <p><b><u>Maintenance of Dus Miscellaneous</u></b></p> <p>Services are required for the complete conversion of Wayne and Tatsuno fuel dispensing units from suction type to pressure type operation at designated retail outlets. The scope includes dismantling and removal of all components associated with the suction system, supply and installation of a complete pressure conversion kit, modification of the hydraulic and product piping arrangement, installation of pressure-compatible fittings, valves, manifolds, flexible hoses, non-return/check valves, seals, and all other accessories required for successful conversion. The contractor shall carry out all necessary mechanical, hydraulic, and electrical modifications, including integration with the existing dispensing unit, calibration, leak testing, functional testing, and commissioning. All consumables, fittings, hardware, mounting accessories, skilled manpower, tools, lifting equipment, and testing instruments required to complete the conversion shall be provided by the contractor. The converted dispensing unit shall operate safely and efficiently under pressure-fed conditions, fully complying with the manufacturer's specifications, Legal Metrology requirements, and applicable PSO standards.</p> <p>Components Included (as required):</p> <ul style="list-style-type: none"><li>- Pressure conversion kit</li><li>- Pressure manifold</li><li>- Check (non-return) valve</li><li>- Solenoid valve and fittings</li><li>- Pressure-rated flexible hoses</li><li>- Pipe fittings, unions, nipples, elbows, and adaptors</li></ul> |          | EA   | 5   |                   |               |





# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 17     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Location | Unit       | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------------------|---------------|
| 1. 37 | <ul style="list-style-type: none"> <li>- Fuel-resistant seals, O-rings, and gaskets</li> <li>- Mounting brackets and hardware</li> <li>- Electrical wiring modifications (if required)</li> <li>- Calibration and commissioning</li> </ul> Testing Requirements: <ul style="list-style-type: none"> <li>- Hydraulic leak test</li> <li>- Pressure holding test</li> <li>- Functional operation test</li> <li>- Calibration using certified proving measures</li> </ul> <b>DU Display/LCD Repair works</b>                           |          | <b>JOB</b> | 60  |                   |               |
| 1. 38 | Supply and replacement of display board (OEM-compatible) for Tatsuno GDA Model fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the display circuit, removal of the defective display board, installation of a new OEM-compatible display board, connection of all interface cables and wiring harnesses, configuration/programming (where required), functional testing of volume, amount, unit price, totalizer and status displays, and commissioning of the dispensing unit. |          | <b>JOB</b> | 5   |                   |               |
| 1. 39 | <b>DU Display/LCD Repair works</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |          | <b>JOB</b> | 3   |                   |               |
|       | Supply and replacement of display board and motherboard (OEM-compatible) for Single Nozzle Tatsuno GDA Model fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the display circuit and motherboard, removal of the defective display board or motherboard, installation of a new OEM-compatible display board or motherboard, connection of all interface cables and wiring harnesses<(>                                                                                          |          |            |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 18     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1.40  | <p>,&lt;)&gt; configuration/programming (where required), functional testing of volume, amount, unit price, totalizer and status displays, and commissioning of the dispensing unit.</p> <p><b><u>DU Display/LCD Repair works</u></b></p> <p>Supply and replacement of display panel/front display window (OEM-compatible) for Tatsuno GDA fuel dispensing units installed at designated retail outlets. The scope includes removal of the damaged, faded, or cracked display panel, installation of a new OEM-compatible display panel complete with mounting hardware, gaskets, and sealing materials, ensuring proper alignment, weatherproof sealing, and clear visibility of the electronic display.</p>      |          | <b><u>JOB</u></b> | 15  |                   |               |
| 1.41  | <p><b><u>DU Display/LCD Repair works</u></b></p> <p>Supply and replacement of display screen/display module (OEM-compatible) for Tatsuno GDA fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the display module, removal of the defective display screen, installation of a new OEM-compatible display module, connection of all interface cables, verification of display parameters, functional testing, and commissioning of the dispensing unit. The display screen shall clearly and accurately indicate the sale amount, dispensed volume, unit price, and other operational parameters without missing segments, flickering, or visibility defects.</p> |          | <b><u>JOB</u></b> | 15  |                   |               |
| 1.42  | <p><b><u>DU Display/LCD Repair works</u></b></p> <p>Supply and replacement of display stickers/graphic overlays (OEM-compatible) for Tatsuno GDA fuel dispensing units installed at designated retail outlets. The scope includes removal of the existing damaged, faded, torn, or peeled display stickers, cleaning and preparation of the mounting surface, installation of new OEM-compatible self-adhesive display stickers, proper alignment, and finishing to ensure clear identification of all display parameters.</p>                                                                                                                                                                                     |          | <b><u>JOB</u></b> | 100 |                   |               |
| 1.43  | <p><b><u>DU Keypad/Preset Repair Works</u></b></p> <p>Supply and replacement of keypad (OEM-compatible) for Tatsuno GDA fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the keypad circuit, removal of the defective</p>                                                                                                                                                                                                                                                                                                                                                                                                                                       |          | <b><u>JOB</u></b> | 75  |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 19     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1.44  | keypad assembly, installation of a new OEM-compatible keypad complete with membrane keys, interface cable, and connector, verification of all key functions, programming/configuration (where required), functional testing, and commissioning of the dispensing unit.<br><b><u>DU Keypad/Preset Repair Works</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          | <b><u>JOB</u></b> | 200 |                   |               |
| 1.45  | Supply and replacement of keypad stickers/keypad graphic overlay (OEM-compatible) for Tatsuno GDA fuel dispensing units installed at designated retail outlets. The scope includes removal of the existing damaged, faded, torn, or peeled keypad sticker, cleaning and preparation of the keypad surface, installation of a new OEM-compatible self-adhesive keypad overlay, proper alignment of all keys and legends, and functional verification to ensure smooth key operation.<br><b><u>DU Motherboard/CPU Repair Works</u></b>                                                                                                                                                                                                                                                                              |          | <b><u>JOB</u></b> | 50  |                   |               |
| 1.46  | Supply and replacement of motherboard (OEM-compatible main controller PCB) for Tatsuno GDA Twin fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the dispenser control system, removal of the defective motherboard, installation of a new OEM-compatible motherboard, connection of all wiring harnesses, interface cables, display modules, keypad, pulser, printer (where applicable), communication modules, and peripheral devices. The work also includes configuration/programming of dispenser parameters, restoration of calibration data (where applicable), functional testing of all dispensing functions, communication verification, calibration verification, and commissioning of the dispensing unit.<br><b><u>Installation of Nozzle</u></b> |          | <b><u>EA</u></b>  | 30  |                   |               |
| 1.47  | Supply and replacement of nozzle boot (OEM-compatible) for Wayne and Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes removal of the damaged or broken nozzle boot, installation of a new nozzle boot complete with mounting hardware, alignment, and functional testing to ensure proper seating, secure retention, and reliable nozzle switch operation.<br><b><u>DU Keypad/Preset Repair Works</u></b>                                                                                                                                                                                                                                                                                                                                                                 |          | <b><u>JOB</u></b> | 60  |                   |               |
|       | Supply and replacement of panel lock set (OEM-compatible) for Tatsuno fuel dispensing units installed at designated retail outlets. The scope includes removal of the defective or damaged panel lock, installation of                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |          |                   |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 20     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1. 48 | a new lock set complete with lock cylinder, cam, keys, mounting nut, washers, and all associated hardware, adjustment for smooth locking and unlocking operation, and functional testing. The contractor shall ensure that the lock provides secure access control to the dispenser cabinet and prevents unauthorized access to internal electrical and hydraulic components.<br><b><u>DU Motherboard/CPU Repair Works</u></b>                                                                                                                                                                         |          | <b><u>JOB</u></b> | 20  |                   |               |
| 1. 49 | Supply and replacement of power sequence module (OEM-compatible) for Tatsuno GDA fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the power distribution and sequencing circuit, removal of the defective power sequence module, installation of a new OEM-compatible power sequence board, termination of all electrical connections, verification of input and output voltages, sequential power-up testing of all electronic modules, functional testing, and commissioning of the dispensing unit.<br><b><u>DU Display/LCD Repair works</u></b> |          | <b><u>JOB</u></b> | 40  |                   |               |
| 1. 50 | Supply and replacement of display board (OEM-compatible) for Tatsuno Sunny XE Model fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the display circuit, removal of the defective display board, installation of a new OEM-compatible display board, connection of all interface cables and wiring harnesses, configuration/programming (where required), functional testing of volume, amount, unit price, totalizer and status displays, and commissioning of the dispensing unit.<br><b><u>DU Display/LCD Repair works</u></b>                  |          | <b><u>JOB</u></b> | 10  |                   |               |
| 1. 51 | Supply and replacement of display panel/front display window (OEM-compatible) for Tatsuno Sunny XE fuel dispensing units installed at designated retail outlets. The scope includes removal of the damaged, faded, or cracked display panel, installation of a new OEM-compatible display panel complete with mounting hardware, gaskets, and sealing materials, ensuring proper alignment, weatherproof sealing, and clear visibility of the electronic display.<br><b><u>DU Display/LCD Repair works</u></b>                                                                                         |          | <b><u>JOB</u></b> | 30  |                   |               |
|       | Supply and replacement of display screen/display module (OEM-compatible) for Tatsuno Sunny XE fuel dispensing units installed at designated                                                                                                                                                                                                                                                                                                                                                                                                                                                            |          |                   |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 21     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1.52  | <p>retail outlets. The scope includes troubleshooting of the display module, removal of the defective display screen, installation of a new OEM-compatible display module, connection of all interface cables, verification of display parameters, functional testing, and commissioning of the dispensing unit. The display screen shall clearly and accurately indicate the sale amount, dispensed volume, unit price, and other operational parameters without missing segments, flickering, or visibility defects.</p> <p><b><u>DU Display/LCD Repair works</u></b></p> <p>Supply and replacement of display stickers/graphic overlays (OEM-compatible) for Tatsuno Sunny XE fuel dispensing units installed at designated retail outlets. The scope includes removal of the existing damaged, faded, torn, or peeled display stickers, cleaning and preparation of the mounting surface, installation of new OEM-compatible self-adhesive display stickers, proper alignment, and finishing to ensure clear identification of all display parameters.</p> |          | <b><u>JOB</u></b> | 40  |                   |               |
| 1.53  | <p><b><u>DU Keypad/Preset Repair Works</u></b></p> <p>Supply and replacement of keypad (OEM-compatible) for Tatsuno Sunny XE fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the keypad circuit, removal of the defective keypad assembly, installation of a new OEM-compatible keypad complete with membrane keys, interface cable, and connector, verification of all key functions, programming/configuration (where required), functional testing, and commissioning of the dispensing unit.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          | <b><u>JOB</u></b> | 80  |                   |               |
| 1.54  | <p>40 Small Keypads and 40 Large Keypads</p> <p><b><u>DU Keypad/Preset Repair Works</u></b></p> <p>Supply and replacement of keypad stickers/keypad graphic overlay (OEM-compatible) for Tatsuno Sunny XE fuel dispensing units installed at designated retail outlets. The scope includes removal of the existing damaged, faded, torn, or peeled keypad sticker, cleaning and preparation of the keypad surface, installation of a new OEM-compatible self-adhesive keypad overlay, proper alignment of all keys and legends, and functional verification to ensure smooth key operation.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          | <b><u>JOB</u></b> | 75  |                   |               |
| 1.55  | <b><u>DU Motherboard/CPU Repair Works</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |          | <b><u>JOB</u></b> | 30  |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 22     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1.56  | Supply and replacement of motherboard (OEM-compatible main controller PCB) for Tatsuno Sunny XE Twin fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the dispenser control system, removal of the defective motherboard, installation of a new OEM-compatible motherboard, connection of all wiring harnesses, interface cables, display modules, keypad, pulser, printer (where applicable), communication modules, and peripheral devices. The work also includes configuration/programming of dispenser parameters, restoration of calibration data (where applicable), functional testing of all dispensing functions, communication verification, calibration verification, and commissioning of the dispensing unit.<br><b><u>DU Motherboard/CPU Repair Works</u></b> |          | <b><u>JOB</u></b> | 10  |                   |               |
| 1.57  | Supply and replacement of motherboard (OEM-compatible main controller PCB) for Tatsuno Sunny XE Quadro fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the dispenser control system, removal of the defective motherboard, installation of a new OEM-compatible motherboard, connection of all wiring harnesses, interface cables, display modules, keypad, pulser, printer (where applicable), communication modules, and peripheral devices. The work also includes configuration/programming of dispenser parameters, restoration of calibration data (where applicable), functional testing of all dispensing functions, communication verification, calibration verification, and commissioning of the dispensing unit.<br><b><u>DU Display/LCD Repair works</u></b>   |          | <b><u>JOB</u></b> | 20  |                   |               |
|       | Supply and replacement of neutral switch for Tatsuno Sunny XE fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the neutral switch assembly, removal of the defective switch, installation of a new OEM-compatible neutral switch, adjustment and alignment with the meter/pulser mechanism, electrical connection (where applicable), functional testing, and commissioning of the dispensing unit. The neutral switch shall accurately detect the neutral (idle) position of the dispensing mechanism to ensure proper sequencing of dispensing operations and prevent unauthorized or                                                                                                                                                                                      |          |                   |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 23     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1.58  | erroneous fuel delivery.<br><b><u>DU Display/LCD Repair works</u></b><br>Supply and replacement of panel lock set (OEM-compatible) for Tatsuno Sunny XE fuel dispensing units installed at designated retail outlets. The scope includes removal of the defective or damaged panel lock, installation of a new lock set complete with lock cylinder, cam, keys, mounting nut, washers, and all associated hardware, adjustment for smooth locking and unlocking operation, and functional testing. The contractor shall ensure that the lock provides secure access control to the dispenser cabinet and prevents unauthorized access to internal electrical and hydraulic components.                                                    |          | <b><u>JOB</u></b> | 40  |                   |               |
| 1.59  | <b><u>DU Pumping Assembly Repair Works</u></b><br>Supply and replacement of complete pumping assembly for Wayne fuel dispensing units installed at designated retail outlets. The scope includes dismantling and removal of the defective pumping assembly, installation of a new OEM-compatible pumping assembly complete with pump housing, rotor, vanes, shaft, bearings, seals, gaskets, bypass valve, check valve, and all associated internal components. The work also includes alignment with the drive motor, coupling adjustment, connection to the product pipeline, leak testing, suction and discharge pressure verification, calibration, functional testing, and commissioning of the dispensing unit.                     |          | <b><u>JOB</u></b> | 10  |                   |               |
| 1.60  | <b><u>DU Pumping Assembly Repair Works</u></b><br>Supply and replacement of complete flow meter assembly for Wayne fuel dispensing units installed at designated retail outlets. The scope includes dismantling and removal of the defective flow meter assembly, installation of a new OEM-compatible positive displacement flow meter complete with meter housing, measuring chamber, rotor/piston assembly, bearings, shaft, seals, gaskets, and associated internal components. The work also includes alignment with the pumping assembly, installation of the pulser coupling, leak testing, calibration, accuracy verification using certified calibration measures, functional testing, and commissioning of the dispensing unit. |          | <b><u>JOB</u></b> | 5   |                   |               |
| 1.61  | <b><u>DU Pumping Assembly Repair Works</u></b><br>Supply and replacement of OEM-compatible solenoid valve for Wayne fuel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |          | <b><u>JOB</u></b> | 10  |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 24     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1.62  | dispensing units installed at designated retail outlets. The scope includes troubleshooting of the solenoid valve assembly, removal of the defective solenoid valve, installation of a new complete solenoid valve assembly including solenoid coil, valve body, plunger, diaphragm, seals, and associated fittings, electrical connections, leak testing, functional testing, calibration verification, and commissioning of the dispensing unit.<br><b><u>DU Pumping Assembly Repair Works</u></b>                                                                                                                                                                                                                                                                                                          |          | <b><u>JOB</u></b> | 5   |                   |               |
| 1.63  | Supply and replacement of OEM-compatible Pulsar for Wayne fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the pulsar assembly, removal of the defective pulsar, installation of a new OEM-compatible pulsar, alignment with the flow meter assembly, electrical wiring and connector termination, programming/configuration (if required), pulse signal verification, calibration, functional testing, and commissioning of the dispensing unit.<br><b><u>DU Motherboard/CPU Repair Works</u></b>                                                                                                                                                                                                                                                         |          | <b><u>JOB</u></b> | 15  |                   |               |
| 1.64  | Supply and replacement of motherboard (OEM-compatible main controller PCB) for Wayne fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the dispenser control system, removal of the defective motherboard, installation of a new OEM-compatible motherboard, connection of all wiring harnesses, interface cables, display modules, keypad, pulser, printer (where applicable), communication modules, and peripheral devices. The work also includes configuration/programming of dispenser parameters, restoration of calibration data (where applicable), functional testing of all dispensing functions, communication verification, calibration verification, and commissioning of the dispensing unit.<br><b><u>DU Keypad/Preset Repair Works</u></b> |          | <b><u>JOB</u></b> | 40  |                   |               |
|       | Supply and replacement of keypad (OEM-compatible) for Wayne fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the keypad circuit, removal of the defective keypad assembly, installation of a new OEM-compatible keypad complete with membrane keys, interface cable, and connector, verification of all key functions, programming/configuration (where required), functional                                                                                                                                                                                                                                                                                                                                                                              |          |                   |     |                   |               |





# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 25     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1. 65 | testing, and commissioning of the dispensing unit.<br><b><u>DU Display/LCD Repair works</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |          | <b><u>JOB</u></b> | 30  |                   |               |
| 1. 66 | Supply and replacement of display board (OEM-compatible) for Wayne Model fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the display circuit, removal of the defective display board, installation of a new OEM-compatible display board, connection of all interface cables and wiring harnesses, configuration/programming (where required), functional testing of volume, amount, unit price, totalizer and status displays, and commissioning of the dispensing unit.<br><b><u>DU Motherboard/CPU Repair Works</u></b>                                                                                                                                            |          | <b><u>JOB</u></b> | 80  |                   |               |
| 1. 67 | Supply and replacement of power sequence or power supply module (OEM-compatible) for Wayne fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the power distribution and sequencing circuit, removal of the defective power sequence or power supply module, installation of a new OEM-compatible power sequence board or power supply, termination of all electrical connections, verification of input and output voltages, sequential power-up testing of all electronic modules, functional testing, and commissioning of the dispensing unit.<br>Power Supply Qty: 40<br>Power Sequence Qty: 40<br><b><u>DU Motherboard/CPU Repair Works</u></b>                    |          | <b><u>JOB</u></b> | 15  |                   |               |
| 1. 68 | Supply and replacement of neutral switch for Wayne fuel dispensing units installed at designated retail outlets. The scope includes troubleshooting of the neutral switch assembly, removal of the defective switch assembly, installation of a new OEM-compatible neutral switch assembly, adjustment and alignment with the meter/pulser mechanism, electrical connection (where applicable), functional testing, and commissioning of the dispensing unit. The neutral switch shall accurately detect the neutral (idle) position of the dispensing mechanism to ensure proper sequencing of dispensing operations and prevent unauthorized or erroneous fuel delivery.<br><b><u>DU Keypad/Preset Repair Works</u></b> |          | <b><u>JOB</u></b> | 25  |                   |               |
|       | Supply and replacement of panel lock set (OEM-compatible) for Wayne fuel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |          |                   |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 26     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Location | Unit     | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|-----|-------------------|---------------|
| 1. 69 | <p>dispensing units installed at designated retail outlets. The scope includes removal of the defective or damaged panel lock, installation of a new lock set complete with lock cylinder, cam, keys, mounting nut, washers, and all associated hardware, adjustment for smooth locking and unlocking operation, and functional testing. The contractor shall ensure that the lock provides secure access control to the dispenser cabinet and prevents unauthorized access to internal electrical and hydraulic components.</p> <p><b>"Providing, Laying G.I Suction Pipeline I</b></p> <p>Services are required for carrying out complete tank down fitting works for underground fuel storage tanks at designated retail outlets. The scope includes supply, installation, replacement, modification, and testing of all tank top and tank down fittings required for safe and efficient operation of the fuel storage system. The work includes dismantling of existing defective fittings (where applicable), installation of new OEM/API-compatible fittings, sealing of all threaded and flanged joints, pressure/leak testing, functional testing, and commissioning.</p> <p>UOM : EA</p> <p>Scope Includes (As Required)</p> <p>.,,Fill pipe and fill adaptor</p> <p>.,,Product suction pipe</p> <p>.,,Pressure line connections</p> <p>.,,Tank risers and extensions</p> <p>.,,Submersible pump (STP) fittings (where applicable)</p> <p>.,,Drop tube</p> <p>.,,Extractor/check valve</p> <p>.,,Ball valve/Gate valve</p> <p>.,,Emergency shear valve connections</p> <p>.,,Flexible connectors</p> <p>.,,Threaded fittings, nipples, sockets, unions, reducers, elbows, tees, and flanges</p> <p>.,,UPP/GI transition fittings</p> |          | <b>M</b> | 10  |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 27     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
| 1.70  | <p>„Gaskets, O-rings, PTFE thread sealant, and approved fuel-resistant sealing compounds</p> <p>„Tank manhole fittings and cover hardware</p> <p>„Pressure/vacuum testing and leak testing</p> <p>„Reinstatement and commissioning</p> <p>Minimum Technical Specifications</p> <p>„Application: Underground MS &amp; HSD Storage Tanks</p> <p>„Pipe Material Compatibility: UPP</p> <p>„Working Pressure: Up to 10 bar (145 psi)</p> <p>„Fitting Material: Galvanized Steel, Stainless Steel (SS304/SS316), Brass, or approved fuel-grade composite materials</p> <p>„Sealing Material: NBR/Viton (FKM), compatible with petroleum products</p> <p>„Corrosion Protection: Galvanized, epoxy-coated, or stainless-steel construction</p> <p>„Leak Test: Pneumatic/Hydrostatic test as applicable before commissioning</p> <p>„Compliance: Fully compliant with applicable PSO Standards, API RP 1615, PEI RP100, and OEM requirements.</p> <p><b>Civil Work</b></p> <p>Services are required for execution of civil works associated with tank down fitting activities at designated retail outlets. The scope includes careful dismantling and removal of the existing tank sump/manhole cover, RCC cutting and demolition around the tank manhole as required to facilitate tank down fitting works, excavation (where required), removal and safe handling of the tank cover, and reinstatement/reinstallation of the tank cover upon completion of the mechanical works. The job also includes restoration of the dismantled RCC, backfilling, compaction, grouting, surface finishing, disposal of surplus debris, housekeeping, and restoration of the site to its original condition. The contractor shall provide all necessary skilled manpower, tools, machinery, demolition equipment, consumables, formwork, concrete, reinforcement (where required), and all other materials and accessories necessary for successful completion of the work. The completed work shall ensure proper structural integrity, watertightness of the tank sump, and</p> |          | EA   | 5   |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 28     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
|       | <p>compliance with applicable PSO standards and engineering best practices.</p> <p>Scope Includes</p> <ul style="list-style-type: none"> <li>„Dismantling and removal of tank sump/manhole cover</li> <li>„RCC cutting and controlled demolition around the tank manhole</li> <li>„Excavation and backfilling, where required</li> <li>„Removal and reinstallation of tank cover</li> <li>„Concrete reinstatement and repair</li> <li>„Grouting and sealing of joints</li> <li>„Surface finishing to match the existing forecourt</li> <li>„Disposal of debris and complete site cleaning</li> <li>„Supply of all consumables, hardware, and incidental materials required to complete the work</li> </ul> <p>Minimum Technical Requirements</p> <ul style="list-style-type: none"> <li>„RCC cutting shall be carried out using suitable cutting equipment to avoid unnecessary damage to the surrounding structure.</li> <li>„Concrete for reinstatement shall be minimum Grade M20 (20 MPa) or equivalent to the existing structure.</li> <li>„Backfilling shall be carried out in compacted layers to prevent future settlement.</li> <li>„All exposed joints around the tank sump shall be sealed using fuel-resistant, non-shrink grout or approved sealant.</li> <li>„The restored area shall be level with the existing forecourt and free from cracks or depressions.</li> <li>„The work shall comply with applicable PSO standards, relevant civil engineering codes, and petroleum installation best practices.</li> </ul> |          |      |     |                   |               |
| 1. 71 | <p><b>SUBMERSIBLE PUMP</b></p> <p>Services are required for complete repair and restoration of Red Jacket Submersible Pump (SP) installed at designated retail outlets. The scope includes inspection and fault diagnosis of the complete pump assembly, dismantling of the SP, identification of defective mechanical and electrical components, repair or replacement of faulty parts with OEM-compatible components, reassembly of the pump, insulation resistance testing, electrical continuity testing, bearing and shaft inspection,</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          | EA   | 5   |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 29     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
|       | <p>seal replacement (where required), performance testing, flow and pressure verification, leak testing, reinstallation, alignment, commissioning, and restoration of the pump to fully operational condition. The contractor shall provide all necessary skilled manpower, tools, lifting equipment, testing instruments, consumables, and OEM-compatible spare parts required for successful completion of the work. All replaced components shall be genuine OEM or equivalent approved quality. The repaired SP shall deliver the required flow and pressure without abnormal vibration, overheating, excessive noise, or leakage, in accordance with the manufacturer's specifications and applicable PSO standards.</p> <p>Scope Includes (As Required)</p> <ul style="list-style-type: none"><li>„Fault diagnosis and troubleshooting</li><li>„Complete dismantling and reassembly of SP</li><li>„Replacement/repair of motor winding (if required)</li><li>„Replacement of bearings</li><li>„Replacement of mechanical seal and O-rings</li><li>„Replacement of impellers, diffusers, shaft, couplings, bushes, and wear rings (where required)</li><li>„Replacement of check valve and pressure regulating components (where applicable)</li><li>„Electrical cable termination and insulation testing</li><li>„Pump performance testing</li><li>„Flow and pressure verification</li><li>„Leak testing</li><li>„Commissioning and operational verification</li></ul> <p>Minimum Technical Specifications</p> <ul style="list-style-type: none"><li>„Equipment: Red Jacket Submersible Pump (SP)</li><li>„Application: Underground storage tanks for Motor Spirit (MS) and High-Speed Diesel (HSD)</li><li>„Motor Voltage: As per existing installation (typically 380#415 VAC, 3 Phase, 50 Hz)</li><li>„Flow Capacity: As per OEM model</li><li>„Operating Pressure: As per OEM specifications</li></ul> |          |      |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 30     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
| 1.72  | <p>„Insulation Resistance: Minimum 1 M# at 500 VDC (or as per OEM recommendations)</p> <p>„Replacement Parts: Genuine Red Jacket OEM or equivalent approved components</p> <p>„Testing: Insulation resistance, current balance, flow rate, discharge pressure, vibration, and leak testing</p> <p>„Compliance: All repair works shall comply with applicable PSO standards, OEM (Red Jacket) recommendations, and relevant petroleum installation safety standards.</p> <p><b>FOOT VALVES</b></p> <p>Supply and replacement of brass foot valve for underground fuel storage tanks at designated retail outlets. The scope includes retrieval and removal of the defective foot valve from the tank suction line, supply and installation of a new heavy-duty OEM-compatible brass foot valve complete with stainless steel strainer, seals, gaskets, and all associated fittings, reconnection to the suction pipeline, leak testing, functional testing, and commissioning.</p> <p>Minimum Technical Specifications</p> <p>„Type: Foot Valve with Integrated Strainer (OEM-Compatible)</p> <p>„Application: Underground MS &amp; HSD Storage Tanks</p> <p>„Material: Forged Brass Body</p> <p>„Valve Type: Spring-loaded Non-Return (Check) Valve</p> <p>„Nominal Size: 1½ inch (40 mm) or 2 inch (50 mm), as per existing suction line</p> <p>„Strainer Material: Stainless Steel (SS304/SS316)</p> <p>„Spring Material: Stainless Steel</p> <p>„Seal Material: NBR or Viton (FKM), compatible with petroleum fuels</p> <p>„Working Pressure: Minimum 10 bar (145 psi)</p> <p>„Temperature Range: -20°C to +80°C</p> <p>„Connection Type: BSP/NPT threaded or OEM-compatible</p> <p>„Features:</p> <p>o„Low pressure drop</p> <p>o„Positive sealing to prevent backflow</p> |          | EA   | 10  |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 31     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
| 1. 73 | <p>o,,Corrosion-resistant construction</p> <p>o,,Removable stainless-steel strainer for maintenance</p> <p>o,,Compliance: Suitable for petroleum products and compliant with applicable PSO standards, API, and OEM specifications.</p> <p><b>54 mm dia. UPP FUEL PIPE</b></p> <p>Services are required for the supply, installation, testing, and commissioning of Underground 50mm Pressure Pipe (UPP) pipeline from the underground storage tank to the fuel dispensing unit at designated retail outlets. The scope includes route survey, excavation, supply and laying of OEM-approved UPP, installation of electrofusion fittings, transition fittings, flexible connectors, entry boots, termination fittings, containment pipe (where specified), pressure testing, leak testing, flushing, and commissioning. The contractor shall provide all necessary materials, fittings, electrofusion equipment, testing instruments, skilled manpower, consumables, and accessories required for successful completion of the work. The installed UPP pipeline system shall provide a continuous, leak-free, corrosion-resistant fuel transfer system from the storage tank to the dispensing unit in accordance with the manufacturer's specifications, applicable PSO standards, and international petroleum installation practices.</p> <p>UOM : RFT</p> |          | M    | 400 |                   |               |
| 1. 74 | <p><b>54 mm dia. UPP FUEL PIPE</b></p> <p>UOM : RFT</p> <p>Services are required for trenching and associated civil works for the installation of Underground Pressure Pipe (UPP) from the underground storage tank to the fuel dispensing unit at designated retail outlets. The scope includes route marking, cutting of existing concrete/asphalt pavement (where required), excavation of trenches to the specified dimensions, disposal of excavated material, preparation of trench bed, laying of sand bedding, provision of Plain Cement Concrete (PCC) protection where required, placement of warning tape, backfilling with approved material in compacted layers, reinstatement of</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |          | M    | 400 |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 32     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
| 1. 75 | <p>PCC/RCC/bituminous pavement to the original condition, site dressing, and disposal of surplus material. The contractor shall provide all necessary skilled manpower, machinery, cutting equipment, excavation tools, concrete, consumables, transportation, and accessories required for successful completion of the work. The completed work shall ensure proper support and protection of the UPP system and restoration of the forecourt to its original condition in accordance with applicable PSO standards and engineering best practices.</p> <p>Minimum Technical Specifications</p> <p>.,,Application: Trenching for UPP installation at retail fuel stations</p> <p>.,,Trench Dimensions: As per approved UPP manufacturer and PSO standards</p> <p>.,,Bedding Material: Clean sand, minimum 100 mm below and above the pipeline</p> <p>.,,PCC Grade: Minimum M15 (1:2:4) or as specified by PSO, where required</p> <p>.,,Backfilling: Compacted in layers not exceeding 150 mm</p> <p>.,,Warning Tape: Fuel pipeline warning tape installed approximately 300 mm above the UPP</p> <p>.,,Surface Restoration: Finish to match the existing pavement, including RCC, PCC, pavers, or asphalt, as applicable</p> <p>.,,Compliance: Work shall comply with applicable PSO standards, PEI RP100, EN 14125, and the UPP manufacturer's installation guidelines.</p> <p>Scope Includes:-</p> <p>Route survey and marking</p> <p>Cutting of concrete/asphalt pavement (where required)</p> <p>Trench excavation to approved dimensions</p> <p>Disposal of excavated material</p> <p>Sand bedding for UPP installation</p> <p>Plain Cement Concrete (PCC) protection/encasement (where required)</p> <p>Placement of warning tape above pipeline</p> <p>Backfilling with approved material in compacted layers</p> <p>Reinstatement of PCC/RCC/bituminous pavement</p> <p>Site cleaning and disposal of debris</p> <p>Restoration of the forecourt to its original condition</p> <p><b>Annual Contract of Electronic Dus</b></p> |          | EA   | 80  |                   |               |





# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 33     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
|       | <p>Maintenance of Gilbarco/Tokheim/Censtar/other make (Single / Twin / Quadro DUs) installed in PSO Central Region (LHR, FSD, GJW, MUL, SWL and BWP).<br/>The purpose of this contract is that on behalf of PSO, vendor will ensure all types of Gilbarco/Tokheim/Censtar/other make DUs installed in the divisions mentioned above are rendering the services in perfect running condition at all times through proper, regular, and timely preventive/schedule and breakdown maintenance activities.</p> <p>Here EA=no. of (Single/Twin DUs)<br/>Note :<br/>-Billing shall be done on fixed monthly rates irrespective of number of breakdown, preventive or other visits i.e fixed rate per DU per month on the basis of number of DUs maintained in particular division for the scope defined here and other terms of contract provided in detail below.<br/>-Vendor to submit division-wise monthly bills and payment will be made on actual number of DUs maintained and duly verified by PSO's Divisional Engineer.</p> <p>SCOPE OF WORK<br/>-Preventive Maintenance as per OEM recommendation, and it must be ensured that all DUs are inspected at least once in three months time for this scheduled Maintenance activity .<br/>-The scope of breakdown maintenance (complaint handling) comprises of defect investigation and rectification i.e all kind of Labor Services for maintenance and repairs/replacement of all parts , assemblies, sub-assemblies and all mechanical and electronic parts including computer/display boards and power supplies, cabling~ filters etc.<br/>This is INCLUSIVE of replacement of all components as listed below<br/>"&lt;(&gt;,&lt;)&gt;Hose pipes (Short &amp; Long)&lt;(&gt;,&lt;)&gt;<br/>"&lt;(&gt;,&lt;)&gt;Swivel&lt;(&gt;,&lt;)&gt;</p> |          |      |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 34     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Location | Unit     | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|-----|-------------------|---------------|
|       | "<(>,<)>Nozzle & scarf<(>,<)><br>"<(>,<)>Key pad Stickers<(>,<)><br>"<(>,<)>Spouts<(>,<)><br>"<(>,<)>Belts<(>,<)><br>"<(>,<)>Fuses<br>"<(>,<)>Display Stickers<br>"<(>,<)>Display Board<br>NEW-PAGE<br>"<(>,<)>Keypad<br>"<(>,<)>Pumping Unit<br>"<(>,<)>Flow meter<br>"<(>,<)>Motherboard<br>"<(>,<)>Display Screen<br>"<(>,<)>Power Supply<br>"<(>,<)>Power Sequence<br>"<(>,<)>Neutral Switch Assmbly<br>"<(>,<)>Panel Locks<br>"<(>,<)>Any other items<br>-These items are covered in fixed monthly rates and shall<br>NOT be paid separately (both in Preventive and breakdown jobs) except in<br>accident/complete refurbishment cases. (All parts should be<br>replaced with new components, where required as per condition of DU and<br>instructions by PSO Engineer ).<br>-It is the responsibility of vendor to timely<br>manage the maintenance requirement from the inventory of spares<br>maintained in Division-wise stores.<br>-Defective parts of DUs are to be replaced with new parts<br>only.<br>-Scope also includes external & internal cleaning of<br>dispensing units as per the requirement or instructions of the concerned<br>Divisional Engineer. |          |          |     |                   |               |
| 1. 76 | <b>54 mm dia. UPP FUEL PIPE</b><br>Services are required for the supply, installation, alignment, and<br>testing of UPP sockets for Underground Pressure Pipe (UPP) systems at                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          | <b>M</b> | 5   |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 35     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(><)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Location | Unit              | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|-----|-------------------|---------------|
| 1.77  | <p>designated retail outlets. The scope includes preparation of pipe ends, installation of OEM-approved electrofusion sockets/couplers, alignment of UPP pipelines to ensure proper joint integrity, electrofusion welding using approved equipment, cooling and inspection of welded joints, pressure/leak testing, and commissioning. The contractor shall provide all necessary OEM-compatible sockets, fittings, alignment tools, electrofusion equipment, testing instruments, skilled manpower, consumables, and accessories required for successful completion of the work. All joints shall be installed in accordance with the UPP manufacturer's installation procedures to ensure a leak-free, mechanically sound, and permanently sealed pipeline system.</p> <p>UOM : JOB</p> <p><b><u>Installation, Testing &amp; Commissioning</u></b></p> <p>Services are required for the supply, installation, testing, and commissioning of tank vent pipe(s) for underground fuel storage tanks at designated retail outlets. The scope includes complete installation of the vent pipe from the tank vent connection up to a minimum height of 12 feet (3.66 m) above finished floor level, including all necessary civil &lt;(&gt;&lt;)&gt; mechanical, and fabrication works. The work includes excavation (where required), core cutting, pipe supports, foundation, grouting, clamps &lt;(&gt;&lt;)&gt; brackets, connection to the tank vent, installation of weatherproof vent cap/flare arrestor, painting, corrosion protection, testing, and commissioning. The contractor shall provide all materials, fittings &lt;(&gt;&lt;)&gt; valves (where applicable), flanges, threaded fittings, supports, anchor bolts, concrete works, consumables, skilled manpower, tools, lifting equipment, and accessories required for successful completion of the work. The installed vent system shall be leak-free, structurally stable &lt;(&gt;&lt;)&gt; and capable of safely venting fuel vapours in accordance with applicable PSO standards, OEM recommendations, and international petroleum installation practices.</p> |          | <b><u>JOB</u></b> | 5   |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 36     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
|       | <p>Scope Includes</p> <ul style="list-style-type: none"><li>„Supply and installation of vent pipe</li><li>„Connection with underground storage tank</li><li>„Fabrication and installation of pipe supports and clamps</li><li>„RCC/PCC foundation for supports (where required)</li><li>„Core cutting, excavation, and reinstatement of civil works</li><li>„Flanges, unions, elbows, reducers, nipples, sockets, and threaded fittings</li><li>„Vent cap with stainless steel insect screen</li><li>„Flame arrestor (where specified by PSO)</li><li>„Corrosion protection, primer, and final paint</li><li>„Grouting and sealing</li><li>„Leak testing and commissioning</li><li>„Site restoration and housekeeping</li></ul> <p>Minimum Technical Specifications</p> <ul style="list-style-type: none"><li>„Application: Underground Motor Spirit (MS) &amp; High-Speed Diesel (HSD)</li></ul> <p>Storage Tanks</p> <ul style="list-style-type: none"><li>„Vent Pipe Material: Heavy-duty GI Class 'C' (Medium/Heavy Duty) or Schedule 40 Carbon Steel, as approved by PSO</li><li>„Nominal Pipe Size: 2 inch (50 mm) or as per tank manufacturer's recommendation</li><li>„Vent Pipe Height: Minimum 12 ft (3.66 m) above finished forecourt level or as per latest PSO standard</li><li>„Vent Cap: Weatherproof mushroom-type vent cap with SS304 insect screen</li><li>„Flame Arrestor: Deflagration-type flame arrestor suitable for petroleum vapours (where required)</li><li>„Supports: Hot-dip galvanized MS supports with anchor fasteners</li><li>„Protective Coating: One coat anti-corrosive primer and two coats of approved weather-resistant paint</li><li>„Testing: Leak test and functional verification after installation</li><li>„Compliance: Installation shall comply with applicable PSO standards</li></ul> <p>&lt;(&gt;&amp;&lt;)&gt;</p> <p>API RP 2003, NFPA 30, and relevant petroleum installation codes and best</p> |          |      |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 37     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
|       | <p>engineering practices.</p> <p>TERMS AND CONDITIONS</p> <p>1.#All Govt. taxes and transportation charges are included in price.</p> <p>2.# "The contractor shall provide qualified and experienced technicians(Minimum 03 years relevant proven experience) for all repairs/maintenance activities. The contractor will ensure that all his personnel / technicians are equipped with suitable vehicles to enable expeditious and efficient response at any urban or rural including remotely located PSO Retail outlet.</p> <p>Each team must have at least one Latest smart phone for ease of communications with Customer/Dealers &amp; PSO personnel." The same may be utilized in PSO's upcoming Complaint handling app/weblink for DU Maintenance activity.</p> <p>3.# Contractor is bound to provide uniforms and all necessary PPEs (i.e. Electrical gloves, Safety shoes, helmets&lt;(&gt;&amp;&lt;)&gt;(&gt;,&lt;(&gt;&amp;&lt;)&gt;)&gt; Goggles &lt;(&gt;,&lt;)&gt;</p> <p>Welding shield, and others) to the staff working at any location.</p> <p>4.# "Maintenance team of contractors shall consist of one Supervisor i.e DAE from relevant discipline (Mechanical/Electrical/ Electronics), one mechanic and one licensed electrician(all to have Minimum 03 years relevant proven experience)</p> <p>-Contractor shall ensure availability of sufficient Mobile Vans in excellent working condition in each area/ city having 40 or more DUs in his responsibility for repair / maintenance." One Mobile Van per maximum of 100 DUs in each of PSO's 6 Division.</p> <p>5.# "Repair / Maintenance team of contractor, when proceeding to a PSO Retail outlet for repair /maintenance activity, shall carry with them &lt;(&gt;,&lt;)&gt;</p> <p>in a mobile van / vehicle commonly required and essential assemblies, sub-assemblies, spare parts and consumable items &lt;(&gt;,&lt;)&gt;</p> |          |      |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 38     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
|       | <p>all necessary test equipment and tools and fixtures to ensure smooth and speedy repair / maintenance work.</p> <p>6.# Where No. of Nozzles not specified in the above item list, concerned Divisional Engineer will specify the dispensing unit details.</p> <p>7.# Contractor will ensure adequate stocks/ inventory (at least 5% of total DU population) of original assemblies, sub-assemblies, computer boards, display boards, preset board and other spare parts in each of PSO's 6 Divisions across Central Region for replacement of defective / used items during repair / maintenance activities of DUs. Contractor will ensure regular replenishment of used inventory and effective disposal / destruction of used / defective parts with the permission of Divisional Engineer to render them non-reusable.</p> <p>8.# Non availability of a requisite computer boards, displays, preset panels, assembly &amp; sub assembly parts, other consumable items, tools and fixtures shall not in any manner, exonerate the contractor from any of his responsibilities or from any penalties / deductions as may be applicable under these special terms and conditions."</p> <p>A penalty of maximum of 5% of total payable amount of monthly invoice of that particular division may be imposed for non- compliance of inventory management requirement.</p> <p>COMPLAINTS HANDLING:-</p> <p>1- Contractor and his representative / technicians shall respond, on emergency basis to all complaints for Dispensing Unit defects, whether intimated or initiated by the Dealers or his representative or by PSO staff intimated through Ta'aluq/CMMS App/Weblink/emails/SMS&lt;(&gt;,&lt;)&gt; telephone, or in writing. All complaints shall be categorized as detailed in Clause 7.1 along with list provided in Annexure-I attached.</p> <p>2- Penalty in accordance with Clause 7.1 shall be imposed on the Contractor and deducted from his monthly bill, if the aforementioned period for defect rectification is exceeded, the verification of which may be made from the rectification date &amp; time on MRR and/or the date</p> |          |      |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 39     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
|       | <p>&lt;(&gt;&amp;&lt;)&gt;</p> <p>time of close of complaint by the contractor to PSO Ta'aluq Care line/weblink etc. as per clause 5.7. Provided that, in his discretion&lt;(&gt;&amp;&lt;)&gt;, &lt;(&gt;&amp;&lt;)&gt;</p> <p>the DGM R/Facilities may, on a case to case basis allow an extension in writing, if the contractor cites special/extra ordinary circumstances/difficulties. The contractor will ensure that in case a part can't be repaired at the site, a replacement part should be provided, within the time period, as mentioned above, enabling the DU to become operational.</p> <p>3- The contractor shall provide 06 monthly reports to PSO office about the status of all DUs under his responsibility and control under this contract/work order. The report shall be supported with:</p> <p>a) Date-wise(PSO asset number wise) details of breakdown repair/replacement work carried out and parts replaced on each DU.</p> <p>b) It shall also indicate those DUs, which the contractor, in his expert opinion, considers beyond economical repair (BER)."</p> <p>c) Further, this report should also include date-wise Preventive Maintenance carried out for each refurbished DU in the division.</p> <p>4- "The Contractor shall ensure that all PSO equipment are handled with due care and original approved tools are used by the Contractors staff during maintenance repair jobs/activities. Any damage to Dealers/PSO equipment caused by Contractor's staff shall be immediately repaired at Contractor's cost. PSO reserves the right and sole discretion to have such damage repaired at Contractors cost and risk.</p> <p>5- "All PSO management officials, engineers/representatives shall have undisputed and uninterrupted access to Contractors workshops, stores or any other place, where the company's equipment are under repair or where stocks of spare parts for DUs are held for the purpose of checking, verification of inventory as per the requirement."</p> <p>6- "If any equipment, assembly, sub-assembly etc. cannot be repaired&lt;(&gt;&amp;&lt;)&gt;, &lt;(&gt;&amp;&lt;)&gt;</p> |          |      |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 40     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
|       | <p>the contractors will replace the defective equipment. Contractor will ensure that new parts will be used by his personnel for replacement in all DUs. # (Cost of Consumables included in the contract, whereas other parts to be charged separately).</p> <p>7- "The Contractor will maintain a computerized complaint register&lt;(&gt;,&lt;)&gt; giving therein details of all breakdown/preventive activities carried out, including outlet name, date, time and details of parts replaced/ repaired. After attending the complaints contractor will immediately inform to CMMS toll free number 0800-03000 (Ta'aluq Care line)/update the closure activity in relevant app/Weblink with reference to complaint Number. Acknowledged copy of his relevant documents/complaint address form shall be submitted to Divisional office through email the same day, and also to be submitted along with monthly invoice. The close of complaint is the prime responsibility of contractor, failure to which the Penalty in accordance with clause 7.1 may be imposed. Contractor's false closing of complains on Ta'aluq is a serious offence and amounts to a deceitful practice and PSO reserves right to take strict action against such practices beside imposing penalty as per clause 7.2.</p> <p>Note: Contractor is required to maintain proper setup to manage PSO's upcoming/upgraded webbased complaint handlining system to efficiently handle the customer complaints, which includes necessary functions from complaint recording till final closure.</p> <p><b>SECURITY DEPOSIT:-</b><br/>As per PSO terms defined separately in relevant commercial terms.</p> <p><b>TAT -DEDUCTIONS &amp; PENALTIES ON CMMS COMPLAINTS</b><br/>1- "A late execution Penalty shall be imposed on the contractor at the rate of Rs.2000/-per day or part of the day, whichever is applicable for each unresolved complaint.<br/>Broadly defining, the TAT for each type of complaints are categorized</p> |          |      |     |                   |               |





# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 41     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
|       | <p>below and as per list attached as Annexure-I:</p> <p>A) 12/24 Hrs B) 48 Hrs C) 12 Hrs</p> <p># including Holidays/Gazette Holidays</p> <p>a) TAT Category-A: TAT of *12/**24 hours: In such cases, penalty for late attending of complaints shall be imposed for each day or part of a day complaint is unresolved after passing TAT. This category is generally applicable on major complaints requiring immediate action or where a DU remains non-operational. A list of such complaints is provided in Annexure -I, however, such type of complaints are not limited to the ones provided in the list only.</p> <p>GEOGRAPHICAL CATEGORIZATION:-</p> <p>*URBAN (within a radius of 30Km of a major city)</p> <p>**RURAL (outside radius of 30Km of a major city)</p> <p>***List of outlets falling in Urban/Rural areas shall be provided by respective Divisions.</p> <p>b) TAT Category-B &lt;(&gt;&amp;&lt;)&gt;C: TAT of 48 hrs/120 hrs: In such cases&lt;(&gt;&amp;&lt;)&gt; penalty for late attending of complaints shall be imposed for each day complaint is unresolved after passing TAT. This category is generally applicable on moderate to minor nature complaints &lt;(&gt;&amp;&lt;)&gt; where DU is in operation and not impacting operating capability/nozzle. A list of such complaints is provided in Annexure -I, however, such type of complaints are not limited to the ones provided in list only.</p> <p>Note: Penalty shall be calculated based on CMMS complaint register/ /weblink/App. Further, in case of non-addressing of complaint by the contractor, PSO reserves the right to carry out the works at the risk and cost of contractor on single notice(after passing TAT). All such payments shall be deducted from the monthly bills of the contractor.</p> <p>2- "Additional penalty of Rs.100,000/- shall be imposed on the contractor for false (unattended) closing of complains, beside taking</p> |          |      |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 42     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
|       | <p>stern action as per clause no: 10.1 on such repetitive acts by the vendor.</p> <p>3- "If the planned maintenance(Preventive) schedule for a refurbished DU has not been carried out for any 3 months period, then the payment for those 3 months breakdown, as well as preventive for that particular DU will be deducted from the contractor 's bill. Such deduction may be from the contractor 's bill for same quarter or in any subsequent quarter."</p> <p>4- "The above penalty clause may be waived for delay due to Force Majeure conditions and strikes, which may directly affect the Contractor's ability to perform his responsibilities under this contract".</p> <p>5 The contractor must follow all HSE guidelines of PSO. They must also abide by any other safety &amp; security related instructions / notifications issued by the company from time to time. Contractor will be responsible to ensure usage of good quality PPEs (i.e Safety Shoes&lt;(&gt; ,&lt;)&gt; Gloves, Helmets, Googles&lt;(&gt;,&lt;)&gt; Safety harness, etc) during execution of work.</p> <p>In case of HSE violation, deduction of 25% of the monthly billed amount of that division shall be deducted from contractor's bill. -On repetitive non-compliance/violation of HSE instructions, PSO reserves the right to terminate the contract by giving three warning letters/notices as stipulated in clause no: 10.1.</p> <p>CONTRACTOR'S BILLS (lump sum)</p> <p>1- Contractor shall be remunerated for all repairs and maintenance jobs on fixed rates stipulated in the work order i.e #per dispensing units per month basis##. Such remuneration includes all cost of the contractor to properly and efficiently carry out his maintenance / repair responsibilities in the divisions.</p> <p>2- Contractor will submit consolidated bills for all DUs located in</p> |          |      |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 43     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
|       | <p>respective division awarded to the Contractor as per work order. The bills should be submitted on monthly basis.</p> <p>3- Equipment Repair Report (MRR) is to be submitted by the contractor to the Divisional Engineers for all maintenance carried out at the Retail Outlets in their respective areas. (i.e Monthly bills should include attachments for both Preventive and Breakdown repairs conducted on the DUs).</p> <p>4- Approval of contractor's bill is subject to provision of complete documentary requirements as stated in the contract and other commercial requirements. (Including PSO's Bill processing checklist)</p> <p>5- "Payment against contractor's bills will be subject to the deduction of taxes and penalties where applicable. PSO will make every effort to ensure payment is made to contractor within 30 days starting from the date of bills submission, which is complete in all respect i.e provided with all necessary technical and commercial documentation requirements necessary for verification by Divisional Engineers / Department and Accounts sections.</p> <p>GENERAL PROVISIONS</p> <p>-Federal, Provincial, Local Taxes, duties will be borne by the Contractor.</p> <p>TERMINATION:-</p> <p>1: This contract may be terminated by the owner/PSO at any time due to unsatisfactory performance or lack of adequate facilities or for other reasons, by which the OEM local partner/contractor renders poor services, provided that the PSO will serve at least 3 notices of poor performance to the OEM local partner/contractor and copy of same will be served to OEM. In such a case, the security deposit shall be forfeited as per clause 6.0 above. In case of termination of contract with OEM local partner/contractor by PSO due to non-performance, the OEM will be responsible to arrange alternate representative/contractor for maintenance of DU's.</p> <p>2 Notice will be deemed to have been served if delivered through reliable courier services and/or through email.</p> |          |      |     |                   |               |



# Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan  
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

|        |            |    |
|--------|------------|----|
| 44     | OF         | 44 |
| RFQ No | RFA4923AA  |    |
| DATE   | 24.08.2026 |    |

## REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100017954

Company PSO Dummy Vendor  
PAKISTAN

### QUOTATION REQUIRED

ON  
(Date)

09.09.2026

BY  
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. \_\_\_\_\_ EARNEST MONEY %  
PO/DD NO. \_\_\_\_\_

**Title:** ANNUAL CONTRACT FOR MAINTENANCE <(>&<)> REPAIR OF ELECTRONIC FUEL DISPENSING UNITS  
ACROSS CENTRAL ZONE

| S.No. | Description/Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Location | Unit | Qty | Unit Price<br>Rs. | Amount<br>Rs. |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|-------------------|---------------|
|       | <p>3 In case the OEM changes its local representative, the contract with local contractor will be terminated. Accordingly contract with new contractor will be established.</p> <p>INDEMNITY<br/>The Contractor shall, indemnify and keep PSO / Owner, its employees and agents safe and harmless against all claims, damage, compensation and expenses arising out of the performance or non performance of contractual obligations by the Contractor under this Contract.</p> |          |      |     |                   |               |