



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

1	OF	*
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
1	<u>Tower Logo with Housing and White ACM</u> Supply & Installation of Monolith Towers in South Zone (Karachi, Hyderabad, Sukkur & Quetta Division). The Scope of Supply and Installation consists of following: - Supply and installation of 15 New Monolith Towers (ACM) complete in all respects. - Refurbishment of existing Fiberglass Monolith Towers. - Removal, shifting/transportation and installation of existing fiberglass monolith towers (refurbished) to the proposed sites. ----- Supply & Installation of ACM (Aluminum Composite Material) 4mm thick WHITE Color (Pantone # 11-0601 TPX RAL 9010) for top logo portion size (6'-6" X 6'-6" approx.) both sides of Tower as per details/drawing provided. Job includes complete cutting, bending and routing of white ACM. Job also includes 1"x1"x18swg pipe to reinforce ACM panel Supply of PSO Logo with Fiberglass Housing Supply & Installation of 5' dia Monolith Logo of Monolith Tower. The frame should be made with Fabrication of MS Tabular Frame of 1" square pipe 18-gauge size, angle 1"x1"x1/4" as per requirement and fixing with approved Translucent Vinyls/3M / Avery along with flexible substrate (AV1/ 3M Envision FS-1 or equivalent) as per approved design and color scheme as per following references: Avery 5500-763 Blue/3M VT 1986 Blue Avery 5504 Yellow/3M 3630-015 Yellow Avery 5560 Green/3M 3630-156 Green Logo to be placed in the center of the ACM panel and fiberglass housing to be fixed with ACM with the support of required Pipe frame and silicon as per drawing complete in all respect. Backlit illumination with minimum 90 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge.	PSO House	EA	15		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

2	OF	*
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
2	Note: Payment will be made for the complete job (per unit cost is for both sides of tower) <u>Monolith Tower Steel Structure</u> a. Supply & Installation of Steel Structure Supply, fabrication, welding of Steel Structure members for monolith Tower as per drawing # 219-10-STRL-DTL-001 and requirement in accordance with approved drawings including all angles, plates, trusses, columns, stiffeners, studs and all other steel sections etc. shall confirm ASTM A-36 and BS-15 steel. Job includes Painting of complete internal steel structure of Monolith tower. Scope of work includes providing and applying 02 coats (Minimum DFT of 50 Microns) of White/Grey enamel paint of approved make, color and shade over two coats (Minimum DFT of 50 Microns) of red lead Primer/Red Oxide of approved make after earlier preparation of surface by mechanical cleaning and scraping by using non-ferrous tools to remove rust/ scale complete in all respect at any height/length before applying of Paint. In case, further detailing is required, vendor shall provide it without any additional cost. b. Services for ACM Cladding of Tower This job includes the following scope but not limited to: Cladding of steel structure with ACM and all required mechanical and electrical works complete in all respect. Approx size of finished Monolith Tower is 25'X 6.5' as per drawings attached. Services for transportation, installation, cutting, routing and bending of ACM (Green + White) as per requirement. Job includes cladding of White and Green ACM top to bottom, both sided with sides with use of additional Steel/Aluminum structure as per requirement according to the new ACM wrapping. Job also includes providing and installation of pipe frame of size 1" X 1" square pipe 18 gauge in required length for fixing of ACM White ACM will be used for cladding of top logo portion of size (6'-6" X 6'-6"") approximately. Green ACM will be used for cladding of rest of the tower as per approved design/requirements. Green ACM 3mm thick will be provided by PSO. In case of CoCo Site, White ACM with vinyl pasting of Blue color will be used for cladding of "Company Operated" Panel will be added. Job also includes complete square Pipe frame of 18 Gauge 1" x1", supports of all	<u>PSO House</u>	<u>EA</u>	15		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

3	OF	*
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
3	corners according to the drawing to strengthen the Square ACM. Job also includes Painting of steel structure being used for ACM bending and cladding including application of 02 coats (Minimum DFT of 50 Microns) of White enamel paint of approved make, color and shade over two coats (Minimum DFT of 50 Microns) of red lead Primer/Red Oxide of approved make after earlier preparation of surface by mechanical cleaning and scraping by using non-ferrous tools to remove rust/ scale complete in all respect at any length before applying of Paint. All panels should be easily removable for maintenance purposes without disturbing the adjacent panels. Gap between the two panels is 1" as shown in the drawing. However, arrangement to be made for the installation of Green LED strip as hidden lights for top to down illumination inside the groove without any physical visibility of LED strips. c. Services for Transportation & installation of complete new Monolith Tower unit (ACM) This job includes the transportation and installation of complete new monolith tower unit (ACM) at site complete in all respect as per site requirement and as directed by Engineer Incharge. Note: Payment will be made for the complete job. <u>Tower Company Operated Letter with ACM</u> <u>PSO House</u> <u>FA</u> a. Supply & Installation of ACM Panel for "Company Operated" Supply of ACM (Aluminum Composite Material) 4mm thick in WHITE Color with vinyl pasting of Blue color (Avery - 5500-763 / 3M - VT 1986) for top "Company Operated" portion size (6'-6" X 20" approx.) of tower as per details/drawing provided. Job includes complete cutting, bending and routing of white ACM. Job also includes 1"x1"x18swg pipe to reinforce ACM panel b. Supply & Installation of Yellow Text "Company Operated" Supply of Text "COMPANY OPERATED" in translucent White Acrylic letters 3-4mm thick min. 12mm extruded/embossed in approved size and font with vinyl pasting of Yellow color(Avery - 5504 /3M - 3630-015). Each individual letter will be laser cut.			1		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

4	OF	*
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
4	Backlit illumination with minimum 30 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: - This item is only for CoCo Sites. - Payment will be made for the complete job (per unit cost is for both sides of tower) <u>Tower Acrylic Product Name Plates</u> a. Supply & Installation of translucent White Acrylic sheets 3-4mm thick min. 12mm extruded/embossed with vinyl pasting for following Product Names as per the artwork provided: 1- Octane + 2- Premier 3- Hi-Cetane Electronically cutting and pasting of approved translucent vinyl of 3M/Avery/equivalent or acrylic moulding of product plate and pasting of vinyl of 3M/ Avery/approved as per the approved design in PSO's approved colors for the required services name on Monolith Individual Panel complete in all respect. Clear Acrylic Sheet 3 or 4 mm thick with required shape and size and relevant adhesive material /silicon will be used for support at the back for fixing the product plates. Backlit illumination with minimum 24 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. b. Services for installation of Price Display Unit (PDU) along with complete wiring and connections as per requirement. - Price display units will be provided by PSO. Note: Payment will be made for each product category of both sides (per unit cost is for both sides of tower)	PSO House	EA	45		
5	<u>Monolith Tower Acrylic Shop Stop Plates</u>	PSO House	EA	12		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

5	OF	*
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
6	Supply & Installation of translucent White Acrylic sheets 3-4mm thick min. 12mm extruded/embossed with vinyl pasting for "Shop Stop" as per the artwork provided. Plotter cutting and pasting of approved translucent vinyl of 3M/Avery/equivalent as per the approved design in PSO's approved colors for the required services name on Monolith Individual Panel complete in all respect Clear Acrylic Sheet 3 mm thick with required shape and size and relevant adhesive material / silicon will be used for support at the back for fixing the shop stop plates. Backlit illumination with minimum 28 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for the complete job (per unit cost is for both sides of tower) <u>Tower Acrylic Cutout Allied Letters</u> Supply & Installation of following Text in translucent White Acrylic letters 3-4mm thick min. 12mm extruded/embossed in approved size and font: - Cards - Lubricants Each individual letter will be laser cut. Backlit illumination with minimum 20 (for Cards), 24 (for Lubricant) LED* Modules for maximum glow and Power Supply as per requirement / details provided. Font for Cards & Lubricants: "Arial Bold" Note: Any additional text as per site requirement may also be added. However, sequencing will be made in accordance with approved pattern. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for each category (per unit cost is for both sides of tower)	PSO House	EA	30		
7	<u>Monolith Tower Acrylic Brand Symbols</u> Supply & Installation of translucent White Acrylic sheets 3-4mm thick min. 12mm extruded/embossed with vinyl pasting for "Brand Symbols" as per the artwork	PSO House	EA	90		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

6	OF	*
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
8	provided for each brand symbol. Plotter cutting and pasting of approved translucent vinyl of 3M/Avery/equivalent as per the approved design in PSO's approved colors for the required brand symbols on Monolith one or more Panels complete in all respect. Clear Acrylic Sheet 3 mm thick with required shape and size and relevant adhesive material / silicon will be used for support at the back for fixing the Brand Symbols. Backlit illumination with minimum 9 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for each brand category (per unit cost is for both sides of tower) <u>Monolith Tower Green LED Strips</u> Supply & Installation of LED module for alternate space/groove between the two panels of ACM starting from space/groove just below the last product plate with following specs: Color Temperature: White Color IP Rating: IP 65 or above Warranty: 03 Years Replacement Certification: CE/UL/IEC approved or equivalent The LED to be installed in transparent foamic tube with Green vinyl. Note: Payment will be made for each row of LED Strips on both sides (per unit cost is for both sides of tower)	<u>PSO House</u>	<u>EA</u>	60		
9	<u>Tower Acrylic Cutout Vibe Letter</u> Supply & Installation of following Text in translucent White Acrylic letters 3-4mm thick min. 12mm extruded/embossed in approved size and font: VIBE (As per requirement) Each individual letter will be laser cut. Backlit illumination with minimum 28 (for VIBE) LED* Modules for maximum glow and Power Supply as per requirement / details provided. Font for VIBE: As per artwork provided by PSO Sequencing will be made in accordance with approved pattern.	<u>PSO House</u>	<u>EA</u>	1		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

7	OF	*
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
10	This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for the complete job (per unit cost is for both sides of tower) <u>Tower Acrylic Cutout Autocare Letter</u> PSO House EA Supply & Installation of following Text in translucent White Acrylic letters 3-4mm thick min. 12mm extruded/embossed in approved size and font: AutoCare (as per requirement) Each individual letter will be laser cut. Backlit illumination with minimum 32 (for AutoCare) LED* Modules for maximum glow and Power Supply as per requirement / details provided. Font for AutoCare: As per artwork provided by PSO Sequencing will be made in accordance with approved pattern. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	PSO House	EA	1		
11	<u>Retroreflecting Coating Fibreglass Tower</u> PSO House EA Supply and installation of retroreflective coating in both sides of monolith tower with Avery T-6500 (Prismatic grade / HIP / approved equivalent both sides of the tower with grey colour) - 5 years of warranty shall be provided for colour fading, adhesiveness and resistance to any sort of damages due to scratching. - This includes Scrapping, cleaning and applying of retroreflective coating. Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	PSO House	EA	8		
12	<u>Tower Retroreflecting Allied Stickers</u> PSO House EA Supply/Provision and installation of Retro Reflective letters 3M/Avery/ approved equivalent Diamond Grade material of approved (Yellow) color for Tower protected with Antigraffiti film for following texts as per requirement: -PSO Cards -ATM	PSO House	EA	48		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

8	OF	*
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
13	-Shop Stop -Car Wash -Tyre Shop -24 Hours -Any other Note: Payment will be made for the each category (per unit cost is for both sides of tower) <u>Fibreglass Tower Monolith Logo (w.Frame)</u> PSO House EA Supply/Provision and installation of 5' dia Monolith Logo with frame (double sided). The frame should be made with Fabrication of Steel Tubular Frame and fixing with 3M (Envision Flex FS-1 and approved Translucent Vinyls)/Avery (AV1 fixing with approved Translucent vinyls)/ approved Equivalent as per the approved design and colour schemes. The framing should allow the access for tube lights maintenance. Supply/Provision and installation Graphic construction for monolith Logo will be vinyl film (3M VT 1986, 3630-156, 3630-015 / AVERY CC. 5500-763 Blue, 5504, 5560)/Equivalent on flexible substrate (3M Envision Flex 1 (FS-1)/ AVERY AV1 FLEX/Equivalent) Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	PSO House	EA	8		
14	<u>Fibreglass Tower Monolith Logo (Housing)</u> PSO House EA Supply/Provision of 1/8" (inch) thick Fiber Glass (BASF resin and owen Corning or equivalent imported fiber matt) is to be used on all exposed sides, which shall be of smooth finish as shown in drawing. Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	PSO House	EA	8		
15	<u>LED Tube Rods Fibreglass Tower</u> PSO House EA Supply/Provision and installation of approved LED Tube rods (14 Watt) shall be provided to illuminate Logo Panel and Product/Price display panel as per requirement, complete with internal wiring (if required) with PSOs approved brand.	PSO House	EA	56		
16	<u>Fiberglass Tower Panel (42 inches)</u> PSO House EA	PSO House	EA	8		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

9	OF	*
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
17	Supply/Provision and installation of 3mm fiber glass panel of 38-42 inches as per drawing with all fixtures as per site requirement complete in all respects and to the entire satisfaction of Engineer Incharge. Note: Payment will be made for the single side. <u>Fiberglass Tower Panel (20.5 inches)</u>	<u>PSO House</u>	<u>EA</u>	8		
18	Supply/Provision and installation of 3mm fiber glass panel of 20.5 inches as per drawing with all fixtures as per site requirement complete in all respects and to the entire satisfaction of Engineer Incharge. Note: Payment will be made for the single side. <u>Fiberglass Tower Panel (12 inches)</u>	<u>PSO House</u>	<u>EA</u>	8		
19	Supply/Provision and installation of 3mm fiber glass panel of 12 inches as per drawing with all fixtures as per site requirement complete in all respects and to the entire satisfaction of Engineer Incharge. Note: Payment will be made for the single side. <u>Product Plate Fibreglass Tower</u>	<u>PSO House</u>	<u>EA</u>	16		
	S/I of Product Plates as per requirement. Providing 3mm Acrylic Sheet Pasting of Translucent vinyl i.e 3630 VT 1986, 3630-015, 3630-156 in PSO approved Colour Electronically cutting and pasting of approved translucent vinyl of 3M/Avery/equivalent as per the approved design in PSO's approved colors for the required services. Product plates of following products. 1- Octane + 2- Premier 3- Hi-Cetane Note: Payment will be made for each category for both side (per unit cost is for both sides of tower).					
20	<u>Rate Digits Fibreglass Tower</u>	<u>PSO House</u>	<u>EA</u>	4		
	Supply of Rate Digits Set (0 to 9), 3mm Acrylic Sheet Pasting of Translucent Vinyl, 3635-22B 1 Set include: 0 - 9 No.					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

10	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
21	1 - 9 No. 2 - 9 No. 3 - 9 No. 4 - 9 No. 5 - 9 No. 7 - 9 No. 8 - 9 No. 9 - 9 No. Note: Payment will be made for complete set of tower <u>Fibreglass Tower Panel Paint</u> PSO House EA 1 Scrapping, cleaning and applying two coats of spray paint of ICI / Berger or equivalent, on Monolith tower's fiber grey panels and white head panel ICI, Berger or equivalent. Job also includes: 1. PSO Monolith tower grey paint on grey fiber portion 2. PSO Monolith tower white paint on head panel fiber portion 3. Removal of reflective text 4. Covering of PSO Logo, rate digits and product sheets Note: Payment will be made for the complete job (per unit cost is for both sides of tower)					
22	<u>Monolith Tower Foundation</u> PSO House EA 15 Foundation of Monolith Tower as per drawing # 219-CIV-DT-001 Foundation works, job includes but not limited to following: Job Includes: - Excavation for foundation, trenches in any kind of strata as available as per site requirement and backfilling the excavated earth in foundation back fill material should be free from lumber, trash and other deleterious material dressing of bottom of excavation to perfect level, dressing, watering and compaction to obtain 95% modified AASHTO density etc. and removal of surplus excavated stuff with a lead of as directed, by the engineer incharge. Working space shall not be allowed separately - Providing and laying earth fill of approved quality and origin in foundation, plinth etc. i/c breaking clods, dressing, watering and consolidating by ramming					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

11	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	in layers not exceeding 6" depth to attain 95 % modified AASHTO density i/c all lead and lifts. NOTE: Actual compacted depth shall be considered for measurement/payment. (if required) - Providing and laying stone soling 6" to 9" depth thick of approved quarry including packing and filling voids with spawls and chips, khaka consolidating and compacting with power compactor or hand compactor. (if required) - Providing and laying plain cement concrete using approved quality 1" maximum size graded crushed aggregate, stone or gravel with approved quality local river sand i/c all formwork, rodding, vibrating, levelling and curing etc. a) Class 'D' C.C (1:3:6) cast in situ in floors, foundations etc. Using SR cement b) Class 'E' C.C (1:4:8) in foundations, Using SR cement - Providing and laying reinforced concrete of specified strength using approved quality 3/4" max. size graded crushed aggregate and fine aggregate including approved formwork and its removal as per drawing, levelling, compacting, rodding, vibrating, finishing, curing etc. Class 'C' C.C (1:2:4). - Foundation: Using SR cement - Columns upto plinth & Plinth Beam in SR cement Note: Job also includes following a) Supply/Providing steel reinforcement bars as per drawings and specifications. - Deformed steel reinforcement of yield strength 60,000 psi. Note: Drawings Attached b) Laying steel reinforcement bars including straightening, removing twists, cutting, bending, binding, wastage and such overlaps as are not shown on drawings, placing in position on precast concrete or steel chairs, tying with binding wire complete as per drawings and specifications. Note: - Drawings Attached. - Payment will be made for the complete job					
23	<u>Signage for Depot/Installation</u> 1 FT2 = 1 EA (Job)	PSO House	FT2	8		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

12	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	Transportation and Installation of Monolith Towers (Site to Site, Store to Site, and Refurbishment of Steel Works) Transportation, shifting, and installation of fiberglass Monolith towers from one site to another site, as well as from the PSO store to a designated site, based on project requirements. This requisition also includes the refurbishment of steel structures, covering minor repairs, welding works, mechanical cleaning, and the application of red oxide primer followed by white enamel paint. Scope of Work: The contractor is responsible for the transportation, shifting, and installation of Monolith towers between sites and from the PSO store to the site. This includes the removal of existing towers from their current locations and ensuring they are securely transported and installed at the new or designated site according to project specifications. All lifting equipment, including cranes and rigging devices, along with crane operators, must be third-party certified. The contractor shall submit all required certification documents for review and approval prior to the commencement of work at any site. Before transportation and installation at the new or designated site, the contractor must conduct site visits to verify that the tower#s base plate footprint aligns with the foundation#s anchor bolt spacing to ensure proper alignment and secure installation. For the refurbishment of steel structures, the contractor is required to carry out the following tasks: - Minor repair works such as welding, fixing cracks, and reinforcing weak points. - Mechanical cleaning of the steel structures to prepare them for painting. - Application of a red oxide primer to protect the steel surfaces. - Finishing with a top coat of white enamel paint to ensure durability and a clean appearance. Installation of Monolith towers at the new site must be completed in compliance with all technical specifications, safety protocols, and operational standards. The contractor must oversee all lifting and shifting tasks to ensure they are conducted safely and efficiently. Note:					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

13	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
24	- The contractor must ensure the safe transportation of Monolith towers and steel structures, considering potential risks during transit and handling. - All lifting, transportation, refurbishment, and installation activities must meet the highest safety and operational standards, with compliance ensured at all times by the contractor. - Payment will be made upon successful completion of the entire scope of work. <u>Signage for Depot/Installation</u> 1 FT2 = 1 EA (Job) Transportation and Installation of Monolith Towers (Site to PSO Store) Transportation, shifting, and installation of fiberglass Monolith towers from the designated site back to the PSO store based on project requirements. This requisition focuses on the safe removal and transportation of towers from the site to the PSO store for storage or refurbishment. Scope of Work: For fiberglass Monolith towers being transported to the PSO store, the contractor must ensure that each tower is properly packed before transportation. All lifting equipment, including cranes and rigging devices, along with crane operators, must be third-party certified. The contractor shall submit all required certification documents for review and approval before any work begins at the site. Transportation of the Monolith towers at the PSO store must be completed according to the technical specifications, with all lifting and shifting tasks conducted safely and efficiently. The contractor is responsible for ensuring that all procedures comply with operational and safety standards. Note: - The contractor must ensure the safe transportation of Monolith towers, taking into account all potential risks during transit and handling. - All lifting, transportation, and installation activities must meet the	PSO House	ET2	1		



14			OF			53		
RFQ No			RC-19952IA					
DATE			30.08.2026					

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
 SAP No.6100018006

Company PSO Dummy Vendor PAKISTAN		QUOTATION REQUIRED			
ON (Date)		15.09.2026		BY (Time)	
				2:15 PM	

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
 PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	highest safety and operational standards, with compliance ensured at all times by the contractor. - Payment will be made upon successful completion of the entire scope of work. ***** General Requirement: Following are the details of LED Modules, LED Tube Rods, Power Supply and white ACM for use in the tower: *****LED modules specifications***** - Color: WHITE - Color Temperature 6000-10,000 Kelvin (Cool day light) - Color Rendering Index 80 or above - Luminous efficacy 100 Lumens / watts or above - IP 67 or above - L50 Life time is 50,000 Hours - Operating Environment -10°C to + 55°C or above - lumens/module >= 80 lumens or above - Operating voltage 12 V DC - Watt/ Module <= 1.2 W nominal - Certification: CE/UL/IEC approved or equivalent - Warranty: 3 years replacement warranty - Backing tray for LED module fixing *****POWER SUPPLY/ LED Driver***** - Input Voltage Range AC: 230V +/- 20% - Output Voltage Range DC: 12V +/- 10% - Power factor >= 0.90 - Output Power DC: 150W or above (as per requirement) - Efficiency 85% or above - Over temperature protection, Overload protection and Short-circuit protection - Operating temperature: -10°C to + 55°C or above - IP -65 or above					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

15	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	- Certification: CE/UL/IEC approved or equivalent Warranty: 3 years replacement warranty *****White ACM for Monolith Cladding***** - Aluminum Alloy 3105 H 14 or equivalent having good Corrosion resistance. - Composite core (Polyethylene based material and adhesives) - Panel Thickness: 4 mm or greater - Aluminum Cover: >= 0.5 mm Thick on both sides(>,<)> - Core Thickness: >= 3 mm - Warranty: 3 years replacement warranty *****LED Tube Rods***** - Energy Consumption (Watts): upto 14 watts - Operating Voltage: 220-240 Volts - Lumens/Watt: Min. 142 - Life L70: upto 50,000 Hours - Warranty: 1 year - Nominal CCT: 6500K - IP Rating: Min. IP20 - CRI: 83 or greater - Beam Angle Degrees: Min. 150 - Tube Length: 4ft - Total Lumens: Min. 2000 Lumens - Operating Temperature: -20 to +45 Degree Celsius - Material of Rod: Polycarbonate ADDITIONAL NOTES: 1. Each panel shall contain a single text line. The distance between each text shall remain the same. 2. All panels to be in perfect alignment. 3. All Panels should be removable for maintenance purposes without disturbing the adjacent panels. 4. Text on monolith shall be as per outlet requirement, however sequence will be as per drawing.					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

16	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
25	5. Water proofing of monolith from the top. Covering of above nut with proper plugging bolt. 6. Text for facilities should be perfectly center aligned. 7. ACM Cutting through CNC as per required design. 8. Laser Cutting of 4mm thick acrylic letters to be cut without joint according to the size/drawing, finishing and fixing on ACM. 9. Installation of Acrylic sheet 4mm thick translucent White at front side with the support of 3mm acrylic clear sheet at backside to support the complete letter/text. 10. Fixing of Text/Letter: Push it through from the back side and Flush/Level with the front side of ACM. - Time for Completion: The Contractor shall complete Supply, Installation of ACM Based Monolith Tower at PSO Retail Outlets (each retail outlet) within 21 days of handover of respective PSO Retail Outlet/go-ahead from Company#s Engineer in all respect(>,<) as per Agreement. The Contractor shall complete Rehabilitation of Existing Fiber Glass Monolith Tower at PSO Retail Outlets (each retail outlet) within 21 days of handover of respective PSO Retail Outlet/go-ahead from Company#s Engineer in all respect, as per Agreement. <u>Tower Logo with Housing and White ACM</u> Supply & Installation of Monolith Towers in Central Zone (Lahore(>,<) Faisalabad, Gujranwala, Sahiwal, Multan & Bahawalpur Division) The Scope of Supply and Installation consists of following: 1. Supply and installation of 35 New Monolith Towers (ACM) complete in all respects. 2. Refurbishment of existing Fiberglass Monolith Towers. 3. Removal, shifting/transportation and installation of existing fiberglass monolith towers (refurbished) to the proposed sites. ----- Supply & Installation of ACM (Aluminum Composite Material) 4mm thick WHITE Color (Pantone # 11-0601 TPX RAL 9010) for top logo portion size (6'-6" X 6'-6" approx.) both sides of Tower as per	PSO House	EA	35		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

17	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
26	details/drawing provided. Job includes complete cutting, bending and routing of white ACM. Job also includes 1"x1"x18swg pipe to reinforce ACM panel Supply of PSO Logo with Fiberglass Housing Supply & Installation of 5' dia Monolith Logo of Monolith Tower. The frame should be made with Fabrication of MS Tabular Frame of 1" square pipe 18-gauge size, angle 1"x1"x1/4" as per requirement and fixing with approved Translucent Vinyls/3M / Avery along with flexible substrate (AV1/ 3M Envision FS-1 or equivalent) as per approved design and color scheme as per following references: Avery 5500-763 Blue/3M VT 1986 Blue Avery 5504 Yellow/3M 3630-015 Yellow Avery 5560 Green/3M 3630-156 Green Logo to be placed in the center of the ACM panel and fiberglass housing to be fixed with ACM with the support of required Pipe frame and silicon as per drawing complete in all respect. Backlit illumination with minimum 90 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for the complete job (per unit cost is for both sides of tower) <u>Monolith Tower Steel Structure</u> a. Supply & Installation of Steel Structure Supply, fabrication, welding of Steel Structure members for monolith Tower as per drawing # 219-10-STRL-DTL-001 and requirement in accordance with approved drawings including all angles, plates, trusses, columns, stiffeners, studs and all other steel sections etc. shall confirm ASTM A-36 and BS-15 steel. Job includes Painting of complete internal steel structure of Monolith tower. Scope of work includes providing and applying 02 coats (Minimum DFT of 50 Microns) of White/Grey enamel paint of approved make, color and shade over two coats (Minimum DFT of 50 Microns) of red lead Primer/Red Oxide of approved make after earlier preparation of surface by mechanical cleaning and scraping by using non-ferrous tools to remove rust/ scale complete in all respect at any	PSO House	EA	35		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

18	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	height/length before applying of Paint. In case, further detailing is required, vendor shall provide it without any additional cost. b. Services for ACM Cladding of Tower This job includes the following scope but not limited to: Cladding of steel structure with ACM and all required mechanical and electrical works complete in all respect. Approx size of finished Monolith Tower is 25'X 6.5' as per drawings attached. Services for transportation, installation, cutting, routing and bending of ACM (Green + White) as per requirement. Job includes cladding of White and Green ACM top to bottom, both sided with sides with use of additional Steel/Aluminum structure as per requirement according to the new ACM wrapping. Job also includes providing and installation of pipe frame of size 1" X 1" square pipe 18 gauge in required length for fixing of ACM White ACM will be used for cladding of top logo portion of size (6'-6" X 6'-6"") approximately. Green ACM will be used for cladding of rest of the tower as per approved design/requirements. Green ACM 3mm thick will be provided by PSO. In case of CoCo Site, White ACM with vinyl pasting of Blue color will be used for cladding of "Company Operated" Panel will be added. Job also includes complete square Pipe frame of 18 Gauge 1" x1", supports of all corners according to the drawing to strengthen the Square ACM. Job also includes Painting of steel structure being used for ACM bending and cladding including application of 02 coats (Minimum DFT of 50 Microns) of White enamel paint of approved make, color and shade over two coats (Minimum DFT of 50 Microns) of red lead Primer/Red Oxide of approved make after earlier preparation of surface by mechanical cleaning and scraping by using non-ferrous tools to remove rust/ scale complete in all respect at any length before applying of Paint. All panels should be easily removable for maintenance purposes without disturbing the adjacent panels. Gap between the two panels is 1" as shown in the drawing. However, arrangement to be made for the installation of Green LED strip as hidden lights for top to down illumination inside the groove without any physical visibility of LED strips.					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

19	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
27	c. Services for Transportation & installation of complete new Monolith Tower unit (ACM) This job includes the transportation and installation of complete new monolith tower unit (ACM) at site complete in all respect as per site requirement and as directed by Engineer Incharge. Note: Payment will be made for the complete job. <u>Tower Company Operated Letter with ACM</u> PSO House EA a. Supply & Installation of ACM Panel for "Company Operated" Supply of ACM (Aluminum Composite Material) 4mm thick in WHITE Color with vinyl pasting of Blue color (Avery - 5500-763 / 3M - VT 1986) for top "Company Operated" portion size (6'-6" X 20" approx.) of tower as per details/drawing provided. Job includes complete cutting, bending and routing of white ACM. Job also includes 1"x1"x18swg pipe to reinforce ACM panel b. Supply & Installation of Yellow Text "Company Operated" Supply of Text "COMPANY OPERATED" in translucent White Acrylic letters 3-4mm thick min. 12mm extruded/embossed in approved size and font with vinyl pasting of Yellow color(Avery - 5504 /3M - 3630-015). Each individual letter will be laser cut. Backlit illumination with minimum 30 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: - This item is only for CoCo Sites. - Payment will be made for the complete job (per unit cost is for both sides of tower)	PSO House	EA	3		
28	<u>Tower Acrylic Product Name Plates</u> PSO House EA a. Supply & Installation of translucent White Acrylic sheets 3-4mm thick min. 12mm extruded/embossed with vinyl pasting for following Product Names as per the artwork provided: 1- Octane +	PSO House	EA	105		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

20	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
29	2- Premier 3- Hi-Cetane Electronically cutting and pasting of approved translucent vinyl of 3M/Avery/equivalent or acrylic moulding of product plate and pasting of vinyl of 3M/ Avery/approved as per the approved design in PSO's approved colors for the required services name on Monolith Individual Panel complete in all respect. Clear Acrylic Sheet 3 or 4 mm thick with required shape and size and relevant adhesive material /silicon will be used for support at the back for fixing the product plates. Backlit illumination with minimum 24 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. b. Services for installation of Price Display Unit (PDU) along with complete wiring and connections as per requirement. - Price display units will be provided by PSO. Note: Payment will be made for each product category of both sides (per unit cost is for both sides of tower) <u>Monolith Tower Acrylic Shop Stop Plates</u> Supply & Installation of translucent White Acrylic sheets 3-4mm thick min. 12mm extruded/embossed with vinyl pasting for "Shop Stop" as per the artwork provided. Plotter cutting and pasting of approved translucent vinyl of 3M/Avery/equivalent as per the approved design in PSO's approved colors for the required services name on Monolith Individual Panel complete in all respect Clear Acrylic Sheet 3 mm thick with required shape and size and relevant adhesive material / silicon will be used for support at the back for fixing the shop stop plates. Backlit illumination with minimum 28 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	PSO House	EA	28		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

21	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
30	<u>Tower Acrylic Cutout Allied Letters</u> Supply & Installation of following Text in translucent White Acrylic letters 3-4mm thick min. 12mm extruded/embossed in approved size and font: - Cards - Lubricants Each individual letter will be laser cut. Backlit illumination with minimum 20 (for Cards), 24 (for Lubricant) LED* Modules for maximum glow and Power Supply as per requirement / details provided. Font for Cards & Lubricants: "Arial Bold" Note: Any additional text as per site requirement may also be added. However, sequencing will be made in accordance with approved pattern. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for each category (per unit cost is for both sides of tower)	PSO House	EA	70		
31	<u>Monolith Tower Acrylic Brand Symbols</u> Supply & Installation of translucent White Acrylic sheets 3-4mm thick min. 12mm extruded/embossed with vinyl pasting for "Brand Symbols" as per the artwork provided for each brand symbol. Plotter cutting and pasting of approved translucent vinyl of 3M/Avery/equivalent as per the approved design in PSO's approved colors for the required brand symbols on Monolith one or more Panels complete in all respect. Clear Acrylic Sheet 3 mm thick with required shape and size and relevant adhesive material / silicon will be used for support at the back for fixing the Brand Symbols. Backlit illumination with minimum 9 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for each brand category (per unit cost is for both sides of tower)	PSO House	EA	210		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

22	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
32	<u>Monolith Tower Green LED Strips</u> Supply & Installation of LED module for alternate space/groove between the two panels of ACM starting from space/groove just below the last product plate with following specs: Color Temperature: White Color IP Rating: IP 65 or above Warranty: 03 Years Replacement Certification: CE/UL/IEC approved or equivalent The LED to be installed in transparent foamic tube with Green vinyl. Note: Payment will be made for each row of LED Strips on both sides (per unit cost is for both sides of tower)	<u>PSO House</u>	<u>EA</u>	140		
33	<u>Tower Acrylic Cutout Vibe Letter</u> Supply & Installation of following Text in translucent White Acrylic letters 3-4mm thick min. 12mm extruded/embossed in approved size and font: VIBE (As per requirement) Each individual letter will be laser cut. Backlit illumination with minimum 28 (for VIBE) LED* Modules for maximum glow and Power Supply as per requirement / details provided. Font for VIBE: As per artwork provided by PSO Sequencing will be made in accordance with approved pattern. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	<u>PSO House</u>	<u>EA</u>	3		
34	<u>Tower Acrylic Cutout Autocare Letter</u> Supply & Installation of following Text in translucent White Acrylic letters 3-4mm thick min. 12mm extruded/embossed in approved size and font: AutoCare (as per requirement) Each individual letter will be laser cut. Backlit illumination with minimum 32 (for AutoCare) LED* Modules for maximum glow and Power Supply as per requirement / details provided. Font for AutoCare: As per artwork provided by PSO Sequencing will be made in accordance with approved pattern.	<u>PSO House</u>	<u>EA</u>	3		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

23	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
35	This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for the complete job (per unit cost is for both sides of tower) <u>Retroreflecting Coating Fibreglass Tower</u> PSO House EA Supply and installation of retroreflective coating in both sides of monolith tower with Avery T-6500 (Prismatic grade / HIP / approved equivalent both sides of the tower with grey colour) - 5 years of warranty shall be provided for colour fading, adhesiveness and resistance to any sort of damages due to scratching. - This includes Scrapping, cleaning and applying of retroreflective coating. Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	PSO House	EA	18		
36	<u>Tower Retroreflecting Allied Stickers</u> PSO House EA Supply/Provision and installation of Retro Reflective letters 3M/Avery/ approved equivalent Diamond Grade material of approved (Yellow) color for Tower protected with Antigraffiti film for following texts as per requirement: -PSO Cards -ATM -Shop Stop -Car Wash -Tyre Shop -24 Hours -Any other Note: Payment will be made for the each category (per unit cost is for both sides of tower)	PSO House	EA	108		
37	<u>Fibreglass Tower Monolith Logo (w.Frame)</u> PSO House EA Supply/Provision and installation of 5' dia Monolith Logo with frame (double sided). The frame should be made with Fabrication of Steel Tubular Frame and fixing with 3M (Envision Flex FS-1 and approved Translucent Vinyls)/Avery (AV1 fixing with approved Translucent vinyls)/ approved Equivalent as per the approved design and colour schemes. The framing should allow the access for	PSO House	EA	18		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

24	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	tube lights maintenance. Supply/Provision and installation Graphic construction for monolith Logo will be vinyl film (3M VT 1986, 3630-156, 3630-015 / AVERY CC. 5500-763 Blue, 5504, 5560)/Equivalent on flexible substrate (3M Envision Flex 1 (FS-1)/ AVERY AV1 FLEX/Equivalent) Note: Payment will be made for the complete job (per unit cost is for both sides of tower)					
38	<u>Fibreglass Tower Monolith Logo (Housing)</u> Supply/Provision of 1/8" (inch) thick Fiber Glass (BASF resin and owen Corning or equivalent imported fiber matt) is to be used on all exposed sides, which shall be of smooth finish as shown in drawing. Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	<u>PSO House</u>	<u>EA</u>	18		
39	<u>LED Tube Rods Fibreglass Tower</u> Supply/Provision and installation of approved LED Tube rods (14 Watt) shall be provided to illuminate Logo Panel and Product/Price display panel as per requirement, complete with internal wiring (if required) with PSOs approved brand.	<u>PSO House</u>	<u>EA</u>	126		
40	<u>Fiberglass Tower Panel (42 inches)</u> Supply/Provision and installation of 3mm fiber glass panel of 38-42 inches as per drawing with all fixtures as per site requirement complete in all respects and to the entire satisfaction of Engineer Incharge. Note: Payment will be made for the single side.	<u>PSO House</u>	<u>EA</u>	18		
41	<u>Fiberglass Tower Panel (20.5 inches)</u> Supply/Provision and installation of 3mm fiber glass panel of 20.5 inches as per drawing with all fixtures as per site requirement complete in all respects and to the entire satisfaction of Engineer Incharge. Note: Payment will be made for the single side.	<u>PSO House</u>	<u>EA</u>	18		
42	<u>Fiberglass Tower Panel (12 inches)</u> Supply/Provision and installation of 3mm fiber glass panel of 12 inches as per drawing with all fixtures as per site requirement complete in all respects and	<u>PSO House</u>	<u>EA</u>	18		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

25	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
43	to the entire satisfaction of Engineer Incharge. Note: Payment will be made for the single side. Product Plate Fibreglass Tower PSO House EA S/I of Product Plates as per requirement. Providing 3mm Acrylic Sheet Pasting of Translucent vinyl i.e 3630 VT 1986, 3630-015, 3630-156 in PSO approved Colour Electronically cutting and pasting of approved translucent vinyl of 3M/Avery/equivalent as per the approved design in PSO's approved colors for the required services. Product plates of following products. 1- Octane + 2- Premier 3- Hi-Cetane Note: Payment will be made for each category for both side (per unit cost is for both sides of tower).	PSO House	EA	36		
44	Rate Digits Fibreglass Tower PSO House EA Supply of Rate Digits Set (0 to 9), 3mm Acrylic Sheet Pasting of Translucent Vinyl, 3635-22B 1 Set include: 0 - 9 No. 1 - 9 No. 2 - 9 No. 3 - 9 No. 4 - 9 No. 5 - 9 No. 7 - 9 No. 8 - 9 No. 9 - 9 No. Note: Payment will be made for complete set of tower	PSO House	EA	9		
45	Fibreglass Tower Panel Paint PSO House EA Scrapping, cleaning and applying two coats of spray paint of ICI / Berger or equivalent, on Monolith tower's fiber grey panels and white head panel ICI, Berger or equivalent.	PSO House	EA	3		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

26	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
46	Job also includes: 1. PSO Monolith tower grey paint on grey fiber portion 2. PSO Monolith tower white paint on head panel fiber portion 3. Removal of reflective text 4. Covering of PSO Logo, rate digits and product sheets Note: Payment will be made for the complete job (per unit cost is for both sides of tower) <u>Monolith Tower Foundation</u> Foundation of Monolith Tower as per drawing # 219-CIV-DT-001 Foundation works, job includes but not limited to following: Job Includes: - Excavation for foundation, trenches in any kind of strata as available as per site requirement and backfilling the excavated earth in foundation back fill material should be free from lumber, trash and other deleterious material dressing of bottom of excavation to perfect level, dressing, watering and compaction to obtain 95% modified AASHTO density etc. and removal of surplus excavated stuff with a lead of as directed, by the engineer incharge. Working space shall not be allowed separately - Providing and laying earth fill of approved quality and origin in foundation, plinth etc. i/c breaking clods, dressing, watering and consolidating by ramming in layers not exceeding 6" depth to attain 95 % modified AASHTO density i/c all lead and lifts. NOTE: Actual compacted depth shall be considered for measurement/payment. (if required) - Providing and laying stone soling 6" to 9" depth thick of approved quarry including packing and filling voids with spawls and chips, khaka consolidating and compacting with power compactor or hand compactor. (if required) - Providing and laying plain cement concrete using approved quality 1" maximum size graded crushed aggregate, stone or gravel with approved quality local river sand i/c all formwork, rodding, vibrating, levelling and curing etc. a) Class 'D' C.C (1:3:6) cast in situ in floors, foundations etc. Using SR cement b) Class 'E' C.C (1:4:8) in foundations, Using SR cement - Providing and laying reinforced concrete of specified strength using approved quality 3/4" max. size graded crushed aggregate and fine aggregate including	PSO House	EA	35		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

27	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
47	approved formwork and its removal as per drawing, levelling, compacting, rodding, vibrating, finishing, curing etc. Class 'C' C.C (1:2:4). - Foundation: Using SR cement - Columns upto plinth & Plinth Beam in SR cement Note: Job also includes following a) Supply/Providing steel reinforcement bars as per drawings and specifications. - Deformed steel reinforcement of yield strength 60,000 psi. Note: Drawings Attached b) Laying steel reinforcement bars including straightening, removing twists, cutting, bending, binding, wastage and such overlaps as are not shown on drawings, placing in position on precast concrete or steel chairs, tying with binding wire complete as per drawings and specifications. Note: - Drawings Attached. - Payment will be made for the complete job <u>Signage for Depot/Installation</u> 1 FT2 = 1 EA (Job) Transportation and Installation of Monolith Towers (Site to Site, Store to Site, and Refurbishment of Steel Works) Transportation, shifting, and installation of fiberglass Monolith towers from one site to another site, as well as from the PSO store to a designated site, based on project requirements. This requisition also includes the refurbishment of steel structures, covering minor repairs, welding works, mechanical cleaning, and the application of red oxide primer followed by white enamel paint. Scope of Work: The contractor is responsible for the transportation, shifting, and installation of Monolith towers between sites and from the PSO store to the site. This includes the removal of existing towers from their current locations and ensuring they are securely transported and installed at the new or designated site according to project specifications.	PSO House	FT2	18		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

28	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
48	All lifting equipment, including cranes and rigging devices, along with crane operators, must be third-party certified. The contractor shall submit all required certification documents for review and approval prior to the commencement of work at any site. Before transportation and installation at the new or designated site, the contractor must conduct site visits to verify that the tower#s base plate footprint aligns with the foundation#s anchor bolt spacing to ensure proper alignment and secure installation. For the refurbishment of steel structures, the contractor is required to carry out the following tasks: - Minor repair works such as welding, fixing cracks, and reinforcing weak points. - Mechanical cleaning of the steel structures to prepare them for painting. - Application of a red oxide primer to protect the steel surfaces. - Finishing with a top coat of white enamel paint to ensure durability and a clean appearance. Installation of Monolith towers at the new site must be completed in compliance with all technical specifications, safety protocols, and operational standards. The contractor must oversee all lifting and shifting tasks to ensure they are conducted safely and efficiently. Note: - The contractor must ensure the safe transportation of Monolith towers and steel structures, considering potential risks during transit and handling. - All lifting, transportation, refurbishment, and installation activities must meet the highest safety and operational standards, with compliance ensured at all times by the contractor. - Payment will be made upon successful completion of the entire scope of work. Signage for Depot/Installation 1 FT2 = 1 EA (Job) Transportation and Installation of Monolith Towers (Site to PSO Store) Transportation, shifting, and installation of fiberglass Monolith towers from the designated site back to the PSO store based on project requirements. This requisition focuses on the safe removal and	PSO House	ET2	3		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

29	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	transportation of towers from the site to the PSO store for storage or refurbishment. Scope of Work: For fiberglass Monolith towers being transported to the PSO store, the contractor must ensure that each tower is properly packed before transportation. All lifting equipment, including cranes and rigging devices, along with crane operators, must be third-party certified. The contractor shall submit all required certification documents for review and approval before any work begins at the site. Transportation of the Monolith towers at the PSO store must be completed according to the technical specifications, with all lifting and shifting tasks conducted safely and efficiently. The contractor is responsible for ensuring that all procedures comply with operational and safety standards. Note: - The contractor must ensure the safe transportation of Monolith towers, taking into account all potential risks during transit and handling. - All lifting, transportation, and installation activities must meet the highest safety and operational standards, with compliance ensured at all times by the contractor. - Payment will be made upon successful completion of the entire scope of work. ***** General Requirement: Following are the details of LED Modules, LED Tube Rods, Power Supply and white ACM for use in the tower: *****LED modules specifications***** - Color: WHITE - Color Temperature 6000-10,000 Kelvin (Cool day light) - Color Rendering Index 80 or above					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan

Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

30	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	- Luminous efficacy 100 Lumens / watts or above - IP 67 or above - L50 Life time is 50,000 Hours - Operating Environment -10°C to + 55°C or above - lumens/module >= 80 lumens or above - Operating voltage 12 V DC - Watt/ Module <= 1.2 W nominal - Certification: CE/UL/IEC approved or equivalent - Warranty: 3 years replacement warranty - Backing tray for LED module fixing *****POWER SUPPLY/ LED Driver***** - Input Voltage Range AC: 230V +/- 20% - Output Voltage Range DC: 12V +/- 10% - Power factor >= 0.90 - Output Power DC: 150W or above (as per requirement) - Efficiency 85% or above - Over temperature protection, Overload protection and Short-circuit protection - Operating temperature: -10°C to + 55°C or above - IP -65 or above - Certification: CE/UL/IEC approved or equivalent - Warranty: 3 years replacement warranty *****White ACM for Monolith Cladding***** - Aluminum Alloy 3105 H 14 or equivalent having good Corrosion resistance. - Composite core (Polyethylene based material and adhesives) - Panel Thickness: 4 mm or greater - Aluminum Cover: >= 0.5 mm Thick on both sides(>,<)> - Core Thickness: >= 3 mm - Warranty: 3 years replacement warranty *****LED Tube Rods***** - Energy Consumption (Watts): upto 14 watts					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

31	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	- Operating Voltage: 220-240 Volts - Lumens/Watt: Min. 142 - Life L70: upto 50,000 Hours - Warranty: 1 year - Nominal CCT: 6500K - IP Rating: Min. IP20 - CRI: 83 or greater - Beam Angle Degrees: Min. 150 - Tube Length: 4ft - Total Lumens: Min. 2000 Lumens - Operating Temperature: -20 to +45 Degree Celsius - Material of Rod: Polycarbonate ADDITIONAL NOTES: 1. Each panel shall contain a single text line. The distance between each text shall remain the same. 2. All panels to be in perfect alignment. 3. All Panels should be removable for maintenance purposes without disturbing the adjacent panels. 4. Text on monolith shall be as per outlet requirement, however sequence will be as per drawing. 5. Water proofing of monolith from the top. Covering of above nut with proper plugging bolt. 6. Text for facilities should be perfectly center aligned. 7. ACM Cutting through CNC as per required design. 8. Laser Cutting of 4mm thick acrylic letters to be cut without joint according to the size/drawing, finishing and fixing on ACM. 9. Installation of Acrylic sheet 4mm thick translucent White at front side with the support of 3mm acrylic clear sheet at backside to support the complete letter/text. 10. Fixing of Text/Letter: Push it through from the back side and Flush/Level with the front side of ACM. - Time for Completion: The Contractor shall complete Supply, Installation of ACM Based Monolith					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

32	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
49	Tower at PSO Retail Outlets (each retail outlet) within 21 days of handover of respective PSO Retail Outlet/go-ahead from Company#s Engineer in all respect, as per Agreement. The Contractor shall complete Rehabilitation of Existing Fiber Glass Monolith Tower at PSO Retail Outlets (each retail outlet) within 21 days of handover of respective PSO Retail Outlet/go-ahead from Company#s Engineer in all respect, as per Agreement. <u>Tower Logo with Housing and White ACM</u> Supply & Installation of Monolith Towers in North Zone (Islamabad, Peshawar, Jhelum and DI Khan Division) The Scope of Supply and Installation consists of following: - Supply and installation of 20 New Monolith Towers (ACM) complete in all respects. - Refurbishment of existing Fiberglass Monolith Towers. - Removal, shifting/transportation and installation of existing fiberglass monolith towers (refurbished) to the proposed sites. ----- Supply & Installation of ACM (Aluminum Composite Material) 4mm thick WHITE Color (Pantone # 11-0601 TPX RAL 9010) for top logo portion size (6'-6" X 6'-6" approx.) both sides of Tower as per details/drawing provided. Job includes complete cutting, bending and routing of white ACM. Job also includes 1"x1"x18swg pipe to reinforce ACM panel Supply of PSO Logo with Fiberglass Housing Supply & Installation of 5' dia Monolith Logo of Monolith Tower. The frame should be made with Fabrication of MS Tabular Frame of 1" square pipe 18-gauge size, angle 1"x1"x1/4" as per requirement and fixing with approved Translucent Vinyls/3M / Avery along with flexible substrate (AV1/ 3M Envision FS-1 or equivalent) as per approved design and color scheme as per following references: Avery 5500-763 Blue/3M VT 1986 Blue Avery 5504 Yellow/3M 3630-015 Yellow Avery 5560 Green/3M 3630-156 Green	PSO House	EA	20		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

33	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
50	Logo to be placed in the center of the ACM panel and fiberglass housing to be fixed with ACM with the support of required Pipe frame and silicon as per drawing complete in all respect. Backlit illumination with minimum 90 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for the complete job (per unit cost is for both sides of tower) Monolith Tower Steel Structure a. Supply & Installation of Steel Structure Supply, fabrication, welding of Steel Structure members for monolith Tower as per drawing # 219-10-STRL-DTL-001 and requirement in accordance with approved drawings including all angles, plates, trusses, columns, stiffeners, studs and all other steel sections etc. shall confirm ASTM A-36 and BS-15 steel. Job includes Painting of complete internal steel structure of Monolith tower. Scope of work includes providing and applying 02 coats (Minimum DFT of 50 Microns) of White/Grey enamel paint of approved make, color and shade over two coats (Minimum DFT of 50 Microns) of red lead Primer/Red Oxide of approved make after earlier preparation of surface by mechanical cleaning and scraping by using non-ferrous tools to remove rust/ scale complete in all respect at any height/length before applying of Paint. In case, further detailing is required, vendor shall provide it without any additional cost. b. Services for ACM Cladding of Tower This job includes the following scope but not limited to: Cladding of steel structure with ACM and all required mechanical and electrical works complete in all respect. Approx size of finished Monolith Tower is 25'X 6.5' as per drawings attached. Services for transportation, installation, cutting, routing and bending of ACM (Green + White) as per requirement. Job includes cladding of White and Green ACM top to bottom, both sided with sides with use of additional Steel/Aluminum structure as per requirement according to the new ACM wrapping. Job also includes providing and installation	PSO House	EA	20		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

34	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
51	of pipe frame of size 1" X 1" square pipe 18 gauge in required length for fixing of ACM White ACM will be used for cladding of top logo portion of size (6'-6" X 6'-6"") approximately. Green ACM will be used for cladding of rest of the tower as per approved design/requirements. Green ACM 3mm thick will be provided by PSO. In case of CoCo Site, White ACM with vinyl pasting of Blue color will be used for cladding of "Company Operated" Panel will be added. Job also includes complete square Pipe frame of 18 Gauge 1" x1", supports of all corners according to the drawing to strengthen the Square ACM. Job also includes Painting of steel structure being used for ACM bending and cladding including application of 02 coats (Minimum DFT of 50 Microns) of White enamel paint of approved make, color and shade over two coats (Minimum DFT of 50 Microns) of red lead Primer/Red Oxide of approved make after earlier preparation of surface by mechanical cleaning and scraping by using non-ferrous tools to remove rust/ scale complete in all respect at any length before applying of Paint. All panels should be easily removable for maintenance purposes without disturbing the adjacent panels. Gap between the two panels is 1" as shown in the drawing. However, arrangement to be made for the installation of Green LED strip as hidden lights for top to down illumination inside the groove without any physical visibility of LED strips. c. Services for Transportation & installation of complete new Monolith Tower unit (ACM) This job includes the transportation and installation of complete new monolith tower unit (ACM) at site complete in all respect as per site requirement and as directed by Engineer Incharge. Note: Payment will be made for the complete job. Tower Company Operated Letter with ACM a. Supply & Installation of ACM Panel for "Company Operated" Supply of ACM (Aluminum Composite Material) 4mm thick in WHITE Color with vinyl pasting of Blue color (Avery - 5500-763 / 3M - VT 1986) for top "Company Operated" portion size (6'-6" X 20" approx.) of tower as per details/drawing provided. Job includes complete cutting, bending and routing of white ACM.	PSO House	EA	3		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

35	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
52	Job also includes 1"x1"x18swg pipe to reinforce ACM panel b. Supply & Installation of Yellow Text "Company Operated" Supply of Text "COMPANY OPERATED" in translucent White Acrylic letters 3-4mm thick min. 12mm extruded/embossed in approved size and font with vinyl pasting of Yellow color(Avery - 5504 /3M - 3630-015). Each individual letter will be laser cut. Backlit illumination with minimum 30 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: - This item is only for CoCo Sites. - Payment will be made for the complete job (per unit cost is for both sides of tower) Tower Acrylic Product Name Plates a. Supply & Installation of translucent White Acrylic sheets 3-4mm thick min. 12mm extruded/embossed with vinyl pasting for following Product Names as per the artwork provided: 1- Octane + 2- Premier 3- Hi-Cetane Electronically cutting and pasting of approved translucent vinyl of 3M/Avery/equivalent or acrylic moulding of product plate and pasting of vinyl of 3M/ Avery/approved as per the approved design in PSO's approved colors for the required services name on Monolith Individual Panel complete in all respect. Clear Acrylic Sheet 3 or 4 mm thick with required shape and size and relevant adhesive material /silicon will be used for support at the back for fixing the product plates. Backlit illumination with minimum 24 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge.	PSO House	EA	60		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

36	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
53	b. Services for installation of Price Display Unit (PDU) along with complete wiring and connections as per requirement. - Price display units will be provided by PSO. Note: Payment will be made for each product category of both sides (per unit cost is for both sides of tower) <u>Monolith Tower Acrylic Shop Stop Plates</u> Supply & Installation of translucent White Acrylic sheets 3-4mm thick min. 12mm extruded/embossed with vinyl pasting for "Shop Stop" as per the artwork provided. Plotter cutting and pasting of approved translucent vinyl of 3M/Avery/equivalent as per the approved design in PSO's approved colors for the required services name on Monolith Individual Panel complete in all respect Clear Acrylic Sheet 3 mm thick with required shape and size and relevant adhesive material / silicon will be used for support at the back for fixing the shop stop plates. Backlit illumination with minimum 28 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	PSO House	EA	16		
54	<u>Tower Acrylic Cutout Allied Letters</u> Supply & Installation of following Text in translucent White Acrylic letters 3-4mm thick min. 12mm extruded/embossed in approved size and font: - Cards - Lubricants Each individual letter will be laser cut. Backlit illumination with minimum 20 (for Cards), 24 (for Lubricant) LED* Modules for maximum glow and Power Supply as per requirement / details provided. Font for Cards & Lubricants: "Arial Bold" Note: Any additional text as per site requirement may also be added. However, sequencing will be made in accordance with approved pattern. This job shall be conducted to the entire satisfaction of PSO Engineer	PSO House	EA	40		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

37	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
55	Incharge. Note: Payment will be made for each category (per unit cost is for both sides of tower) <u>Monolith Tower Acrylic Brand Symbols</u> PSO House EA Supply & Installation of translucent White Acrylic sheets 3-4mm thick min. 12mm extruded/embossed with vinyl pasting for "Brand Symbols" as per the artwork provided for each brand symbol. Plotter cutting and pasting of approved translucent vinyl of 3M/Avery/equivalent as per the approved design in PSO's approved colors for the required brand symbols on Monolith one or more Panels complete in all respect. Clear Acrylic Sheet 3 mm thick with required shape and size and relevant adhesive material / silicon will be used for support at the back for fixing the Brand Symbols. Backlit illumination with minimum 9 LED* Modules for maximum glow and Power Supply as per requirement / details provided. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for each brand category (per unit cost is for both sides of tower)	PSO House	EA	120		
56	<u>Monolith Tower Green LED Strips</u> PSO House EA Supply & Installation of LED module for alternate space/groove between the two panels of ACM starting from space/groove just below the last product plate with following specs: Color Temperature: White Color IP Rating: IP 65 or above Warranty: 03 Years Replacement Certification: CE/UL/IEC approved or equivalent The LED to be installed in transparent foamic tube with Green vinyl. Note: Payment will be made for each row of LED Strips on both sides (per unit cost is for both sides of tower)	PSO House	EA	80		
57	<u>Tower Acrylic Cutout Vibe Letter</u> PSO House EA Supply & Installation of following Text in translucent White Acrylic letters	PSO House	EA	3		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

38	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
58	3-4mm thick min. 12mm extruded/embossed in approved size and font: VIBE (As per requirement) Each individual letter will be laser cut. Backlit illumination with minimum 28 (for VIBE) LED* Modules for maximum glow and Power Supply as per requirement / details provided. Font for VIBE: As per artwork provided by PSO Sequencing will be made in accordance with approved pattern. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for the complete job (per unit cost is for both sides of tower) <u>Tower Acrylic Cutout Autocare Letter</u> Supply & Installation of following Text in translucent White Acrylic letters 3-4mm thick min. 12mm extruded/embossed in approved size and font: AutoCare (as per requirement) Each individual letter will be laser cut. Backlit illumination with minimum 32 (for AutoCare) LED* Modules for maximum glow and Power Supply as per requirement / details provided. Font for AutoCare: As per artwork provided by PSO Sequencing will be made in accordance with approved pattern. This job shall be conducted to the entire satisfaction of PSO Engineer Incharge. Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	PSO House	EA	3		
59	<u>Retroreflecting Coating Fibreglass Tower</u> Supply and installation of retroreflective coating in both sides of monolith tower with Avery T-6500 (Prismatic grade / HIP / approved equivalent both sides of the tower with grey colour) - 5 years of warranty shall be provided for colour fading, adhesiveness and resistance to any sort of damages due to scratching. - This includes Scrapping, cleaning and applying of retroreflective coating. Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	PSO House	EA	10		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

39	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
60	<u>Tower Retroreflecting Allied Stickers</u> Supply/Provision and installation of Retro Reflective letters 3M/Avery/ approved equivalent Diamond Grade material of approved (Yellow) color for Tower protected with Antigraffiti film for following texts as per requirement: -PSO Cards -ATM -Shop Stop -Car Wash -Tyre Shop -24 Hours -Any other Note: Payment will be made for the each category (per unit cost is for both sides of tower)	PSO House	EA	60		
61	<u>Fibreglass Tower Monolith Logo (w.Frame)</u> Supply/Provision and installation of 5' dia Monolith Logo with frame (double sided). The frame should be made with Fabrication of Steel Tubular Frame and fixing with 3M (Envision Flex FS-1 and approved Translucent Vinyls)/Avery (AV1 fixing with approved Translucent vinyls)/ approved Equivalent as per the approved design and colour schemes. The framing should allow the access for tube lights maintenance. Supply/Provision and installation Graphic construction for monolith Logo will be vinyl film (3M VT 1986, 3630-156, 3630-015 / AVERY CC. 5500-763 Blue, 5504, 5560)/Equivalent on flexible substrate (3M Envision Flex 1 (FS-1)/ AVERY AV1 FLEX/Equivalent) Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	PSO House	EA	10		
62	<u>Fibreglass Tower Monolith Logo (Housing)</u> Supply/Provision of 1/8" (inch) thick Fiber Glass (BASF resin and owen Corning or equivalent imported fiber matt) is to be used on all exposed sides, which shall be of smooth finish as shown in drawing. Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	PSO House	EA	10		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

40	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
63	<u>LED Tube Rods Fibreglass Tower</u> Supply/Provision and installation of approved LED Tube rods (14 Watt) shall be provided to illuminate Logo Panel and Product/Price display panel as per requirement, complete with internal wiring (if required) with PSOs approved brand.	<u>PSO House</u>	<u>EA</u>	70		
64	<u>Fiberglass Tower Panel (42 inches)</u> Supply/Provision and installation of 3mm fiber glass panel of 38-42 inches as per drawing with all fixtures as per site requirement complete in all respects and to the entire satisfaction of Engineer Incharge. Note: Payment will be made for the single side.	<u>PSO House</u>	<u>EA</u>	10		
65	<u>Fiberglass Tower Panel (20.5 inches)</u> Supply/Provision and installation of 3mm fiber glass panel of 20.5 inches as per drawing with all fixtures as per site requirement complete in all respects and to the entire satisfaction of Engineer Incharge. Note: Payment will be made for the single side.	<u>PSO House</u>	<u>EA</u>	10		
66	<u>Fiberglass Tower Panel (12 inches)</u> Supply/Provision and installation of 3mm fiber glass panel of 12 inches as per drawing with all fixtures as per site requirement complete in all respects and to the entire satisfaction of Engineer Incharge. Note: Payment will be made for the single side.	<u>PSO House</u>	<u>EA</u>	10		
67	<u>Product Plate Fibreglass Tower</u> S/I of Product Plates as per requirement. Providing 3mm Acrylic Sheet Pasting of Translucent vinyl i.e 3630 VT 1986, 3630-015, 3630-156 in PSO approved Colour Electronically cutting and pasting of approved translucent vinyl of 3M/Avery/equivalent as per the approved design in PSO's approved colors for the required services. Product plates of following products. 1- Octane + 2- Premier 3- Hi-Cetane Note: Payment will be made for each category for both side (per unit cost is	<u>PSO House</u>	<u>EA</u>	20		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

41	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
68	for both sides of tower). <u>Rate Digits Fibreglass Tower</u> Supply of Rate Digits Set (0 to 9), 3mm Acrylic Sheet Pasting of Translucent Vinyl, 3635-22B 1 Set include: 0 - 9 No. 1 - 9 No. 2 - 9 No. 3 - 9 No. 4 - 9 No. 5 - 9 No. 7 - 9 No. 8 - 9 No. 9 - 9 No. Note: Payment will be made for complete set of tower	<u>PSO House</u>	<u>EA</u>	5		
69	<u>Fibreglass Tower Panel Paint</u> Scrapping, cleaning and applying two coats of spray paint of ICI / Berger or equivalent, on Monolith tower's fiber grey panels and white head panel ICI, Berger or equivalent. Job also includes: 1. PSO Monolith tower grey paint on grey fiber portion 2. PSO Monolith tower white paint on head panel fiber portion 3. Removal of reflective text 4. Covering of PSO Logo, rate digits and product sheets Note: Payment will be made for the complete job (per unit cost is for both sides of tower)	<u>PSO House</u>	<u>EA</u>	2		
70	<u>Monolith Tower Foundation</u> Foundation of Monolith Tower as per drawing # 219-CIV-DT-001 Foundation works, job includes but not limited to following: Job Includes: - Excavation for foundation, trenches in any kind of strata as available as per site requirement and backfilling the excavated earth in foundation back fill	<u>PSO House</u>	<u>EA</u>	20		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

42	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	material should be free from lumber, trash and other deleterious material dressing of bottom of excavation to perfect level, dressing, watering and compaction to obtain 95% modified AASHTO density etc. and removal of surplus excavated stuff with a lead of as directed, by the engineer incharge. Working space shall not be allowed separately - Providing and laying earth fill of approved quality and origin in foundation, plinth etc. i/c breaking clods, dressing, watering and consolidating by ramming in layers not exceeding 6" depth to attain 95 % modified AASHTO density i/c all lead and lifts. NOTE: Actual compacted depth shall be considered for measurement/payment. (if required) - Providing and laying stone soling 6" to 9" depth thick of approved quarry including packing and filling voids with spawls and chips, khaka consolidating and compacting with power compactor or hand compactor. (if required) - Providing and laying plain cement concrete using approved quality 1" maximum size graded crushed aggregate, stone or gravel with approved quality local river sand i/c all formwork, rodding, vibrating, levelling and curing etc. a) Class 'D' C.C (1:3:6) cast in situ in floors, foundations etc. Using SR cement b) Class 'E' C.C (1:4:8) in foundations, Using SR cement - Providing and laying reinforced concrete of specified strength using approved quality 3/4" max. size graded crushed aggregate and fine aggregate including approved formwork and its removal as per drawing, levelling, compacting, rodding, vibrating, finishing, curing etc. Class 'C' C.C (1:2:4). - Foundation: Using SR cement - Columns upto plinth & Plinth Beam in SR cement Note: Job also includes following a) Supply/Providing steel reinforcement bars as per drawings and specifications. - Deformed steel reinforcement of yield strength 60,000 psi. Note: Drawings Attached b) Laying steel reinforcement bars including straightening, removing twists, cutting, bending, binding, wastage and such overlaps as are not shown on drawings, placing in position on precast concrete or steel chairs, tying with binding wire complete as per drawings and specifications.					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

43	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
71	Note: - Drawings Attached. - Payment will be made for the complete job <u>Signage for Depot/Installation</u> 1 FT2 = 1 EA (Job) Transportation and Installation of Monolith Towers (Site to Site, Store to Site, and Refurbishment of Steel Works) Transportation, shifting, and installation of fiberglass Monolith towers from one site to another site, as well as from the PSO store to a designated site, based on project requirements. This requisition also includes the refurbishment of steel structures, covering minor repairs, welding works, mechanical cleaning, and the application of red oxide primer followed by white enamel paint. Scope of Work: The contractor is responsible for the transportation, shifting, and installation of Monolith towers between sites and from the PSO store to the site. This includes the removal of existing towers from their current locations and ensuring they are securely transported and installed at the new or designated site according to project specifications. All lifting equipment, including cranes and rigging devices, along with crane operators, must be third-party certified. The contractor shall submit all required certification documents for review and approval prior to the commencement of work at any site. Before transportation and installation at the new or designated site, the contractor must conduct site visits to verify that the tower#s base plate footprint aligns with the foundation#s anchor bolt spacing to ensure proper alignment and secure installation. For the refurbishment of steel structures, the contractor is required to carry out the following tasks: - Minor repair works such as welding, fixing cracks, and reinforcing weak points. - Mechanical cleaning of the steel structures to prepare them for painting. - Application of a red oxide primer to protect the steel surfaces.	PSO House	FT2	10		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

44	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
72	- Finishing with a top coat of white enamel paint to ensure durability and a clean appearance. Installation of Monolith towers at the new site must be completed in compliance with all technical specifications, safety protocols, and operational standards. The contractor must oversee all lifting and shifting tasks to ensure they are conducted safely and efficiently. Note: - The contractor must ensure the safe transportation of Monolith towers and steel structures, considering potential risks during transit and handling. - All lifting, transportation, refurbishment, and installation activities must meet the highest safety and operational standards, with compliance ensured at all times by the contractor. - Payment will be made upon successful completion of the entire scope of work. <u>Signage for Depot/Installation</u> 1 FT2 = 1 EA (Job) Transportation and Installation of Monolith Towers (Site to PSO Store) Transportation, shifting, and installation of fiberglass Monolith towers from the designated site back to the PSO store based on project requirements. This requisition focuses on the safe removal and transportation of towers from the site to the PSO store for storage or refurbishment. Scope of Work: For fiberglass Monolith towers being transported to the PSO store, the contractor must ensure that each tower is properly packed before transportation. All lifting equipment, including cranes and rigging devices, along with crane operators, must be third-party certified. The contractor shall submit all required certification documents for review and approval before any work begins at the site. Transportation of the Monolith towers at the PSO store must be completed according to the technical specifications, with all lifting and shifting tasks conducted safely and efficiently. The contractor is responsible	PSO House	FT2	2		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

45	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	for ensuring that all procedures comply with operational and safety standards. Note: - The contractor must ensure the safe transportation of Monolith towers, taking into account all potential risks during transit and handling. - All lifting, transportation, and installation activities must meet the highest safety and operational standards, with compliance ensured at all times by the contractor. - Payment will be made upon successful completion of the entire scope of work. ***** General Requirement: Following are the details of LED Modules, LED Tube Rods, Power Supply and white ACM for use in the tower: *****LED modules specifications***** - Color: WHITE - Color Temperature 6000-10,000 Kelvin (Cool day light) - Color Rendering Index 80 or above - Luminous efficacy 100 Lumens / watts or above - IP 67 or above - L50 Life time is 50,000 Hours - Operating Environment -10°C to + 55°C or above - lumens/module >= 80 lumens or above - Operating voltage 12 V DC - Watt/ Module <= 1.2 W nominal - Certification: CE/UL/IEC approved or equivalent - Warranty: 3 years replacement warranty - Backing tray for LED module fixing *****POWER SUPPLY/ LED Driver***** - Input Voltage Range AC: 230V +/- 20% - Output Voltage Range DC: 12V +/- 10%					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

46	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	- Power factor ≥ 0.90 - Output Power DC: 150W or above (as per requirement) - Efficiency 85% or above - Over temperature protection, Overload protection and Short-circuit protection - Operating temperature: -10°C to $+55^{\circ}\text{C}$ or above - IP -65 or above - Certification: CE/UL/IEC approved or equivalent - Warranty: 3 years replacement warranty *****White ACM for Monolith Cladding***** - Aluminum Alloy 3105 H 14 or equivalent having good Corrosion resistance. - Composite core (Polyethylene based material and adhesives) - Panel Thickness: 4 mm or greater - Aluminum Cover: ≥ 0.5 mm Thick on both sides(>,<) - Core Thickness: ≥ 3 mm - Warranty: 3 years replacement warranty *****LED Tube Rods***** - Energy Consumption (Watts): upto 14 watts - Operating Voltage: 220-240 Volts - Lumens/Watt: Min. 142 - Life L70: upto 50,000 Hours - Warranty: 1 year - Nominal CCT: 6500K - IP Rating: Min. IP20 - CRI: 83 or greater - Beam Angle Degrees: Min. 150 - Tube Length: 4ft - Total Lumens: Min. 2000 Lumens - Operating Temperature: -20 to $+45$ Degree Celsius - Material of Rod: Polycarbonate ADDITIONAL NOTES:					



47	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)
SAP No.6100018006

Company PSO Dummy Vendor PAKISTAN	QUOTATION REQUIRED			
	ON (Date)	15.09.2026	BY (Time)	2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith **EARNEST MONEY** Fix %
Rs. _____ **PO/DD NO.** _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	1. Each panel shall contain a single text line. The distance between each text shall remain the same. 2. All panels to be in perfect alignment. 3. All Panels should be removable for maintenance purposes without disturbing the adjacent panels. 4. Text on monolith shall be as per outlet requirement, however sequence will be as per drawing. 5. Water proofing of monolith from the top. Covering of above nut with proper plugging bolt. 6. Text for facilities should be perfectly center aligned. 7. ACM Cutting through CNC as per required design. 8. Laser Cutting of 4mm thick acrylic letters to be cut without joint according to the size/drawing, finishing and fixing on ACM. 9. Installation of Acrylic sheet 4mm thick translucent White at front side with the support of 3mm acrylic clear sheet at backside to support the complete letter/text. 10. Fixing of Text/Letter: Push it through from the back side and Flush/Level with the front side of ACM. - Time for Completion: The Contractor shall complete Supply, Installation of ACM Based Monolith Tower at PSO Retail Outlets (each retail outlet) within 21 days of handover of respective PSO Retail Outlet/go-ahead from Company#s Engineer in all respect, as per Agreement. The Contractor shall complete Rehabilitation of Existing Fiber Glass Monolith Tower at PSO Retail Outlets (each retail outlet) within 21 days of handover of respective PSO Retail Outlet/go-ahead from Company#s Engineer in all respect, as per Agreement. ===== 1. SPECIAL TERMS AND CONDITIONS: 1.1 Contract Duration: This Contract shall initially be for a period of one (1) term. PSO shall, at its sole discretion, have the option to extend the Contract for a further period of one (1) year, on the same specifications, rates, terms, and conditions, such extension to take effect upon exhaustion of					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

48	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	the quantities specified in the Work Order or upon completion of the initial one-year period, whichever occurs earlier. 1.2 Subsequent Year's Requirement: The quantities specified in the RFQ are based on the requirement for the first term only. Separate Work Order(s), on the same specifications, terms, and rates, shall be issued to cater to the annual requirement of the subsequent year, following exhaustion of the first year's quantities or completion of the first year, whichever occurs earlier, at the sole discretion of PSO. 1.3a Site Execution Timeline: Supply and Installation of Monolith Tower at a Site shall be commenced by the Contractor within 21 calendar days of PSO's go-ahead for that Site. 1.3b Time Extension: In the event the Contractor fails to supply the material within the timelines stipulated herein, the Contractor may submit an application with necessary documentations for extension of time. Such extension shall be granted solely on grounds falling within the justifications enumerated under Clause 4, or where the delay is demonstrably attributable to an act, omission, or default of PSO. No extension shall be granted in respect of delays arising from any other cause. 1.4 Payment Mechanism: Payment for each Site shall be made through Running Bills, as per actual work done at Site and verified by the PSO Site/Divisional Engineer. 1.5 Termination for Poor Performance: PSO reserves the right to terminate this contract by giving one (1) month's written notice, in the event the Contractor's performance is found to be #poor.# 1.6 HSE Compliance and Instructions: The Contractor must follow all HSE guidelines of PSO and must abide by any other instructions/notifications issued by the Company from time to time. The Contractor shall be responsible to ensure risk assessment and undertake steps to mitigate identified risks. The Contractor shall be responsible to ensure usage of good-quality PPE (i.e., Safety Shoes, Gloves, Helmets, Goggles, Safety Harness, etc.) during execution of					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

49	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	work. PSO reserves the right to terminate the contract by giving one (1) month's notice on repetitive non-compliance/violation of HSE instructions given by PSO to the Contractor. Contractors shall ensure continuous supervision of their workforce, proper site assessment, trained manpower, certified PPE/safety harnesses, inspected tools/equipment, and third-party certified crane and scaffolding. Contractor to follow PSO Guideline for execution of Monolith Tower. 1.7 Maintenance of Tools and Equipment: All tools, equipment, scaffolding and vehicles used by the Contractor must be properly maintained and certified where required. 1.8 Third-Party Certification: Full Body Safety Harness and Scaffold shall be certified by a third party (third-party certificate required), and all necessary equipment used by the Contractor shall be properly inspected at regular intervals. 1.9 Site Assessment Prior to Work: The Contractor must ensure that the job site and other conditions are inspected and evaluated to determine ground conditions or strength of supporting structures, proximity of electric power lines, overhead obstructions, and wind conditions. The Contractor must mitigate any unfavourable condition identified and plan work execution accordingly, and must ensure safe placement and connection of equipment. 1.10 Staff Supervision and Conduct: The Contractor will be responsible for continuous supervision of its staff during work. During execution of work no staff member should be involved in any unsafe act. 1.11 Staff Training: The Contractor will be responsible for training its staff on a regular basis. 1.12 Liability for Accidents: The Contractor shall be fully responsible for any accident (fatal or otherwise) caused while executing work, whether to itself or its representatives. Compensation payable to any claimant in such cases shall be borne by the Contractor, and the Contractor shall keep PSO absolutely indemnified and held harmless against such responsibility. 1.13 Indemnity:					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

50	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	The Contractor shall indemnify PSO, its officers, employees, agents and representatives from and against all losses, costs, penalties, fines, damages, claims or liabilities arising out of, resulting from, or in connection with the services contemplated by this contract. 1.14 Damage to PSO Property: The Contractor shall be responsible to rectify, at its own cost, any damage caused to PSO property during execution of work, without charging PSO. 2. PENALTY FOR DELAY: 2.1 Applicability: If the Contractor fails to complete work or delivery at any Site by the Scheduled Completion Date for that Site, specified in section 1.3, the Contractor shall be liable to pay Liquidated Damages (LD). The Scheduled Completion Date for a Site shall stand extended, and no LD shall accrue for the corresponding period, where the delay is directly attributable to PSO. 2.2 Rate and Cap: LD shall be levied at the rate of Rs. 2,700/- (Rupees Two Thousand Seven Hundred only) per day of delay, per Site, computed from the day immediately following the Scheduled Completion Date of that Site until actual completion/acceptance, subject to a maximum cap of 10% (ten percent) of the Work Order. This cap shall apply independently to each Site and shall not be aggregated across Sites. 2.3 Mode of Recovery: LD amounts, once accrued, may be deducted from any amount payable to the Contractor against invoices raised for that Site, from Security Deposit, without prejudice to PSO's other rights and remedies under the contract, including the right to terminate. 2.4 Nature of LD; No Waiver of Other Remedies: Recovery of LD does not relieve the Contractor of its obligation to complete the work, nor does it act as a cap on any other damages PSO may be entitled to for defects, non-performance, or breach unrelated to delay. The 10% cap under this clause applies only to delay-related LD. 3. EMERGENCY, URGENT & OUT-OF-HOURS WORKS: Upon issuance of Go-Ahead by PSO, the Contractor shall prepare and make					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

51	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	the complete Monolith Tower, including all required materials, components, branding, lighting, and accessories, ready for installation within six (06) calendar days. The Contractor shall ensure that the complete tower is ready and available for immediate mobilization upon completion of the six-day preparation period. The Contractor shall thereafter mobilize the required manpower, equipment, tools, and materials and install the tower at the Site on the date advised by PSO. The Contractor shall plan and coordinate its resources accordingly to meet the advised installation schedule. All works shall be carried out in accordance with the approved scope, agreed rates, HSE requirements, and applicable PSO procedures. No additional charges shall be payable due to the short mobilization/installation timeline. In case of failure to prepare, mobilize, or install the Monolith Tower within the required timeline, PSO may arrange the work through another contractor at the Contractor's risk and cost, and any additional cost incurred by PSO shall be recoverable from the Contractor. 4. FORCE MAJURE: An event of force majeure is an event or circumstance which is beyond the control and without the fault or negligence of the party affected and which by the exercise of reasonable diligence the party affected was unable to prevent provided that event or circumstance is limited to the following: a) riot, war, invasion, act of foreign enemies, hostilities (whether war be declared or not) acts of terrorism, civil war, rebellion, revolution, insurrection of military or usurped power, requisition or compulsory acquisition by any governmental or competent authority or any kind of Government restriction; b) ionizing radiation or contamination, radio activity from any nuclear fuel or from any nuclear waste from the combustion of nuclear fuel, radioactive toxic explosive or other hazardous properties of any explosive assembly or nuclear component; c) pressure waves caused by aircraft or other aerial devices travelling at sonic or supersonic speeds; d) earthquakes, flood, fire or other physical natural disaster, pandemic					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

52	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	(COVID-19 or any other event which is beyond the reasonable control of the affected party), but excluding weather conditions regardless of severity; and e) strikes at national level or industrial disputes at a national level, or strike or industrial disputes by labour not employed by the affected party, its subcontractors or its suppliers and which affect an essential portion of the works but excluding any industrial dispute which is specific to the performance of the works or this contract." Further matter may be negotiated between the parties when such circumstances risen to effect and clearly identifies the risk allocation between the parties. 5. VIOLATION OF HSE GUIDELINES AND PENALTY: 5.1 Penalty for HSE Violations: Any documented violation of Health, Safety & Environment (HSE) guidelines by the Contractor, supported by pictorial/photographic evidence, shall attract a penalty of Rs. 100,000/- for the first instance, and Rs. 200,000/- for each subsequent instance, irrespective of the Site at which the violation occurs. This penalty shall apply each time a violation is observed, at any Site, throughout the duration of this Work Order, i.e., violations shall be counted cumulatively across the entire Work Order and not reset on a per-Site basis. Penalty amounts shall be deducted from the Contractor's invoices. The Contractor shall accordingly ensure that all staff deployed across all Sites strictly comply with PSO Guideline for execution of Monolith Tower. 5.2 Persistent Non-Compliance: Where the Contractor commits a 3rd violation of HSE guidelines, cumulatively across all Sites under this Work Order, the same shall be deemed #Persistent Non-Compliance.# In such event, PSO reserves the right, at its sole discretion, to cancel the Work Order, in whole or in part, without further notice, after issuance of one written #Final Warning# to the Contractor. 5.3 Penalty for Delayed Rectification: Penalty for delayed rectification of any complaint shall be calculated as per the rates and mechanism outlined in Clause 5.1 above.					



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

53	OF	53
RFQ No	RC-19952IA	
DATE	30.08.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018006

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

15.09.2026

BY
(Time)

2:15 PM

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY Fix %
PO/DD NO. _____

Title: Supply and Installation of Monolith Towers at PSO Retail Outlets.

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	6. WORK METHOD STATEMENT & RISK ASSESSMENT: 6.1 Preparation and Approval: Before starting Monolith tower works at any Site, the Contractor's authorized representative shall prepare a Work Method Statement (WMS), explaining how the work will be carried out, including the sequence of activities, manpower and equipment to be used. Along with this, the Contractor shall also prepare a Risk Assessment Sheet, listing the possible hazards at that Site and the safety measures to control them. Both documents must be submitted/shared to the respective Divisional Engineer (DE) before commencement of work, and if required contractor is liable to change/modify the document as per the instructions. No work shall commence at any Site without the submission of work method statement and risk assessment sheet, without prejudice to PSO's other rights under the contract. If the work and risks at a new Site are the same or substantially similar to a Site already approved earlier under this Work Order, the Contractor need not prepare a fresh WMS and Risk Assessment Sheet from scratch.					