

SUI NORTHERN GAS PIPELINES LIMITED

Tender Enquiry

Ref: FST/TE/ 055 /2026		Dated : 07-09-2026	
Messer's,			
1.		6.	
2.		7.	
3.		8.	

Dear Sirs,

1. Please submit your lowest and firm quotation with best delivery for the items given on the attached sheet (*Annexure*) by 03:00 PM positively on or before 25-09-2026.
2. Please Include:
 - a. Our item numbers.
 - b. Discounts, if any.
 - c. Full details of any deviation from our Specifications.
 - d. Lump-sum price in addition to unit price, carriage paid to our address given in
3. The envelope should be sealed and addressed to the Exec. Officer Procurement at the following address.
SNGPL Office, HQ-T, Main Sargodha Road, Faisalabad
4. The envelope should be headed "CONFIDENTIAL" and marked;
Tender Enquiry No. FST/TE/ 055 /26 Closing on 25-09-2026
Your quotation is liable to be cancelled if you fail to adhere to the this clause.
5. Your quotation should remain open for at least a period of **60** days from the date of closing of this enquiry.
6. QUOTATIONS AGAINST THIS ENQUIRY WILL BE OPENED IN PUBLIC **30 Minutes** AFTER THE CLOSING TIME OF THIS ENQUIRY.
7. In the event of your quotation being approved and our confirmed order placed on you, you will be expected to complete the delivery by the date mentioned in our order conformable to your quotation. In case delivery is not completed by due date, we reserve the right to meet our demand at your cost.
8. In case an order is placed on you on the basis of this Enquiry, material will be required by us latest by 30 days.
9. We reserve the right either to increase/decrease 15% of ordered quantities or cancel **any /all** items of this Enquiry without any reasons.
10. Relevant leaflets/brochures should accompany your quotation, if possible.
11. Instead of writing the word 'IMPORTED' Please give the **exact Brand/Make and Country of Origin** of each item quoted by you.
12. **Delivery of material will be required at our Main Stores Faisalabad HQ-T**

GENERAL CONDITIONS

- i. All deliveries are to be consigned carriage paid to the address given under 2 (d) above.
- ii. Delivery Challan (*in Triplicate*) for each consignment should accompany the material.
- iii. Consignments will be received upto 03:00 PM. during Summer on all working days and upto 03:30 PM during Winter on all days of the week except Fridays and Saturdays, when these will be received upto 12:30 PM.
- iv. All goods purchased are subject to our Inspection and Approval and if rejected will be returned at Supplier's risk and cost.

Yours Faithfully,
SUI NORTHERN GAS PIPELINES LIMITED



(Muhammad Asim Qureshi)
Dy. Chief. Officer Procurement
for Managing Director

BID SECURING DECLARATION
TENDER ENQUIRY # FST/TE/055/26 Dated 07.09.2026

M/s. Sui Northern Gas Pipelines Limited,

Dear Sirs,

We, M/s _____, hereby confirm that our bid against subject tender enquiry is firm & irrevocable.

We, M/s _____, also confirm & undertake that our said Bid Securing Declaration shall serve as guarantee that we shall not either withdraw, unilaterally modify, vary or alter our Bid after opening of the tenders and before expiry of bid validity period or extended bid validity period, and we shall accept purchase order placed on us within validity period of bid in case our bid turns out to be the most advantageous bid as per terms of the tender enquiry.

Authorized Signatories of the Bidder

Name: _____

Date: _____

E-mail address:- _____

Company Seal: _____

Place: _____

SUI NORTHERN GAS PIPELINES LIMITED

Annexure To Tender No : FST/TE/ 055 / 2026 Sheet No : 01 of 01

Reference of Supplier : _____ Dated : 07-09-2026

Sr. No	Description	Brand/Make Country of Origin	U O M	Qty.	Rate	Bid Security of Estimated Cost of Each Item	Delivery Period
1	Teflon Sheet Thickness : 2mm Specifications attached as annexure-A		SQM	17.82		Bid Security declaration (Annex III) duly signed/ stamped is also required alongwith bid on your Letter Head/ Stamp Paper, failing which your bid will be considered non-responsive	
2	SHEET G-1 CORRUGATED,SIZE 0.71MM, (22 GAUGE),BUILDING MATERIAL, Specifications attached as annexure-B		SQM	32.5			
3	Master Locks Specifications attached as annexure-C		NO	60			
4	Anti-Cease Spray (WD-40) 400 ml/tin Specifications attached as annexure-D		TIN	60			
5	Cotton Rags Specifications attached as annexure-D		KGS	200			
6	Sealed Rechargeable Dry Battery 12V, 33/35 Amp HR, Dimension=7.5"L x 5"W x 6.5"H Specifications attached as annexure-E		NO	4			
7	Dry Battery Cell 1.5 volt (D - Size)Specifications attached as annexure-F		NO	300			

Terms & Conditions

1. Rates should be valid upto (Sixty 60) days
2. We required good quality material.
3. Quotation should be complete in all respects i.e. NTN/GST Nos. date & signature, country of origin/Brands with complete specification of material duly stamped.
4. Envelop should be marked as " **CONFIDENTIAL** ", Tender Enquiry No. and Closing Date
5. Any Information or sample can be seen in the store office FSD on any working day in the office time
6. We require material within 30 Days, however, you may quote your best delivery period.
7. Payment will be made through cheque after complete delivery of material.
8. In case an order is placed on you on the basis of this Enquiry, payment shall be made within 30 days from receipt of goods except when stores are received 'Subject to Approval'. In such cases 30 days limit will commence from the date of 'Approval' of material.
9. No bid will be accepted for lesser quantity than that specified.
10. Any discount or alternate prices not read out at bid opening will not be considered during bid evaluation.
11. Conditional offers / quotation will not be accepted.
12. Each item will be evaluated separately.

Special Note

1. Please note that in case of Purchase Order placed on you, delivery of material must be made within the stipulated delivery period, failing which, we reserve the right to cancel the purchase order or part thereof, as necessary.
2. In case of an order placed on you, if the order on you or part thereof is cancelled, we shall have the right to make purchases from other sources at your risk & cost, and the difference in cost will be recovered from you and this cancellation of Purchase Order may lead to black-listing of the firm.
3. Brand Name, Model No. and Country of Origin of offered item must be mentioned in the quotation. Bids without Brand Name, Model No. and Country of Origin are liable to rejection.

Late Delivery Charges

1. Time shall be essence of the contract/purchase order and it will include a clause on Late Delivery charges. This interalia will state that if the materials, as given in the order have not been dispatched/delivered on time and as per stipulations in the contract except on account of Force Majeure**, within the delivery period given in the contract, Sui Northern Gas Pipelines Limited (SNGPL) shall be entitled to recover 1% (One Percent) of the total value (excluding Sales Tax) of the delayed part of material for each week of delay, by way of Late Delivery Charges and not by way of penalty subject to a maximum of 10% of the total value (excluding sales tax) of the delayed part of the material.
2. The payment of such Late Delivery Charges shall not relieve the supplier from performing and fulfilling its obligations under the contract nor will the corresponding rights and entitlements of Sui Northern be affected or reduced in any manner.
3. Whenever Late Delivery Charges become payable, SNGPL, in its sole discretion shall quantify the same and recover Late Delivery Charges through deduction from outstanding bills of suppliers directly by Accounts Department while making payment to suppliers.

****** The term "Force Majeure" as employed herein shall mean acts of Government in their sovereign capacity, riots, strikes, lock outs, fire occurring in the supplier's establishment, political disturbances, mobilization, wars, unprecedented flood, storms hurricanes or other acts of God.

Supplier's Signature : _____

Supplier's Stamp : _____

TECHNICAL SPECIFICATIONS OF TEFLON SHEET**1- TEFLON SHEET****Applications:**

Required for installation on Pipe Supports at SMSs to avoid corrosion / pitting.

Material:

Teflon (Acid / Chemical resistant)

Thickness:

2 mm (0.078")

Dimension:

Minimum Width: 4 ft. (Must not be less than 4 ft.)

Quantity:

17.82 Sq. Meter

BID EVALUATION CRITERIA:

- Offer of the bidders will be evaluated strictly in accordance with the above stated technical specifications.
- In the event of more than one offer by the same bidder, the sustainability of the item shall be determined as per closest conformity.
- 01 No. Sample of the offered item must be provided along with the bid. Please note that the sample provided must be the same one as quoted, otherwise, it would not be accepted.

TECHNICAL SPECIFICATION G. I CORRUGATED SHEETS

The details description of each material is specified below:

Indent Sr. #	Material Description	Quantity Required
01	G.I. Corrugated Sheet 22 SWG (Sheet Finished size must be 10' x 3.5')	32.5 SQM

BID EVALUATION CRITERIA

The bidder is required to enclose relevant technical literature conformed to the offer Corrugated steel sheets shall be made of ASTMA-36 mild steel, well annealed, even in term and thickness free from holes, cracks, blisters and other defects. Corrugated steel sheets shall directly rectangular, the corrugations parallel with the sides and regular in curve pitch depth, sheet must be of thickness 0.71 mm and weight of sheet must be 0.75 kg to 0.85 kg per square ft.

Corrugated Sheet shall be of perfectly rectangular, having dimension 10' x 3.5' after corrugation. Tolerance limits $\pm 2\%$. Material must be brand new.

SPECIFICATIONS OF MASTER LOCK

FSD/T/LP/0146/26

1. # 1/1
A-mezur-1C


1- **Applications:**

Required to lock SMS's Gates. Master keys to be provided with locks must be compatible with the previously available locks being utilized for the purpose. (Master lock and key sample provided)

2- **Material:**

- Lock Body: Brass
- Shackle: Stainless Steel

3- **Schematic Drawing**



4- **Dimensions**

Weight Per Piece	Shackle & Lock Body Dimensions				
	A	B	C	D	E
1,050 grams	66.4 mm	76.5 mm	49.3 mm	12.4 mm	36.8 mm

5- **Accessories**

- 03 Nos. Keys must be provided with each Master Lock

Annexure - 10

TECHNICAL SPECIFICATIONS OF ANTI-CEASE SPRAY AND COTTON RAGS
INDENT NO.FSD/T/LP/0037/27

ANTI-CEASE SPRAY:

Sr. No.	Specifications	Description
1	Spray Type	Aerosol Spray
2	Purpose	Multi-Use Lubricant
3	Industrial Uses	Lubricates, Penetrates, Cleans, Protects and Displaces Moisture
4	Color	Light amber cloudy liquid
5	Fluid Container	Tin container
6	Quantity per tin	300-400 ml per Tin (preferably 330 ml per Tin)
7	Spray Type	Traditional Spray Nozzle
8	Special Requirement	Each Tin must have a straw (for deep penetration)
9	Environmentally Friendly	Yes

COTTON RAGS:

- Only good quality cotton rags shall be accepted. Material made from hosiery waste, lunda (used cloth), cut pieces, textile scrap, or similar recycled waste is strictly not acceptable.
- Each piece of cloth must be properly cut to a size of 2' x 2'
- Cotton Rags must be clean and no dirt or grease stains must be found on it.

BID EVALUATION CRITERIA:

- Offer of the bidders will be evaluated strictly in accordance with the above stated technical specifications.
- Bidder shall clearly mention the brand name and country of origin of offered item # 1 in their proposal.
- Technical literature and brochure covering details of the quoted item # 1 shall be provided with the bids.
- 01 No. Sample of the offered item must be provided along with the bid.

TECHNICAL SPECIFICATIONS OF DRY BATTERY**RE-CHARGEABLE, 12 VOLT**

FSD/T/LP/0145/26

APPLICATIONS:

Durable long life rechargeable dry batteries are required for smooth and uninterrupted power supply to EFM BRISTOL & FB-107 Emerson makes Flow computers.

TYPE:

- Dry Sealed Rechargeable
- VRLA (Valve Regulated Lead Acid) AGM / GEL Battery.
- Maintenance Free

NOMINAL VOLTAGE:

- 12 Volts.

ATTRIBUTES / QUANTITY:

Sr. #	Battery Capacity	Dimensions			Qty. (Nos.)	Battery Terminal Type
	Ah (Ampere Hours)	Length (mm)	Height (mm)	Width (mm)		
1	33/35	190.5 ± 3 mm	165.1 ± 3 mm	127.0 ± 3 mm	4	T6 / N3 / N4

- Technical literature and brochure covering capacity / ampere hour rating, shelf life and dimensions of quoted batteries shall be provided with the bids.
- Copy of valid ISO 9001 certificate of battery's manufacturer shall be provided with bid.
- Manufacturing date of batteries shall be present on each battery.

WARRANTY:

- The Supplier shall provide replacement warranty for at least six months from the receipt of batteries for smooth / trouble free operation.

NOTE:

- Samples of the offered batteries shall be demanded from respective bidders, during technical evaluation, if deemed necessary.

BID EVALUATION CRITERIA:

- Offer of the bidders will be evaluated strictly in accordance with the above stated technical specifications.



Annexure - 5 'E'

TECHNICAL SPECIFICATIONS OF DRY BATTERY CELL

FSP/T/LP/0145/26

Sr. No.	Specifications	Description
1	Battery cell Type	Alkaline Battery Cell
2	Rechargeable	Non re-chargeable
3	Voltage	1.5 V
4	Size	D
5	Expiry	At least 2 years

BID EVALUATION CRITERIA:

- Offer of the bidders will be evaluated strictly in accordance with the above stated technical specifications.
 - Bidder shall clearly mention the brand name/Model and country of origin of offered item in their proposal.
 - In the event of more than one offer by the same bidder, the sustainability of the item shall be determined as per closest conformity.
 - 01 No. sample of the offered item must be provided along with the bids.
- /

