

Standard Bidding Document

NCB-7 LOT WISE TENDER NOTICE FROM LOT NO. 54 TO LOT NO
82

(Works)

National

Single Stage-One Envelope



September 09, 2026

*IESCo Civil Division (Islamabad Electric Supply Company (IESCO)), Executive Engineer
Street 63 G-8/1, Islamabad Capital Territory
Phone: +92-319-599-1415, Email: xen.civil@yahoo.com*

Table of Contents

REQUEST FOR BIDS	1
Instructions to Bidders	3
Bid Data Sheet	31
Bids Data Sheet (BDS)	32
Eligibility Criteria	36
Evaluation Criteria	37
Jobs/Lots	37
Related Services :	47
Work Specifications and Market Rates	48
Scope of Work	254
Price Schedule	255
General Conditions of Contract	257
Special Conditions of Contract	267
Bid Securing Declaration	272
Contract Form	274
Integrity Pact	277
Performance Guarantee Form	279
Annexure	282
Procurement Forms	284

REQUEST FOR BIDS


PROCUREMENT OF CIVIL WORKS

1. The **IESCo Civil Division (Islamabad Electric Supply Company (IESCO))** has reserved Funds for the procurement planned for FY **2026-27**. The **IESCo Civil Division (Islamabad Electric Supply Company (IESCO))** intends to apply part of the proceeds of this Fund to cover eligible payments under the contract for the "**NCB-7 LOT WISE TENDER NOTICE FROM LOT NO. 54 TO LOT NO 82**" with the reference of "**P115522**".
2. The **IESCo Civil Division (Islamabad Electric Supply Company (IESCO))** invites sealed Bids from eligible Bidders for procurement of Works (**NCB-7 LOT WISE TENDER NOTICE FROM LOT NO. 54 TO LOT NO 82**) described in the bidding documents on **EPADS v2.0**.
3. **Single Stage-One Envelope** will be used by adopting **Least Cost Based Selection (LCBS)** Technique for the subject procurement, in line with the Public Procurement Rules, 2004 and any Regulations, Regulatory Guides, Procurement Guidelines or Instructions issued by the Authority from time to time.
4. All Bids must be accompanied by a Bid Security amount described in Bid Security Section in Bidding Document in the form of . Or all bids must be accompanied by bid securing declaration in the format specified in the Bidding documents
5. E-Bidding documents, containing detailed terms & conditions, specifications and requirements etc. are available on **e-Pak Acquisition and Disposal System (EPADS)** at **<https://epads.gov.pk/opportunities/federal/procurements/115522>** for all the interested bidders registered on **EPADS v2.0**. Bidders are required to get themselves registered on **EPADS v2.0** to participate in Bidding process.
6. The e-bids, prepared in accordance with the instructions in the e-Bidding documents, must be submitted through **EPADS v2.0** on or before **Tuesday, September 29, 2026 11:00 AM**. E-bids will be opened by using **EPADS v2.0** on the same day at **Tuesday, September 29, 2026 11:30 AM**. Manual

submission of Bids shall not be entertained. Those vendor who have not yet registered on the new version of **EPADS v2.0**, may register themselves on <https://vendors.epads.gov.pk/>. A tutorial to explain the registration process is available at <https://www.youtube.com/watch?v=MNW6T38v7tc>.

In terms of Rules 48 of Public Procurement Rules, 2004 Grievance Redressal Committee (GRC) is notified for the subject procurement and notification copy is available on the procuring agency's website and on Authority's website at (www.ppra.org.pk).

IESCo Civil Division (Islamabad Electric Supply Company (IESCO)), Executive
Engineer
Street 63 G-8/1, Islamabad Capital Territory
+92-319-599-1415
xen.civil@yahoo.com





Instructions to Bidders

A. INTRODUCTION

1. Scope of Bid

1.1. The Procuring agency/Employer (PA), as indicated in the Bid Data Sheet (BDS) invites Bids for the execution of Works as specified in the BDS and Section V- Works Requirements. The name, identification, and number of lots (contracts) of this National/ International Competitive Bidding process are specified in the BDS.

2. Source of Funds

2.1. Source of funds as referred in Clause 2 of Bid Data Sheet.

3. Eligible Bidders

3.1. A bidder may be natural person, company or firm or public or semi-public agency of Pakistan or any foreign country, or any combination of them with a formal existing agreement (on Judicial Papers) in the form of a joint venture or consortium. In the case of a joint venture or consortium, all members shall be jointly and severally liable for the execution of the Contract in accordance with the terms and conditions of the Contract. The joint venture or consortium shall nominate a Lead Member as nominated in the BDS, who shall have the authority to conduct all business for and on behalf of any and all the members of the joint venture or consortium during the Bidding process, and in case of award of contract, during the execution of contract. Verifiable copy of the agreement that forms a joint venture, consortium or association shall be required to be submitted as part of the Bid.

Any bid submitted by the joint venture, consortium or association shall indicate the part of proposed contract to be performed by each party and each party shall be evaluated (or post qualified if required) with respect to its contribution only, and the responsibilities of each party shall not be substantially altered without prior written approval of the Procuring Agency and in line with any instructions issued by the Authority.

(The limit on the number of members of JV or Consortium may be prescribed

in BDS, in accordance with the guidelines issued by the PPRA).

3.2. The invitation for bids is open to all prospective bidders subject to any provisions of incorporation or licensing by the respective national/international incorporating agency or statutory body established for that particular trade or business. Procuring agencies shall specify the registration/licensing requirements for the foreign bidder keeping in view the requirement of that business.

3.3. A Bidder shall not have a conflict of interest. All Bidders found to have a conflict of interest shall be disqualified. A Bidders may be considered to have a conflict of interest with one or more parties in this Bidding process, if they:

3.3.1. are associated or have been associated in the past, directly or indirectly with a firm or any of its affiliates which have been engaged by the Procuring agency/Employer to provide consulting services for the preparation of design or technical specifications of the works that are the subject of the bid; or

3.3.2. have controlling shareholders in common; or

3.3.3. receive or have received any direct or indirect subsidy from any of them; or

3.3.4. have the same legal representative for purposes of this Bid; or

3.3.5. have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the Procuring agency/Employer regarding this Bidding process; or

3.3.6. Submit more than one bid in this bidding process.

3.4. A Bidder may be ineligible if –

3.4.1. he is declared bankrupt or, in the case of company or firm, insolvent;

3.4.2. payments in favor of the bidder is suspended in accordance with the judgment of a court of law other than a judgment declaring bankruptcy and resulting (in accordance with the national laws) in the total or partial loss of the right to administer and dispose of its property;

3.4.3. the bidder is convicted, by a final judgment of a Court of Law or relevant Professional Statutory Body, of any offence involving professional conduct;

3.4.4. The bidder is debarred/ blacklisted by a national level Procuring agency/Employer and hence debarred due to involvement in corrupt and fraudulent practices, or performance failure or due to breach of bid securing declaration.

3.5. As and when required, bidders shall provide to the Procuring agency/Employer evidence of their eligibility, proof of compliance with the necessary legal requirements to carry out the contract effectively.

3.6. Bidders shall submit proposal relating to the nature, conditions and modalities of sub-contracting wherever the sub-contracting of any elements of the contract is envisaged.

4. Eligible Material and Equipment

4.1. All the material and equipment to be mobilized under the contract shall have their origin in eligible source countries, and all expenditures made under the contract will be limited to such materials and equipment. For this purpose, ineligible countries are stated in the section-IV titled as “Eligible Countries”.

B. BIDDING DOCUMENTS

5. Contents of Bidding Documents

5.1. The scope of Works, bidding procedures, and terms and conditions of the contract are prescribed in the bidding documents. In addition to the Invitation for Bids, the bidding documents which should be read in

conjunction with any addenda issued in accordance with ITB 7.1 include:

Section I -Invitation for Bids

Section II Instructions to Bidders (ITBs)

Section III Bid Data Sheet (BDS)

Section IV Eligible Countries

Section V Evaluation and Qualification Criteria

Section VI Works Requirements Technical Specifications & Schedule of Requirements

Section VII Standard Bidding Forms

Section VIII General Conditions of Contract (GCC)

Section IX Particular Conditions of Contract (PCC)

Section X Contract Forms

5.2. The bidder is expected to examine all instructions, forms, specifications, terms and conditions prescribed in the bidding documents. Failure to furnish all the information required in the bidding documents will be at the bidder's risk and may result in the rejection of his bid.

6. Clarification of Bidding Document, Pre-bid Meeting

6.1. A prospective bidder requiring any clarification of the bidding document may notify the Procuring agency/Employer through EPADS.

6.2. The Procuring agency/Employer shall respond to the request for clarification in accordance with Rule 31 of the Public Procurement Rules 2004.

6.3. Should the Procuring Agency deem it necessary to amend the BIDDING document as a result of a clarification, it shall do so following the procedure under ITB 7.

6.4. If indicated in the BDS, the bidder's designated representative is invited at the bidder's cost to attend a pre-bid meeting at the place, date and time mentioned in the BDS. During this pre-bid meeting, prospective bidders may request clarification of the schedule of requirement, the evaluation criteria or any other aspects of the bidding documents.

6.5. Minutes of the pre-bid meeting, if applicable, including the text of the questions asked by bidders, including those during the meeting (without identifying the source) and the responses given, together with any responses prepared after the meeting will be uploaded on EPADS. Any modification to the bidding documents that may become necessary as a result of the pre-bid meeting shall be made by the Procuring agency/Employer exclusively through the use of an Addendum pursuant to ITB 7. Non-attendance at the pre-bid meeting will not be a cause for disqualification of a bidder.

6.6. The bidder is advised to visit and examine the Site of Works and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the bid and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the bidder's own expense.

6.7. The bidder and any of its authorized personnel will be granted permission by the Procuring agency/Employer to enter upon its premises and lands for the purpose of such visit, but only upon the express condition that the bidder and its personnel will release and indemnify the Procuring agency/Employer from and against all liability in respect thereof, and will be responsible for death or personal injury, loss of or damage to property, and any other loss, damage, costs, and expenses incurred as a result of the inspection.

7. Amendment of Bidding Documents

7.1. The procuring agency may issue notification of any change, addition, modification or deletion in accordance with Rule 23 of the Public Procurement Rules 2004 i.e. Bidding Documents.

7.2. To give prospective bidders reasonable time in which to take an addendum/corrigendum into account in preparing their bids, the Procuring agency/Employer may, at its discretion, extend the deadline for the submission of bids:

Provided that the Procuring agency/Employer shall extend the deadline for submission of bid in pursuance of Rule 27 of the Public Procurement Rules 2004, i.e. Extension of time for submission of bids, if such an addendum is

issued within last three (03) days of the bid submission deadline.

C. PREPARATION OF BIDS

8. Language of Bid

8.1. The bid prepared by the bidder, as well as all correspondence and documents relating to the bid exchanged by the bidder and the Procuring agency/Employer shall be written in the English language unless specified in the BDS. Supporting documents and printed literature furnished by the bidder may be in another language provided they are accompanied by an accurate translation of the relevant pages in the English language unless specified in the BDS, in which case, for purposes of interpretation of the bidder, the translation shall govern.

9. Documents Constituting the Bids

9.1. The Bids prepared by the Bidder shall constitute of all the documents required in the BDS.

10. Documents Establishing Eligibility of Material, Equipment and Works, their Conformity to Bidding Documents

10.1. The bid prepared by the bidder shall constitute the following components: -

10.1.1. Documentary evidence established in accordance with ITB 10 that the material and equipment to be utilized by the Bidder for the executions of works are eligible material and equipment and conform to the Bidding Documents;

10.1.2. Documentary evidence established in accordance with ITB 11 that the bidder has been authorized to carry out the Construction works;

10.1.3. Documentary evidence established in accordance with ITB 11 that the bidder is eligible and/or qualified for the subject bidding process;

10.1.4. Form of Bid and Bid Prices completed in accordance with ITB 12 and 13;

10.1.5. Completed schedules as required, including priced Bill of Quantities in accordance with ITB 13.

10.1.6. Technical Proposal completed in all aspects in accordance with ITB-15.

10.1.7. Bid security or Bid Securing Declaration furnished in accordance with ITB 17;

10.1.8. Any other document required in the BDS.

10.2. In addition to the requirements, bids submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful bid shall be signed by all members and submitted with the bid, together with a copy of the proposed Agreement.

10.3. The bidder shall furnish, as part of its bid, all those documents establishing the eligibility in conformity to the terms and conditions specified in the bidding documents for all material, equipment and works which the bidder proposes to execute.

10.4. The documentary evidence of conformity of the material, equipment and works to the Bidding Documents may be in the form of literature, drawings, and data, and shall consist of:

10.4.1. a detailed description of the work methodology, approach, schedule and resources to be mobilized at site;

10.4.2. an item-by-item commentary on the Procuring agency/Employer's Technical Specifications demonstrating substantial responsiveness of the material, equipment and works to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications;

10.4.3. any other procurement specific documentation requirement as stated in the BDS.

10.5. The required documents and other accompanying documents must be in English. In case any other language than English is used the pertinent translation into English shall be attached to the original version.

11. Documents Establishing Eligibility and Qualification of the Bidder

11.1. The bidder shall furnish, as part of its bid, all those documents establishing the bidder's eligibility to participate in the bidding process and/or its qualification to perform the contract if its bid is accepted.

11.2. The documentary evidence of the bidder's eligibility to bid shall establish to the satisfaction of the Procuring agency/Employer that the bidder, at the time of submission of its bid, is from an eligible country as defined in Section-IV titled as "Eligible Countries".

11.3. The documentary evidence of the bidder's qualification to perform the contract if its bid is accepted shall establish to the satisfaction of Procuring agency/Employer that:

11.3.1. The bidder has the financial and technical capability necessary to perform the Contract, meets the qualification criteria specified in Section-V, Evaluation and Qualification Criteria and BDS.

11.3.2. In the case of a bidder not doing business within Pakistan, the bidder is or will be (if awarded the contract) represented by a local bidder (Joint Venture) in accordance with the PEC works bylaws, and in case of award of works such foreign firm is required to participate in the execution of works to carry out its obligations as prescribed in the Conditions of Contract and /or Technical Specifications.

11.3.3. That the bidder meets the qualification criteria listed in Section-V, Evaluation and Qualification Criteria and BDS.

12. Forms of Bid

12.1. The Bidder shall fill the Form of Bids furnished in the bidding documents. The Bids Form must be completed without any alterations to its format and no substitute shall be accepted.

13. Bid Prices

13.1. The bid prices quoted by the bidder in the Standard bid Forms, Bill of Quantities and in the Price Schedules shall conform to the requirements specified below or exclusively mentioned hereafter in the bidding documents.

13.2. The bidder shall fill in rates and prices for all items of the Works described in the Bill of Quantities. If a Price Schedule shows items listed but not priced, their prices shall be construed to be included in the prices of other items in the Bill of Quantities and will not be paid for separately by the Procuring agency/Employer.

13.3. Items not listed in the Price Schedule shall be assumed not to be included in the bid, and provided that the bid is still substantially responsive in their absence or due to their nominal nature, the corresponding average price of the respective item(s) of the remaining substantially responsive bidder(s) shall be construed to be the price of those missing item(s):

Provided that:

13.3.1. where there is only one (substantially) responsive bidder, or

13.3.2. where there is provision for alternate proposals and the respective items are not listed in the other bids,

The Procuring agency/Employer may fix the price of missing items in accordance with market survey, and the same shall be considered as final price.

13.4. The Bid price to be quoted in the Form of Bid in accordance with ITB 12 shall be the total price of the bid.

13.5. Unless otherwise specified in the BDS and the Contract, the rates and prices quoted by the bidder are subject to adjustment during the performance of the Contract in accordance with the provisions of the

Conditions of Contract.

13.6. If so specified in ITB 1.1, bids may be invited for individual lots (contracts) or for any combination of lots (packages).

13.7. Prices quoted by the Bidder shall be fixed during the bidder's performance of the contract and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and shall be rejected, pursuant to ITB 27, unless otherwise price adjustment is permissible under Conditions of the Contract.

13.8. All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date twenty-eight (28) days prior to the deadline for submission of bids, shall be included in the rates and prices and the total bid price submitted by the bidder.

14. Currencies of Bid and Payment

14.1. Prices shall be quoted in Pakistani Rupees unless otherwise specified in the BDS. Comparison of bids and tie of bid shall be treated in accordance with the Rule 30(2) of Public Procurement Rules, 2004.

15. Documents Comprising the Technical Proposal

15.1. The bidder shall furnish a Technical Proposal including a statement of work methods, equipment, personnel, schedule and any other information as stipulated in Section VII – Standard Bid Forms, in sufficient detail to demonstrate the adequacy of the bidder's proposal to meet the work requirements and the completion time.

16. Bid Validity Period

16.1. Bids shall remain valid for the period specified in the BDS after the bid submission deadline prescribed by the Procuring agency/Employer. A bid valid for a shorter period shall be rejected by the Procuring agency/Employer as non-responsive. The period of bid validity will be determined from the complementary bid securing instrument i.e. the expiry period of bid security or bid securing declaration as the case may be.

16.2. Under exceptional circumstances, prior to the expiration of the initial Bids/Bid validity period, the Procuring Agency may request the Bidders' consent to an extension of the period of validity of their Bids/Bid. Such request for extension of the period of bid validity shall be carried out in accordance with Rule 26 of the Public Procurement Rules, 2004.

17. Bid Security or Bid Securing Declaration

17.1. Pursuant to ITB 11.1 unless otherwise specified in the BDS, the bidder shall furnish as part of its bid, a Bid Security in accordance with Rule 25 of the Public Procurement Rules, 2004 in the amount and currency specified in the BDS or Bid Securing Declaration as specified in the BDS in the format provided in Section VII (Standard Bidding Forms).

In case Procuring agency/Employer is inviting bids in lots / packages, the bidder shall be required to submit his bid security against the respective lot/package for which he is submitting his bid.

Until the development of functionality of auto verification of financial instrument in EPADS, the scanned copy of bid security or bid securing declaration, as the case may be, shall be uploaded on E-PADS whereas the original instrument to be submitted to the procuring agency before closing of bid submission deadline,

17.2. The Bid Security shall be denominated in the local currency or in another freely convertible currency, and it shall be in the form specified in the **BDS** which shall be in any of the following:

17.2.1. A bank guarantee, an irrevocable letter of credit issued by a Scheduled bank in the form provided in the Bidding Documents or another form acceptable to the Procuring agency/Employer and valid for twenty-eight (28) days beyond the end of the validity of the Bid. This shall also apply if the period for Bid Validity is extended. In either case, the form must include the complete name of the bidder;

17.2.2. A cashier's or certified cheque; or

17.2.3. Another security as indicated in the **BDS**.

17.3. The Bid Security or Bid Securing Declaration shall be in accordance with the Form of the Bid Security or Bid Securing Declaration included in Section VII (Standard Bidding Forms) or another form approved by the Procuring agency/Employer prior to the bid submission.

17.4. The Bid Security shall be payable promptly upon written demand by the Procuring agency/Employer in case any of the conditions listed in ITB 17.9 are invoked.

17.5. Any bid not accompanied by a Bid Security or Bid Securing Declaration in accordance with ITB 17.1 or 17.3 shall be rejected by the Procuring agency/Employer and shall be declared as non-responsive bid, pursuant to ITB 27.

17.6. Unsuccessful bidders' Bid Security will be discharged or returned as promptly as possible, however in no case later than thirty (30) days after the expiration of the period of Bid Validity prescribed by the Procuring agency/Employer pursuant to ITB 16. The Procuring agency/Employer shall make no claim to the amount of the Bid Security, and shall promptly return the Bid Security document, after whichever of the following that occurs earliest:

17.6.1. The expiry of the Bid Security;

17.6.2. The entry into force of a procurement contract and the provision of a performance security (or guarantee), for the performance of the contract if such a security (or guarantee), is required by the Bidding documents;

17.6.3. The rejection by the Procuring agency/Employer of all Bids;

17.6.4. The withdrawal of the bid prior to the deadline for the submission of bids, unless the bidding documents stipulate that no such withdrawal is permitted.

17.7. The successful bidder's Bid Security will be discharged upon the bidder signing the contract pursuant to ITB 40, or furnishing the performance security (or guarantee), pursuant to ITB 41.

17.8. The Bid Security may be forfeited or the Bid Securing Declaration executed:

17.8.1. if a Bidder:

17.8.1.1. Withdraws its Bid during the period of Bid Validity as specified by the Procuring agency/Employer, and referred by the bidder on the Form of Bid except as provided for in ITB 16.2; or

17.8.2. In the case of a successful bidder, if the bidder fails:

17.8.2.1. to sign the contract in accordance with ITB 40; or

17.8.2.2. to furnish performance security (or guarantee) in accordance with ITB 41.

17.9. In case of Bid Security issued by the foreign bank is allowed by the Procuring agency/Employer, the same should be counter guaranteed by a corresponding bank in Pakistan. Furthermore, in case of joint venture, it should be in the name of Joint venture to ensure joint responsibility. In case the JV is not legally constituted at the time of bid submission, the bid security or bid securing declaration shall be in the names of all future members as named in the letter of bid.

18. Withdrawal of Bids

18.1. Before bid submission deadline, any bidder may withdraw, substitute, or modify its bid after it has been submitted by sending a written notice, duly signed by an authorized representative, and the corresponding must accompany the respective written notice.

19. Format and Signing of Bid

19.1. The Bidder shall prepare and submit Bids through EPADS with due diligence after carefully reading all the terms and condition before bid submission deadline.

D. SUBMISSION OF BIDS

20. Submission of Bids through EPADS v2.0

20.1. All bids shall be submitted through EPADS v2.0.

21. Deadline for Submission of Bids

21.1. All bids shall be received through **EPADS v2.0** not later than bid submission deadline as specified in the **BDS**.

21.2. The Procuring agency/Employer may, under exceptional circumstances and at its discretion, extend the deadline for the submission of bids, pursuant to Rule 27 of the Public Procurement Rules, 2004. Extension of Time for submission of bid, by amending the Bidding Documents in accordance with ITB 7, in which case all rights and obligations of the Procuring agency/Employer and bidders previously subject to the deadline will thereafter be subject to the new deadline.

22. Substitution and Modification of bids

22.1. A bidder may substitute or modify his bid after it has been submitted, provided that written notice of the substitution or modification of the bid, is received by the Procuring agency/Employer prior to the deadline for submission of bids.

22.2. Revised bid may be submitted after the substitution or modification made in the original bid in accordance with the provisions referred in **ITB 18**.

E. OPENING AND EVALUATION OF BIDS

23. Opening of Bids

23.1. The Procuring Agency will open bids in accordance with Rule 28 of the Public Procurement Rules, 2004 and as specified in the BDS.

24. Confidentiality

24.1. Information relating to the examination, clarification, evaluation and comparison of bids and recommendation of contract award shall not be disclosed to bidders or any other persons not officially concerned with such process until the time of the announcement of the respective evaluation report.

25. **Clarification of Bids**

25.1. Clarification of Bidding Documents shall be carried out in accordance with Rule 31 of the Public Procurement Rules, 2004.

25.2. The alteration or modification in the bid which in any case affect the following parameters will be considered as a change in the substance of a bid:

- 25.2.1. evaluation & qualification criteria;
- 25.2.2. required scope of work;
- 25.2.3. contract price;
- 25.2.4. all securities requirements;
- 25.2.5. tax requirements;
- 25.2.6. terms and conditions of bidding documents.
- 25.2.7. change in the ranking of the bidder

26. **Preliminary Examination of Bids**

26.1. Prior to the detailed evaluation of bids, the Procuring agency/Employer will determine whether each bid:

- 26.1.1. meets the eligibility criteria defined in **ITB 3** and **ITB 4**;
- 26.1.2. has been prepared as per the format and contents defined by the Procuring agency/Employer in the bidding documents;
- 26.1.3. has been properly signed;

26.1.4. is accompanied by the required securities; and

26.1.5. is substantially responsive to the requirements of the bidding documents.

The Procuring agency/Employer's determination of a bid's substantial responsiveness will be based on the contents of the bid itself.

26.2. A substantially responsive Bid is one which conforms to all the terms, conditions, and specifications of the Bidding Documents, without material deviation or reservation. A material deviation or reservation is one that: -

26.2.1. affects in any substantial way the scope, quality, or performance of the Works;

26.2.2. limits in any substantial way, inconsistent with the bidding documents, the Procuring agency/Employer's rights or the bidders' obligations under the Contract; or

26.2.3. if rectified, would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

26.3. The Procuring agency/Employer will confirm that the documents and information specified under ITB 9, 10 and 11 have been provided in the bid. If any of these documents or information is missing, or is not provided in accordance with the Instructions to Bidders, the bid shall be rejected.

26.4. The Procuring agency/Employer may waive-off any minor informality, nonconformity, or irregularity in a bid which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any Bidder.

Explanation: A minor informality, non-conformity or irregularity is one that is merely a matter of form and not of substance. It also pertains to some immaterial defect in a Bid or variation of a bid from the exact requirements of the invitation that can be corrected or waived without being prejudicial to other bidders. The defect or variation is immaterial when the effect on quantity, quality, or delivery is negligible when contrasted with the total cost or scope of the works. The Procuring agency/Employer either shall give the bidder an opportunity to cure any deficiency resulting from a minor

informality or irregularity in a bid or waive the deficiency, whichever is advantageous to the Procuring agency/Employer. Examples of minor informalities or irregularities include failure of a bidder to –

26.4.1. Submit the number of copies of signed bids required by the invitation;

26.4.2. Furnish required information concerning the number of its employees;

26.4.3. the firm submitting a bid has formally adopted or authorized, before the date set for opening of bids, the execution of documents by typewritten, printed, or stamped signature and submits evidence of such authorization and the bid carries such a signature.

26.5. Provided that a Technical Bid is substantially responsive, the Procuring agency/Employer may request the bidder to submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities or omissions in the Technical Bid related to documentation requirements. Requesting information or documentation on such nonconformities shall not be related to any such aspect of the technical Proposal linked with the ranking of the bidders. Failure of the bidder to comply with the request may result in the rejection of its bid.

26.6. Provided that a Technical Bid is substantially responsive, the Procuring agency/Employer shall rectify quantifiable nonmaterial nonconformities or omissions related to the Financial Proposal. To this effect, the Bid Price shall be adjusted, for comparison purposes only, to reflect the price of the missing or nonconforming item or component.

26.7. If a bid is not substantially responsive, it will be rejected by the Procuring agency/Employer and may not subsequently be evaluated for complete technical responsiveness.

27. Examination of Terms and Conditions; Technical Evaluation

27.1. The Procuring agency/Employer shall examine the bid to confirm that all terms and conditions specified in the **GCC** and the **PCC** have been

accepted by the bidder without any material deviation or reservation.

For this purpose:

“Deviation” means departure from the requirements specified in the Bidding Document.

“Reservation” means setting of limiting conditions or withholding from complete acceptance of the requirements specified in the Bidding Document.

27.2. The Procuring agency/Employer shall evaluate the technical aspects of the bid submitted in accordance with ITB 30, to confirm that all requirements specified in Section VI – Works Requirement, Technical Specifications of the Bidding Documents have been met without material deviation or reservation.

27.3. If after the examination of the terms and conditions and the technical evaluation, the Procuring agency/Employer determines that the bid is not substantially responsive in accordance with ITB 27, it shall reject the bid.

28. Correction of Arithmetic Errors

28.1. Bids determined to be substantially responsive will be checked for any arithmetic errors. Errors will be corrected as follows: -

28.1.1. if there is a discrepancy between unit prices and the sub-total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the sub-total price shall be corrected, unless in the opinion of the Procuring agency/Employer there is an obvious misplacement of the decimal point in the unit price, in which the total price as quoted shall govern and the unit price shall be corrected;

28.1.2. if there is an error in a total corresponding to the addition or subtraction of sub-totals, the sub-totals shall prevail, and the total shall be corrected; and

28.1.3. where there is a discrepancy between the amounts in figures and in words, the amount in words will govern.

28.1.4. Where there is discrepancy between grand total of price schedule and amount mentioned on the Form of Bid, the amount referred in Price Schedule shall be treated as correct subject to elimination of other errors.

28.2. The amount stated in the Bid will, be rectified by the Procuring agency/Employer in accordance with the above procedure for the correction of errors and, with, the concurrence of the bidder, shall be considered as binding upon the bidder. If the bidder does not accept the corrected amount, its bid shall be rejected after forfeiture of Bid Security or execution of the Bid Securing Declaration, as the case may be, in accordance with **ITB 41.3**.

29. Conversion to Single Currency

29.1. The unit rates and the prices shall be quoted by the bidder entirely in Pak rupees. A bidder expecting to incur expenditures in other currencies for inputs to the Works from outside the Procuring agency/Employer's country (referred to as the "Foreign Currency Requirements") shall indicate the same in the letter of bid-financial proposal. The proportion of the Bid Price (excluding Provisional Sums) needed by him for the payment of such Foreign Currency Requirements either (i) entirely in the currency of the Bidder's home country or, (ii) at the bidder's option, entirely in Pak rupees provided always that a bidder expecting to incur expenditures in a currency or currencies other than those stated in (i) and (ii) above for a portion of the foreign currency requirements, and wishing to be paid accordingly, shall indicate the respective portions in his bid. Comparison of bids quoted in different currencies and conversion of bids into a single currency shall be carried out in accordance with Rule 30(2) of the Public Procurement Rules, 2004.

30. Evaluation of Bids

30.1. The Procuring agency/Employer shall evaluate and compare only the bids determined to be substantially responsive, pursuant to **ITB 27**.

30.2. In evaluating the Technical Proposal of each Bid, the Procuring agency/Employer shall use the criteria and methodologies listed in the BDS

and in terms of works requirement. No other evaluation criteria or methodologies shall be permitted.

30.3. The Procuring agency/Employer's evaluation of a bid will take into account:

30.3.1. the bid price, excluding provisional sums and the provision, if any, for contingencies in the summary bill of quantities, but including day work items, where priced competitively;

30.3.2. converting the amount resulting from applying above, if relevant, to a single currency in accordance with ITB 29;

30.4. The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be taken into account in bid evaluation.

30.5. If these bidding documents allow bidders to quote separate prices for different lots, and the award to a single bidder of multiple lots, the methodology of evaluation to determine the lowest evaluated lot combinations in the Form of Bid, is specified in the **BDS**.

30.6. If the bid, which results in the Evaluated Bid Price (Successful Bid), is seriously unbalanced or front loaded in the opinion of the Employer, the Employer may require the Bidder to produce detailed price analyses for any or all items of the Bill of Quantities, to demonstrate the internal consistency of those prices with the construction methods and schedule proposed. After evaluation of the price analyses, taking into consideration the schedule of estimated Contract payments, the Employer may require that the amount of the performance security be increased at the expense of the Bidder to a level sufficient to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract.

Explanation:

"Unbalanced" or "front-loaded" bids consist of deliberately submitting bids with artificially high prices or unit rates for the early stages of a construction project, offset by artificially low prices or unit rates for the later stages of the project, to improve the contractor's cash flow.

31. Domestic Preference

31.1. If the **BDS** so specifies, the Procuring agency/Employer will grant a margin of preference to the domestic contractor in line with the rules, regulations, regulatory guides or instructions issued by the Authority from time to time.

32. Determination of Successful Bid

32.1. The Procuring agency/Employer shall compare the evaluated bids in accordance with the predefined bidding procedure, of all substantially responsive bids to determine the Successful bidder.

33. Qualification of Bidder

33.1. The Procuring agency/Employer shall determine to its satisfaction whether the bidder is substantially responsive and whose bid is declared as Successful bid either continues to meet (if prequalification applies) or meets (if post-qualification applies) the qualifying criteria specified in Evaluation and Qualification Criteria.

Note: In case of international bidding, the parameters for incorporation or licensing within Pakistan may be fulfilled as part of post qualification.

33.2. The determination shall be based upon an examination of the documentary evidence of the bidder's qualifications submitted by the bidder, pursuant to **ITB 11**.

33.3. Prior to contract award, the Procuring agency/Employer will verify that the successful bidder (including each member of a JV) is not blacklisted/debarred. The Procuring agency/Employer will conduct the same verification for each sub-contractor proposed by the successful bidder.

34. Sub-Contractors

34.1. The bidder shall provide details regarding any specialized sub-contractor to the Procuring agency/Employer. In case change of sub-contractors, the bidder shall promptly notify the Procuring agency/Employer and obtain approval for replacement of sub-contractors.

34.2. Bidders may propose sub-contracting up to the percentage of total value of contracts or the volume of works as specified in the **BDS**.

35. **Abnormally Low Financial Bid**

35.1. A procuring Agency may reject abnormally low bids. The decision of the Procuring agency/Employer to reject a bid and reasons for the decision shall be recorded in the procurement proceedings and promptly communicated to the bidder concerned. Moreover, the Procuring agency/Employer shall not incur any liability solely by rejecting abnormally bid

Guidance for Procuring agency/Employer:

An abnormally low bid means, in the light of the Procuring agency/Employer's estimate and of all the bids submitted, the bid appears to be abnormally low by not providing a margin for normal levels of profit. In order to identify the Abnormally Low Bid (ALB) following approaches can be considered to minimize the scope of subjectivity:

35.1.1. Comparing the bid price with the cost estimate;

35.1.2. Comparing the bid price with the bids offered by other bidders submitting substantially responsive bids; and

35.1.3. Comparing the bid price with prices paid in similar contracts in the recent past either government- or development partner-funded.

35.2. The Procuring agency/Employer will determine to its satisfaction whether the bidder that is selected as having submitted the successful bid is qualified to perform the contract satisfactorily, in accordance with the criteria listed in **ITB 11**

35.3. The determination will take into account the bidder's financial and technical capabilities. It will be based upon an examination of the documentary evidence of the bidder's qualifications submitted by the bidder, pursuant to **ITB 11**, as well as such other information as the Procuring agency/Employer deems necessary and appropriate. Factors not included in these bidding documents shall not be used in the evaluation of the bidders' qualifications.

35.4. Procuring agency/Employer may seek “Certificate for Independent Price Determination” from the bidder and the results of reference checks may be used in determining award of contract.

Explanation: The Certificate shall be furnished by the bidder. The bidder shall certify that the price is determined keeping in view of all the essential aspects such as raw material, its processing, value addition, optimization of resources due to economy of scale, transportation, insurance and margin of profit etc.

35.5. An affirmative determination will be a prerequisite for award of the contract to the bidder. A negative determination will result in rejection of the bidder’s bid, in which event the Procuring agency/Employer will proceed to the next ranked bidder to make a similar determination of that bidder’s capabilities to perform satisfactorily.

F. AWARD OF CONTRACT

36. Criteria of Award

36.1. Subject to **ITB 36 and 37**, the Procuring agency/Employer will award the Contract to the bidder whose bid has been determined to be substantially responsive to the bidding documents and who has been declared as Successful Bidder, provided that such bidder has been determined to be:

36.1.1. eligible in accordance with the provisions of **ITB 3**;

36.1.2. is determined to be qualified to perform the Contract satisfactorily;
and

36.1.3. Successful negotiations have been concluded, if any.

37. Negotiations

37.1. The Committee of the Procuring agency/Employer may negotiate with the Most Advantageous Bidder relating to the following areas:

37.1.1. a minor alteration to the technical (drawings, design technical specifications) details of the statement of works;

37.1.2. Methodology, work plan, staffing in view to streamline the work;

37.1.3. a minor amendment to the Particular conditions of Contract;

37.1.4. finalizing payment arrangements;

37.1.5. clarifying details that were not apparent or could not be finalized at the time of Bidding;

37.2. Where negotiation fails to result into an agreement, the Procuring agency/Employer may invite the next ranked bidder for negotiations. Where negotiations are commenced with the next ranked bidder, the Procuring agency/Employer shall not reopen earlier negotiations.

38. Procuring agency's Right to reject All Bids

38.1. The procuring agency has the right to reject all bids in accordance with Rule 33 of the Public Procurement Rules, 2004. However, the Authority (i.e. **PPRA**) may call from the Procuring agency/Employer the justification of those grounds.

39. Notification of Award

39.1. The procuring agency shall announce and publish the evaluation result in accordance with Rule 35 of the Public Procurement Rules, 2004.

39.2. Where no complaints have been lodged, the bidder whose bid has been accepted will be notified of the award by the Procuring agency/Employer prior to expiration of the bid validity period through EPADS. However, the Procuring agency/Employer shall not award any procurement contract at least for five (05) days after the announcement of final evaluation report. The notification letter (herein after and in the condition of the contract and contract form called "Letter of Acceptance" will specify the sum that the Procuring agency/Employer will pay the successful bidder in consideration for the execution and completion of the

works as prescribed by the Contract (hereinafter and in the Contract called the "Contract Price).

39.3. The notification of award will constitute the formation of the Contract, subject to the bidder furnishing the Performance Security (or guarantee) in accordance with **ITB 41** and signing of the contract in accordance with **ITB 40**.

39.4. Upon the successful bidder's furnishing of the performance security (or guarantee) pursuant to **ITB 41**, the Procuring agency/Employer will promptly notify each unsuccessful bidder, the name of the successful bidder and the Contract amount and will discharge the Bid Security or Bid Securing Declaration of the bidder(s) pursuant to **ITB 17**.

40. Signing of Contract

40.1. Promptly after notification of award, Procuring agency/Employer shall send the successful bidder the draft agreement, incorporating all terms and conditions as agreed by the parties to the contract.

40.2. Immediately after the Redressal of grievance by the **GRC**, and after fulfillment of all conditions precedent of the Contract Form, the successful bidder and the Procuring agency/Employer shall sign the contract.

40.3. Where no formal signing of a contract is required, work order issued to the bidder shall be construed to be the contract.

41. Performance Security (or Guarantee)

41.1. After the receipt of the Letter of Acceptance, the successful bidder, within the specified time, shall deliver to the Procuring agency/Employer a Performance Guarantee in the amount and in the form stipulated in the BDS and PCC, denominated in the type and proportions of currencies in the Letter of Acceptance and in accordance with the Conditions of Contract.

41.2. If the Performance Guarantee is provided by the successful bidder and it shall be in the form specified in the BDS which shall be in any of the following:

41.2.1. certified cheque, cashier's or manager's cheque, or bank draft;

41.2.2. irrevocable letter of credit issued by a scheduled bank of Pakistan or in the case of an irrevocable letter of credit issued by a foreign bank, the letter shall be confirmed or authenticated by a scheduled bank of Pakistan;

41.2.3. bank guarantee confirmed by a reputable local bank or, in the case of a successful foreign bidder, bonded by a foreign bank; or

41.2.4. surety bond callable upon demand issued by any reputable surety or insurance company.

Any Performance Guarantee submitted shall be enforceable in Pakistan.

41.3. Failure of the Most Advantageous Bidder to comply with the requirement of **ITB 40** shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid Security or declare blacklisted (in case bid securing declaration is submitted) in which event the Procuring agency/Employer may make the award to the next most advantageous bidder or reinitiate the procurement process afresh (as a case may be).

42. **Advance Payment**

42.1. Advance payment will be provided to the bidder in percentage and in the manner as agreed by the both parties in terms of Conditions of the Contract.

42.2. The Procuring agency/Employer will provide an advance payment as stipulated in the Conditions of Contract, subject to a maximum amount, as stated and/or Conditions of the Contract. The advance payment request shall be accompanied by an advance payment security (guarantee) in the form provided in Section X. For the purpose of receiving the advance payment, the bidder shall make and estimate of, and include in its bid, the expenses that will relate to the purchase of equipment, machinery, materials, and on the engagement of labor during the first month beginning with the date of the Procuring agency/Employer's "**Notice to Commence**" as specified in the **PCC**.

43. General Performance of the Bidders

43.1. The Procuring agency/Employer reserves the right to obtain information regarding performance of the bidders on their previously awarded contracts / works. The Procuring agency/Employer may seek information / report from the previous employer for consideration. However, the Procuring agency/Employer shall incorporate such parameters in the evaluation criteria and accordingly decide the fate of the bid submitted.

44. Corrupt & Fraudulent Practices

44.1. Procuring agencies (including beneficiaries of Government funded projects and procurement) as well as Bidders/Suppliers/Contractors under Government financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts, and will avoid to engage in any corrupt and fraudulent practices.

G. GRIEVANCE REDRESSAL & COMPLAINT REVIEW MECHANISM

45. Grievance Redressal

45.1. Grievance Redressal shall be carried out in accordance with Rule 48 of the Public Procurement Rules, 2004 i.e. Redressal of grievances by the procuring agency and "Redressal of Grievances Regulations 2021".

H. MECHANISM OF BLACKLISTING

46. Mechanism of Blacklisting

46.1. The Procuring agency/Employer shall proceed Blacklisting of Bidders/Contractors in accordance with Rule 19 of the Public Procurement Rules, 2004 i.e. Blacklisting and "Blacklisting and Debarment of Bidders or Contractors Regulations 2024.



Bid Data Sheet

Bids Data Sheet (BDS)

The following specific data for the procurement of Goods to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

BDS Clause Number	ITB Number	Amendments of, and Supplements to, Clauses in the Instruction to Bidders
A. Introduction		
1	1.1	Name of Procuring Agency: IESCo Civil Division (Islamabad Electric Supply Company (IESCO)) The subject of procurement is: NCB-7 LOT WISE TENDER NOTICE FROM LOT NO. 54 TO LOT NO 82 Expected commencement date: Saturday, October 31, 2026
2.	2.1	Financial year for the operations of the Procuring Agency: 2026-27 Name and identification number of the Contract: P115522
3.	3.1	JV/Consortium or Association Allowed: No Number of JV/Consortium Members: Nil
B. Bidding Documents		

4.	6.2 & 6.4	The Bidders may seek clarifications through EPADS v2.0 : Clarification Date: Wednesday, September 16, 2026
5.	7.2	Any addendum, in case issued, shall be published on IESCo Civil Division (Islamabad Electric Supply Company (IESCO)) website and on EPADS v2.0 .
C. Preparation of Bids		
6.	8.1	List of documents required along with the bid: No
7.	9.1	The qualification criteria to establish the supply / production capability of the bidder. <i>see Eligibility Criteria</i>
8.	11.2	Works and Their related documents: <i>See section Required Scope of Work</i>
9.	11.1	Price schedule will be provided according to the format defined and acquired. <i>see section price schedule.</i>
10.	11.4	Specifications: <i>see section of specifications.</i>
11.	11.5 & 13.5	The price shall be Fixed . The bid price shall be adjusted in accordance with Appendix provided – Formula for Price Adjustment.
12.	14.1	Currency of the Bids shall be : PKR

13.	16.1	The Bids/Bid Validity period shall be: 120 Days
14.	17.1	The amount of Bid Security shall be as defined in Bid Security Section for items and lots given in BDS 6
15.	17.2	The Bid Security shall be in the form of:
16.	15.1	Alternative Bids to the requirements of the bidding documents willnot be permitted.
D. Submission of Bids		
17.	18.1 & 21.1	Bid shall be submitted online on EPADS v2.0 whereas hard copy of the bid security should be submitted to the following; Street 63 G-8/1, Islamabad Capital Territory Bids that are not submitted on EPADS v2.0 shall be disqualified. The deadline for Bids submission is: Tuesday, September 29, 2026 11:00 AM
E. Opening and Evaluation of Bids		
18.	24.1	The Bids opening shall take place on EPADS v2.0. Day : Tuesday Date: September 29, 2026 Time : 11:30 AM

19.	30.2	Selection technique adopted will be: Least Cost Based Selection (LCBS) <i>see Evaluation Criteria</i>
F. Award of Contract		
20.	41.1 & 41.2	The Performance guarantee shall: 10.00% . The Performance Guarantee shall be acceptable in the form of: Pay Order, Call at Deposit, Bank Guarantee
21.	45.1	Arbitrator shall be appointed by mutual consent of the both parties.
G. Review of Procurement Decisions		
22.	37	Grievance against this procurement shall be submitted online on EPADS v2.0.

Eligibility Criteria

Bidder's Type	Required Registration
Any	NADRA CITIZENSHIP (CNIC/NICOP) FBR (NTN) Punjab (PRA) PEC

Eligibility Criteria	Document
1. VALID REGISTRATION WITH PEC FOR YEAR 2026-27	Yes
2.BANK STATEMENT WITH STAMP FROM CONCERNED BANK ON EACH PAGE OF LAST 03 MONTHS SHOWING CLOSING BALNACE NOT LESS THAN 50% OF THE ESTIMATED COST. IN CASE CONTRACTOR HAS PARTICIPATED IN MUTIPLE LOTS THE CLOSING BALANCE WILL BE CALCULATED FROM THE FIRST LOT.	Yes
3. AUDIT FINANCIAL REPORT OF LAST 03 YEARS FROM WELL REPUTED AUDIT FIRM	Yes
4. ACTIVE NTN	Yes
5. LAST ONE YEAR TAX RETURNS	Yes
6. AT LEAST ONE WORK ORDER OF SIMILAR NATURE OF WORK IN CASE CONTRACTOR ALREADY WORKING WITH THIS DIVISION COMPLITION CERTIFICATE IS MANDATORY	Yes

Evaluation Criteria

Least Cost Based Selection (LCBS)

Jobs/Lots

Lot Title : 54.REVAMPING OF XEN OPERATION DIVISION AND CSO(P) SATELLITE TOWN AT SATELLITE TOWN RAWALPINDI

Bid Security : 167791 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 80/Qty	80/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 80/Qty	80/Qty

Lot Title : 55.REVAMPING OF O/O SDO SOAN AT 132 KV GRID STATION SOAN

Bid Security : 174110 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 27 Days Quantity: 1/Qty	1/Qty

Lot Title : 56.REVAMPING O/O XEN GUJAR KHAN AT 132 KV GRID STATION GUJAR KHAN

Bid Security : 158853 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty
REVAMPIN	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 27 Days Quantity: 1/mm	1/mm

Lot Title : 57.REVAMPING O/O REVENUE OFFICER UNDER OPERATION DIVISION GUJAR KHAN AT 132 KV GRID STATION GUJAR KHAN

Bid Security : 131182 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 2/Qty	2/Qty

Lot Title : 58.SPECIAL REPAIR / MAINTENANCE OF OFFICE BUILDING OF XEN IESCO OPERATION DIVISION NO.11 JHELMUM

Bid Security : 161592 PKR

Job	Delivery Schedule	Quantity
SPECIAL	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty

Lot Title : 59.REVAMPING OF OPERATION SUB DIVISION KHAYABAN AT KHAYABAN RAWALPINDI

Bid Security : 137844 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: Days80 Quantity: 1/Qty	1/Qty

Lot Title : 60.REVAMPING OF OPERATION SUB DIVISION PINANWAL AND DARYALA JALIP AT IESCO 132KV GRID STATION PINANWAL

Bid Security : 178299 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty
REVAPMING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty

Lot Title : 61.REVAMPING O/O SDO JHIKA GALI AT 132 KV GRID STATION MURREE

Bid Security : 151095 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty

Lot Title : 62.REVAMPING OF OFFICE SDO KORANG AT MEDIA TOWN ISLAMABAD

Bid Security : 168150 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty

Job	Delivery Schedule	Quantity
REVMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty

Lot Title : 63.REVAMPING OF OPERATION SUB DIVISION CHANDNI CHOWK AT CHANDNI CHOWK RAWALPINDI

Bid Security : 147800 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty

Lot Title : 64.REVAMPING OFFICE OF DINA-II AT IESCO COMPLEX DINA

Bid Security : 127302 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty

Lot Title : 65.REVAMPING OF OFFICE RO CITY AT IESCO COMPLEX MARRIR HASSAN RAWALPINDI

Bid Security : 163647 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty

Lot Title : 66.REVAMPING OF OFFICE EXECUTIVE ENGINEER OPERATION DIVISION TARIQABAD RAWALPINDI

Bid Security : 165470 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty

Lot Title : 67.REVAMPING OF IESCO FIELD STORE AT IESCO 132KV GRID STATION CHAKWAL

Bid Security : 322537 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 80Days Quantity: 1/Qty	1/Qty

Lot Title : 68.SPECIAL REPAIR / MAINTENANCE OF CONTROL HOUSE BUILDING AT 132 KV GRID PINDIGHEB

Bid Security : 146527 PKR

Job	Delivery Schedule	Quantity
SPECIAL REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty
SPECAIL REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty

Lot Title : 69.REVAMPING OF OFFICE BUILDING INTERNAL AUDIT AT I-10/3 ISLAMABAD

Bid Security : 198417 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 120Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 120Days Quantity: 1/Qty	1/Qty

Lot Title : 70.PROVIDING AND INSTALLATION OF CAR PARKING SHED FOR INTERNAL AUDIT AT I-10/3 ISLAMABAD

Bid Security : 152799 PKR

Job	Delivery Schedule	Quantity
PARKING SHED	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty
PARKING SHED	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty

Lot Title : 71.SPECIAL REPAIR OF BANGLOW NO.17-E AT IESCO COLONY G-7/4 ISLAMABAD

Bid Security : 126481 PKR

Job	Delivery Schedule	Quantity
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 90Days Quantity: 1/Qty	1/Qty
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 90Days Quantity: 1/Qty	1/Qty

Lot Title : 72.SPECIAL REPAIR / MAINTENANCE / RENOVATION OF 05 NO D-TYPE QUARTERS AT 132 KV GRID STATION E-8 ISLAMABAD

Bid Security : 170297 PKR

Job	Delivery Schedule	Quantity
-----	-------------------	----------

REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 120Days Quantity: 1/Qty	1/Qty
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 120Days Quantity: 1/Qty	1/Qty

Lot Title : 73.SPECIAL REPAIR / MAINTENANCE / RENOVATION OF 10 NO E-TYPE (E-1 TO E-10) QUARTERS AT 132 KV GRID STATION E-8 ISLAMABAD

Bid Security : 190869 PKR

Job	Delivery Schedule	Quantity
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 120Days Quantity: 1/Qty	1/Qty
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 120Days Quantity: 1/Qty	1/Qty

Lot Title : 74.SPECIAL REPAIR / MAINTENANCE / RENOVATION OF 10 NO E-TYPE (E-11 TO E-20) QUARTERS AT 132 KV GRID STATION E-8 ISLAMABAD

Bid Security : 185586 PKR

Job	Delivery Schedule	Quantity
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 120Days Quantity: 1/Qty	1/Qty
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 120Days Quantity: 1/Qty	1/Qty

Lot Title : 75.SPECIAL REPAIR / MAINTENANCE OF CONTROL HOUSE BUILDING AT 132 KV GRID STATION E-8 ISLAMABAD

Bid Security : 136562 PKR

Job	Delivery Schedule	Quantity
-----	-------------------	----------

REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty

Lot Title : 76.AM&R OF BANGLOW NO.12-F AT IESCO COLONY G-7/4 ISLAMABAD

Bid Security : 75802 PKR

Job	Delivery Schedule	Quantity
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty

Lot Title : 77.REVAMPING OF CONFERENCE ROOM" AT IESCO COMPLEX CHAKWAL

Bid Security : 84166 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: Days60 Quantity: 1/Qty	1/Qty

Lot Title : 78.REVAMPING OF BILL PRINTING SECTION" AT IESCO COMPLEX CHAKWAL

Bid Security : 74811 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty

Lot Title : 79.SPECIAL REPAIR OF QUARTER NO F-19 AT IESCO COLONY KAMALABAD RAWALPINDI

Bid Security : 29633 PKR

Job	Delivery Schedule	Quantity
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty
REPIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty

Lot Title : 80.REVAMPING OF SURVEILLANCE AND INVESTIGATION OFFICE AT CHANDNI CHOWK RAWALPINDI

Bid Security : 96200 PKR

Job	Delivery Schedule	Quantity
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty
REVAMPING	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty

Lot Title : 81.SPECIAL REPAIR / MAINTENANCE OF QUARTER NO.E-1 AT 132 KV GRID STATION KAMALABAD RAWALPINDI


Bid Security : 59585 PKR

Job	Delivery Schedule	Quantity
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty

Lot Title : 82.SPECIAL REPAIR OF QUARTER NO.D-8 AT 132 KV GRID STATION H-8 ISLAMABAD

Bid Security : 56569 PKR

Job	Delivery Schedule	Quantity
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty
REPAIR	Address: Street 63 G-8/1, Islamabad Capital Territory Schedule: 60Days Quantity: 1/Qty	1/Qty



Related Services :

No



Work Specifications and Market Rates

Lot Title: 54.REVAMPING OF XEN OPERATION DIVISION AND CSO(P) SATELLITE TOWN AT SATELLITE TOWN RAWALPINDI

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:4:8	Cum	4.7	2054.25	9654.975
2	2	Dismantling wooden partition jaffery work	Sqm	93.16	69.41	6466.2356
3	3	Dismantling brick work in cement mortar	Cum	0.08	1587.76	127.0208
4	4	Dismantling tile flooring	Sqm	212.32	143.5	30467.92
5	5	Removing cement plaster	Sqm	156.97	45.71	7175.0987
6	6	Removing door, window and frame	No	20	505.52	10110.4
7	7	Cement plaster 13mm ratio 1:4	Sqm	171.43	371.86	63747.9598
8	8	Brick work in foundation and plinth in cement sand mortar Ratio 1:6	Cum	0.82	12533.03	10277.0846
9	9	Brick work in ground floor (including striking of joints) in cement sand mortar Ratio 1:4	Cum	1.01	13741.83	13879.2483

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
10	10	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	6	318.5	1911
11	11	Ex. in foundation of building, bridges and other structures i/c dag bellling dressing refilling around structure with excavated earth watering and ramming lead upto 30 mtr and lift upto 1.50m in ordinary soil.	Cum	1.21	406.8	492.228
12	12	R.C.C work using coarse sand except the cost of steel reinforcement and its labour for bending and binding. This rate also include all kind of forms moulds lifting shuttering, curing, rendering and finishing the exposed surface (including screening the washing of shingle). In-situ in roof slabs, beams, columns, rafts, lintels and other structural members complete in all respect 1:2:4	Cum	0.18	23192.92	4174.7256
13	13	Supplying and fabrication of intermediate grade deformed reinforcement for R.C.C in slabs, beams, columns and pile caps, including cutting, bending laying in position including cost of binding wire 40,000 psi (420 MPa) yield.	Kg	22.69	270.3	6133.107
14	14	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	4.7	7709.75	36235.825

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
15	15	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	0.57	10273.86	5856.1002
16	16	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	1	9572.72	9572.72
17	17	Providing and fixing of bent metal 16 SWG frame 250mm wide for door size 760m x 2.134m (2.5' x 7') complete in all respect.	No	4	6412.82	25651.28
18	18	Mosaic flooring consisting of mosaic topping of one part of cement to two parts of marble chips laid over 25mm thick flooring of 1:2:4 cement concrete including rubbing & polishing complete 13mm (with grey cement)	Sqm	3.35	1984.55	6648.2425
19	19	Mosaic dado or skirting with one part of cement & 2 parts of marble chips laid over 13mm thick cement plaster 1:3 complete with finishing and polishing 13mm (with grey cement)	Sqm	8.92	1805.04	16100.9568
20	20	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	44.67	3556.95	158888.9565
21	21	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	30.85	3713.28	114554.688

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
22	22	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	107.42	3918.35	420909.157
23	23	Scraping ordinary distemper	Sqm	468.83	86.1	40366.263
24	24	Providing / preparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	216.7	629.49	136410.483
25	25	Weather shield paint on painted/old surface, 2 coat	Sqm	499.48	268.14	133930.5672
26	26	Rock Wall	Sft	1191.53	130	154898.9
27	27	Painting new surface preparing surface and painting or doors and windows any type (including edges) priming coat	Sqm	15.61	685.01	10693.0061
28	28	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	130.33	386.4	50359.512
29	29	Painting old surface painting guard bars, gates, iron bars, gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	93.43	227.29	21235.7047
30	30	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section champagne or any other colour and green or blind glass 5mm thick	Sqm	26.77	11498.01	307801.7277
31	31	Providing and fixing steel grills to openable steel windows as per drawing No.CDO(W)301-5B/215	Sqm	26.77	4449.53	119113.9181

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
32	32	Providing and fixing aluminum natural anodized openable hingd doors without glazed.	Sqm	0.79	5739.49	4534.1971
33	33	Providing and fixing aluminum openable hingd doors and fixed panel with Glass 12mm.	Sft	24.5	1920	47040
34	34	P/F of glass paper	Sft	24.5	150	3675
35	35	Providing and fixing door closer (double action) natural anodized.	No	1	24517.39	24517.39
36	36	Providing and fixing aluminum door closer (single action) natural anodized.	No	1	7151.24	7151.24
37	37	Deodar wood wrought joinery work in doors & windows etc fixed in position including chowkats, holdfasts hinges, iron tower bolts, cocks, cleats handles end cords with hooks etc deodar, panelled or panelled and glazed or fully glazed.				
38		45mm	Sqm	2.28	25997.35	59273.958
39	38	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	7.16	6271.74	44905.6584
40	39	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	35.99	9146.48	329181.8152
41	40	PVC Wall Paneling(Hard)	Sft	395.77	540	213715.8
42	41	P/F Rollup Blind Curtain complete in all respect	Sft	931	456	424536

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
43	42	Providing and fixing of LED SMD light 9"	No	64	2500	160000
44	43	Providing and fixing of LED SMD light 4"	No	48	1200	57600
45	44	Providing and fixing of LED SMD light 2'x2'	No	14	8500	119000
46	45	Supply and erection of ceiling fan best quality including wiring with 1/1.13mm (3.029) PVC wire fixing of regulator, Plastic Body (2'x2')	No	5	14000	70000
47	46	ACSP exhaust fan with plastic blade A.C sweep (10") 200 volt	No	2	2978	5956
48	47	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	2	3974.52	7949.04
49	48	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	30	2311.81	69354.3
50	49	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	15	424.4	6366
51	50	Providing and fixing flush type 3 pin 15 Amps S.P Plug-socket, switch (combined) as replacement on board already exist	No	5	511.32	2556.6

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
52	51	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	60	323.44	19406.4
53	52	Providing and fixing / connecting surface type 2 pin 5 Amps S.P Plug-socket, switch complete with S.W Board as replacement	No	20	178.27	3565.4
54	53	Wiring call bell with 1/1.13 (3/0.029) PVC insulated wire in 19.1mm PVC conduit fitted on surface complete with Buzzer, push & 3 Meter flexible wire 23/.0076 Twin	Per Point	2	2586.67	5173.34
55	54	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	80	183.37	14669.6
56	55	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	50	256.45	12822.5
57	56	Providing and fixing of distribution board single phase 60 Amps, 250 volts with 1-No. incoming circuit breaker 60 Amps D.P 4-Nos. outgoing 6-15 Amps. Single pole circuit breaker with N link on prepared board.	No	1	13530.1	13530.1
58	57	Supply and erection of PVC insulated PVC sheathed 4 core copper cable size 19/.064(19/.153mm) 4 core on wooden cleats with angle iron base size 38mm x 3mm 60mm long.	Mtr	10	1733.09	17330.9

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
59	58	P/F hard drawn bare copper wire 19mm (6 S.W.G) as earth continuity conductor with any given mains of sub-main in all system of wiring including metallic electrical accessories	Mtr	50	54.03	2701.5
60	59	White marble flooring fine dressed on the surface without winding set in cement mortar 1::2 laid over 20mm thick cement mortar 1:2 including rubbing & polishing				
61		20mm	Sqm	2.32	8100.22	18792.5104
62	60	Rubbing and polishing of mosaic floor	Sqm	13.38	291.72	3903.2136
63	61	Providing and fixing deodar beading tapering from 18mm to 6mm with 60mm width	Mtr	80	162.8	13024
64	62	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
65		25mm	Mtr	50	751.66	37583
66		32mm	Mtr	20	944.06	18881.2
67	63	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
68		75mm	Mtr	30	1082.51	32475.3
69		100mm	Mtr	10	1656.71	16567.1

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
70	64	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	4	771.93	3087.72
71	65	White glazed earthen ware water closet European type domestic of best quality	No	2	10318.48	20636.96
72	66	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	4	4898.34	19593.36
73	67	Seat & cover for European type water closet (Pakistan made) PVC	No	2	1909.02	3818.04
74	68	White glazed earthen ware wash hand basin domestic of supreme quality 65cm	No	6	2618.34	15710.04
75	69	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	6	2111.87	12671.22
76	70	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	4	3495.9	13983.6
77	71	Soap dishes chromium plated	No	6	3147.8	18886.8
78	72	Tooth brush holder with tooth paste dish chromium plated	No	6	3171.8	19030.8
79	73	Toilet paper holder Chromium plated	No	6	2039.94	12239.64
80	74	Looking glass 550mm x 400mm size at 1st quality (without frame) Belgium / Japan made	No	6	2014	12084
81	75	Chromium plated towel rail / ring Rail 150mm	No	6	1848.2	11089.2

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
82	76	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	6	444.58	2667.48
83	77	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
84	78	C.P bib tap 13mm	No	6	820.07	4920.42
85	79	C.P waste coupling 32mm	No	7	504.08	3528.56
86	80	Waste pipe for wash hand basin 32mm dia PVC	No	7	173.34	1213.38
87	81	Connection 13mm PVC	No	18	308.99	5561.82
88	82	Brass ball valves having diameter				
89		25mm	No	3	950.68	2852.04
90		32mm	No	3	1728.01	5184.03
91		40mm	No	3	2509.56	7528.68
92	83	C.P tee stop cocks 13mm	No	18	763.19	13737.42
93	84	P.Trap C.P diameter 40mm	No	12	2099.6	25195.2
94	85	S.Trap 102mm diameter China-ware (Pakistan made)	No	2	515.59	1031.18
95	86	Telephonic shower With mixing valves.	No	6	5147.17	30883.02
96	87	Chromium plated mixing valves	No	6	2573.59	15441.54
97	88	P/F Steel Sink	No	1	6824.33	6824.33

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
98	89	Glazing with plate glass 6mm thick using PVC gasket	Sqm	10.04	2254.51	22635.2804
99	90	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	36.8788	1512.73	55787.667124
					GRAND TOTAL:	Rs4,194,778.28

Lot Title: 55.REVAMPING OF O/O SDO SOAN AT 132 KV GRID STATION SOAN

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:4:8	Cum	0.06	2054.25	123.255
2	2	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	0.06	335.9	20.154
3	3	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Cum	3.2	816.38	2612.416
4	4	Bricks work other than building including striking of joints utp 3.0m height in cement sand mortar 1:4	Cum	0.68	13397.41	9110.2388

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
5	5	Removing cement plaster	Sqm	114.69	45.71	5242.4799
6	6	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	120.63	371.86	44857.4718
7	7	Graffito	Sft	379	110	41690
8	8	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	633.36	629.49	398693.7864
9	9	Scraping / Brushing	Sqm	358.3	86.1	30849.63
10	10	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	58.34	386.4	22542.576
11	11	P/F approved quality ,mortice lock	No	12	1651.53	19818.36
12	12	P/F iron sliding bolt	No	2	464.54	929.08
13	13	Repair of Window	No	10	1500	15000
14	14	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	10.69	3713.28	39694.9632
15	15	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	99.63	3918.35	390385.2105
16	16	P/F PVC panelling	Sft	643	370	237910

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
17	17	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	29	1512.73	43869.17
18	18	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
19		100mm	Mtr	6.1	1656.71	10105.931
20	19	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
21		13mm	Mtr	24	401.4	9633.6
22		20mm	Mtr	30	557.15	16714.5
23	20	White glazed earthen ware water closet European type domestic of best quality	No	2	10318.48	20636.96
24	21	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	3	4898.34	14695.02
25	22	White glazed earthen ware wash hand basin domestic of supreme quality 55/56cm	No	4	2378.34	9513.36
26	23	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	4	2111.87	8447.48
27	24	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	3	3159.43	9478.29

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
28	25	Soap dishes plastic	No	4	1352.84	5411.36
29	26	Toilet paper holder Plastic	No	4	930.94	3723.76
30	27	Tooth brush holder with tooth paste dish plastic	No	4	820.22	3280.88
31	28	Chromium plated towel rail / ring Rail 600mm x 20mm	No	4	3422.72	13690.88
32	29	C.P bid tap 13mm	No	4	820.07	3280.28
33	30	C.P waste coupling 32mm	No	4	504.08	2016.32
34	31	Waste pipe for wash hand basin 32mm dia PVC	No	4	141.74	566.96
35	32	PVC flushing bend 32mm	No	4	173.34	693.36
36	33	Waste Pipe for sink PVC	No	1	270.25	270.25
37	34	Connection 13mm PVC	No	9	504.08	4536.72
38	35	Brass ball valves having diameter				
39		20mm	No	4	670.5	2682
40	36	C.P tee stop cocks 13mm	No	12	1063.15	12757.8
41	37	Telephonic shower Without mixing valves.	No	3	5147.17	15441.51
42	38	Chromium plated mixing valves	No	5	2573.59	12867.95
43	39	S.Trap 102mm diameter China-ware (Pakistan made)	No	5	515.59	2577.95
44	40	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.P grating	No	4	797.21	3188.84

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
45	41	Seat & cover for European type water closet (Pakistan made) Bakelite	No	2	2509.02	5018.04
46	42	Providing and fixing water geyser 160 liters (35 gallons) capacity	No	2	65000	130000
47	43	White marble flooring fine dressed on the surface without winding setin cement mortar 1:2 laid over 20mm thick cement mortar 1:2 including rubbing and polishing 20mm	Sqm	6.64	8100.22	53785.4608
48	44	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	15	2311.79	34676.85
49	45	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	12	323.44	3881.28
50	46	Wiring mains with 2-1/1.13 (3/.029) PVC insulated wire in 19.1mm PVC Conduit recessed in the wall as required	Mtr	100	150.89	15089
51	47	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	90	183.37	16503.3
52	48	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	70	256.45	17951.5
53	49	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	20	424.4	8488

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
54	50	Providing and Fixing surface type 3pin 15 amps.p plug socket and switch as replacement complete with board	No	10	511.32	5113.2
55	51	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	2	6654.43	13308.86
56	52	Providing and erection butterfly shutters for 380 mm sweep exhaust fan complete as required	No	2	273.65	547.3
57	53	Providing and fixing of Exhaust fan 305mm (12") dia Metal body best quality (i-e Royal, GFC, Pak etc)	No	4	3968.8	15875.2
58	54	Providing and fixing of Down light 100mm / 125mm (4" / 5") Dia complete with Energy Saver 23W	No	4	1124.94	4499.76
59	55	P/F Energy Saver	No	15	278	4170
60	56	P/F SMD LED light 2X2 Complete in all respect	No	6	8500	51000
61	57	Providing and fixing aluminum door closer (single action) natural anodized.	No	2	7151.24	14302.48
62	58	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	14.13	9146.48	129239.7624
63	59	Repair of Grill	No	5	1500	7500
64	60	Removing doors and chowkat	No	7	505.52	3538.64

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
65	61	Providing and fixing of bent metal 16 SWG frame 250mm wide for door size 760m x 2.134m (2.5' x 7') complete in all respect.	No	2	6412.82	12825.64
66	62	Providing and fixing deodar beading tapering from 18mm to 6mm with 60mm width	Mtr	138.68	162.8	22577.104
67	63	Repair of SS Railing	Job	1	15000	15000
68	64	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	10.04	6271.74	62968.2696
69	65	Dimmer for fan	No	11	208	2288
70	66	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
71	67	Dismantling tile flooring	Sqm	63.15	143.5	9062.025
72	68	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	250.22	3556.95	890020.029
73	69	P/F Sink	No	1	7532.15	7532.15
74	70	Roller Blind	Sft	588	365	214620
75	71	Painting old surface painting guard bars, gates, iron bars,gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	78.07	169.41	13225.8387

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
					GRAND TOTAL:	Rs3,279,539.22

Lot Title: 56.REVAMPING O/O XEN GUJAR KHAN AT 132 KV GRID STATION GUJAR KHAN

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:4:8	Cum	0.06	2054.25	123.255
2	2	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	0.06	335.9	20.154
3	3	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Cum	3.2	816.38	2612.416
4	4	Bricks work other than building including striking of joints utp 3.0m height in cement sand mortar 1:4	Cum	0.68	13397.41	9110.2388
5	5	Removing cement plaster	Sqm	114.69	45.71	5242.4799
6	6	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	120.63	371.86	44857.4718
7	7	Graffito	Sft	379	110	41690

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
8	8	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	633.36	629.49	398693.7864
9	9	Scraping / Brushing	Sqm	358.3	86.1	30849.63
10	10	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	58.34	386.4	22542.576
11	11	P/F approved quality ,mortice lock	No	12	1651.53	19818.36
12	12	P/F iron sliding bolt	No	2	464.54	929.08
13	13	Repair of Window	No	10	1500	15000
14	14	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	10.69	3713.28	39694.9632
15	15	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	99.63	3918.35	390385.2105
16	16	P/F PVC panelling	Sft	643	370	237910
17	17	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	29	1512.73	43869.17
18	18	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
19		100mm	Mtr	6.1	1656.71	10105.931
20	19	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
21		13mm	Mtr	24	401.4	9633.6
22		20mm	Mtr	30	557.15	16714.5
23	20	White glazed earthen ware water closet European type domestic of best quality	No	2	10318.48	20636.96
24	21	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	3	4898.34	14695.02
25	22	White glazed earthen ware wash hand basin domestic of supreme quality 55/56cm	No	4	2378.34	9513.36
26	23	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	4	2111.87	8447.48
27	24	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	3	3159.43	9478.29
28	25	Soap dishes plastic	No	4	1352.84	5411.36
29	26	Toilet paper holder Plastic	No	4	930.94	3723.76
30	27	Tooth brush holder with tooth paste dish plastic	No	4	820.22	3280.88
31	28	Chromium plated towel rail / ring Rail 600mm x 20mm	No	4	3422.72	13690.88

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
32	29	C.P bid tap 13mm	No	4	820.07	3280.28
33	30	C.P waste coupling 32mm	No	4	504.08	2016.32
34	31	Waste pipe for wash hand basin 32mm dia PVC	No	4	141.74	566.96
35	32	PVC flushing bend 32mm	No	4	173.34	693.36
36	33	Waste Pipe for sink PVC	No	1	270.25	270.25
37	34	Connection 13mm PVC	No	9	504.08	4536.72
38	35	Brass ball valves having diameter				
39		20mm	No	4	670.5	2682
40	36	C.P tee stop cocks 13mm	No	12	1063.15	12757.8
41	37	Telephonic shower Without mixing valves.	No	3	5147.17	15441.51
42	38	Chromium plated mixing valves	No	5	2573.59	12867.95
43	39	S.Trap 102mm diameter China-ware (Pakistan made)	No	5	515.59	2577.95
44	40	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.P grating	No	4	797.21	3188.84
45	41	Seat & cover for European type water closet (Pakistan made) Bakelite	No	2	2509.02	5018.04
46	42	Providing and fixing water geyser 160 liters (35 gallons) capacity	No	2	65000	130000

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
47	43	White marble flooring fine dressed on the surface without winding setin cement mortar 1:2 laid over 20mm thick cement mortar 1:2 including rubbing and polishing 20mm	Sqm	6.64	8100.22	53785.4608
48	44	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	15	2311.79	34676.85
49	45	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	12	323.44	3881.28
50	46	Wiring mains with 2-1/1.13 (3/.029) PVC insulated wire in 19.1mm PVC Conduit recessed in the wall as required	Mtr	100	150.89	15089
51	47	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	90	183.37	16503.3
52	48	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	70	256.45	17951.5
53	49	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	20	424.4	8488
54	50	Providing and Fixing surface type 3pin 15 amps.p plug socket and switch as replacement complete with board	No	10	511.32	5113.2

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
55	51	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	2	6654.43	13308.86
56	52	Providing and erection butterfly shutters for 380 mm sweep exhaust fan complete as required	No	2	273.65	547.3
57	53	Providing and fixing of Exhaust fan 305mm (12") dia Metal body best quality (i-e Royal, GFC, Pak etc)	No	4	3968.8	15875.2
58	54	Providing and fixing of Down light 100mm / 125mm (4" / 5") Dia complete with Energy Saver 23W	No	4	1124.94	4499.76
59	55	P/F Energy Saver	No	15	278	4170
60	56	P/F SMD LED light 2X2 Complete in all respect	No	6	8500	51000
61	57	Providing and fixing aluminum door closer (single action) natural anodized.	No	2	7151.24	14302.48
62	58	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	14.13	9146.48	129239.7624
63	59	Repair of Grill	No	5	1500	7500
64	60	Removing doors and chowkat	No	7	505.52	3538.64
65	61	Providing and fixing of bent metal 16 SWG frame 250mm wide for door size 760m x 2.134m (2.5' x 7') complete in all respect.	No	2	6412.82	12825.64

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
66	62	Providing and fixing deodar beading tapering from 18mm to 6mm with 60mm width	Mtr	138.68	162.8	22577.104
67	63	Repair of SS Railing	Job	1	15000	15000
68	64	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	10.04	6271.74	62968.2696
69	65	Dimmer for fan	No	11	208	2288
70	66	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
71	67	Dismantling tile flooring	Sqm	63.15	143.5	9062.025
72	68	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	250.22	3556.95	890020.029
73	69	P/F Sink	No	1	7532.15	7532.15
74	70	Roller Blind	Sft	588	365	214620
75	71	Painting old surface painting guard bars, gates, iron bars,gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	78.07	169.41	13225.8387
					GRAND TOTAL:	Rs3,279,539.22

Lot Title: 57.REVAMPING O/O REVENUE OFFICER UNDER OPERATION DIVISION GUJAR KHAN AT 132 KV GRID STATION GUJAR KHAN

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:4:8	Cum	0.06	2054.25	123.255
2	2	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	0.06	335.9	20.154
3	3	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Cum	3.2	816.38	2612.416
4	4	Bricks work other than building including striking of joints utp 3.0m height in cement sand mortar 1:4	Cum	0.68	13397.41	9110.2388
5	5	Removing cement plaster	Sqm	114.69	45.71	5242.4799
6	6	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	120.63	371.86	44857.4718
7	7	Graffito	Sft	379	110	41690
8	8	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	633.36	629.49	398693.7864
9	9	Scraping / Brushing	Sqm	358.3	86.1	30849.63
10	10	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	58.34	386.4	22542.576

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
11	11	P/F approved quality ,mortice lock	No	12	1651.53	19818.36
12	12	P/F iron sliding bolt	No	2	464.54	929.08
13	13	Repair of Window	No	10	1500	15000
14	14	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	10.69	3713.28	39694.9632
15	15	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	99.63	3918.35	390385.2105
16	16	P/F PVC panelling	Sft	643	370	237910
17	17	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	29	1512.73	43869.17
18	18	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
19		100mm	Mtr	6.1	1656.71	10105.931
20	19	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
21		13mm	Mtr	24	401.4	9633.6
22		20mm	Mtr	30	557.15	16714.5

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
23	20	White glazed earthen ware water closet European type domestic of best quality	No	2	10318.48	20636.96
24	21	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	3	4898.34	14695.02
25	22	White glazed earthen ware wash hand basin domestic of supreme quality 55/56cm	No	4	2378.34	9513.36
26	23	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	4	2111.87	8447.48
27	24	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	3	3159.43	9478.29
28	25	Soap dishes plastic	No	4	1352.84	5411.36
29	26	Toilet paper holder Plastic	No	4	930.94	3723.76
30	27	Tooth brush holder with tooth paste dish plastic	No	4	820.22	3280.88
31	28	Chromium plated towel rail / ring Rail 600mm x 20mm	No	4	3422.72	13690.88
32	29	C.P bid tap 13mm	No	4	820.07	3280.28
33	30	C.P waste coupling 32mm	No	4	504.08	2016.32
34	31	Waste pipe for wash hand basin 32mm dia PVC	No	4	141.74	566.96
35	32	PVC flushing bend 32mm	No	4	173.34	693.36
36	33	Waste Pipe for sink PVC	No	1	270.25	270.25

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
37	34	Connection 13mm PVC	No	9	504.08	4536.72
38	35	Brass ball valves having diameter				
39		20mm	No	4	670.5	2682
40	36	C.P tee stop cocks 13mm	No	12	1063.15	12757.8
41	37	Telephonic shower Without mixing valves.	No	3	5147.17	15441.51
42	38	Chromium plated mixing valves	No	5	2573.59	12867.95
43	39	S.Trap 102mm diameter China-ware (Pakistan made)	No	5	515.59	2577.95
44	40	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.P grating	No	4	797.21	3188.84
45	41	Seat & cover for European type water closet (Pakistan made) Bakelite	No	2	2509.02	5018.04
46	42	Providing and fixing water geyser 160 liters (35 gallons) capacity	No	2	65000	130000
47	43	White marble flooring fine dressed on the surface without winding setin cement mortar 1:2 laid over 20mm thick cement mortar 1:2 including rubbing and polishing 20mm	Sqm	6.64	8100.22	53785.4608
48	44	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	15	2311.79	34676.85

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
49	45	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	12	323.44	3881.28
50	46	Wiring mains with 2-1/1.13 (3/.029) PVC insulated wire in 19.1mm PVC Conduit recessed in the wall as required	Mtr	100	150.89	15089
51	47	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	90	183.37	16503.3
52	48	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	70	256.45	17951.5
53	49	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	20	424.4	8488
54	50	Providing and Fixing surface type 3pin 15 amps.p plug socket and switch as replacement complete with board	No	10	511.32	5113.2
55	51	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	2	6654.43	13308.86
56	52	Providing and erection butterfly shutters for 380 mm sweep exhaust fan complete as required	No	2	273.65	547.3
57	53	Providing and fixing of Exhaust fan 305mm (12") dia Metal body best quality (i-e Royal, GFC, Pak etc)	No	4	3968.8	15875.2

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
58	54	Providing and fixing of Down light 100mm / 125mm (4" / 5") Dia complete with Energy Saver 23W	No	4	1124.94	4499.76
59	55	P/F Energy Saver	No	15	278	4170
60	56	P/F SMD LED light 2X2 Complete in all respect	No	6	8500	51000
61	57	Providing and fixing aluminum door closer (single action) natural anodized.	No	2	7151.24	14302.48
62	58	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	14.13	9146.48	129239.7624
63	59	Repair of Grill	No	5	1500	7500
64	60	Removing doors and chowkat	No	7	505.52	3538.64
65	61	Providing and fixing of bent metal 16 SWG frame 250mm wide for door size 760m x 2.134m (2.5' x 7') complete in all respect.	No	2	6412.82	12825.64
66	62	Providing and fixing deodar beading tapering from 18mm to 6mm with 60mm width	Mtr	138.68	162.8	22577.104
67	63	Repair of SS Railing	Job	1	15000	15000
68	64	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	10.04	6271.74	62968.2696
69	65	Dimmer for fan	No	11	208	2288

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
70	66	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
71	67	Dismantling tile flooring	Sqm	63.15	143.5	9062.025
72	68	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	250.22	3556.95	890020.029
73	69	P/F Sink	No	1	7532.15	7532.15
74	70	Roller Blind	Sft	588	365	214620
75	71	Painting old surface painting guard bars, gates, iron bars,gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	78.07	169.41	13225.8387
					GRAND TOTAL:	Rs3,279,539.22

Lot Title: 58.SPECIAL REPAIR / MAINTENANCE OF OFFICE BUILDING OF XEN IESCO OPERATION DIVISION NO.11 JHELUM

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling tile flooring	Sqm	184.76	143.5	26513.06

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
2	2	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	18.52	3713.28	68769.9456
3	3	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	89.78	3918.35	351789.463
4	4	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	348.43	3556.95	1239348.0885
5	5	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	18.12	1512.73	27410.6676
6	6	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	39.03	9146.48	356987.1144
7	7	White marble flooring fine dressed on the surface without winding setin cement mortar 1:2 laid over 20mm thick cement mortar 1:2 including rubbing and polishing 20mm	Sqm	4.46	8100.22	36126.9812
8	8	Distempering Two coat over and including cost of priming coat.	Sqm	1030.17	156.28	160994.9676
9	9	Weather Shield	Sft	647.22	246.26	159384.3972
10	10	P/F Flush Door	Sqm	18.22	6271.74	114271.1028
11	13	White glazed earthen ware water closet European type domestic of best quality	No	1	10318.84	10318.84

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
12	14	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	4	4898.34	19593.36
13	15	White glazed earthen ware wash hand basin domestic of supreme quality 55/56cm	No	4	2378.34	9513.36
14	16	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	4	2111.87	8447.48
15	17	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	4	3159.43	12637.72
16	18	Soap dishes plastic	No	4	1352.84	5411.36
17	19	Toilet paper holder Plastic	No	6	930.94	5585.64
18	20	Tooth brush holder with tooth paste dish plastic	No	4	820.22	3280.88
19	21	Chromium plated towel rail / ring Rail 600mm x 20mm	No	4	3422.72	13690.88
20	22	C.P bid tap 13mm	No	6	820.07	4920.42
21	23	C.P waste coupling 32mm	No	4	504.08	2016.32
22	24	Waste pipe for wash hand basin 32mm dia PVC	No	4	173.34	693.36
23	25	PVC flushing bend 32mm	No	4	173.34	693.36
24	26	Waste Pipe for sink PVC	No	1	173.34	173.34
25	27	Connection 13mm PVC	No	6	308.99	1853.94
26	28	Brass ball valves having diameter				

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
27		20mm	No	4	504.08	2016.32
28	29	Providing and fixing laminated board for wardrobe shutter complete in all respect	Sqm	9.29	4270.63	39674.1527
29	30	C.P tee stop cocks 13mm	No	12	1063.15	12757.8
30	31	Telephonic shower Without mixing valves.	No	2	1405.7	2811.4
31	32	Chromium plated mixing valves	No	4	2573.59	10294.36
32	33	S.Trap 102mm diameter China-ware (Pakistan made)	No	2	515.59	1031.18
33	34	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.P grating	No	6	797.21	4783.26
34	35	Seat & cover for European type water closet (Pakistan made) Bakelite	No	2	2509.02	5018.04
35	36	Providing and fixing water geyser 160 liters (35 gallons) capacity	No	2	65000	130000
36	37	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	40	2311.86	92474.4
37	38	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	30	323.44	9703.2

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
38	39	Wiring mains with 2-1/1.13 (3/.029) PVC insulated wire in 19.1mm PVC Conduit recessed in the wall as required	Mtr	100	150.89	15089
39	40	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	150	183.37	27505.5
40	41	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	45	256.45	11540.25
41	42	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	15	424.4	6366
42	43	Providing and Fixing surface type 3pin 15 amps.p plug socket and switch as replacement complete with board	No	10	511.32	5113.2
43	44	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	2	6654.43	13308.86
44	45	Providing and erection butterfly shutters for 380 mm sweep exhaust fan complete as required	No	4	292.23	1168.92
45	46	Providing and fixing of Exhaust fan 305mm (12") dia Metal body best quality (i-e Royal, GFC, Pak etc)	No	4	3968.8	15875.2
46	47	Providing and fixing of Down light 100mm / 125mm (4" / 5") Dia complete with Energy Saver 23W	No	30	1124.94	33748.2
47	48	P/F Energy Saver	No	18	278	5004
48	49	P/F SMD LED light 2X2 Complete in all respect	No	4	8500	34000

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
49	50	Providing and fixing aluminum natural anodized fixed panel without glazing	Sqm	2.97	6615.8	19648.926
50	51	Glazing with plate glass 6mm thick using PVC gasket	Sqm	19.89	2254.51	44842.2039
51	52	Providing and fixing aluminum door closer (single action) natural anodized.	No	5	7151.24	35756.2
52	53	Dismantling cement concrete plain 1:2:4	Cum	1.13	4109.55	4643.7915
53	54	Topping of cement concrete (1:2:4) including surface finishing & dividing into panels 75mm	Sqm	316.17	1071.51	338779.3167
54	55	Painting new surface preparing surface and painting or doors and windows any type (including edges) priming coat	Sqm	171.19	482.22	82551.2418
55	56	Scraping / Brushing	Sqm	721.12	45.71	32962.3952
56	57	Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	28.6191	7709.75	220646.106225
57	58	Removing cement plaster	Sqm	67.55	45.71	3087.7105
58	59	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	67.55	371.86	25119.143
59	60	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
60		25mm	Mtr	30	751.66	22549.8
61		32mm	Mtr	25	944.06	23601.5
62	61	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
63		75mm	Mtr	25	1082.51	27062.75
64		100mm	Mtr	20	1656.71	33134.2
65	62	Rubbing and polishing of mosaic floor	Sqm	19.52	291.72	5694.3744
					GRAND TOTAL:	Rs4,039,788.95

Lot Title: 59.REVAMPING OF OPERATION SUB DIVISION KHAYABAN AT KHAYABAN RAWALPINDI

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:4:8	Cum	2.06	2054.25	4231.755
2	2	Dismantling cement concrete plain 1:2:4	Cum	4.39	4109.55	18040.9245
3	3	Dismantling wooden partition jaffery work	Sqm	12.08	69.41	838.4728
4	4	Dismantling brick work in cement mortar	Cum	0.14	1587.76	222.2864
5	5	Dismantling brick tile roofing	Sqm	129.55	170.31	22063.6605

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
6	6	Dismantling tile flooring	Sqm	75.84	143.5	10883.04
7	7	Removing cement plaster	Sqm	109.64	45.71	5011.6444
8	8	Removing door, window and frame	No	13	505.52	6571.76
9	9	Cement plaster 13mm ratio 1:4	Sqm	131.33	371.86	48836.3738
10	10	Brick work in foundation and plinth in cement sand mortar Ratio 1:6	Cum	2.1	12533.03	26319.363
11	11	Brick work in ground floor (including striking of joints) in cement sand mortar Ratio 1:4	Cum	1.27	13741.83	17452.1241
12	12	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	19.85	318.5	6322.225
13	13	Ex. in foundation of building, bridges and other structures i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 30 mtr and lift upto 1.50m in ordinary soil.	Cum	16.38	406.8	6663.384

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
14	14	R.C.C work using coarse sand except the cost of steel reinforcement and its labour for bending and binding. This rate also include all kind of forms moulds lifting shuttering, curing, rendering and finishing the exposed surface (including screening the washing of shingle). In-situ in roof slabs, beams, columns, rafts, lintels and other structural members complete in all respect 1:2:4	Cum	0.26	23192.92	6030.1592
15	15	Supplying and fabrication of intermediate grade deformed reinforcement for R.C.C in slabs, beams, columns and pile caps, including cutting, bending laying in position including cost of binding wire 40,000 psi (420 MPa) yield.	Kg	33.36	270.3	9017.208
16	16	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	3.65	7709.75	28140.5875
17	17	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	7.61	10273.86	78184.0746
18	18	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	1	9572.72	9572.72

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
19	19	Providing and fixing of bent metal 16 SWG frame 250mm wide for door size 760m x 2.134m (2.5' x 7') complete in all respect.	No	1	6412.82	6412.82
20	20	Mosaic flooring consisting of mosaic topping of one part of cement to two parts of marble chips laid over 25mm thick flooring of 1:2:4 cement concrete including rubbing & polishing complete 13mm (with grey cement)	Sqm	1.49	1984.55	2956.9795
21	21	Mosaic dado or skirting with one part of cement & 2 parts of marble chips laid over 13mm thick cement plaster 1:3 complete with finishing and polishing 13mm (with grey cement)	Sqm	4.46	1805.04	8050.4784
22	22	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	84.64	3556.95	301060.248
23	23	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	13.5	3713.28	50129.28
24	24	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	73.83	3918.35	289291.7805
25	25	Scraping ordinary distemper	Sqm	692.21	86.1	59599.281

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
26	26	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	620.82	629.49	390799.9818
27	27	Weather shield paint on paintted/old surface, 2 coat	Sqm	224.79	268.14	60275.1906
28	28	Rock Wall	Sft	2898.76	130	376838.8
29	29	Painting new surface preparing surface and painting or doors and windows any type (including edges) priming coat	Sqm	7.6	685.01	5206.076
30	30	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	39.7	386.4	15340.08
31	31	Painting old surface painting guard bars, gates, iron bars,gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	53.84	227.29	12237.2936
32	32	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section shampean or any other colour and green or blind glass 5mm thick	Sqm	10.5	11498.01	120729.105
33	33	Providing and fixing steel grills to openable steel windows as per drawing No.CDO(W)301-5B/215	Sqm	9.11	4449.53	40535.2183
34	34	Providing and fixing aluminum natural anodized openable hingd doors without glazed.	Sqm	3.25	5739.49	18653.3425

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
35	35	Providing and fixing aluminum openable hingd doors and fixed panel with Glass 12mm.	Sft	22.75	1920	43680
36	36	P/F of glass paper	Sft	22.75	150	3412.5
37	37	Providing and fixing door closer (double action) natural anodized.	No	1	24517.39	24517.39
38	38	Providing and fixing aluminum door closer (single action) natural anodized.	No	1	7151.24	7151.24
39	39	Deodar wood wrought joinery work in doors & windows etc fixed in position including chowkats, holdfasts hinges, iron tower bolts, cocks, cleats handles end cords with hooks etc deodar, panelled or panelled and glazed or fully glazed.				
40		45mm	Sqm	2.11	25997.35	54854.4085
41	40	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	3.8	6271.74	23832.612
42	41	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	25.28	9146.48	231223.0144
43	42	PVC Wall Paneling(Hard)	Sft	132.75	540	71685
44	43	P/F Rollup Blind Curtain complete in all respect	Sft	320	456	145920
45	44	Providing and fixing of LED SMD light 9"	No	4	2500	10000

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
46	45	Providing and fixing of LED SMD light 4"	No	8	1200	9600
47	46	Providing and fixing of LED SMD light 2'x2'	No	4	8500	34000
48	47	Supply and erection of ceiling fan best quality including wiring with 1/1.13mm (3.029) PVC wire fixing of regulator, Plastic Body (2'x2')	No	1	14000	14000
49	48	ACSP exhaust fan with plastic blade A.C sweep (10") 200 volt	No	1	2978	2978
50	49	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	2	3974.52	7949.04
51	50	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	30	2311.81	69354.3
52	51	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	10	424.4	4244
53	52	Providing and fixing flush type 3 pin 15 Amps S.P Plug-socket, switch (combined) as replacement on board already exist	No	3	511.32	1533.96
54	53	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	52	323.44	16818.88

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
55	54	Providing and fixing / connecting surface type 2 pin 5 Amps S.P Plug-socket, switch complete with S.W Board as replacement	No	20	178.27	3565.4
56	55	Wiring call bell with 1/1.13 (3/0.029) PVC insulated wire in 19.1mm PVC conduit fitted on surface complete with Buzzer, push & 3 Meter flexible wire 23/0.076 Twin	Per Point	1	2586.67	2586.67
57	56	Wiring mains with 2-1/1.78 (7/0.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	50	183.37	9168.5
58	57	Wiring mains with 2-1/7/0.085 (7/0.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	50	256.45	12822.5
59	58	Providing and fixing of distribution board single phase 60 Amps, 250 volts with 1-No. incoming circuit breaker 60 Amps D.P 4-Nos. outgoing 6-15 Amps. Single pole circuit breaker with N link on prepared board.	No	1	13530.1	13530.1
60	59	Supply and erection of PVC insulated PVC sheathed 4 core copper cable size 19/0.064(19/1.153mm) 4 core on wooden cleats with angle iron base size 38mm x 3mm 60mm long.	Mtr	10	1733.09	17330.9
61	60	P/F hard drawn bare copper wire 19mm (6 S.W.G) as earth continuity conductor with any given mains of sub-main in all system of wiring including metallic electrical accessories	Mtr	50	54.03	2701.5

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
62	61	White marble flooring fine dressed on the surface without winding set in cement mortar 1::2 laid over 20mm thick cement mortar 1:2 including rubbing & polishing				
63		20mm	Sqm	2.98	8100.22	24138.6556
64	62	Rubbing and polishing of mosaic floor	Sqm	8.29	291.72	2418.3588
65	63	Providing and fixing deodar beading tapering from 18mm to 6mm with 60mm width	Mtr	80	162.8	13024
66	64	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
67		25mm	Mtr	60	751.66	45099.6
68		32mm	Mtr	40	944.06	37762.4
69	65	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
70		75mm	Mtr	50	1082.51	54125.5
71		100mm	Mtr	15	1656.71	24850.65
72	66	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	2	771.93	1543.86
73	67	White glazed earthen ware water closet European type domestic of best quality	No	1	10318.48	10318.48

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
74	68	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	1	4898.34	4898.34
75	69	Seat & cover for European type water closet (Pakistan made) PVC	No	1	1909.02	1909.02
76	70	White glazed earthen ware wash hand basin domestic of supreme quality 65cm	No	3	2618.34	7855.02
77	71	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	3	2111.87	6335.61
78	72	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	1	3495.9	3495.9
79	73	Soap dishes chromium plated	No	3	3147.8	9443.4
80	74	Tooth brush holder with tooth paste dish chromium plated	No	3	3171.8	9515.4
81	75	Toilet paper holder Chromium plated	No	3	2039.94	6119.82
82	76	Looking glass 550mm x 400mm size at 1st quality (without frame) Belgium / Japan made	No	3	2014	6042
83	77	Chromium plated towel rail / ring Rail 150mm	No	3	1848.2	5544.6
84	78	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	3	444.58	1333.74
85	79	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
86	80	C.P bib tap 13mm	No	3	820.07	2460.21
87	81	C.P waste coupling 32mm	No	3	504.08	1512.24
88	82	Waste pipe for wash hand basin 32mm dia PVC	No	3	173.34	520.02
89	83	Connection 13mm PVC	No	9	308.99	2780.91
90	84	Brass ball valves having diameter				
91		25mm	No	3	950.68	2852.04
92		32mm	No	3	1728.01	5184.03
93		40mm	No	2	2509.56	5019.12
94	85	C.P tee stop cocks 13mm	No	9	763.19	6868.71
95	86	P.Trap C.P diameter 40mm	No	8	2099.6	16796.8
96	87	S.Trap 102mm diameter China-ware (Pakistan made)	No	1	515.59	515.59
97	88	Telephonic shower With mixing valves.	No	3	5147.17	15441.51
98	89	Chromium plated mixing valves	No	3	2573.59	7720.77
99	90	P/F Steel Sink	No	1	6824.33	6824.33
100	91	Glazing with plate glass 6mm thick using PVC gasket	Sqm	1.12	2254.51	2525.0512
101	92	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	16.34	1512.73	24718.0082

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
102	93	Providing lowering and laying into trenches and jointing cement concrete reinforced pipeline to correct alignment and grade including cutting of pipes where necessary cost of jointing material and testing with internal diameter.				
103		150mm	Mtr	24	1331.55	31957.2
104	94	Providing and laying Tuff tile over 100mm thick sand complete	Sqm	99.91	1243.91	124279.0481
105	95	Providing and fixing Razor barbed wire fencing having 460mm ring at 150mm centre to centre hanging on 10mm dia MS bar with 40x40x5mm angle iron post of 1.0m height complete.	Mtr	3.755	1601.39	6013.21945
					GRAND TOTAL:	Rs3,446,111.57

Lot Title: 60.REVAMPING OF OPERATION SUB DIVISION PINANWAL AND DARYALA JALIP AT IESCO 132KV GRID STATION PINANWAL

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:4:8	Cum	8.67	2054.25	17810.3475
2	2	Dismantling cement concrete plain 1:2:4	Cum	1.5	4109.55	6164.325

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
3	3	Dismantling wooden partition jaffery work	Sqm	3.72	69.41	258.2052
4	4	Dismantling tile flooring	Sqm	123.46	143.5	17716.51
5	5	Removing cement plaster	Sqm	71.18	45.71	3253.6378
6	6	Removing door, window and frame	No	5	505.52	2527.6
7	7	Cement plaster 13mm ratio 1:4	Sqm	71.18	371.86	26468.9948
8	8	Brick work in ground floor (including striking of joints) in cement sand mortar Ratio 1:4	Cum	0.93	13741.83	12779.9019
9	9	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	27.41	318.5	8730.085
10	10	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	8.67	7709.75	66843.5325
11	11	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	5.35	10273.86	54965.151

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
12	12	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	2	9572.72	19145.44
13	13	Providing and fixing of bent metal 16 SWG frame 250mm wide for door size 760m x 2.134m (2.5' x 7') complete in all respect.	No	3	6412.82	19238.46
14	14	Mosaic flooring consisting of mosaic topping of one part of cement to two parts of marble chips laid over 25mm thick flooring of 1:2:4 cement concrete including rubbing & polishing complete 13mm (with grey cement)	Sqm	2.51	1984.55	4981.2205
15	15	Mosaic dado or skirting with one part of cement & 2 parts of marble chips laid over 13mm thick cement plaster 1:3 complete with finishing and polishing 13mm (with grey cement)	Sqm	1.67	1805.04	3014.4168
16	16	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	105.55	3556.95	375436.0725
17	17	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	8.96	3713.28	33270.9888
18	18	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	16.48	3918.35	64574.408

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
19	19	Scraping ordinary distemper	Sqm	910.67	86.1	78408.687
20	20	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	1111.7	629.49	699804.033
21	21	Weather shield paint on painted/old surface, 2 coat	Sqm	709.64	268.14	190282.8696
22	22	Rock Wall	Sft	199.27	130	25905.1
23	23	Painting new surface preparing surface and painting or doors and windows any type (including edges) priming coat	Sqm	4.08	685.01	2794.8408
24	24	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	95.2	386.4	36785.28
25	25	Painting old surface painting guard bars, gates, iron bars,gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	57.06	227.29	12969.1674
26	26	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section shampean or any other colour and green or blind glass 5mm thick	Sqm	0.92	11498.01	10578.1692
27	27	Providing and fixing steel grills to openable steel windows as per drawing No.CDO(W)301-5B/215	Sqm	0.92	4449.53	4093.5676
28	28	Providing and fixing aluminum natural anodized openable hingd doors without glazed.	Sqm	0.79	5739.49	4534.1971

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
29	29	Providing and fixing aluminum openable hingd doors and fixed panel with Glass 12mm.	Sft	21.94	1920	42124.8
30	30	P/F of glass paper	Sft	21.94	150	3291
31	31	Providing and fixing door closer (double action) natural anodized.	No	1	24517.39	24517.39
32	32	Providing and fixing aluminum door closer (single action) natural anodized.	No	2	7151.24	14302.48
33	33	Deodar wood wrought joinery work in doors & windows etc fixed in position including chowkats, holdfasts hinges, iron tower bolts, cocks, cleats handles end cords with hooks etc deodar, panelled or panelled and glazed or fully glazed.				
34		45mm	Sqm	2.04	25997.35	53034.594
35	34	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	3.97	6271.74	24898.8078
36	35	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	35.69	9146.48	326437.8712
37	36	PVC Wall Paneling(Hard)	Sft	228	540	123120
38	37	P/F Rollup Blind Curtain complete in all respect	Sft	672	456	306432
39	38	Providing and fixing of LED SMD light 9"	No	89	2500	222500

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
40	39	Providing and fixing of LED SMD light 4"	No	15	1200	18000
41	40	Providing and fixing of LED SMD light 2'x2'	No	38	8500	323000
42	41	Supply and erection of ceiling fan best quality including wiring with 1/1.13mm (3.029) PVC wire fixing of regulator, Plastic Body (2'x2')	No	2	14000	28000
43	42	ACSP exhaust fan with plastic blade A.C sweep (10") 200 volt	No	4	2978	11912
44	43	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	1	3974.52	3974.52
45	44	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	25	2311.81	57795.25
46	45	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	10	424.4	4244
47	46	Providing and fixing flush type 3 pin 15 Amps S.P Plug-socket, switch (combined) as replacement on board already exist	No	6	511.32	3067.92
48	47	Wiring 2 pin plug control point on board with 1.13 (3/0.29) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	5	323.44	1617.2

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
49	48	Providing and fixing / connecting surface type 2 pin 5 Amps S.P Plug-socket, switch complete with S.W Board as replacement	No	5	178.27	891.35
50	49	Wiring call bell with 1/1.13 (3/0.029) PVC insulated wire in 19.1mm PVC conduit fitted on surface complete with Buzzer, push & 3 Meter flexible wire 23/.0076 Twin	Per Point	1	2586.67	2586.67
51	50	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	60	183.37	11002.2
52	51	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	50	256.45	12822.5
53	52	Providing and fixing of distribution board single phase 60 Amps, 250 volts with 1-No. incoming circuit breaker 60 Amps D.P 4-Nos. outgoing 6-15 Amps. Single pole circuit breaker with N link on prepared board.	No	1	13530.1	13530.1
54	53	Supply and erection of PVC insulated PVC sheathed 4 core copper cable size 19/.064(19/.153mm) 4 core on wooden cleats with angle iron base size 38mm x 3mm 60mm long.	Mtr	5	1733.09	8665.45
55	54	P/F hard drawn bare copper wire 19mm (6 S.W.G) as earth continuity conductor with any given mains of sub-main in all system of wiring including metallic electrical accessories	Mtr	90	54.03	4862.7

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
56	55	White marble flooring fine dressed on the surface without winding set in cement mortar 1::2 laid over 20mm thick cement mortar 1:2 including rubbing & polishing				
57		20mm	Sqm	2.21	8100.22	17901.4862
58	56	Rubbing and polishing of mosaic floor	Sqm	1.88	291.72	548.4336
59	57	Providing and fixing deodar beading tapering from 18mm to 6mm with 60mm width	Mtr	100	162.8	16280
60	58	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
61		25mm	Mtr	5	751.66	3758.3
62		32mm	Mtr	5	944.06	4720.3
63	59	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
64		75mm	Mtr	15	1082.51	16237.65
65		100mm	Mtr	10	1656.71	16567.1
66	60	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	4	771.93	3087.72
67	61	White glazed earthen ware water closet European type domestic of best quality	No	2	10318.48	20636.96

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
68	62	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	4	4898.34	19593.36
69	63	Seat & cover for European type water closet (Pakistan made) PVC	No	2	1909.02	3818.04
70	64	White glazed earthen ware wash hand basin domestic of supreme quality 65cm	No	6	2618.34	15710.04
71	65	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	6	2111.87	12671.22
72	66	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	4	3495.9	13983.6
73	67	Soap dishes chromium plated	No	6	3147.8	18886.8
74	68	Tooth brush holder with tooth paste dish chromium plated	No	6	3171.8	19030.8
75	69	Toilet paper holder Chromium plated	No	6	2039.94	12239.64
76	70	Looking glass 550mm x 400mm size at 1st quality (without frame) Belgium / Japan made	No	6	2014	12084
77	71	Chromium plated towel rail / ring Rail 150mm	No	6	1848.2	11089.2
78	72	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	6	444.58	2667.48

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
79	73	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
80	74	C.P bib tap 13mm	No	6	820.07	4920.42
81	75	C.P waste coupling 32mm	No	6	504.08	3024.48
82	76	Waste pipe for wash hand basin 32mm dia PVC	No	6	173.34	1040.04
83	77	Connection 13mm PVC	No	18	308.99	5561.82
84	78	Brass ball valves having diameter				
85		25mm	No	2	950.68	1901.36
86		32mm	No	2	1728.01	3456.02
87		40mm	No	1	2509.56	2509.56
88	79	C.P tee stop cocks 13mm	No	18	763.19	13737.42
89	80	P.Trap C.P diameter 40mm	No	2	2099.6	4199.2
90	81	S.Trap 102mm diameter China-ware (Pakistan made)	No	1	515.59	515.59
91	82	Telephonic shower With mixing valves.	No	6	5147.17	30883.02
92	83	Chromium plated mixing valves	No	6	2573.59	15441.54
93	84	P/F Steel Sink	No	1	6824.33	6824.33
94	85	Glazing with plate glass 6mm thick using PVC gasket	Sqm	2.79	2254.51	6290.0829

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
95	86	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	384.84	1512.73	582159.0132
96	87	Providing lowering and laying into trenches and jointing cement concrete reinforced pipeline to correct alignment and grade including cutting of pipes where necessary cost of jointing material and testing with internal diameter.				
97		150mm	Mtr	28	1331.55	37283.4
98	88	Ex. in foundation of building, bridges and other structures i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 30 mtr and lift upto 1.50m in ordinary soil.	Cum	17.24	406.8	7013.232
99	89	Filling watering and ramming earth under floors with new earth (excavation from outside) lead upto 30m and lift upto 1.5m	Cum	5.66	357.15	2021.469
100	90	Providing and laying Tuff tile over 100mm thick sand complete	Sft	25.6049	1243.91	31850.191159
					GRAND TOTAL:	Rs4,457,481.11

Lot Title: 61.REVAMPING O/O SDO JHIKA GALI AT 132 KV GRID STATION MURREE

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:4:8	Cum	0.96	2054.25	1972.08
2	2	Dismantling cement concrete plain 1:2:4	Cum	0.73	4109.55	2999.9715
3	3	Dismantling wooden partition jaffery work	Sqm	2.23	69.41	154.7843
4	4	Dismantling tile flooring	Sqm	215.09	143.5	30865.415
5	5	Removing cement plaster	Sqm	40	45.71	1828.4
6	6	Removing door, window and frame	No	3	505.52	1516.56
7	7	Cement plaster 13mm ratio 1:4	Sqm	54.69	371.86	20337.0234
8	8	Brick work in ground floor (including striking of joints) in cement sand mortar Ratio 1:4	Cum	1.53	13741.83	21024.9999
9	9	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	1.35	318.5	429.975
10	10	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	0.96	7709.75	7401.36

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
11	11	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	0.71	10273.86	7294.4406
12	12	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	1	9572.72	9572.72
13	13	Providing and fixing of bent metal 16 SWG frame 250mm wide for door size 760m x 2.134m (2.5' x 7') complete in all respect.	No	1	6412.82	6412.82
14	14	Repair of SS Railing	Sqm	1	1984.55	1984.55
15	15	Glazing with panes glass panes 454 to 512gm used with putty	Sqm	4.55	1805.04	8212.932
16	16	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	215.04	3556.95	764886.528
17	17	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	12.28	3713.28	45599.0784
18	18	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	76.61	3918.35	300184.7935
19	19	Scraping ordinary distemper	Sqm	538.97	86.1	46405.317

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
20	20	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	444.77	629.49	279978.2673
21	21	Weather shield paint on painted/old surface, 2 coat	Sqm	528.51	246.26	130150.8726
22	22	P/F Energy Savor	No	10	278	2780
23	23	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section champagne or any other colour and green or blind glass 5mm thick	Sqm	2.79	685.01	1911.1779
24	24	Providing & Fixing window grill without angle iron frame with 10mm Sq iron bar at 75mm center to center as per approved design of engineer	Sqm	12.55	386.4	4849.32
25	25	Painting old surface painting guard bars, gates, iron bars, gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	30.3	227.29	6886.887
26	26	R.C.C work using coarse sand except the cost of steel reinforcement and its labour for bending and binding. This rate also include all kind of forms moulds lifting shuttering, curing, rendering and finishing the exposed surface (including screening the washing of shingle). In-situ in roof slabs, beams, columns, rafts, lintels and other structural members complete in all respect 1:2:4	Cum	4.32	23192.92	100193.4144

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
27	27	Supplying and fabrication of intermediate grade deformed reinforcement for R.C.C in slabs, beams, columns and pile caps, including cutting, bending laying in position including cost of binding wire 40,000 psi (420 MPa) yield.	kg	692.29	270.3	187125.987
28	28	Repair of Main Door	No	1	15000	15000
29	29	Providing and fixing aluminum openable hingd doors and fixed panel with Glass 12mm.	Sft	21.91	1920	42067.2
30	30	P/F of glass paper	Sft	21.91	150	3286.5
31	31	Providing and fixing door closer (double action) natural anodized.	No	1	24373.45	24373.45
32	32	Providing and fixing aluminum door closer (single action) natural anodized.	No	11	7151.24	78663.64
33	33	Reapir of Existing Doors	No	10	6271.74	62717.4
34	34	Providing and fixing laminated board for wardrobe shutter complete in all respect	Sqm	28.36	9146.48	259394.1728
35	35	PVC Wall Paneling	Sft	951.52	370	352062.4
36	36	P/F Rollup Blind Curtain complete in all respect	Sft	546	456	248976
37	37	Providing and fixing of LED SMD light 9"	No	5	2500	12500
38	38	Providing and fixing of LED SMD light 4"	No	3	1200	3600
39	39	Providing and fixing of LED SMD light 2'x2'	No	4	8500	34000

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
40	40	Supply and erection of ceiling fan best quality including wiring with 1/1.13mm (3.029) PVC wire fixing of regulator, Plastic Body (2'x2')	No	1	14000	14000
41	41	ACSP exhaust fan with plastic blade A.C sweep (10") 200 volt	No	2	2978	5956
42	42	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	2	3974.52	7949.04
43	43	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	15	2311.81	34677.15
44	44	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	7	424.4	2970.8
45	45	Providing and fixing flush type 3 pin 15 Amps S.P Plug-socket, switch (combined) as replacement on board already exist	No	5	511.32	2556.6
46	46	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	5	323.44	1617.2
47	47	Providing and fixing / connecting surface type 2 pin 5 Amps S.P Plug-socket, switch complete with S.W Board as replacement	No	2	178.27	356.54

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
48	48	Wiring call bell with 1/1.13 (3/0.029) PVC insulated wire in 19.1mm PVC conduit fitted on surface complete with Buzzer, push & 3 Meter flexible wire 23/.0076 Twin	Per Point	1	2586.67	2586.67
49	49	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	15	183.37	2750.55
50	50	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	20	256.45	5129
51	51	Providing and fixing of distribution board single phase 60 Amps, 250 volts with 1-No. incoming circuit breaker 60 Amps D.P 4-Nos. outgoing 6-15 Amps. Single pole circuit breaker with N link on prepared board.	No	1	13530.1	13530.1
52	52	P/F hard drawn bare copper wire 19mm (6 S.W.G) as earth continuity conductor with any given mains of sub-main in all system of wiring including metallic electrical accessories	Mtr	150	54.03	8104.5
53	53	White marble flooring fine dressed on the surface without winding set in cement mortar 1::2 laid over 20mm thick cement mortar 1:2 including rubbing & polishing				
54		20mm	Sqm	10	8100.22	81002.2
55	54	Rubbing and polishing of mosaic floor	Sqm	21.47	291.72	6263.2284
56	55	Providing and fixing deodar beading tapering from 18mm to 6mm with 60mm width	Mtr	60	162.8	9768

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
57	56	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
58		25mm	Mtr	50	751.66	37583
59		32mm	Mtr	45	944.06	42482.7
60	57	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
61		75mm	Mtr	20	1082.51	21650.2
62		100mm	Mtr	40	1656.71	66268.4
63	58	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	4	771.93	3087.72
64	59	White glazed earthen ware water closet European type domestic of best quality	No	1	10318.48	10318.48
65	60	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	2	4898.34	9796.68
66	61	Seat & cover for European type water closet (Pakistan made) PVC	No	1	1909.02	1909.02
67	62	White glazed earthen ware wash hand basin domestic of supreme quality 65cm	No	3	2618.34	7855.02

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
68	63	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	3	2111.87	6335.61
69	64	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	3	3495.9	10487.7
70	65	Soap dishes chromium plated	No	3	3147.8	9443.4
71	66	Tooth brush holder with tooth paste dish chromium plated	No	3	3171.8	9515.4
72	67	Toilet paper holder Chromium plated	No	3	2039.94	6119.82
73	68	Looking glass 550mm x 400mm size at 1st quality (without frame) Belgium / Japan made	No	3	2014	6042
74	69	Chromium plated towel rail / ring Rail 150mm	No	3	1848.2	5544.6
75	70	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	3	444.58	1333.74
76	71	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
77	72	C.P bib tap 13mm	No	3	820.07	2460.21
78	73	C.P waste coupling 32mm	No	3	504.08	1512.24
79	74	Waste pipe for wash hand basin 32mm dia PVC	No	3	173.34	520.02
80	75	Connection 13mm PVC	No	12	308.99	3707.88
81	76	Brass ball valves having diameter				

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
82		25mm	No	2	950.68	1901.36
83		32mm	No	2	1728.01	3456.02
84	77	C.P tee stop cocks 13mm	No	10	763.19	7631.9
85	78	P.Trap C.P diameter 40mm	No	4	2099.6	8398.4
86	79	S.Trap 102mm diameter China-ware (Pakistan made)	No	3	515.59	1546.77
87	80	Telephonic shower With mixing valves.	No	4	5147.17	20588.68
88	81	Chromium plated mixing valves	No	4	2573.59	10294.36
89	82	P/F Steel Sink	No	1	6824.33	6824.33
90	83	Providing and fixing steel doors without grill work on outer face of the door as per approved design of the Engineer Incharge	Sqm	2.28	11345.15	25866.942
91	84	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	28.34	1512.73	42870.7682
92	85	Providing lowering and laying into trenches and jointing cement concrete reinforced pipeline to correct alignment and grade including cutting of pipes where necessary cost of jointing material and testing with internal diameter.				
93		150mm	Mtr	13	1331.55	17310.15
94	86	P/f Aluminum Lock	No	10	250	2500

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
95	87	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Sqm	133.835	816.38	109260.2173
96	88	Fabrication, erection, fixing and installation of car shed of 3 ply fiber glass sheet with steel structure made of 18 guage square tube 32x32mm side bracing for sheet with MS flat 25x3mm and 75mm 16 guage vertical post complete in all respect.	Sqm	15.617	6892.23	107635.95591
97	89	P/F LED Light 4 Ft	No	2	2500	5000
98	90	P/F Work station	No	1	75000	75000
99	91	IESCO Letter with LED lights	NO	1	25000	25000
100	92	Facilitation Board	NO	1	134500	134500
101		Crdeit of old material				
					GRAND TOTAL:	Rs4,203,748.49

Lot Title: 62.REVAMPING OF OFFICE SDO KORANG AT MEDIA TOWN ISLAMABAD

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:4:8	Cum	0.96	2054.25	1972.08

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
2	2	Dismantling cement concrete plain 1:2:4	Cum	0.73	4109.55	2999.9715
3	3	Dismantling wooden partition jaffery work	Sqm	2.23	69.41	154.7843
4	4	Dismantling tile flooring	Sqm	215.09	143.5	30865.415
5	5	Removing cement plaster	Sqm	40	45.71	1828.4
6	6	Removing door, window and frame	No	3	505.52	1516.56
7	7	Cement plaster 13mm ratio 1:4	Sqm	54.69	371.86	20337.0234
8	8	Brick work in ground floor (including striking of joints) in cement sand mortar Ratio 1:4	Cum	1.53	13741.83	21024.9999
9	9	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	1.35	318.5	429.975
10	10	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	0.96	7709.75	7401.36
11	11	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	0.71	10273.86	7294.4406

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
12	12	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	1	9572.72	9572.72
13	13	Providing and fixing of bent metal 16 SWG frame 250mm wide for door size 760m x 2.134m (2.5' x 7') complete in all respect.	No	1	6412.82	6412.82
14	14	Repair of SS Railing	Sqm	1	1984.55	1984.55
15	15	Glazing with panes glass panes 454 to 512gm used with putty	Sqm	4.55	1805.04	8212.932
16	16	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	215.04	3556.95	764886.528
17	17	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	12.28	3713.28	45599.0784
18	18	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	76.61	3918.35	300184.7935
19	19	Scraping ordinary distemper	Sqm	538.97	86.1	46405.317
20	20	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	444.77	629.49	279978.2673

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
21	21	Weather shield paint on painted/old surface, 2 coat	Sqm	528.51	246.26	130150.8726
22	22	P/F Energy Savor	No	10	278	2780
23	23	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section champagne or any other colour and green or blind glass 5mm thick	Sqm	2.79	685.01	1911.1779
24	24	Providing & Fixing window grill without angle iron frame with 10mm Sq iron bar at 75mm center to center as per approved design of engineer	Sqm	12.55	386.4	4849.32
25	25	Painting old surface painting guard bars, gates, iron bars, gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	30.3	227.29	6886.887
26	26	R.C.C work using coarse sand except the cost of steel reinforcement and its labour for bending and binding. This rate also include all kind of forms moulds lifting shuttering, curing, rendering and finishing the exposed surface (including screening the washing of shingle). In-situ in roof slabs, beams, columns, rafts, lintels and other structural members complete in all respect 1:2:4	Cum	4.32	23192.92	100193.4144
27	27	Supplying and fabrication of intermediate grade deformed reinforcement for R.C.C in slabs, beams, columns and pile caps, including cutting, bending laying in position including cost of binding wire 40,000 psi (420 MPa) yield.	kg	692.29	270.3	187125.987

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
28	28	Repair of Main Door	No	1	15000	15000
29	29	Providing and fixing aluminum openable hingd doors and fixed panel with Glass 12mm.	Sft	21.91	1920	42067.2
30	30	P/F of glass paper	Sft	21.91	150	3286.5
31	31	Providing and fixing door closer (double action) natural anodized.	No	1	24373.45	24373.45
32	32	Providing and fixing aluminum door closer (single action) natural anodized.	No	11	7151.24	78663.64
33	33	Reapir of Existing Doors	No	10	6271.74	62717.4
34	34	Providing and fixing laminated board for wardrobe shutter complete in all respect	Sqm	28.36	9146.48	259394.1728
35	35	PVC Wall Paneling	Sft	951.52	370	352062.4
36	36	P/F Rollup Blind Curtain complete in all respect	Sft	546	456	248976
37	37	Providing and fixing of LED SMD light 9"	No	5	2500	12500
38	38	Providing and fixing of LED SMD light 4"	No	3	1200	3600
39	39	Providing and fixing of LED SMD light 2'x2'	No	4	8500	34000
40	40	Supply and erection of ceiling fan best quality including wiring with 1/1.13mm (3.029) PVC wire fixing of regulator, Plastic Body (2'x2')	No	1	14000	14000

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
41	41	ACSP exhaust fan with plastic blade A.C sweep (10") 200 volt	No	2	2978	5956
42	42	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	2	3974.52	7949.04
43	43	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	15	2311.81	34677.15
44	44	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	7	424.4	2970.8
45	45	Providing and fixing flush type 3 pin 15 Amps S.P Plug-socket, switch (combined) as replacement on board already exist	No	5	511.32	2556.6
46	46	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	5	323.44	1617.2
47	47	Providing and fixing / connecting surface type 2 pin 5 Amps S.P Plug-socket, switch complete with S.W Board as replacement	No	2	178.27	356.54
48	48	Wiring call bell with 1/1.13 (3/0.029) PVC insulated wire in 19.1mm PVC conduit fitted on surface complete with Buzzer, push & 3 Meter flexible wire 23/.0076 Twin	Per Point	1	2586.67	2586.67

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
49	49	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	15	183.37	2750.55
50	50	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	20	256.45	5129
51	51	Providing and fixing of distribution board single phase 60 Amps, 250 volts with 1-No. incoming circuit breaker 60 Amps D.P 4-Nos. outgoing 6-15 Amps. Single pole circuit breaker with N link on prepared board.	No	1	13530.1	13530.1
52	52	P/F hard drawn bare copper wire 19mm (6 S.W.G) as earth continuity conductor with any given mains of sub-main in all system of wiring including metallic electrical accessories	Mtr	150	54.03	8104.5
53	53	White marble flooring fine dressed on the surface without winding set in cement mortar 1::2 laid over 20mm thick cement mortar 1:2 including rubbing & polishing				
54		20mm	Sqm	10	8100.22	81002.2
55	54	Rubbing and polishing of mosaic floor	Sqm	21.47	291.72	6263.2284
56	55	Providing and fixing deodar beading tapering from 18mm to 6mm with 60mm width	Mtr	60	162.8	9768
57	56	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
58		25mm	Mtr	50	751.66	37583
59		32mm	Mtr	45	944.06	42482.7
60	57	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
61		75mm	Mtr	20	1082.51	21650.2
62		100mm	Mtr	40	1656.71	66268.4
63	58	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	4	771.93	3087.72
64	59	White glazed earthen ware water closet European type domestic of best quality	No	1	10318.48	10318.48
65	60	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	2	4898.34	9796.68
66	61	Seat & cover for European type water closet (Pakistan made) PVC	No	1	1909.02	1909.02
67	62	White glazed earthen ware wash hand basin domestic of supreme quality 65cm	No	3	2618.34	7855.02
68	63	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	3	2111.87	6335.61
69	64	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	3	3495.9	10487.7

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
70	65	Soap dishes chromium plated	No	3	3147.8	9443.4
71	66	Tooth brush holder with tooth paste dish chromium plated	No	3	3171.8	9515.4
72	67	Toilet paper holder Chromium plated	No	3	2039.94	6119.82
73	68	Looking glass 550mm x 400mm size at 1st quality (without frame) Belgium / Japan made	No	3	2014	6042
74	69	Chromium plated towel rail / ring Rail 150mm	No	3	1848.2	5544.6
75	70	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	3	444.58	1333.74
76	71	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
77	72	C.P bib tap 13mm	No	3	820.07	2460.21
78	73	C.P waste coupling 32mm	No	3	504.08	1512.24
79	74	Waste pipe for wash hand basin 32mm dia PVC	No	3	173.34	520.02
80	75	Connection 13mm PVC	No	12	308.99	3707.88
81	76	Brass ball valves having diameter				
82		25mm	No	2	950.68	1901.36
83		32mm	No	2	1728.01	3456.02
84	77	C.P tee stop cocks 13mm	No	10	763.19	7631.9
85	78	P.Trap C.P diameter 40mm	No	4	2099.6	8398.4

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
86	79	S.Trap 102mm diameter China-ware (Pakistan made)	No	3	515.59	1546.77
87	80	Telephonic shower With mixing valves.	No	4	5147.17	20588.68
88	81	Chromium plated mixing valves	No	4	2573.59	10294.36
89	82	P/F Steel Sink	No	1	6824.33	6824.33
90	83	Providing and fixing steel doors without grill work on outer face of the door as per approved design of the Engineer Incharge	Sqm	2.28	11345.15	25866.942
91	84	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	28.34	1512.73	42870.7682
92	85	Providing lowering and laying into trenches and jointing cement concrete reinforced pipeline to correct alignment and grade including cutting of pipes where necessary cost of jointing material and testing with internal diameter.				
93		150mm	Mtr	13	1331.55	17310.15
94	86	P/f Aluminum Lock	No	10	250	2500
95	87	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Sqm	133.835	816.38	109260.2173

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
96	88	Fabrication, erection, fixing and installation of car shed of 3 ply fiber glass sheet with steel structure made of 18 guage square tube 32x32mm side bracing for sheet with MS flat 25x3mm and 75mm 16 guage vertical post complete in all respect.	Sqm	15.617	6892.23	107635.95591
97	89	P/F LED Light 4 Ft	No	2	2500	5000
98	90	P/F Work station	No	1	75000	75000
99	91	IESCO Letter with LED lights	NO	1	25000	25000
100	92	Facilitation Board	NO	1	134500	134500
101		Crdeit of old material				
					GRAND TOTAL:	Rs4,203,748.49

Lot Title: 63.REVAMPING OF OPERATION SUB DIVISION CHANDNI CHOWK AT CHANDNI CHOWK RAWALPINDI

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:4:8	Cum	1.9	2054.25	3903.075
2	2	Dismantling cement concrete plain 1:2:4	Cum	11.36	4109.55	46684.488

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
3	3	Dismantling wooden partition jaffery work	Sqm	4.46	69.41	309.5686
4	4	Dismantling tile flooring	Sqm	86.95	143.5	12477.325
5	5	Removing cement plaster	Sqm	84.24	45.71	3850.6104
6	6	Removing door, window and frame	No	4	505.52	2022.08
7	7	Cement plaster 13mm ratio 1:4	Sqm	84.24	371.86	31325.4864
8	8	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	7.58	318.5	2414.23
9	9	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	1.59	7709.75	12258.5025
10	10	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	19.87	10273.86	204141.5982
11	11	Mosaic flooring consisting of mosaic topping of one part of cement to two parts of marble chips laid over 25mm thick flooring of 1:2:4 cement concrete including rubbing & polishing complete 13mm (with grey cement)	Sqm	13.38	1984.55	26553.279

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
12	12	Mosaic dado or skirting with one part of cement & 2 parts of marble chips laid over 13mm thick cement plaster 1:3 complete with finishing and polishing 13mm (with grey cement)	Sqm	4.6	1805.04	8303.184
13	13	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	19.33	3556.95	68755.8435
14	14	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	12.45	3713.28	46230.336
15	15	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	58.88	3918.35	230712.448
16	16	Scraping ordinary distemper	Sqm	1083.52	86.1	93291.072
17	17	Providing / preparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	1106.85	629.49	696751.0065
18	18	Weather shield paint on painted/old surface, 2 coat	Sqm	1060.18	268.14	284276.6652
19	19	Painting new surface preparing surface and painting or doors and windows any type (including edges) priming coat	Sqm	6.51	685.01	4459.4151
20	20	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	91.45	386.4	35336.28

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
21	21	Painting old surface painting guard bars, gates, iron bars, gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	60.18	227.29	13678.3122
22	22	Providing and fixing aluminum door closer (single action) natural anodized.	No	1	7151.24	7151.24
23	23	Deodar wood wrought joinery work in doors & windows etc fixed in position including chowkats, holdfasts hinges, iron tower bolts, cocks, cleats handles end cords with hooks etc deodar, panelled or panelled and glazed or fully glazed.				
24		45mm	Sqm	2.28	25997.35	59273.958
25	24	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	5.2	6271.74	32613.048
26	25	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	35.69	9146.48	326437.8712
27	26	PVC Wall Paneling(Hard)	Sft	130	540	70200
28	27	P/F Rollup Blind Curtain complete in all respect	Sft	273	456	124488
29	28	Providing and fixing Flood Light 100w	No	2	8500	17000
30	29	Providing and fixing of LED SMD light 9"	No	4	2500	10000
31	30	Providing and fixing of LED SMD light 4"	No	15	1200	18000

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
32	31	Providing and fixing of LED SMD light 2'x2'	No	4	8500	34000
33	32	Providing and Fixing of indoor light batten type 2 x TLD 36 W (Philips TMS / 015/236 ro equivalent complete wirh electrinic ballast	No	12	5559.74	66716.88
34	33	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	4	6654.43	26617.72
35	34	Supply and erection of ceiling fan best quality including wiring with 1/1.13mm (3.029) PVC wire fixing of regulator, Plastic Body (2'x2')	No	2	14000	28000
36	35	ACSP exhaust fan with plastic blade A.C sweep (10") 200 volt	No	1	2978	2978
37	36	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	2	3974.52	7949.04
38	37	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	30	2311.81	69354.3
39	38	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	15	424.4	6366

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
40	39	Providing and fixing flush type 3 pin 15 Amps S.P Plug-socket, switch (combined) as replacement on board already exist	No	4	511.32	2045.28
41	40	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	60	323.44	19406.4
42	41	Providing and fixing / connecting surface type 2 pin 5 Amps S.P Plug-socket, switch complete with S.W Board as replacement	No	20	178.27	3565.4
43	42	Wiring call bell with 1/1.13 (3/0.029) PVC insulated wire in 19.1mm PVC conduit fitted on surface complete with Buzzer, push & 3 Meter flexible wire 23/.0076 Twin	Per Point	1	2586.67	2586.67
44	43	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	90	183.37	16503.3
45	44	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	50	256.45	12822.5
46	45	Providing and fixing of distribution board single phase 60 Amps, 250 volts with 1-No. incoming circuit breaker 60 Amps D.P 4-Nos. outgoing 6-15 Amps. Single pole circuit breaker with N link on prepared board.	No	1	13530.1	13530.1

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
47	46	White marble flooring fine dressed on the surface without winding set in cement mortar 1::2 laid over 20mm thick cement mortar 1:2 including rubbing & polishing				
48		20mm	Sqm	2.86	8100.22	23166.6292
49	47	Rubbing and polishing of mosaic floor	Sqm	271.16	291.72	79102.7952
50	48	Providing and fixing deodar beading tapering from 18mm to 6mm with 60mm width	Mtr	100	162.8	16280
51	49	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
52		25mm	Mtr	30	751.66	22549.8
53		32mm	Mtr	20	944.06	18881.2
54	50	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
55		75mm	Mtr	15	1082.51	16237.65
56		100mm	Mtr	10	1656.71	16567.1
57	51	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	3	771.93	2315.79
58	52	White glazed earthen ware water closet European type domestic of best quality	No	1	10318.48	10318.48

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
59	53	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	2	4898.34	9796.68
60	54	Seat & cover for European type water closet (Pakistan made) PVC	No	1	1909.02	1909.02
61	55	White glazed earthen ware wash hand basin domestic of supreme quality 65cm	No	3	2618.34	7855.02
62	56	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	3	2111.87	6335.61
63	57	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	1	3495.9	3495.9
64	58	Soap dishes chromium plated	No	3	3147.8	9443.4
65	59	Tooth brush holder with tooth paste dish chromium plated	No	3	3171.8	9515.4
66	60	Toilet paper holder Chromium plated	No	3	2039.94	6119.82
67	61	Looking glass 550mm x 400mm size at 1st quality (without frame) Belgium / Japan made	No	3	2014	6042
68	62	Chromium plated towel rail / ring Rail 150mm	No	3	1848.2	5544.6
69	63	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	3	444.58	1333.74
70	64	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
71	65	C.P bib tap 13mm	No	3	820.07	2460.21
72	66	C.P waste coupling 32mm	No	3	504.08	1512.24
73	67	Waste pipe for wash hand basin 32mm dia PVC	No	3	173.34	520.02
74	68	Connection 13mm PVC	No	9	308.99	2780.91
75	69	Brass ball valves having diameter				
76		25mm	No	2	950.68	1901.36
77		32mm	No	2	1728.01	3456.02
78		40mm	No	2	2509.56	5019.12
79	70	C.P tee stop cocks 13mm	No	9	763.19	6868.71
80	71	P.Trap C.P diameter 40mm	No	5	2099.6	10498
81	72	S.Trap 102mm diameter China-ware (Pakistan made)	No	1	515.59	515.59
82	73	Telephonic shower With mixing valves.	No	3	5147.17	15441.51
83	74	Chromium plated mixing valves	No	3	2573.59	7720.77
84	75	P/F Steel Sink	No	1	6824.33	6824.33
85	76	Glazing with plate glass 6mm thick using PVC gasket	Sqm	2.48	2254.51	5591.1848
86	77	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	19.33	1512.73	29241.0709

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
87	78	Providing and laying Tuff tile over 100mm thick sand complete	Sqm	393.559	1243.91	489551.97569
88	79	Providing and fixing Razor barbed wire fencing having 460mm ring at 150mm centre to centre hanging on 10mm dia MS bar with 40x40x5mm angle iron post of 1.0m height complete.	Mtr	13.4725	1601.39	21574.726775
					GRAND TOTAL:	Rs3,694,999.68

Lot Title: 64.REVAMPING OFFICE OF DINA-II AT IESCO COMPLEX DINA

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling tile flooring	Sft	10.69	143.5	1534.015
2	2	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	9.29	3713.28	34496.3712
3	3	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	10.17	3918.35	39849.6195

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
4	4	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	154.35	3556.95	549015.2325
5	5	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	322.16	1512.73	487341.0968
6	6	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	39.03	9146.48	356987.1144
7	7	White marble flooring fine dressed on the surface without winding setin cement mortar 1:2 laid over 20mm thick cement mortar 1:2 including rubbing and polishing 20mm	Sqm	4.46	8100.22	36126.9812
8	8	Distempering Two coat over and including cost of priming coat.	Sqm	1030.17	156.28	160994.9676
9	9	Graffitic	Sft	3890	110	427900
10	10	P/F Flush Door	Sqm	6.83	6271.74	42835.9842
11	11	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	80	2311.86	184948.8
12	12	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	30	323.44	9703.2

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
13	13	Wiring mains with 2-1/1.13 (3/.029) PVC insulated wire in 19.1mm PVC Conduit recessed in the wall as required	Mtr	150	150.89	22633.5
14	14	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	150	183.37	27505.5
15	15	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	45	256.45	11540.25
16	16	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	15	424.4	6366
17	17	Providing and Fixing surface type 3pin 15 amps.p plug socket and switch as replacement complete with board	No	10	511.32	5113.2
18	18	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	10	6654.43	66544.3
19	19	Providing and fixing of Down light 100mm / 125mm (4" / 5") Dia complete with Energy Saver 23W	No	80	1124.94	89995.2
20	20	P/F Energy Saver	No	25	278	6950
21	21	P/F SMD LED light 2X2 Complete in all respect	No	40	8500	340000
22	22	Providing and fixing aluminum natural anodized fixed panel without glazing	Sqm	2.97	6615.8	19648.926
23	23	Glazing with plate glass 6mm thick using PVC gasket	Sqm	19.89	2254.51	44842.2039

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
24	24	Providing and fixing aluminum door closer (single action) natural anodized.	Sqm	10	7151.24	71512.4
25	25	Dismantling cement concrete plain 1:2:4	Cum	1.13	4109.55	4643.7915
26	26	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Sqm	27.88	816.38	22760.6744
27	27	Painting new surface preparing surface and painting or doors and windows any type (including edges) priming coat	Sqm	171.19	685.01	117266.8619
28	28	Scraping / Brushing	Sqm	721.12	86.1	62088.432
29	29	Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	0.38	7709.75	2929.705
30	30	Removing cement plaster	Sqm	67.55	45.71	3087.7105
31	31	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	67.55	371.86	25119.143
32	32	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section shampean or any other colour and green or blind glass 5mm thick	Sqm	40.41	11498.01	464634.5841
33	33	P/F Roll Blind	Sft	162	465	75330

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
34	34	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	77.21	629.49	48602.9229
35	35	P/F PVC Panelling	Sft	408	540	220320
					GRAND TOTAL:	Rs4,091,168.69

Lot Title: 65.REVAMPING OF OFFICE RO CITY AT IESCO COMPLEX MARRIR HASSAN RAWALPINDI

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling tile flooring	Sft	10.69	143.5	1534.015
2	2	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	9.29	3713.28	34496.3712
3	3	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	10.17	3918.35	39849.6195
4	4	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	154.35	3556.95	549015.2325

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
5	5	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	322.16	1512.73	487341.0968
6	6	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	39.03	9146.48	356987.1144
7	7	White marble flooring fine dressed on the surface without winding setin cement mortar 1:2 laid over 20mm thick cement mortar 1:2 including rubbing and polishing 20mm	Sqm	4.46	8100.22	36126.9812
8	8	Distempering Two coat over and including cost of priming coat.	Sqm	1030.17	156.28	160994.9676
9	9	Graffitic	Sft	3890	110	427900
10	10	P/F Flush Door	Sqm	6.83	6271.74	42835.9842
11	11	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	80	2311.86	184948.8
12	12	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	30	323.44	9703.2
13	13	Wiring mains with 2-1/1.13 (3/.029) PVC insulated wire in 19.1mm PVC Conduit recessed in the wall as required	Mtr	150	150.89	22633.5

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
14	14	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	150	183.37	27505.5
15	15	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	45	256.45	11540.25
16	16	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	15	424.4	6366
17	17	Providing and Fixing surface type 3pin 15 amps.p plug socket and switch as replacement complete with board	No	10	511.32	5113.2
18	18	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	10	6654.43	66544.3
19	19	Providing and fixing of Down light 100mm / 125mm (4" / 5") Dia complete with Energy Saver 23W	No	80	1124.94	89995.2
20	20	P/F Energy Saver	No	25	278	6950
21	21	P/F SMD LED light 2X2 Complete in all respect	No	40	8500	340000
22	22	Providing and fixing aluminum natural anodized fixed panel without glazing	Sqm	2.97	6615.8	19648.926
23	23	Glazing with plate glass 6mm thick using PVC gasket	Sqm	19.89	2254.51	44842.2039
24	24	Providing and fixing aluminum door closer (single action) natural anodized.	Sqm	10	7151.24	71512.4

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
25	25	Dismantling cement concrete plain 1:2:4	Cum	1.13	4109.55	4643.7915
26	26	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Sqm	27.88	816.38	22760.6744
27	27	Painting new surface preparing surface and painting or doors and windows any type (including edges) priming coat	Sqm	171.19	685.01	117266.8619
28	28	Scraping / Brushing	Sqm	721.12	86.1	62088.432
29	29	Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	0.38	7709.75	2929.705
30	30	Removing cement plaster	Sqm	67.55	45.71	3087.7105
31	31	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	67.55	371.86	25119.143
32	32	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section shampean or any other colour and green or blind glass 5mm thick	Sqm	40.41	11498.01	464634.5841
33	33	P/F Roll Blind	Sft	162	465	75330
34	34	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	77.21	629.49	48602.9229
35	35	P/F PVC Panelling	Sft	408	540	220320

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
					GRAND TOTAL:	Rs4,091,168.69

Lot Title: 66.REVAMPING OF OFFICE EXECUTIVE ENGINEER OPERATION DIVISION TARIQABAD RAWALPINDI

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:4:8	Cum	3.81	2054.25	7826.6925
2	2	Dismantling cement concrete plain 1:2:4	Cum	3.64	4109.55	14958.762
3	3	Dismantling brick work in cement mortar	Cum	19.83	1587.76	31485.2808
4	4	Dismantling brick tile roofing	Sqm	195.17	170.31	33239.4027
5	5	Dismantling tile flooring	Sqm	10.22	143.5	1466.57
6	6	Removing door, window and frame	No	17	505.52	8593.84
7	7	Removing cement plaster	Sqm	521.35	45.71	23830.9085
8	8	Ex. in foundation of building, bridges and other structures i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 30 mtr and lift upto 1.50m in ordinary soil.	Cum	44.6	406.8	18143.28

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
9	9	Filling watering and ramming earth under floors with surplus earth from foundation	Cum	15.61	196.36	3065.1796
10	10	Earthwork compaction (soft, ordinary or hard soil) compaction by roller ordinary soil	Cum	5.57	85.72	477.4604
11	11	Brick work in foundation and plinth in cement sand mortar Ratio 1:5	Cum	13.86	12666.73	175560.8778
12	12	Brick work in ground floor (including striking of joints) in cement sand mortar Ratio 1:4	Cum	16.06	13741.83	220693.7898
13	13	Bricks work other than building including striking of joints utp 3.0m height in cement sand mortar 1:4	Cum	41.64	13397.41	557868.1524
14	14	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	65.77	335.9	22092.143
15	15	R.C.C work using coarse sand except the cost of steel reinforcement and its labour for bending and binding. This rate also include all kind of forms moulds lifting shuttering, curing, rendering and finishing the exposed surface (including screening the washing of shingle). In-situ in roof slabs, beams, columns, rafts, lintels and other structural members complete in all respect 1:2:4	Cum	5.46	23192.92	126633.3432

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
16	16	Supplying and fabrication of intermediate grade deformed reinforcement for R.C.C in slabs, beams, columns and pile caps, including cutting, bending laying in position including cost of binding wire 40,000 psi (420 MPa) yield.	Kg	699.64	270.3	189112.692
17	17	Cement plaster 13mm ratio 1:4	Sqm	1065.18	371.86	396097.8348
18	18	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	27.54	7709.75	212326.515
19	19	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	13.54	10273.86	139108.0644
20	20	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Sqm	195.17	816.38	159332.8846
21	21	Mosaic flooring consisting of mosaic topping of one part of cement to two parts of marble chips laid over 25mm thick flooring of 1:2:4 cement concrete including rubbing & polishing complete 13mm (with grey cement)	Sqm	9.29	1984.55	18436.4695

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
22	22	Mosaic dado or skirting with one part of cement & 2 parts of marble chips laid over 13mm thick cement plaster 1:3 complete with finishing and polishing 13mm (with grey cement)	Sqm	2.79	1805.04	5036.0616
23	23	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	114.92	3556.95	408764.694
24	24	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	11.59	3713.28	43036.9152
25	25	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	63.36	3918.35	248266.656
26	26	White marble flooring fine dressed on the surface without winding set in cement mortar 1::2 laid over 20mm thick cement mortar 1:2 including rubbing & polishing				
27		20mm	Sqm	9.62	8100.22	77924.1164
28	27	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	2	9572.72	19145.44
29	28	Providing and fixing of bent metal 16 SWG frame 250mm wide for door size 760m x 2.134m (2.5' x 7') complete in all respect.	No	4	6412.82	25651.28

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
30	29	Deodar wood wrought joinery work in doors & windows etc fixed in position including chowkats, holdfasts hinges, iron tower bolts, cocks, cleats handles end cords with hooks etc deodar, panelled or panelled and glazed or fully glazed.				
31		45mm	Sqm	4.23	25997.35	109968.7905
32	30	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	7.81	6271.74	48982.2894
33	31	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	32.71	9146.48	299181.3608
34	32	Making and fixing steel grated door with 2.0mm thick sheeting including angle iron frame 50x50x10mm and 20mm square bars 100mm center to center with locking arrangement	Sqm	2.28	21579.03	49200.1884
35	33	Providing and fixing aluminum natural anodized openable hingd doors without glazed.	Sqm	3.9	11498.01	44842.239
36	34	Providing and fixing aluminum openable hingd doors and fixed panel with Glass 12mm.	Sft	21	1920	40320
37	35	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section shampean or any other colour and green or blind glass 5mm thick	Sqm	9.9	11498.01	113830.299

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
38	36	Providing and fixing steel grills to openable steel windows as per drawing No.CDO(W)301-5B/215	Sqm	9.9	4449.53	44050.347
39	37	P/F of glass paper	Sft	21	150	3150
40	38	P/F WPC Imported Paneling (6"x 9.5') complete in all respect(Hard)	Sft	160	540	86400
41	39	P/F Rollup Blind Curtain complete in all respect	Sft	142	456	64752
42	40	Providing and fixing door closer (double action) natural anodized.	No	1	24517.39	24517.39
43	41	Providing and fixing aluminum door closer (single action) natural anodized.	No	2	7151.24	14302.48
44	42	P/F approved quality ,mortice lock	No	7	1651.53	11560.71
45	43	Scraping ordinary distemper	Sqm	1522.74	86.1	131107.914
46	44	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	418.29	629.49	263309.3721
47	45	Distempering Two coat over and including cost of priming coat.	Sqm	1366.23	156.28	213514.4244
48	46	Weather shield paint on paintted/old surface, 2 coat	Sqm	1260.97	246.26	310526.4722
49	47	Weather shield paint three coats on new cement plaster surface	Sqm	634.01	358.68	227406.7068

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
50	48	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	121.49	386.4	46943.736
51	49	Painting old surface painting guard bars, gates, iron bars, gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	64.87	227.29	14744.3023
52	50	Painting new surface preparing surface and painting or doors and windows any type (including edges) priming coat	Sqm	28.62	685.01	19604.9862
53	51	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	81.67	1512.73	123544.6591
54	52	Providing and fixing of LED SMD light 4"	No	60	1200	72000
55	53	Providing and fixing of LED SMD light 2'x2'	No	12	8500	102000
56	54	P/F Flood Light 100w	No	10	8500	85000
57	55	Supply and erection of ceiling fan best quality including wiring with 1/1.13mm (3.029) PVC wire fixing of regulator, Plastic Body (2'x2')	No	2	14000	28000
58	56	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	5	6654.43	33272.15

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
59	57	Providing and Fixing of indoor light batten type 2 x TLD 36 W (Philips TMS / 015/236 ro equivalent complete wirh electrinic ballast	No	10	5559.74	55597.4
60	58	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	40	2311.81	92472.4
61	59	Wiring call bell with 1/1.13 (3/0.029) PVC insulated wire in 19.1mm PVC conduit fitted on surface complete with Buzzer, push & 3 Meter flexible wire 23/.0076 Twin	Per Point	2	2586.67	5173.34
62	60	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	40	323.44	12937.6
63	61	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	15	424.4	6366
64	62	Providing and Fixing surface type 3pin 15 amps.p plug socket and switch as replacement complete with board	No	4	511.32	2045.28
65	63	Providing and fixing / connecting surface type 2 pin 5 Amps S.P Plug-socket, switch complete with S.W Board as replacement	No	12	178.27	2139.24

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
66	64	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	6	3974.52	23847.12
67	65	ACSP exhaust fan with plastic blade A.C sweep (10") 200 volt	No	1	2978	2978
68	66	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	180	183.37	33006.6
69	67	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	90	256.45	23080.5
70	68	Wiring mains with 2-1/7/1.70 (7/.064) PVC insulated wire in 31.7mm PVC Conduit recessed in the wall as required	Mtr	50	286.27	14313.5
71	69	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
72		25mm	Mtr	60	751.66	45099.6
73		32mm	Mtr	40	944.06	37762.4
74		40mm	Mtr	10	1176.37	11763.7
75	70	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
76		75mm	Mtr	30	1082.51	32475.3
77		100mm	Mtr	50	1656.71	82835.5

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
78		150mm	Mtr	10	3086.11	30861.1
79	71	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	2	771.93	1543.86
80	72	White glazed earthen ware water closet European type domestic of best quality	No	1	10318.48	10318.48
81	73	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	2	4898.34	9796.68
82	74	Seat & cover for European type water closet (Pakistan made) PVC	No	1	1909.02	1909.02
83	75	White glazed earthen ware wash hand basin domestic of supreme quality 65cm	No	2	2618.34	5236.68
84	76	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	2	2111.87	4223.74
85	77	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	3	3495.9	10487.7
86	78	Soap dishes chromium plated	No	2	3147.8	6295.6
87	79	Tooth brush holder with tooth paste dish chromium plated	No	2	3171.8	6343.6
88	80	Toilet paper holder Chromium plated	No	1	2039.94	2039.94

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
89	81	Looking glass 550mm x 400mm size at 1st quality (without frame) Belgium / Japan made	No	2	2014	4028
90	82	Chromium plated towel rail / ring Rail 150mm	No	2	1848.2	3696.4
91	83	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	2	444.58	889.16
92	84	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
93	85	C.P bib tap 13mm	No	3	820.07	2460.21
94	86	C.P waste coupling 32mm	No	3	504.08	1512.24
95	87	Waste pipe for wash hand basin 32mm dia PVC	No	3	173.34	520.02
96	88	Connection 13mm PVC	No	9	308.99	2780.91
97	89	Brass ball valves having diameter				
98		25mm	No	4	950.68	3802.72
99		32mm	No	2	1728.01	3456.02
100		40mm	No	1	2509.56	2509.56
101	90	C.P tee stop cocks 13mm	No	9	763.19	6868.71
102	91	P.Trap C.P diameter 40mm	No	5	2099.6	10498
103	92	S.Trap 102mm diameter China-ware (Pakistan made)	No	1	515.59	515.59
104	93	Telephonic shower With mixing valves.	No	3	5147.17	15441.51

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
105	94	Chromium plated mixing valves	No	3	2573.59	7720.77
106	95	P/F Steel Sink	No	1	6824.33	6824.33
107	96	Providing lowering and laying into trenches and jointing cement concrete reinforced pipeline to correct alignment and grade including cutting of pipes where necessary cost of jointing material and testing with internal diameter.				
108		150mm	Mtr	10	1331.55	13315.5
109	97	Providing and fixing Razor barbed wire fencing having 460mm ring at 150mm centre to centre hanging on 10mm dia MS bar with 40x40x5mm angle iron post of 1.0m height complete.	Mtr	200	1601.39	320278
110	98	P/F 4 rows barbed wire fencing around switch yard G.I barbed wire 14 SWG, 2 ply, 4 points fixed on G.I angle iron 50x50x6mm posts complete (Excluding cost of angle iron post)	Mtr	200	394.7	78940
111	99	P/F G.I 1.5m length 750mm angle iron post for barbed wire fencing around switch yard duly fixed in position (Dwg No.PD-W/TB-126).	No	8	2123.81	16990.48

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
112	100	Fabrication, erection, fixing and installation of car shed of 5 ply fiber glass sheet with steel structure made of 18 guage square tube 32x32mm side bracing for sheet with MS flat 25x3mm and 100mm 16 guage vertical post complete in all respect.	Sqm	116.979	9519.46	1113576.91134
113	101	Corrugated galvanized iron sheets fixed with G.I bolts, nuts limpets and bitumen washer, windties complete in all respects without valleys & ridges 20 S.W.G	Sqm	4.65	3156.91	14679.6315
114	102	Graffito	Sft	360	110	39600
					GRAND TOTAL:	Rs8,063,433.46

Lot Title: 67.REVAMPING OF IESCO FIELD STORE AT IESCO 132KV GRID STATION CHAKWAL

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:4:8	Cum	3.81	2054.25	7826.6925
2	2	Dismantling cement concrete plain 1:2:4	Cum	3.64	4109.55	14958.762
3	3	Dismantling brick work in cement mortar	Cum	19.83	1587.76	31485.2808
4	4	Dismantling brick tile roofing	Sqm	195.17	170.31	33239.4027

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
5	5	Dismantling tile flooring	Sqm	10.22	143.5	1466.57
6	6	Removing door, window and frame	No	17	505.52	8593.84
7	7	Removing cement plaster	Sqm	521.35	45.71	23830.9085
8	8	Ex. in foundation of building, bridges and other structures i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 30 mtr and lift upto 1.50m in ordinary soil.	Cum	44.6	406.8	18143.28
9	9	Filling watering and ramming earth under floors with surplus earth from foundation	Cum	15.61	196.36	3065.1796
10	10	Earthwork compaction (soft, ordinary or hard soil) compaction by roller ordinary soil	Cum	5.57	85.72	477.4604
11	11	Brick work in foundation and plinth in cement sand mortar Ratio 1:5	Cum	13.86	12666.73	175560.8778
12	12	Brick work in ground floor (including striking of joints) in cement sand mortar Ratio 1:4	Cum	16.06	13741.83	220693.7898
13	13	Bricks work other than building including striking of joints utp 3.0m height in cement sand mortar 1:4	Cum	41.64	13397.41	557868.1524

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
14	14	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	65.77	335.9	22092.143
15	15	R.C.C work using coarse sand except the cost of steel reinforcement and its labour for bending and binding. This rate also include all kind of forms moulds lifting shuttering, curing, rendering and finishing the exposed surface (including screening the washing of shingle). In-situ in roof slabs, beams, columns, rafts, lintels and other structural members complete in all respect 1:2:4	Cum	5.46	23192.92	126633.3432
16	16	Supplying and fabrication of intermediate grade deformed reinforcement for R.C.C in slabs, beams, columns and pile caps, including cutting, bending laying in position including cost of binding wire 40,000 psi (420 MPa) yield.	Kg	699.64	270.3	189112.692
17	17	Cement plaster 13mm ratio 1:4	Sqm	1065.18	371.86	396097.8348
18	18	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	27.54	7709.75	212326.515

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
19	19	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	13.54	10273.86	139108.0644
20	20	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Sqm	195.17	816.38	159332.8846
21	21	Mosaic flooring consisting of mosaic topping of one part of cement to two parts of marble chips laid over 25mm thick flooring of 1:2:4 cement concrete including rubbing & polishing complete 13mm (with grey cement)	Sqm	9.29	1984.55	18436.4695
22	22	Mosaic dado or skirting with one part of cement & 2 parts of marble chips laid over 13mm thick cement plaster 1:3 complete with finishing and polishing 13mm (with grey cement)	Sqm	2.79	1805.04	5036.0616
23	23	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	114.92	3556.95	408764.694
24	24	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	11.59	3713.28	43036.9152
25	25	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	63.36	3918.35	248266.656

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
26	26	White marble flooring fine dressed on the surface without winding set in cement mortar 1::2 laid over 20mm thick cement mortar 1:2 including rubbing & polishing				
27		20mm	Sqm	9.62	8100.22	77924.1164
28	27	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	2	9572.72	19145.44
29	28	Providing and fixing of bent metal 16 SWG frame 250mm wide for door size 760m x 2.134m (2.5' x 7') complete in all respect.	No	4	6412.82	25651.28
30	29	Deodar wood wrought joinery work in doors & windows etc fixed in position including chowkats, holdfasts hinges, iron tower bolts, cocks, cleats handles end cords with hooks etc deodar, panelled or panelled and glazed or fully glazed.				
31		45mm	Sqm	4.23	25997.35	109968.7905
32	30	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	7.81	6271.74	48982.2894
33	31	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	32.71	9146.48	299181.3608

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
34	32	Making and fixing steel grated door with 2.0mm thick sheeting including angle iron frame 50x50x10mm and 20mm square bars 100mm center to center with locking arrangement	Sqm	2.28	21579.03	49200.1884
35	33	Providing and fixing aluminum natural anodized openable hingd doors without glazed.	Sqm	3.9	11498.01	44842.239
36	34	Providing and fixing aluminum openable hingd doors and fixed panel with Glass 12mm.	Sft	21	1920	40320
37	35	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section shampean or any other colour and green or blind glass 5mm thick	Sqm	9.9	11498.01	113830.299
38	36	Providing and fixing steel grills to openable steel windows as per drawing No.CDO(W)301-5B/215	Sqm	9.9	4449.53	44050.347
39	37	P/F of glass paper	Sft	21	150	3150
40	38	P/F WPC Imported Paneling (6''x 9.5') complete in all respect(Hard)	Sft	160	540	86400
41	39	P/F Rollup Blind Curtain complete in all respect	Sft	142	456	64752
42	40	Providing and fixing door closer (double action) natural anodized.	No	1	24517.39	24517.39
43	41	Providing and fixing aluminum door closer (single action) natural anodized.	No	2	7151.24	14302.48

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
44	42	P/F approved quality ,mortice lock	No	7	1651.53	11560.71
45	43	Scraping ordinary distemper	Sqm	1522.74	86.1	131107.914
46	44	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	418.29	629.49	263309.3721
47	45	Distempering Two coat over and including cost of priming coat.	Sqm	1366.23	156.28	213514.4244
48	46	Weather shield paint on paintted/old surface, 2 coat	Sqm	1260.97	246.26	310526.4722
49	47	Weather shield paint three coats on new cement plaster surface	Sqm	634.01	358.68	227406.7068
50	48	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	121.49	386.4	46943.736
51	49	Painting old surface painting guard bars, gates, iron bars,gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	64.87	227.29	14744.3023
52	50	Painting new surface preparing surface and painting or doors and windows any type (including edges) priming coat	Sqm	28.62	685.01	19604.9862
53	51	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	81.67	1512.73	123544.6591
54	52	Providing and fixing of LED SMD light 4"	No	60	1200	72000

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
55	53	Providing and fixing of LED SMD light 2'x2'	No	12	8500	102000
56	54	P/F Flood Light 100w	No	10	8500	85000
57	55	Supply and erection of ceiling fan best quality including wiring with 1/1.13mm (3.029) PVC wire fixing of regulator, Plastic Body (2'x2')	No	2	14000	28000
58	56	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	5	6654.43	33272.15
59	57	Providing and Fixing of indoor light batten type 2 x TLD 36 W (Philips TMS / 015/236 ro equivalent complete wirh electrinic ballast	No	10	5559.74	55597.4
60	58	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	40	2311.81	92472.4
61	59	Wiring call bell with 1/1.13 (3/0.029) PVC insulated wire in 19.1mm PVC conduit fitted on surface complete with Buzzer, push & 3 Meter flexible wire 23/.0076 Twin	Per Point	2	2586.67	5173.34
62	60	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	40	323.44	12937.6

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
63	61	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	15	424.4	6366
64	62	Providing and Fixing surface type 3pin 15 amps.p plug socket and switch as replacement complete with board	No	4	511.32	2045.28
65	63	Providing and fixing / connecting surface type 2 pin 5 Amps S.P Plug-socket, switch complete with S.W Board as replacement	No	12	178.27	2139.24
66	64	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	6	3974.52	23847.12
67	65	ACSP exhaust fan with plastic blade A.C sweep (10") 200 volt	No	1	2978	2978
68	66	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	180	183.37	33006.6
69	67	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	90	256.45	23080.5
70	68	Wiring mains with 2-1/7/1.70 (7/.064) PVC insulated wire in 31.7mm PVC Conduit recessed in the wall as required	Mtr	50	286.27	14313.5
71	69	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
72		25mm	Mtr	60	751.66	45099.6

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
73		32mm	Mtr	40	944.06	37762.4
74		40mm	Mtr	10	1176.37	11763.7
75	70	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
76		75mm	Mtr	30	1082.51	32475.3
77		100mm	Mtr	50	1656.71	82835.5
78		150mm	Mtr	10	3086.11	30861.1
79	71	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	2	771.93	1543.86
80	72	White glazed earthen ware water closet European type domestic of best quality	No	1	10318.48	10318.48
81	73	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	2	4898.34	9796.68
82	74	Seat & cover for European type water closet (Pakistan made) PVC	No	1	1909.02	1909.02
83	75	White glazed earthen ware wash hand basin domestic of supreme quality 65cm	No	2	2618.34	5236.68
84	76	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	2	2111.87	4223.74

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
85	77	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	3	3495.9	10487.7
86	78	Soap dishes chromium plated	No	2	3147.8	6295.6
87	79	Tooth brush holder with tooth paste dish chromium plated	No	2	3171.8	6343.6
88	80	Toilet paper holder Chromium plated	No	1	2039.94	2039.94
89	81	Looking glass 550mm x 400mm size at 1st quality (without frame) Belgium / Japan made	No	2	2014	4028
90	82	Chromium plated towel rail / ring Rail 150mm	No	2	1848.2	3696.4
91	83	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	2	444.58	889.16
92	84	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
93	85	C.P bib tap 13mm	No	3	820.07	2460.21
94	86	C.P waste coupling 32mm	No	3	504.08	1512.24
95	87	Waste pipe for wash hand basin 32mm dia PVC	No	3	173.34	520.02
96	88	Connection 13mm PVC	No	9	308.99	2780.91
97	89	Brass ball valves having diameter				
98		25mm	No	4	950.68	3802.72

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
99		32mm	No	2	1728.01	3456.02
100		40mm	No	1	2509.56	2509.56
101	90	C.P tee stop cocks 13mm	No	9	763.19	6868.71
102	91	P.Trap C.P diameter 40mm	No	5	2099.6	10498
103	92	S.Trap 102mm diameter China-ware (Pakistan made)	No	1	515.59	515.59
104	93	Telephonic shower With mixing valves.	No	3	5147.17	15441.51
105	94	Chromium plated mixing valves	No	3	2573.59	7720.77
106	95	P/F Steel Sink	No	1	6824.33	6824.33
107	96	Providing lowering and laying into trenches and jointing cement concrete reinforced pipeline to correct alignment and grade including cutting of pipes where necessary cost of jointing material and testing with internal diameter.				
108		150mm	Mtr	10	1331.55	13315.5
109	97	Providing and fixing Razor barbed wire fencing having 460mm ring at 150mm centre to centre hanging on 10mm dia MS bar with 40x40x5mm angle iron post of 1.0m height complete.	Mtr	200	1601.39	320278

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
110	98	P/F 4 rows barbed wire fencing around switch yard G.I barbed wire 14 SWG, 2 ply, 4 points fixed on G.I angle iron 50x50x6mm posts complete (Excluding cost of angle iron post)	Mtr	200	394.7	78940
111	99	P/F G.I 1.5m length 750mm angle iron post for barbed wire fencing around switch yard duly fixed in position (Dwg No.PD-W/TB-126).	No	8	2123.81	16990.48
112	100	Fabrication, erection, fixing and installation of car shed of 5 ply fiber glass sheet with steel structure made of 18 guage square tube 32x32mm side bracing for sheet with MS flat 25x3mm and 100mm 16 guage vertical post complete in all respect.	Sqm	116.979	9519.46	1113576.91134
113	101	Corrugated galvanized iron sheets fixed with G.I bolts, nuts limpets and bitumen washer, windties complete in all respects without valleys & ridges 20 S.W.G	Sqm	4.65	3156.91	14679.6315
114	102	Graffito	Sft	360	110	39600
					GRAND TOTAL:	Rs8,063,433.46

Lot Title: 68.SPECIAL REPAIR / MAINTENANCE OF CONTROL HOUSE BUILDING AT 132 KV GRID PINDIGHEB

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	5.26	10273.86	54040.5036
2	2	Bricks work other than building including striking of joints utp 3.0m height in cement sand mortar 1:4	Cum	31.93	13397.41	427779.3013
3	3	Removing cement plaster	Sqm	233.09	45.71	10654.5439
4	4	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	537.92	371.86	200030.9312
5	5	Dismantling tiles flooring	Sqm	37.92	143.5	5441.52
6	6	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	8.36	3713.28	31043.0208
7	7	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	24.72	3918.35	96861.612
8	8	Painting new surface preparing surface and painting or doors and windows any type (including edges) priming coat	Sqm	14.64	482.22	7059.7008
9	9	Providing and fixing aluminum door (sliding) shampean or any other colour and green or blind glass 5mm thick	Sqm	11.15	9740.98	108611.927

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
10	10	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section shampean or any other colour and green or blind glass 5mm thick	Sqm	35.69	11498.01	410363.9769
11	11	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	1.63	6271.74	10222.9362
12	12	P/F approved quality ,mortice lock	No	3	1651.53	4954.59
13	13	Termite proofing with approved chemicals post-construction	Per hole	200	205.53	41106
14	14	Distempering One coat over and including cost of priming coat.	Sqm	933.19	156.28	145838.9332
15	15	Weather shield paint 2 coats on new cement plaster surface	Sqm	359.31	358.68	128877.3108
16	16	Painting old surface painting guard bars, gates, iron bars,gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	103.44	169.41	17523.7704
17	17	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal dia 100 mm	Rm	80	1656.71	132536.8
18	18	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
19		13mm	Rm	10	401.4	4014

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
20		25 mm	Rm	10	557.15	5571.5
21	19	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	1	4898.34	4898.34
22	20	White glazed earthen ware wash hand basin domestic of supreme quality 65 cm	No	1	2618.34	2618.34
23	21	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	1	2111.87	2111.87
24	22	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	1	3495.9	3495.9
25	23	Soap dishes plastic	No	1	1352.84	1352.84
26	24	Chromium plated towel rail / ring Rail 600mm x 20mm	Nos	1	3422.72	3422.72
27	25	C.P bid tap 13mm	Nos	2	820.07	1640.14
28	26	C.P waste coupling 32mm	No	2	857.99	1715.98
29	27	Waste pipe for wash hand basin 32mm dia PVC	Nos	1	173.34	173.34
30	28	PVC flushing bend 32mm	Nos	2	173.34	346.68
31	29	Waste Pipe for sink PVC	No	1	270.25	270.25
32	30	Connection 13mm PVC	No	3	308.99	926.97
33	31	C.P tee stop cocks 13mm	No	1	1063.15	1063.15
34	32	Telephonic shower With mixing valves.	No	1	5147.17	5147.17

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
35	33	Chromium plated mixing valves	No	1	2573.59	2573.59
36	34	S.Trap 102mm diameter China-ware (Pakistan made)	No	1	515.59	515.59
37	35	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.P grating	No	1	771.93	771.93
38	36	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	50	3043.66	152183
39	37	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	Per point	20	2193.37	43867.4
40	38	Wiring mains with 2-1/1.13 (3/.029) PVC insulated wire in 19.1mm PVC Conduit recessed in the wall as required	meter	100	170.35	17035
41	40	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	10	61.38	613.8
42	41	Providing and fixing of Exhaust fan 305mm (12") dia Metal body best quality (i-e Royal, GFC, Pak etc)	No	10	3968.8	39688
43	42	Ceiling light 4x4	Nos	40	1200	48000
44	43	Providing and fixing aluminum door closer (double action) natural anodized.	No	1	24517.39	24517.39

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
45	44	Providing & fixing laminated board for cupboard up to 600mm deep complete	Sqm	14.87	9146.48	136008.1576
46	45	Providing & Fixing window grill without angle iron frame with 10mm Sq iron bar at 75mm center to center as per approved design of engineer	Sqm	7.43	5494.28	40822.5004
47	46	Dismantling brick tile roofing	Sqm	371.81	170.31	63322.9611
48	47	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	226.6	318.5	72172.1
49	48	Bitumen coating to plastered or cement concrete surface using 0.60 kg / Sqm	Sqm	371.81	197.11	73287.4691
50	49	Supplying and fabrication of intermediate grade deformed reinforcement for R.C.C in slabs, beams, columns and pile caps, including cutting, bending laying in position including cost of binding wire 40,000 psi (420 MPa) yield.	Kg	1830.7	270.3	494838.21

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
51	50	R.C.C work using coarse sand except the cost of steel reinforcement and its labour for bending and binding. This rate also include all kind of forms moulds lifting shuttering, curing, rendering and finishing the exposed surface (including screening the washing of shingle). In-situ in roof slabs, beams, columns, rafts, lintels and other structural members complete in all respect 1:2:4	Cum	13.11	23192.92	304059.1812
52	51	Venyle Tile Flooring	Sqm	18.22	1826.81	33284.4782
53	50	P/F LED Flood light complete in all respect 50W	Nos	11	500	5500
54	51	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	101.3966	1512.73	153385.678718
55	52	P/F SMD LED light 2X2 Complete in all respect	Nos	10	8500	85000
					GRAND TOTAL:	Rs3,663,163.00

Lot Title: 69.REVAMPING OF OFFICE BUILDING INTERNAL AUDIT AT I-10/3 ISLAMABAD

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
--------	----------	-------------	------	-----	------	--------

1	1	Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	5.89	10273.86	60513.0354
2	2	Bricks work other than building including striking of joints up to 3.0m height in cement sand mortar 1:4	Cum	30.72	13397.41	411568.4352
3	3	Removing cement plaster	Sqm	114.13	45.71	5216.8823
4	4	Cement plaster (1:4) up to 1st floor height 13mm	Sqm	263.38	371.86	97940.4868
5	5	Dismantling tiles flooring	Sqm	55.95	143.5	8028.825
6	6	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	79.93	3556.95	284307.0135
7	7	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	73.75	3918.35	288978.3125
8	8	P/F PVC panelling hard	Sft	703	540	379620
9	9	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	126.02	1512.73	190634.2346
10	10	Painting new surface preparing surface and painting of doors and windows any type (including edges) priming coat	Sqm	63.34	482.22	30543.8148
11	11	Removing door, window and frame	No	8	505.52	4044.16

12	12	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	6	9572.72	57436.32
13	13	Providing and fixing aluminum door (sliding) champagne or any other colour and green or blind glass 5mm thick	Sqm	21.1	9740.98	205534.678
14	14	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section champagne or any other colour and green or blind glass 5mm thick	Sqm	11.15	11498.01	128202.8115
15	15	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	14.64	6271.74	91818.2736
16	16	P/F approved quality ,mortice lock	No	10	1651.53	16515.3
17	17	P/F iron sliding bolt	No	5	464.54	2322.7
18	18	P/F Roller Blind	Rft	752	465	349680
19	19	Termite proofing with approved chemicals post-construction	Per hole	200	205.53	41106
20	20	Distempering One coat over and including cost of priming coat.	Sqm	373.61	156.28	58387.7708
21	21	Supplying and fabrication of intermediate grade deformed reinforcement for R.C.C in slabs, beams, columns and pile caps, including cutting, bending laying in position including cost of binding wire 40,000 psi (276 MPa) yield.	Kg	1368.62	270.3	369937.986

22	22	R.C.C work using coarse sand except the cost of steel reinforcement and its labour for bending and binding. This rate also include all kind of forms moulds lifting shuttering, curing, rendering and finishing the exposed surface (including screening the washing of shingle). In-situ in roof slabs, beams, columns, rafts, lintels and other structural members complete in all respect 1:2:4	Cum	6.87	23192.92	159335.3604
23	23	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal dia 100 mm	Rm	20	1656.71	33134.2
24	24	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
25		13mm	Rm	15	401.4	6021
26		25 mm	Rm	15	557.15	8357.25
27	25	White glazed earthen ware water closet European type domestic of best quality	No	2	10318.48	20636.96
28	26	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	2	4898.34	9796.68
29	27	White glazed earthen ware wash hand basin domestic of supreme quality 65 cm	No	3	2618.34	7855.02
30	28	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	3	2111.87	6335.61

31	29	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	2	3495.9	6991.8
32	30	Soap dishes plastic	No	3	1352.84	4058.52
33	31	Chromium plated towel rail / ring Rail 600mm x 20mm	Nos	3	3422.72	10268.16
34	32	C.P bid tap 13mm	Nos	6	820.07	4920.42
35	33	C.P waste coupling 32mm	No	9	857.99	7721.91
36	34	Waste pipe for wash hand basin 32mm dia PVC	Nos	3	173.34	520.02
37	35	PVC flushing bend 32mm	Nos	5	173.34	866.7
38	36	Waste Pipe for sink PVC	No	1	270.25	270.25
39	37	Connection 13mm PVC	No	10	308.99	3089.9
40	38	Brass ball valves having diameter	No	5	504.08	2520.4
41	39	C.P tee stop cocks 13mm	No	10	1063.15	10631.5
42	40	Telephonic shower With mixing valves.	No	3	5147.17	15441.51
43	41	Chromium plated mixing valves	No	4	2573.59	10294.36
44	42	S.Trap 102mm diameter China-ware (Pakistan made)	No	3	515.59	1546.77
45	43	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.P grating	No	3	771.93	2315.79
46	44	Seat & cover for European type water closet (Pakistan made) Bakelite	No	2	2509.02	5018.04

47	45	White marble flooring fine dressed on the surface without winding setin cement mortar 1:2 laid over 20mm thick cement mortar 1:2 including rubbing and polishing 20mm	Sqm	11.15	8100.22	90317.453
48	46	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	40	3043.66	121746.4
49	47	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	Per point	10	2193.37	21933.7
50	48	Wiring mains with 2-1/1.13 (3/.029) PVC insulated wire in 19.1mm PVC Conduit recessed in the wall as required	meter	200	170.35	34070
51	49	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	140	183.37	25671.8
52	50	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	15	61.38	920.7
53	51	Providing and Fixing surface type 3pin 15 amps.p plug socket and switch as replacement complete with board	No	15	511.32	7669.8
54	52	Providing and fixing of Exhaust fan 305mm (12") dia Metal body best quality (i-e Royal, GFC, Pak etc)	No	5	3968.8	19844

55	53	Ceiling light 4x4	Nos	10	1200	12000
56	54	P/F SMD LED light 2X2 Complete in all respect	Nos	30	8500	255000
57	55	Glazing with plate glass 6mm thick using PVC gasket	Sqm	9.29	2254.51	20944.3979
58	56	Providing and fixing aluminum door closer (double action) natural anodized.	No	2	24517.39	49034.78
59	57	Providing and fixing cooking range 3 burners / oven	No	1	29985.01	29985.01
60	58	Providing & fixing laminated board for cupboard up to 600mm deep complete	Sqm	20.07	9146.48	183569.8536
61	59	P/F laminated board for wardrobe shutter complete	Sqm	8.64	4270.63	36898.2432
62	60	Providing & Fixing window grill withour angle iron frame with 10mm Sq iron bar at 75mm center to center as per approved design of engineer	Sqm	13.94	5494.28	76590.2632
63	61	Ceiling fan 2x2	No	15	14500	217500
64	62	CI brackets	Nos	5	405.89	2029.45
65	63	Stainless steel sink 50cmx100cm	Nos	1	6824.33	6824.33
66	64	P/F Stainless Steel Railing	Mtr	10	5000	50000
67	65	P/F Sign Board with IESCO Monogram inner side	Nos	1	60000	60000
68	66	Graffito	Sqm	1978.1818	110	217599.998
					GRAND TOTAL:	Rs4,960,435.35

Lot Title: 70.PROVIDING AND INSTALLATION OF CAR PARKING SHED FOR INTERNAL AUDIT AT I-10/3 ISLAMABAD

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:2:4	Cum	81.07	4109.55	333161.2185
2	2	Dismantling Cement Concrete 1:4:8	Cum	81.07	2054.25	166538.0475
3	3	excavation in foundation of building bridges and other structures including bibbling dressing	Cum	113.27	346.24	39218.6048
4	4	Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	111	10273.86	1140398.46
5	5	Fabrication, erection, fixing and installation of car shed of 5 ply fiber glass sheet with steel structure made of 18 guage square tube 32x32mm side bracing for sheet with MS flat 25x3mm and 100mm 16 guage vertical post complete in all respect.	Sqm	113.01	9519.46	1075794.1746
6	6	Fiber Glass sheet 5 ply	Sqm	185.87	2633	489395.71
7	7	P/F Stainless Steel Railing	Mtr	15.098	5000	75490
8	8	Providing & Laying Tuff Tile over 100mm thick sand complete	Sqm	401.95	1243.91	499989.6245
					GRAND TOTAL:	Rs3,819,985.84

Lot Title: 71.SPECIAL REPAIR OF BANGLOW NO.17-E AT IESCO COLONY G-7/4 ISLAMABAD

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:2:4	Cum	1.04	4109.55	4273.932
2	2	Dismantling tile flooring	Sqm	34.11	143.5	4894.785
3	3	Removing cement plaster	Sqm	75.16	45.71	3435.5636
4	4	Removing door, window and frame	No	2	505.52	1011.04
5	5	Dismantling brick work in cement mortar	Cum	188.99	1587.76	300070.7624
6	6	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	47.8	318.5	15224.3
7	7	Brick work in ground floor (including striking of joints) in cement sand mortar Ratio 1:4	Cum	0.74	13741.83	10168.9542
8	8	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	15.72	10273.86	161505.0792
9	9	Mosaic flooring consisting of mosaic topping of one part of cement to two parts of marble chips laid over 25mm thick flooring of 1:2:4 cement concrete including rubbing & polishing complete 13mm (with grey cement)	Sqm	179.69	1984.55	356603.7895

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
10	10	Mosaic dado or skirting with one part of cement & 2 parts of marble chips laid over 13mm thick cement plaster 1:3 complete with finishing and polishing 13mm (with grey cement)	Sqm	13.8	1805.04	24909.552
11	11	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	10	9572.72	95727.2
12	12	Cement plaster 13mm ratio 1:4	Sqm	156.59	371.86	58229.5574
13	13	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	106.69	3556.95	379490.9955
14	14	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	14.03	3713.28	52097.3184
15	15	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	59.11	3918.35	231613.6685
16	16	Scraping ordinary distemper	Sqm	306.97	86.1	26430.117
17	17	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	613.95	629.49	386475.3855
18	18	Weather shield paint on painttd/old surface, 2 coat	Sqm	409.7	246.26	100892.722

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
19	19	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	96.68	386.4	37357.152
20	20	Painting new surface preparing surface and painting of doors and windows any type (including edges) 3 coats	Sqm	11.4	685.01	7809.114
21	21	Painting new surface preparing surface and painting of guard bars, gates of iron bars, gratings, railings (including standards, braces, etc) and similar open work priming coat each subsequent coat	Sqm	59.84	397.77	23802.5568
22	22	Deodar wood wrought joinery work in wire gauze doors and windows with 22 SWG galvanized 12x12 to 25x25 sqmm meshes including iron fitting complete wire gauze fixed with 13mm strips on 50x50mm frame.	Sqm	3.95	12142.17	47961.5715
23	23	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	20.82	6271.74	130577.6268
24	24	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	31.6	9146.48	289028.768
25	25	Providing and fixing laminated board for wardrobe shutter complete in all respect	Sqm	14.87	4270.63	63504.2681
26	26	Providing and fixing aluminum door closer (single action) natural anodized.	No	1	7151.24	7151.24
27	27	P/F approved quality ,mortice lock	No	10	1651.53	16515.3

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
28	28	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	30	2311.81	69354.3
29	29	Wiring call bell with 1/1.13 (3/0.029) PVC insulated wire in 19.1mm PVC conduit fitted on surface complete with Buzzer, push & 3 Meter flexible wire 23/.0076 Twin	Per Point	1	2586.67	2586.67
30	30	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	10	323.44	3234.4
31	31	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	5	424.4	2122
32	32	Providing and Fixing surface type 3pin 15 amps.p plug socket and switch as replacement complete with board	No	5	511.32	2556.6
33	33	Providing and fixing / connecting surface type 2 pin 5 Amps S.P Plug-socket, switch complete with S.W Board as replacement	No	10	178.27	1782.7
34	34	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	1	3974.52	3974.52
35	35	ACSP exhaust fan with plastic blade A.C sweep (10") 200 volt	No	1	2978	2978

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
36	36	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
37		25mm	Mtr	30	751.66	22549.8
38		32mm	Mtr	15	944.06	14160.9
39	37	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
40		75mm	Mtr	10	1082.51	10825.1
41		100mm	Mtr	20	1656.71	33134.2
42	38	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	3	771.93	2315.79
43	39	White glazed earthen ware water closet European type domestic of best quality	No	2	10318.48	20636.96
44	40	Seat & cover for European type water closet (Pakistan made) PVC	No	2	1909.02	3818.04
45	41	White glazed earthen ware wash hand basin domestic of supreme quality 65cm	No	2	2618.34	5236.68
46	42	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	2	2111.87	4223.74
47	43	Soap dishes chromium plated	No	3	3147.8	9443.4

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
48	44	Tooth brush holder with tooth paste dish chromium plated	No	3	3171.8	9515.4
49	45	Toilet paper holder Chromium plated	No	3	2039.94	6119.82
50	46	Looking glass 550mm x 400mm size at 1st quality (without frame) Belgium / Japan made	No	3	2014	6042
51	47	Chromium plated towel rail / ring Rail 150mm	No	3	1848.2	5544.6
52	48	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	3	444.58	1333.74
53	49	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	3	5370.78	16112.34
54	50	C.P bib tap 13mm	No	6	820.07	4920.42
55	51	C.P waste coupling 32mm	No	2	504.08	1008.16
56	52	Waste pipe for wash hand basin 32mm dia PVC	No	2	173.34	346.68
57	53	Connection 13mm PVC	No	6	308.99	1853.94
58	54	C.P tee stop cocks 13mm	No	10	763.19	7631.9
59	55	P.Trap C.P diameter 40mm	No	4	2099.6	8398.4
60	56	Telephonic shower With mixing valves.	No	2	5147.17	10294.34
61	57	S.Trap 102mm diameter China-ware (Pakistan made)	No	2	515.59	1031.18
62	58	Chromium plated mixing valves	No	2	2573.59	5147.18
63	59	P/F Steel Sink	No	1	6824.33	6824.33

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
64	60	Providing and fixing wire gauze SWG 144 fixed to steel windows as per approval of the Engineer Incharge	Sqm	1.12	1911.11	2140.4432
65	61	White marble flooring fine dressed on the surface without winding set in cement mortar 1::2 laid over 20mm thick cement mortar 1:2 including rubbing & polishing 20mm	Sqm	1.9834	8100.22	16065.976348
					GRAND TOTAL:	Rs3,162,026.97

Lot Title: 72.SPECIAL REPAIR / MAINTENANCE / RENOVATION OF 05 NO D-TYPE QUARTERS AT 132 KV GRID STATION E-8 ISLAMABAD

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Removing cement plaster	Sqm	327.34	45.71	14962.7114
2	2	Cement plaster (1:3) upto 1st floor height13mm	Sqm	327.34	371.86	121724.6524
3	3	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	50.42	6271.74	316221.1308
4	4	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	25	9572.72	239318

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
5	5	Deodar wood wrought joinery work in wire gauze doors and windows with 22 SWG galvanized 12x12 to 25x25 sqmm meshes including iron fitting complete wire gauze fixed to chowkats 20mm strips and screws.	Sqm	13.01	3597.62	46805.0362
6	6	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	63.2	9146.48	578057.536
7	7	Providing and fixing laminated board for wardrobe shutter complete in all respect	Sqm	20.91	4270.63	89298.8733
8	8	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	52.42	3713.28	194650.1376
9	9	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	117.1	3918.35	458838.785
10	10	Dismantling tile flooring	Sqm	169.52	143.5	24326.12
11	11	Distempering Two coat over and including cost of priming coat.	Sqm	2519.81	156.28	393795.9068
12	12	Weather shield paint three coats on new cement plaster surface	Sqm	758.36	246.26	186753.7336
13	13	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	331.78	386.4	128199.792

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
14	14	Painting Guard Bar Including railing	Sqm	331.78	397.77	131972.1306
15	15	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Sqm	331.78	816.39	270861.8742
16	16	Glass strips for dividing the flooring into panels 40mm	Mtr	180.994	175.5	31764.447
17	17	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
18		75mm	Mtr	50	1082.51	54125.5
19		100mm	Mtr	50	1656.71	82835.5
20	18	Providing lowering and laying into trenches and jointing cement concrete reinforced pipeline to correct alignment and grade including cutting of pipes where necessary cost of jointing material and testing with internal diameter.150mm	Mtr	100	1331.55	133155
21	19	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
22		13mm	Mtr	75	401.4	30105
23		20mm	Mtr	150	154.94	23241
24	20	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	5	4898.34	24491.7

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
25	21	White glazed earthen ware wash hand basin domestic of supreme quality 55/56cm	No	5	2618.34	13091.7
26	22	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	5	2111.87	10559.35
27	23	Low level flushing cistern 13.5 liters capacity best quality white glazed earthen ware	No	5	3495.9	17479.5
28	24	Soap dishes plastic	No	5	3147.8	15739
29	25	Tooth brush holder with tooth paste dish plastic	No	5	820.22	4101.1
30	26	Looking glass 550mm x 400mm size at 1st quality (without frame) Pak made	No	5	1224.02	6120.1
31	27	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	5	2014	10070
32	28	Chromium plated towel rail / ring Rail 600mm x 20mm	No	5	3422.72	17113.6
33	29	C.P Pillar cock 13mm	No	5	849.56	4247.8
34	30	C.P bid tap 13mm	No	5	820.07	4100.35
35	31	C.P waste coupling 32mm	No	5	504.08	2520.4
36	32	PVC flushing pipe 32mm	No	5	141.74	708.7
37	33	PVC flushing bend 32mm	No	5	173.34	866.7
38	34	Waste pipe for wash hand basin 32mm dia PVC	No	5	173.34	866.7

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
39	35	Waste Pipe for sink	No	5	270.25	1351.25
40	36	C.I brackets for wash basins	No	10	405.89	4058.9
41	37	Connection 13mm PVC	No	16	308.99	4943.84
42	38	Brass ball valves having diameter20mm	No	5	670.5	3352.5
43	39	C.P tee stop cocks 13mm	No	20	1063.15	21263
44	40	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	5	5370.78	26853.9
45	41	Chromium plated mixing valves	No	5	2573.59	12867.95
46	42	S.Trap 102mm diameter China-ware (Pakistan made)	No	5	515.59	2577.95
47	43	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.P grating	No	10	771.93	7719.3
48	44	C.I manhole covers having following diameter with frames 300mm	No	5	987.15	4935.75
49	45	P/F Stain Less Steel Sink	No	5	6824.33	34121.65
50	46	White marble flooring fine dressed on the surface without winding setin cement mortar 1:2 laid over 20mm thick cement mortar 1:2 including rubbing and polishing 20mm	Sqm	9.29	8100.22	75251.0438

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
51	47	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	75	2311.81	173385.75
52	48	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	30	323.44	9703.2
53	49	Wiring mains with 2-1/1.13 (3/.029) PVC insulated wire in 19.1mm PVC Conduit recessed in the wall as required	Mtr	100	150.89	15089
54	50	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	50	183.37	9168.5
55	51	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	50	256.45	12822.5
56	52	P/F AC One Way switch	No	30	121.71	3651.3
57	53	P/F flush type 2 pin 5 Amps S.P Plug-socket on already fixed board	No	15	87.99	1319.85
58	54	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	15	424.4	6366
59	55	Providing and Fixing surface type 3pin 15 amps.p plug socket and switch as replacement complete with board	No	20	511.32	10226.4

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
60	56	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	5	6654.43	33272.15
61	57	Providing and fixing of distribution board single phase 60 Amps, 250 volts with 1-No. incoming circuit breaker 60 Amps D.P 4-Nos. outgoing 6-15 Amps. Single pole circuit breaker with N link on prepared board.	No	5	13530.1	67650.5
62	58	Providing and fixing of Exhaust fan 305mm (12") dia Metal body best quality (i-e Royal, GFC, Pak etc)	No	5	3974.52	19872.6
63	59	P/F Energy Savor compete set	No	30	278	8340
64	60	Brick work in ground floor (including striking of joints) in cement sand mortar Ratio 1:4	Cum	0.309664	13507.02	4182.63784128
					GRAND TOTAL:	Rs4,257,436.99

Lot Title: 73.SPECIAL REPAIR / MAINTENANCE / RENOVATION OF 10 NO E-TYPE (E-1 TO E-10) QUARTERS AT 132 KV GRID STATION E-8 ISLAMABAD

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Removing cement plaster	Sqm	471.38	45.71	21546.7798

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
2	2	Dismantling tile flooring	Sqm	161.71	143.5	23205.385
3	3	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Sqm	90.38	816.39	73785.3282
4	4	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	462.0566	371.86	171820.367276
5	5	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	83.64	3713.28	310578.7392
6	6	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	222.27	3918.35	870931.6545
7	7	Scraping ordinary distemper	Sqm	1489.17	86.1	128217.537
8	8	Distempering two coat over and including cost of priming coat	Sqm	2978.35	156.28	465456.538
9	9	Weather shield paint 2 coats on new cement plaster surface	Sqm	747.21	246.46	184157.3766
10	10	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	428.96	386.4	165750.144
11	11	P/F approved quality ,mortice lock	No	30	1651.53	49545.9
12	12	Providing and fixing flush type 3 Pin 15 Amps S.P plug-socket, switch (combined) as replacement on board already exist	No	10	448.14	4481.4

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
13	13	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	10	3974.52	39745.2
14	14	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	Per Point	75	2311.81	173385.75
15	15	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
16		25mm	Mtr	30	751.66	22549.8
17		32mm	Mtr	30	944.06	28321.8
18	16	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
19		75mm	Mtr	30	1082.51	32475.3
20		100mm	Mtr	30	1656.71	49701.3
21	17	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	95.72	9146.48	875501.0656
22	18	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	40	323.44	12937.6

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
23	19	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	100	183.37	18337
24	20	Dimmer for fan	No	10	208	2080
25	21	Providing and fixing wire gauze SWG 144 fixed to steel windows as per approval of the Engineer Incharge	Sqm	16.73	1911.11	31972.8703
26	22	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	61.8	6271.74	387593.532
27	23	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	10	4898.34	48983.4
28	24	White glazed earthen ware wash hand basin domestic of supreme quality 55/56cm	No	10	2618.34	26183.4
29	25	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	10	2111.87	21118.7
30	26	Low level flushing cistern 13.5 liters capacity best quality white glazed earthen ware	No	10	3495.9	34959
31	27	Soap dishes plastic	No	10	3147.8	31478
32	28	Tooth brush holder with tooth paste dish plastic	No	10	459.93	4599.3
33	29	Looking glass 550mm x 400mm size at 1st quality (without frame) Pak made	No	10	1224.02	12240.2

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
34	30	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	10	2014	20140
35	31	Chromium plated towel rail / ring Rail 600mm x 20mm	No	10	3422.72	34227.2
36	32	C.P Pillar cock 13mm	No	10	849.56	8495.6
37	33	C.P bid tap 13mm	No	20	820.07	16401.4
38	34	C.P waste coupling 32mm	No	20	504.08	10081.6
39	35	PVC flushing pipe 32mm	No	20	141.74	2834.8
40	36	PVC flushing bend 32mm	No	20	173.34	3466.8
41	37	Waste pipe for wash hand basin 32mm dia PVC	No	10	173.34	1733.4
42	38	Waste Pipe for sink	No	10	270.25	2702.5
43	39	C.I brackets for wash basins	No	20	405.89	8117.8
44	40	Connection 13mm PVC	No	20	308.99	6179.8
45	41	Brass ball valves having diameter20mm	No	10	670.5	6705
46	42	C.P tee stop cocks 13mm	No	20	1063.15	21263
47	43	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	10	5370.78	53707.8
48	44	Chromium plated mixing valves	No	10	2573.59	25735.9
49	45	S.Trap 102mm diameter China-ware (Pakistan made)	No	10	515.59	5155.9

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
50	46	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.P grating	No	10	771.93	7719.3
51	47	C.I manhole covers having following diameter with frames 300mm	No	10	987.15	9871.5
52	48	P/F Stain Less Steel Sink	No	10	6824.33	68243.3
53	49	Providing and fixing of distribution board single phase 60 Amps, 250 volts with 1-No. incoming circuit breaker 60 Amps D.P 4-Nos. outgoing 6-15 Amps. Single pole circuit breaker with N link on prepared board.	No	10	13530.1	135301
					GRAND TOTAL:	Rs4,771,723.97

Lot Title: 74.SPECIAL REPAIR / MAINTENANCE / RENOVATION OF 10 NO E-TYPE (E-11 TO E-20) QUARTERS AT 132 KV GRID STATION E-8 ISLAMABAD

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Removing cement plaster	Sqm	320.45	45.71	14647.7695
2	2	Dismantling tile flooring	Sqm	161.71	143.5	23205.385

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
3	3	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Sqm	116.77	816.39	95329.8603
4	4	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	116.77323420074	371.86	43423.294869889
5	5	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	83.64	3713.28	310578.7392
6	6	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	212.97	3918.35	834490.9995
7	7	Scraping ordinary distemper	Sqm	1454.54	86.1	125235.894
8	8	Distempering two coat over and including cost of priming coat	Sqm	2909.08	156.28	454631.0224
9	9	Weather shield paint 2 coats on new cement plaster surface	Sqm	747.21	358.68	268009.2828
10	10	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	261.26	386.4	100950.864
11	11	P/F approved quality ,mortice lock	No	30	1651.53	49545.9

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
12	12	Providing and fixing flush type 3 Pin 15 Amps S.P plug-socket, switch (combined) as replacement on board already exist	No	10	448.14	4481.4
13	13	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	10	3974.52	39745.2
14	14	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	Per Point	75	2311.81	173385.75
15	15	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
16		25mm	Mtr	30	751.66	22549.8
17		32mm	Mtr	30	944.06	28321.8
18	16	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
19		75mm	Mtr	30	1082.51	32475.3
20		100mm	Mtr	30	1656.71	49701.3

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
21	17	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	96.65	9146.48	884007.292
22	18	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	40	323.44	12937.6
23	19	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	100	183.37	18337
24	20	Dimmer for fan	No	10	208	2080
25	21	Providing and fixing wire gauze SWG 144 fixed to steel windows as per approval of the Engineer Incharge	Sqm	16.73	1911.11	31972.8703
26	22	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	50.42	6271.74	316221.1308
27	23	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	10	4898.34	48983.4
28	24	White glazed earthen ware wash hand basin domestic of supreme quality 55/56cm	No	10	2618.34	26183.4

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
29	25	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	10	2111.87	21118.7
30	26	Low level flushing cistern 13.5 liters capacity best quality white glazed earthen ware	No	10	3495.9	34959
31	27	Soap dishes plastic	No	10	3147.8	31478
32	28	Tooth brush holder with tooth paste dish plastic	No	10	459.93	4599.3
33	29	Looking glass 550mm x 400mm size at 1st quality (without frame) Pak made	No	10	1224.02	12240.2
34	30	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	10	2014	20140
35	31	Chromium plated towel rail / ring Rail 600mm x 20mm	No	10	3422.72	34227.2
36	32	C.P Pillar cock 13mm	No	10	849.56	8495.6
37	33	C.P bid tap 13mm	No	20	820.07	16401.4
38	34	C.P waste coupling 32mm	No	20	504.08	10081.6
39	35	PVC flushing pipe 32mm	No	20	141.74	2834.8
40	36	PVC flushing bend 32mm	No	20	173.34	3466.8
41	37	Waste pipe for wash hand basin 32mm dia PVC	No	10	173.34	1733.4

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
42	38	Waste Pipe for sink	No	10	270.25	2702.5
43	39	C.I brackets for wash basins	No	20	405.89	8117.8
44	40	Connection 13mm PVC	No	20	308.99	6179.8
45	41	Brass ball valves having diameter20mm	No	10	670.5	6705
46	42	C.P tee stop cocks 13mm	No	20	1063.15	21263
47	43	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	10	5370.78	53707.8
48	44	Chromium plated mixing valves	No	10	2573.59	25735.9
49	45	S.Trap 102mm diameter China-ware (Pakistan made)	No	10	515.59	5155.9
50	46	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.P grating	No	10	771.93	7719.3
51	47	C.I manhole covers having following diameter with frames 300mm	No	10	987.15	9871.5
52	48	P/F Stain Less Steel Sink	No	10	6824.33	68243.3

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
53	49	Providing and fixing of distribution board single phase 60 Amps, 250 volts with 1-No. incoming circuit breaker 60 Amps D.P 4-Nos. outgoing 6-15 Amps. Single pole circuit breaker with N link on prepared board.	No	10	21103.894	211038.94
					GRAND TOTAL:	Rs4,639,648.99

Lot Title: 75.SPECIAL REPAIR / MAINTENANCE OF CONTROL HOUSE BUILDING AT 132 KV GRID STATION E-8 ISLAMABAD

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	32.89	10273.86	337907.2554
2	2	Bricks work other than building including striking of joints utp 3.0m height in cement sand mortar 1:4	Cum	28.48	13397.41	381558.2368
3	3	Removing cement plaster	Sqm	114.13	45.71	5216.8823
4	4	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	335.32	371.86	124692.0952
5	5	Dismantling tiles flooring	Sqm	37.92	143.5	5441.52

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
6	6	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	8.36	3713.28	31043.0208
7	7	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	24.72	3918.35	96861.612
8	8	Painting new surface preparing surface and painting or doors and windows any type (including edges) priming coat	Sqm	42.94	482.22	20706.5268
9	9	Providing and fixing aluminum door (sliding) shampean or any other colour and green or blind glass 5mm thick	Sqm	11.15	9740.98	108611.927
10	10	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section shampean or any other colour and green or blind glass 5mm thick	Sqm	25.28	11498.01	290669.6928
11	11	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	1.63	6271.74	10222.9362
12	12	P/F approved quality ,mortice lock	No	3	1651.53	4954.59
13	13	Termite proofing with approved chemicals post-construction	Per hole	200	205.53	41106
14	14	Distempering One coat over and including cost of priming coat.	Sqm	933.19	156.28	145838.9332

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
15	15	Weather shield paint 2 coats on new cement plaster surface	Sqm	359.31	358.68	128877.3108
16	16	Painting old surface painting guard bars, gates, iron bars, gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	103.44	169.41	17523.7704
17	17	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal dia 100 mm	Rm	80	1656.71	132536.8
18	18	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
19		13mm	Rm	10	401.4	4014
20		25 mm	Rm	10	557.15	5571.5
21	19	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	1	4898.34	4898.34
22	20	White glazed earthen ware wash hand basin domestic of supreme quality 65 cm	No	1	2618.34	2618.34
23	21	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	1	2111.87	2111.87
24	22	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	1	3495.9	3495.9
25	23	Soap dishes plastic	No	1	1352.84	1352.84

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
26	24	Chromium plated towel rail / ring Rail 600mm x 20mm	Nos	1	3422.72	3422.72
27	25	C.P bid tap 13mm	Nos	2	820.07	1640.14
28	26	C.P waste coupling 32mm	No	2	857.99	1715.98
29	27	Waste pipe for wash hand basin 32mm dia PVC	Nos	1	173.34	173.34
30	28	PVC flushing bend 32mm	Nos	2	173.34	346.68
31	29	Waste Pipe for sink PVC	No	1	270.25	270.25
32	30	Connection 13mm PVC	No	3	308.99	926.97
33	31	C.P tee stop cocks 13mm	No	1	1063.15	1063.15
34	32	Telephonic shower With mixing valves.	No	1	5147.17	5147.17
35	33	Chromium plated mixing valves	No	1	2573.59	2573.59
36	34	S.Trap 102mm diameter China-ware (Pakistan made)	No	1	515.59	515.59
37	35	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.P grating	No	1	771.93	771.93
38	36	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	50	3043.66	152183

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
39	37	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	Per point	20	2193.37	43867.4
40	38	Wiring mains with 2-1/1.13 (3/.029) PVC insulated wire in 19.1mm PVC Conduit recessed in the wall as required	meter	100	170.35	17035
41	40	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	10	61.38	613.8
42	41	Providing and fixing of Exhaust fan 305mm (12") dia Metal body best quality (i-e Royal, GFC, Pak etc)	No	10	3968.8	39688
43	42	Ceiling light 4x4	Nos	40	1200	48000
44	43	Providing and fixing aluminum door closer (double action) natural anodized.	No	1	24517.39	24517.39
45	44	Providing & fixing laminated board for cupboard up to 600mm deep complete	Sqm	14.87	9146.48	136008.1576
46	45	Providing & Fixing window grill withour angle iron frame with 10mm Sq iron bar at 75mm center to center as per approved design of engineer	Sqm	7.43	5494.28	40822.5004
47	46	Dismantling brick tile roofing	Sqm	371.81	170.31	63322.9611

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
48	47	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	226.6	318.5	72172.1
49	48	Bitumen coating to plastered or cement concrete surface using 0.60 kg / Sqm	Sqm	371.81	197.11	73287.4691
50	49	Mosaic flooring consisting of mosaic topping of one part of cement to two parts of marble chips laid over 25mm thick flooring of 1:2:4 cement concrete including rubbing & polishing complete 13mm (with grey cement)	Sqm	371.81	1984.55	737875.5355
51	50	P/F LED Flood light complete in all respect 50W	Nos	10	500	5000
52	51	Venyle Tile Flooring	Sqm	18.1995	1826.81	33247.028595
					GRAND TOTAL:	Rs3,414,039.75

Lot Title: 76.AM&R OF BANGLOW NO.12-F AT IESCO COLONY G-7/4 ISLAMABAD

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:4:8	Cum	1.79	2054.25	3677.1075

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
2	2	Dismantling cement concrete plain 1:2:4	Cum	2.8	4109.55	11506.74
3	3	Dismantling wooden partition jaffery work	Sqm	19.81	69.41	1375.0121
4	4	Dismantling tile flooring	Sqm	74.65	143.5	10712.275
5	5	Removing cement plaster	Sqm	27.85	45.71	1273.0235
6	6	Removing door, window and frame	No	2	505.52	1011.04
7	7	Cement plaster 13mm ratio 1:4	Sqm	27.85	371.86	10356.301
8	8	Brick work in ground floor (including striking of joints) in cement sand mortar Ratio 1:4	Cum	0.46	13741.83	6321.2418
9	9	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	4.6	318.5	1465.1
10	10	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	1.79	7709.75	13800.4525
11	11	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	3.95	10273.86	40581.747

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
12	12	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	1	9572.72	9572.72
13	13	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	74.65	3556.95	265526.3175
14	14	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	0.37	3713.28	1373.9136
15	15	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	8.77	3918.35	34363.9295
16	16	Scraping ordinary distemper	Sqm	70.42	86.1	6063.162
17	17	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	140.84	629.49	88657.3716
18	18	Weather shield paint on painttd/old surface, 2 coat	Sqm	255.02	268.14	68381.0628
19	19	Graffito	Sft	97	110	10670
20	20	Painting new surface preparing surface and painting or doors and windows any type (including edges) priming coat	Sqm	25.28	685.01	17317.0528
21	21	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	27.88	386.4	10772.832

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
22	22	Painting old surface painting guard bars, gates, iron bars, gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	38.16	227.29	8673.3864
23	23	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section champagne or any other colour and green or blind glass 5mm thick	Sqm	0.45	11498.01	5174.1045
24	24	Providing and fixing steel grills to openable steel windows as per drawing No.CDO(W)301-5B/215	Sqm	0.45	4449.53	2002.2885
25	25	Providing and fixing aluminum door closer (single action) natural anodized.	No	3	7151.24	21453.72
26	26	Deodar wood wrought joinery work in doors & windows etc fixed in position including chowkats, holdfasts hinges, iron tower bolts, cocks, cleats handles end cords with hooks etc deodar, panelled or panelled and glazed or fully glazed.				
27		45mm	Sqm	5.46	25997.35	141945.531
28	27	Deodar wood wrought joinery work in wire gauze doors and windows with 22 SWG galvanized 12x12 to 25x25 sqmm meshes including iron fitting complete wire gauze fixed with 13mm strips on 50x50mm frame.	Sqm	3.9	12142.17	47354.463
29	28	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	4.46	9146.48	40793.3008
30	29	PVC Wall Paneling(Hard)	Sft	426.4	540	230256

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
31	30	P/F Rollup Blind Curtain complete in all respect	Sft	210	456	95760
32	31	Providing and fixing of LED SMD light 9"	No	16	2500	40000
33	32	Providing and fixing of LED SMD light 4"	No	12	1200	14400
34	33	Providing and fixing of LED SMD light 2'x2'	No	24	8500	204000
35	34	Supply and erection of ceiling fan best quality including wiring with 1/1.13mm (3.029) PVC wire fixing of regulator, Plastic Body (2'x2')	No	8	14000	112000
36	35	ACSP exhaust fan with plastic blade A.C sweep (10") 200 volt	No	1	2978	2978
37	36	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	1	3974.52	3974.52
38	37	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	35	2311.81	80913.35
39	38	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	10	424.4	4244
40	39	Providing and fixing flush type 3 pin 15 Amps S.P Plug-socket, switch (combined) as replacement on board already exist	No	2	511.32	1022.64

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
41	40	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	24	323.44	7762.56
42	41	Providing and fixing / connecting surface type 2 pin 5 Amps S.P Plug-socket, switch complete with S.W Board as replacement	No	8	178.27	1426.16
43	42	Wiring call bell with 1/1.13 (3/0.029) PVC insulated wire in 19.1mm PVC conduit fitted on surface complete with Buzzer, push & 3 Meter flexible wire 23/.0076 Twin	Per Point	1	2586.67	2586.67
44	43	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	90	183.37	16503.3
45	44	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	50	256.45	12822.5
46	45	White marble flooring fine dressed on the surface without winding set in cement mortar 1::2 laid over 20mm thick cement mortar 1:2 including rubbing & polishing				
47		20mm	Sqm	2.42	8100.22	19602.5324
48	46	Providing and fixing deodar beading tapering from 18mm to 6mm with 60mm width	Mtr	60	162.8	9768
49	47	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
50		25mm	Mtr	5	751.66	3758.3
51		32mm	Mtr	5	944.06	4720.3
52	48	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
53		75mm	Mtr	20	1082.51	21650.2
54		100mm	Mtr	5	1656.71	8283.55
55	49	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	2	771.93	1543.86
56	50	White glazed earthen ware water closet European type domestic of best quality	No	1	10318.48	10318.48
57	51	Seat & cover for European type water closet (Pakistan made) PVC	No	1	1909.02	1909.02
58	52	White glazed earthen ware wash hand basin domestic of supreme quality 65cm	No	1	2618.34	2618.34
59	53	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	1	2111.87	2111.87
60	54	Soap dishes chromium plated	No	1	3147.8	3147.8
61	55	Tooth brush holder with tooth paste dish chromium plated	No	1	3171.8	3171.8
62	56	Toilet paper holder Chromium plated	No	1	2039.94	2039.94

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
63	57	Looking glass 550mm x 400mm size at 1st quality (without frame) Belgium / Japan made	No	1	2014	2014
64	58	Chromium plated towel rail / ring Rail 150mm	No	1	1848.2	1848.2
65	59	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	1	444.58	444.58
66	60	C.P bib tap 13mm	No	1	820.07	820.07
67	61	C.P waste coupling 32mm	No	2	504.08	1008.16
68	62	Waste pipe for wash hand basin 32mm dia PVC	No	2	173.34	346.68
69	63	Connection 13mm PVC	No	3	308.99	926.97
70	64	Brass ball valves having diameter				
71		25mm	No	1	950.68	950.68
72		32mm	No	1	1728.01	1728.01
73		40mm	No	1	2509.56	2509.56
74	65	C.P tee stop cocks 13mm	No	3	763.19	2289.57
75	66	P.Trap C.P diameter 40mm	No	2	2099.6	4199.2
76	67	S.Trap 102mm diameter China-ware (Pakistan made)	No	1	515.59	515.59
77	68	Telephonic shower With mixing valves.	No	1	5147.17	5147.17
78	69	Chromium plated mixing valves	No	2	2573.59	5147.18

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
79	70	P/F Steel Sink	No	1	6824.33	6824.33
80	71	Glazing with plate glass 6mm thick using PVC gasket	Sqm	1.67	2254.51	3765.0317
81	72	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	119.56	1512.73	180861.9988
82	73	Providing and fixing sign board with IESCO monogram for inner wall complete in all respect	No	1	40000	40000
83	74	Providing and fixing of IESCO letter with LED light for inner wall	No	1	30000	30000
84	75	Providing lowering and laying into trenches and jointing cement concrete reinforced pipeline to correct alignment and grade including cutting of pipes where necessary cost of jointing material and testing with internal diameter.				
85		150mm	Mtr	4	1331.55	5326.2
					GRAND TOTAL:	Rs2,104,142.07

Lot Title: 77.REVAMPING OF CONFERENCE ROOM" AT IESCO COMPLEX CHAKWAL

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
--------	----------	-------------	------	-----	------	--------

1	1	Dismantling cement concrete plain 1:4:8	Cum	1.79	2054.25	3677.1075
2	2	Dismantling cement concrete plain 1:2:4	Cum	2.8	4109.55	11506.74
3	3	Dismantling wooden partition jaffery work	Sqm	19.81	69.41	1375.0121
4	4	Dismantling tile flooring	Sqm	74.65	143.5	10712.275
5	5	Removing cement plaster	Sqm	27.85	45.71	1273.0235
6	6	Removing door, window and frame	No	2	505.52	1011.04
7	7	Cement plaster 13mm ratio 1:4	Sqm	27.85	371.86	10356.301
8	8	Brick work in ground floor (including striking of joints) in cement sand mortar Ratio 1:4	Cum	0.46	13741.83	6321.2418
9	9	Carriage of 3.0 Cum or 5 metric tons of all material like earth, silt, sand, stone aggregate spawl, coal, lime, surkhi. Steel girders, M.S sheets, M.S Bars etc or 4.25 Cum of timber or 3.75 metric tons of fuel wood by truck or any other means 5 Km.	Cum	4.6	318.5	1465.1
10	10	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	1.79	7709.75	13800.4525
11	11	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	3.95	10273.86	40581.747

12	12	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	1	9572.72	9572.72
13	13	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	74.65	3556.95	265526.3175
14	14	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	0.37	3713.28	1373.9136
15	15	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	8.77	3918.35	34363.9295
16	16	Scraping ordinary distemper	Sqm	70.42	86.1	6063.162
17	17	Providing / perparing surface and applying 3 coats of approved type of plastic emulsion paint to plastered surface as per manufacturers specifications	Sqm	140.84	629.49	88657.3716
18	18	Weather shield paint on paintted/old surface, 2 coat	Sqm	255.02	268.14	68381.0628
19	19	Graffito	Sft	97	110	10670
20	20	Painting new surface preparing surface and painting or doors and windows any type (including edges) priming coat	Sqm	25.28	685.01	17317.0528
21	21	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	27.88	386.4	10772.832

22	22	Painting old surface painting guard bars, gates, iron bars, gratings, railing (including standard braces etc) and similar open work first coat each subsequent coat	Sqm	38.16	227.29	8673.3864
23	23	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section champagne or any other colour and green or blind glass 5mm thick	Sqm	0.45	11498.01	5174.1045
24	24	Providing and fixing steel grills to openable steel windows as per drawing No.CDO(W)301-5B/215	Sqm	0.45	4449.53	2002.2885
25	25	Providing and fixing aluminum door closer (single action) natural anodized.	No	3	7151.24	21453.72
26	26	Deodar wood wrought joinery work in doors & windows etc fixed in position including chowkats, holdfasts hinges, iron tower bolts, cocks, cleats handles end cords with hooks etc deodar, panelled or panelled and glazed or fully glazed.				
27		45mm	Sqm	5.46	25997.35	141945.531
28	27	Deodar wood wrought joinery work in wire gauze doors and windows with 22 SWG galvanized 12x12 to 25x25 sqmm meshes including iron fitting complete wire gauze fixed with 13mm strips on 50x50mm frame.	Sqm	3.9	12142.17	47354.463
29	28	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	4.46	9146.48	40793.3008
30	29	PVC Wall Paneling(Hard)	Sft	426.4	540	230256
31	30	P/F Rollup Blind Curtain complete in all respect	Sft	210	456	95760

32	31	Providing and fixing of LED SMD light 9"	No	16	2500	40000
33	32	Providing and fixing of LED SMD light 4"	No	12	1200	14400
34	33	Providing and fixing of LED SMD light 2'x2'	No	24	8500	204000
35	34	Supply and erection of ceiling fan best quality including wiring with 1/1.13mm (3.029) PVC wire fixing of regulator, Plastic Body (2'x2')	No	8	14000	112000
36	35	ACSP exhaust fan with plastic blade A.C sweep (10") 200 volt	No	1	2978	2978
37	36	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	1	3974.52	3974.52
38	37	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	35	2311.81	80913.35
39	38	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	10	424.4	4244
40	39	Providing and fixing flush type 3 pin 15 Amps S.P Plug-socket, switch (combined) as replacement on board already exist	No	2	511.32	1022.64
41	40	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	24	323.44	7762.56

42	41	Providing and fixing / connecting surface type 2 pin 5 Amps S.P Plug-socket, switch complete with S.W Board as replacement	No	8	178.27	1426.16
43	42	Wiring call bell with 1/1.13 (3/0.029) PVC insulated wire in 19.1mm PVC conduit fitted on surface complete with Buzzer, push & 3 Meter flexible wire 23/.0076 Twin	Per Point	1	2586.67	2586.67
44	43	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	90	183.37	16503.3
45	44	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	50	256.45	12822.5
46	45	White marble flooring fine dressed on the surface without winding set in cement mortar 1::2 laid over 20mm thick cement mortar 1:2 including rubbing & polishing				
47		20mm	Sqm	2.42	8100.22	19602.5324
48	46	Providing and fixing deodar beading tapering from 18mm to 6mm with 60mm width	Mtr	60	162.8	9768
49	47	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
50		25mm	Mtr	5	751.66	3758.3
51		32mm	Mtr	5	944.06	4720.3
52	48	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				

53		75mm	Mtr	20	1082.51	21650.2
54		100mm	Mtr	5	1656.71	8283.55
55	49	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	2	771.93	1543.86
56	50	White glazed earthen ware water closet European type domestic of best quality	No	1	10318.48	10318.48
57	51	Seat & cover for European type water closet (Pakistan made) PVC	No	1	1909.02	1909.02
58	52	White glazed earthen ware wash hand basin domestic of supreme quality 65cm	No	1	2618.34	2618.34
59	53	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	1	2111.87	2111.87
60	54	Soap dishes chromium plated	No	1	3147.8	3147.8
61	55	Tooth brush holder with tooth paste dish chromium plated	No	1	3171.8	3171.8
62	56	Toilet paper holder Chromium plated	No	1	2039.94	2039.94
63	57	Looking glass 550mm x 400mm size at 1st quality (without frame) Belgium / Japan made	No	1	2014	2014
64	58	Chromium plated towel rail / ring Rail 150mm	No	1	1848.2	1848.2
65	59	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	1	444.58	444.58
66	60	C.P bib tap 13mm	No	1	820.07	820.07

67	61	C.P waste coupling 32mm	No	2	504.08	1008.16
68	62	Waste pipe for wash hand basin 32mm dia PVC	No	2	173.34	346.68
69	63	Connection 13mm PVC	No	3	308.99	926.97
70	64	Brass ball valves having diameter				
71		25mm	No	1	950.68	950.68
72		32mm	No	1	1728.01	1728.01
73		40mm	No	1	2509.56	2509.56
74	65	C.P tee stop cocks 13mm	No	3	763.19	2289.57
75	66	P.Trap C.P diameter 40mm	No	2	2099.6	4199.2
76	67	S.Trap 102mm diameter China-ware (Pakistan made)	No	1	515.59	515.59
77	68	Telephonic shower With mixing valves.	No	1	5147.17	5147.17
78	69	Chromium plated mixing valves	No	2	2573.59	5147.18
79	70	P/F Steel Sink	No	1	6824.33	6824.33
80	71	Glazing with plate glass 6mm thick using PVC gasket	Sqm	1.67	2254.51	3765.0317
81	72	False Ceiling comprising iron L&T section and Gypsum board complete in all respect	Sqm	119.56	1512.73	180861.9988
82	73	Providing and fixing sign board with IESCO monogram for inner wall complete in all respect	No	1	40000	40000
83	74	Providing and fixing of IESCO letter with LED light for inner wall	No	1	30000	30000

84	75	Providing lowering and laying into trenches and jointing cement concrete reinforced pipeline to correct alignment and grade including cutting of pipes where necessary cost of jointing material and testing with internal diameter.				
85		150mm	Mtr	4	1331.55	5326.2
					GRAND TOTAL:	Rs2,104,142.07

Lot Title: 78.REVAMPING OF BILL PRINTING SECTION" AT IESCO COMPLEX CHAKWAL

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Removing cement plaster	Sqm	13.645	45.71	623.71295
2	2	Removing door, window and frame	No	2	505.52	1011.04
3	3	Providing and fixing steel doors without grill work on outer face of the door as per approved design of the Engineer Incharge	Sqm	1.46	11345.15	16563.919
4	4	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	7.48	9146.48	68415.6704
5	5	Providing and fixing laminated board for wardrobe shutter complete in all respect	Sqm	5.95	4270.63	25410.2485
6	6	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	13.65	371.86	5075.889

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
7	7	Distemping Two coat over and including cost of priming coat.	Sqm	212.57	156.28	33220.4396
8	8	Weather shield paint two coats on old cement plaster surface	Sqm	97.58	246.46	24049.5668
9	9	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	35.63	386.4	13767.432
10	10	Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	0.11	10273.86	1130.1246
11	11	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Sqm	39.03	816.38	31863.3114
12	12	Providing and fixing sliding bolt to doors 305mm iron	No	1	464.54	464.54
13	13	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
14		75mm	Mtr	5	1082.51	5412.55
15		100mm	Mtr	5	1656.71	8283.55
16	14	Providing lowering and laying into trenches and jointing cement concrete reinforced pipeline to correct alignment and grade including cutting of pipes where necessary cost of jointing material and testing with internal diameter.150mm	Mtr	5	1331.55	6657.75

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
17	15	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
18		13mm	Mtr	6	401.4	2408.4
19		20mm	Mtr	4	557.15	2228.6
20	16	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	1	4898.34	4898.34
21	17	White glazed earthen ware wash hand basin domestic of supreme quality 55/56cm	No	1	2378.34	2378.34
22	18	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	1	2111.87	2111.87
23	19	Low level flushing cistern 13.5 liters capacity best quality white glazed earthen ware	No	1	3159.43	3159.43
24	20	Soap dishes plastic	No	1	1352.84	1352.84
25	21	Tooth brush holder with tooth paste dish plastic	No	1	820.22	820.22
26	22	Looking glass 550mm x 400mm size at 1st quality (without frame) Pak made	No	1	1224.02	1224.02
27	23	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	1	444.58	444.58
28	24	Chromium plated towel rail / ring Rail 600mm x 20mm	No	1	3422.72	3422.72

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
29	25	C.P Pillar cock 13mm	No	1	849.56	849.56
30	26	C.P bid tap 13mm	No	1	820.07	820.07
31	27	C.P waste coupling 32mm	No	1	504.08	504.08
32	28	PVC flushing pipe 32mm	No	1	141.74	141.74
33	29	PVC flushing bend 32mm	No	1	173.34	173.34
34	30	Waste pipe for wash hand basin 32mm dia PVC	No	1	173.34	173.34
35	31	Waste Pipe for sink	No	1		
36	32	C.I brackets for wash basins	No	1	405.89	405.89
37	33	Connection 13mm PVC	No	1	308.99	308.99
38	34	Brass ball valves having diameter20mm	No	1	670.5	670.5
39	35	C.P tee stop cocks 13mm	No	1	1063.15	1063.15
40	36	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
41	37	Chromium plated mixing valves	No	2	2573.59	5147.18
42	38	S.Trap 102mm diameter China-ware (Pakistan made)	No	1	515.59	515.59
43	39	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.P grating	No	3	797.21	2391.63
44	40	C.I manhole covers having following diameter with frames 300mm	No	3	987.15	2961.45

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
45	41	P/F Stain Less Steel Sink	No	1	5000	5000
46	42	White marble flooring fine dressed on the surface without winding setin cement mortar 1:2 laid over 20mm thick cement mortar 1:2 including rubbing and polishing 20mm	Sqm	2.23	8100.22	18063.4906
47	43	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	16	2311.86	36989.76
48	44	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	6	323.44	1940.64
49	45	Wiring mains with 2-1/1.13 (3/.029) PVC insulated wire in 19.1mm PVC Conduit recessed in the wall as required	Mtr	10	150.89	1508.9
50	46	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	20	183.37	3667.4
51	47	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	10	256.45	2564.5
52	48	P/F AC One Way switch	No	4	121.74	486.96
53	49	P/F flush type 2 pin 5 Amps S.P Plug-socket on already fixed board	No	2	250	500

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
54	50	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	2	424.4	848.8
55	51	Providing and Fixing surface type 3pin 15 amps.p plug socket and switch as replacement complete with board	No	2	511.32	1022.64
56	52	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	2	6654.43	13308.86
57	53	Providing and fixing of distribution board single phase 60 Amps, 250 volts with 1-No. incoming circuit breaker 60 Amps D.P 4-Nos. outgoing 6-15 Amps. Single pole circuit breaker with N link on prepared board.	No	1	13530.1	13530.1
58	54	Providing and fixing of Exhaust fan 305mm (12") dia Metal body best quality (i-e Royal, GFC, Pak etc)	No	2	3968.8	7937.6
59	55	P/F Energy Savor compete set	No	10	278	2780
60	56	Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	0.52	7709.75	4009.07
61	57	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	12.27	3713.28	45561.9456
62	58	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	45.2	3556.95	160774.14

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
63	59	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	33.8	3918.35	132440.23
					GRAND TOTAL:	Rs740,831.43

Lot Title: 79.SPECIAL REPAIR OF QUARTER NO F-19 AT IESCO COLONY KAMALABAD RAWALPINDI

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Removing cement plaster	Sqm	13.645	45.71	623.71295
2	2	Removing door, window and frame	No	2	505.52	1011.04
3	3	Providing and fixing steel doors without grill work on outer face of the door as per approved design of the Engineer Incharge	Sqm	1.46	11345.15	16563.919
4	4	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	7.48	9146.48	68415.6704
5	5	Providing and fixing laminated board for wardrobe shutter complete in all respect	Sqm	5.95	4270.63	25410.2485
6	6	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	13.65	371.86	5075.889

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
7	7	Distemping Two coat over and including cost of priming coat.	Sqm	212.57	156.28	33220.4396
8	8	Weather shield paint two coats on old cement plaster surface	Sqm	97.58	246.46	24049.5668
9	9	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	35.63	386.4	13767.432
10	10	Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	0.11	10273.86	1130.1246
11	11	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Sqm	39.03	816.38	31863.3114
12	12	Providing and fixing sliding bolt to doors 305mm iron	No	1	464.54	464.54
13	13	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
14		75mm	Mtr	5	1082.51	5412.55
15		100mm	Mtr	5	1656.71	8283.55
16	14	Providing lowering and laying into trenches and jointing cement concrete reinforced pipeline to correct alignment and grade including cutting of pipes where necessary cost of jointing material and testing with internal diameter.150mm	Mtr	5	1331.55	6657.75

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
17	15	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
18		13mm	Mtr	6	401.4	2408.4
19		20mm	Mtr	4	557.15	2228.6
20	16	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	1	4898.34	4898.34
21	17	White glazed earthen ware wash hand basin domestic of supreme quality 55/56cm	No	1	2378.34	2378.34
22	18	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	1	2111.87	2111.87
23	19	Low level flushing cistern 13.5 liters capacity best quality white glazed earthen ware	No	1	3159.43	3159.43
24	20	Soap dishes plastic	No	1	1352.84	1352.84
25	21	Tooth brush holder with tooth paste dish plastic	No	1	820.22	820.22
26	22	Looking glass 550mm x 400mm size at 1st quality (without frame) Pak made	No	1	1224.02	1224.02
27	23	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	1	444.58	444.58
28	24	Chromium plated towel rail / ring Rail 600mm x 20mm	No	1	3422.72	3422.72

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
29	25	C.P Pillar cock 13mm	No	1	849.56	849.56
30	26	C.P bid tap 13mm	No	1	820.07	820.07
31	27	C.P waste coupling 32mm	No	1	504.08	504.08
32	28	PVC flushing pipe 32mm	No	1	141.74	141.74
33	29	PVC flushing bend 32mm	No	1	173.34	173.34
34	30	Waste pipe for wash hand basin 32mm dia PVC	No	1	173.34	173.34
35	31	Waste Pipe for sink	No	1		
36	32	C.I brackets for wash basins	No	1	405.89	405.89
37	33	Connection 13mm PVC	No	1	308.99	308.99
38	34	Brass ball valves having diameter20mm	No	1	670.5	670.5
39	35	C.P tee stop cocks 13mm	No	1	1063.15	1063.15
40	36	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
41	37	Chromium plated mixing valves	No	2	2573.59	5147.18
42	38	S.Trap 102mm diameter China-ware (Pakistan made)	No	1	515.59	515.59
43	39	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.P grating	No	3	797.21	2391.63
44	40	C.I manhole covers having following diameter with frames 300mm	No	3	987.15	2961.45

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
45	41	P/F Stain Less Steel Sink	No	1	5000	5000
46	42	White marble flooring fine dressed on the surface without winding setin cement mortar 1:2 laid over 20mm thick cement mortar 1:2 including rubbing and polishing 20mm	Sqm	2.23	8100.22	18063.4906
47	43	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	No	16	2311.86	36989.76
48	44	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	6	323.44	1940.64
49	45	Wiring mains with 2-1/1.13 (3/.029) PVC insulated wire in 19.1mm PVC Conduit recessed in the wall as required	Mtr	10	150.89	1508.9
50	46	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	20	183.37	3667.4
51	47	Wiring mains with 2-1/7/.085 (7/.036) PVC insulated wire in 25mm PVC conduit recessed in the wall as required.	Mtr	10	256.45	2564.5
52	48	P/F AC One Way switch	No	4	121.74	486.96
53	49	P/F flush type 2 pin 5 Amps S.P Plug-socket on already fixed board	No	2	250	500

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
54	50	Providing and fixing type 3 pin 5 Amps flush type S.P Plug-socket and switch complete with board.	No	2	424.4	848.8
55	51	Providing and Fixing surface type 3pin 15 amps.p plug socket and switch as replacement complete with board	No	2	511.32	1022.64
56	52	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	2	6654.43	13308.86
57	53	Providing and fixing of distribution board single phase 60 Amps, 250 volts with 1-No. incoming circuit breaker 60 Amps D.P 4-Nos. outgoing 6-15 Amps. Single pole circuit breaker with N link on prepared board.	No	1	13530.1	13530.1
58	54	Providing and fixing of Exhaust fan 305mm (12") dia Metal body best quality (i-e Royal, GFC, Pak etc)	No	2	3968.8	7937.6
59	55	P/F Energy Savor compete set	No	10	278	2780
60	56	Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	0.52	7709.75	4009.07
61	57	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	12.27	3713.28	45561.9456
62	58	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	45.2	3556.95	160774.14

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
63	59	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	33.8	3918.35	132440.23
					GRAND TOTAL:	Rs740,831.43

Lot Title: 80.REVAMPING OF SURVEILLANCE AND INVESTIGATION OFFICE AT CHANDNI CHOWK RAWALPINDI

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling tile flooring	Sqm	46.84	143.5	6721.54
2	2	Removing cement plaster	Sqm	40.15	45.71	1835.2565
3	3	Removing door, window and frame	No	5	505.52	2527.6
4	4	Dismantling cement concrete plain 1:4:8	Cum	0.96	2054.25	1972.08
5	5	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	0.99	7709.75	7632.6525
6	6	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	30.56	371.86	11364.0416

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
7	7	Brick work in ground floor (including striking of joints) in cement sand mortar Ratio 1:4	Cum	0.68	13741.83	9344.4444
8	8	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	80.53	3556.95	286441.1835
9	9	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	11.85	3713.28	44002.368
10	10	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	56.67	3918.35	222052.8945
11	11	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	2	9572.72	19145.44
12	12	Providing and fixing of bent metal 16 SWG frame 250mm wide for door size 760m x 2.134m (2.5' x 7') complete in all respect.	No	1	6412.82	6412.82
13	13	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	10.29	6271.74	64536.2046
14	14	Scraping ordinary distemper, oil bound distemper, or paint on wall.	Sqm	110.95	86.1	9552.795
15	15	Distemping two coat over and including cost of priming coat.	Sqm	228.27	156.28	35674.0356

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
16	16	Painting new surface preparing surface and painting of guard bars, gates of iron bars, gratings railings, (including standards braces etc) and similar open work	Sqm	38.37	281.35	10795.3995
17	17	P/F approved quality ,mortice lock	No	4	1651.53	6606.12
18	18	Providing and fixing flush type 3 pin 5 Amps S.P Plug-socket switch combined fixed on M.S/C.I Box on surface complete with C.I Box	No	4	168.45	673.8
19	19	Providing and fixing of Exhaust fan 305mm (12") dia Metal body best quality (i-e Royal, GFC, Pak etc)	No	4	3968.8	15875.2
20	20	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	Per Point	20	2311.81	46236.2
21	21	C.P bib tap 13mm	No	2	820.07	1640.14
22	22	Waste pipe for wash hand basin 32mm dia PVC	No	2	173.34	346.68
23	23	Soap dishes chromium plated	No	2	3147.8	6295.6
24	24	P.Trap C.P diameter 40mm	No	2	2099.6	4199.2
25	25	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	1	4898.34	4898.34
26	26	Low level flushing cistern 13.5 liters capacity best quality white glazed earthen ware	No	1	3495.9	3495.9

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
27	28	PVC flushing bend 32mm	No	2	173.34	346.68
28	29	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	4	771.93	3087.72
29	30	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
30	31	C.P Pillar cock 13mm	No	4	849.56	3398.24
31	32	Connection 13mm PVC	No	6	308.99	1853.94
32	33	C.P tee stop cocks 13mm	No	4	1063.15	4252.6
33	34	P/F Steel Sink	No	1	6824.33	6824.33
34	35	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
35		25mm	Mtr	10	751.66	7516.6
36		32mm	Mtr	5	944.06	4720.3
37	36	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
38		75mm	Mtr	8	1082.51	8660.08
39		100mm	Mtr	10	1656.71	16567.1
40	37	Looking glass 550mm x 400mm size at 1st quality (without frame) Pak made	No	1	1224.02	1224.02

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
41	38	White glazed earthen ware wash hand basin domestic of supreme quality 45cm	No	1	2078.34	2078.34
42	39	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	1	2111.87	2111.87
43	40	Providing and fixing wardrobe as per standard design of Wapda residence	Sqm	8.82	6302.9	55591.578
44	41	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	2.97	9146.48	27165.0456
45	42	Providing and fixing laminated board for wardrobe shutter complete in all respect	Sqm	4.65	4270.63	19858.4295
46	43	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	10	183.37	1833.7
47	44	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	2	6654.43	13308.86
48	45	Dimmer for fan	No	5	208	1040
49	46	White marble flooring fine dressed on the surface without winding set in cement mortar 1::2 laid over 20mm thick cement mortar 1:2 including rubbing & polishing 20mm	Sqm	2.6	8100.22	21060.572

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
50	47	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section champagne or any other colour and green or blind glass 5mm thick	Sqm	12.36	11498.01	142115.4036
51	48	Providing and fixing windows grill with angle iron frame with 10mm sq. iron bars at 75mm centre to centre as per approved design of the Engineer Incharge	Sqm	13.2	9762.95	128870.94
52	49	Glazing with plate glass 6mm thick using PVC gasket	Sqm	1.86	2254.51	4193.3886
53	50	Providing and fixing sui gas double burners	No	1	2362.09	2362.09
54	51	P/F Energy Savor	No	12	278	3336
55	52	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 40mm	Sqm	18.59	656.94	12212.5146
56	53	Glass strips for dividing the flooring into panels 40mm	Mtr	1.52	1313.88	1997.0976
57	54	Providing and fixing sliding bolt to doors	No	8	1685.66	13485.28
58	55	Providing and fixing steel doors without grill work on outer face of the door as per approved design of the Engineer Incharge	Sqm	1.49	11345.15	16904.2735
59	56	Chromium plated mixing valves	No	2	2573.59	5147.18
60	57	Rubbing and polishing old mosaic floor	Sqm	27.88	291.72	8133.1536
61	58	Weather shield paint on painted/old surface two coat	Sqm	172.86	246.26	42568.5036

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
62	59	Prouviding & Fixing Water Tank 500 Gallon Complet in all respect.	No	1	25000	25000
63	60	Deodar wood wrought joinery work in wire gauze doors and windows with 22 SWG galvanized 12x12 to 25x25 sqmm meshes including iron fitting complete framing with ordinary hinges 45mm thick	Sqm	3.15332	14319.7	45154.596404
					GRAND TOTAL:	Rs1,489,629.14

Lot Title: 81.SPECIAL REPAIR / MAINTENANCE OF QUARTER NO.E-1 AT 132 KV GRID STATION KAMALABAD RAWALPINDI

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling tile flooring	Sqm	46.84	143.5	6721.54
2	2	Removing cement plaster	Sqm	40.15	45.71	1835.2565
3	3	Removing door, window and frame	No	5	505.52	2527.6
4	4	Dismantling cement concrete plain 1:4:8	Cum	0.96	2054.25	1972.08

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
5	5	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	0.99	7709.75	7632.6525
6	6	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	30.56	371.86	11364.0416
7	7	Brick work in ground floor (including striking of joints) in cement sand mortar Ratio 1:4	Cum	0.68	13741.83	9344.4444
8	8	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	80.53	3556.95	286441.1835
9	9	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	11.85	3713.28	44002.368
10	10	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	56.67	3918.35	222052.8945
11	11	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	2	9572.72	19145.44
12	12	Providing and fixing of bent metal 16 SWG frame 250mm wide for door size 760m x 2.134m (2.5' x 7') complete in all respect.	No	1	6412.82	6412.82

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
13	13	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	10.29	6271.74	64536.2046
14	14	Scraping ordinary distemper, oil bound distemper, or paint on wall.	Sqm	110.95	86.1	9552.795
15	15	Distempering two coat over and including cost of priming coat.	Sqm	228.27	156.28	35674.0356
16	16	Painting new surface preparing surface and painting of guard bars, gates of iron bars, gratings railings, (including standards braces etc) and similar open work	Sqm	38.37	281.35	10795.3995
17	17	P/F approved quality ,mortice lock	No	4	1651.53	6606.12
18	18	Providing and fixing flush type 3 pin 5 Amps S.P Plug-socket switch combined fixed on M.S/C.I Box on surface complete with C.I Box	No	4	168.45	673.8
19	19	Providing and fixing of Exhaust fan 305mm (12") dia Metal body best quality (i-e Royal, GFC, Pak etc)	No	4	3968.8	15875.2
20	20	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	Per Point	20	2311.81	46236.2
21	21	C.P bib tap 13mm	No	2	820.07	1640.14
22	22	Waste pipe for wash hand basin 32mm dia PVC	No	2	173.34	346.68

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
23	23	Soap dishes chromium plated	No	2	3147.8	6295.6
24	24	P.Trap C.P diameter 40mm	No	2	2099.6	4199.2
25	25	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	1	4898.34	4898.34
26	26	Low level flushing cistern 13.5 liters capacity best quality white glazed earthen ware	No	1	3495.9	3495.9
27	28	PVC flushing bend 32mm	No	2	173.34	346.68
28	29	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	4	771.93	3087.72
29	30	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
30	31	C.P Pillar cock 13mm	No	4	849.56	3398.24
31	32	Connection 13mm PVC	No	6	308.99	1853.94
32	33	C.P tee stop cocks 13mm	No	4	1063.15	4252.6
33	34	P/F Steel Sink	No	1	6824.33	6824.33
34	35	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
35		25mm	Mtr	10	751.66	7516.6
36		32mm	Mtr	5	944.06	4720.3

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
37	36	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
38		75mm	Mtr	8	1082.51	8660.08
39		100mm	Mtr	10	1656.71	16567.1
40	37	Looking glass 550mm x 400mm size at 1st quality (without frame) Pak made	No	1	1224.02	1224.02
41	38	White glazed earthen ware wash hand basin domestic of supreme quality 45cm	No	1	2078.34	2078.34
42	39	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	1	2111.87	2111.87
43	40	Providing and fixing wardrobe as per standard design of Wapda residence	Sqm	8.82	6302.9	55591.578
44	41	Providing and fixing laminated board for Cupboard upto 600mm deep complete in all respect.	Sqm	2.97	9146.48	27165.0456
45	42	Providing and fixing laminated board for wardrobe shutter complete in all respect	Sqm	4.65	4270.63	19858.4295
46	43	Wiring mains with 2-1/1.78 (7/.029) PVC insulated wire in 19.1mm PVC conduit recessed in the wall as required.	Mtr	10	183.37	1833.7
47	44	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	2	6654.43	13308.86

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
48	45	Dimmer for fan	No	5	208	1040
49	46	White marble flooring fine dressed on the surface without winding set in cement mortar 1::2 laid over 20mm thick cement mortar 1:2 including rubbing & polishing 20mm	Sqm	2.6	8100.22	21060.572
50	47	Providing and fixing aluminum windows (sliding) with fly shutter 18SWG/1.2mm section champagne or any other colour and green or blind glass 5mm thick	Sqm	12.36	11498.01	142115.4036
51	48	Providing and fixing windows grill with angle iron frame with 10mm sq. iron bars at 75mm centre to centre as per approved design of the Engineer Incharge	Sqm	13.2	9762.95	128870.94
52	49	Glazing with plate glass 6mm thick using PVC gasket	Sqm	1.86	2254.51	4193.3886
53	50	Providing and fixing sui gas double burners	No	1	2362.09	2362.09
54	51	P/F Energy Savor	No	12	278	3336
55	52	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 40mm	Sqm	18.59	656.94	12212.5146
56	53	Glass strips for dividing the flooring into panels 40mm	Mtr	1.52	1313.88	1997.0976
57	54	Providing and fixing sliding bolt to doors	No	8	1685.66	13485.28
58	55	Providing and fixing steel doors without grill work on outer face of the door as per approved design of the Engineer Incharge	Sqm	1.49	11345.15	16904.2735

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
59	56	Chromium plated mixing valves	No	2	2573.59	5147.18
60	57	Rubbing and polishing old mosaic floor	Sqm	27.88	291.72	8133.1536
61	58	Weather shield paint on painted/old surface two coat	Sqm	172.86	246.26	42568.5036
62	59	Prouviding & Fixing Water Tank 500 Gallon Complet in all respect.	No	1	25000	25000
63	60	Deodar wood wrought joinery work in wire gauze doors and windows with 22 SWG galvanized 12x12 to 25x25 sqmm meshes including iron fitting complete framing with ordinary hinges 45mm thick	Sqm	3.15332	14319.7	45154.596404
					GRAND TOTAL:	Rs1,489,629.14

Lot Title: 82.SPECIAL REPAIR OF QUARTER NO.D-8 AT 132 KV GRID STATION H-8 ISLAMABAD

Specifications / Requirements:

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
1	1	Dismantling cement concrete plain 1:2:4	Cum	0.45	4109.55	1849.2975
2	2	Removing cement plaster	Sqm	31.19	45.71	1425.6949
3	3	Removing door, window and frame	No	6	505.52	3033.12

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
4	4	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:4:8	Cum	3.81	7709.75	29374.1475
5	5	Cement plaster (1:4) upto 1st floor height 13mm	Sqm	31.19	371.86	11598.3134
6	6	Flooring comprising of first class Granite glazed tiles with 13mm thick white bond cement	Sqm	80.4	3556.95	285978.78
7	7	Flooring comprising of glazed tiles 6mm thick laid in white cement mortar 1:2 over 20mm thick cement mortar 1:2 complete coloured	Sqm	3.95	3713.28	14667.456
8	8	Glazed tiles dado 6mm thick jointed in white cement and laid over 1:2 cement sand mortar 20mm thick including finishing coloured	Sqm	42.08	3918.35	164884.168
9	9	Providing and fixing flush door leaf as per CDO standard drawing.	Sqm	8.46	6271.74	53058.9204
10	10	Scraping ordinary distemper	Sqm	197.04	86.1	16965.144
11	11	Distemping two coat over and including cost of priming coat	Sqm	281.48	156.28	43989.6944
12	12	Weather shield paint 2 coats on new cement plaster surface	Sqm	184.85	358.68	66301.998

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
13	13	Painting old surface painting doors and windows any type first coat each subsequent coat	Sqm	42.29	386.4	16340.856
14	14	P/F approved quality ,mortice lock	No	3	1651.53	4954.59
15	15	Providing and fixing flush type 3 Pin 15 Amps S.P plug-socket, switch (combined) as replacement on board already exist	No	4	448.14	1792.56
16	16	Providing and fixing of Exhaust fan 250mm (12") dia plastic body best quality (i.e Royal, GFC, Pak etc)	No	2	3974.52	7949.04
17	17	Wiring light or fan point with 1/1.13 (3.029) PVC insulated wire in 19.1mm, 1.50mm thick PVC conduit recessed in the wall or column complete with switch plastic plate ceiling rose/batten holder	Per Point	30	2311.81	69354.3
18	18	Wiring 2 pin plug control point on board with 1.13 (3/.029) PVC insulated wire in 19.1mm 1.50mm thick PVC conduit recessed in the wall etc complete with switch and plug.	No	15	323.44	4851.6
19	19	Dimmer for fan	No	4	208	832
20	20	C.P bib tap 13mm	No	1	820.07	820.07
21	21	Waste pipe for wash hand basin 32mm dia PVC	No	1	173.34	173.34
22	22	Soap dishes chromium plated	No	2	3147.8	6295.6
23	23	White glazed earthen ware water closet squatting type domestic Indian pattern of best quality.	No	1	4898.34	4898.34

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
24	24	Low level flushing cistern 13.5 liters capacity best quality Plastic	No	1	3495.9	3495.9
25	25	PVC flushing pipe 32mm	No	1	141.74	141.74
26	26	PVC flushing bend 32mm	No	1	173.34	173.34
27	27	P.Trap C.P diameter 40mm	No	3	2099.6	6298.8
28	28	Floor trap 100mm x 50mm (including 50mm concrete chamber all round) with C.I grating	No	2	771.93	1543.86
29	29	Chromium plate shower 13mm complete with c.p arm,02 nos c.p stop cock 11 No.c.p bib cock & 1 No c.P shower	No	1	5370.78	5370.78
30	30	Chromium plated mixing valves	No	2	2573.59	5147.18
31	31	Connection 13mm PVC	No	3	308.99	926.97
32	32	C.P tee stop cocks 13mm	No	3	763.19	2289.57
33	33	Chromium plated towel rail / ring Rail 150mm	No	1	1848.2	1848.2
34	34	Glass shelves 600mm x 125mm size with C.P brackets without railing	No	1	444.58	444.58
35	35	Looking glass 550mm x 400mm size at 1st quality (without frame) Belgium / Japan made	No	1	2014	2014
36	36	White glazed earthen ware wash hand basin domestic of supreme quality 65cm	No	1	2618.34	2618.34

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
37	37	White glazed earthen ware pedestal for wash basin domestic of supreme quality	No	1	2111.87	2111.87
38	38	Providing, laying, jointing and testing heavy water or steam quality G.I or W.I pipes and specials inside buildings & trenches with internal diameter				
39		25mm	Mtr	8	751.66	6013.28
40		32mm	Mtr	3	944.06	2832.18
41	39	Providing laying into trenches, jointing and testing PVC class 'B' pipe line with special for internal				
42		75mm	Mtr	10	1082.51	10825.1
43		100mm	Mtr	30	1656.71	49701.3
44	40	Providing and fixing wardrobe as per standard design of Wapda residence	Sqm	7.07	6302.9	44561.503
45	41	Providing and fixing laminated board for wardrobe shutter complete in all respect	Sqm	9.7	4270.63	41425.111
46	42	P/F Steel Sink	No	1	6824.33	6824.33
47	43	Cement concrete plain including plasing, compacting, finishing and curing complete (including screening and washing of stone aggregate) without shuttering Ratio.1:2:4	Cum	3.81	10273.86	39143.4066

Sr. No	Ref. No.	Description	Unit	Qty	Rate	Amount
48	44	Topping of cement concrete (1:2:4) including surface finishing and dividing into panels 50mm	Sqm	92.75	816.38	75719.245
49	45	Supply and erection of ceiling fan best quality including wiring of down rod with 1/1.13mm (3.029) PVC wire fixing of regulator, blade canopy etc 1422mm (56") sweep	No	3	6654.43	19963.29
50	46	P/F Energy Savor	No	12	278	3336
51	47	Providing and fixing of bent metal 16 SWG frame 345mm wide for door size 915m x 2.134m (3' x 7') complete in all respect.	No	2	9572.72	19145.44
52	48	Fabrication, erection, fixing and installation of car shed of 5 ply fiber glass sheet with steel structure made of 18 guage square tube 32x32mm side bracing for sheet with MS flat 25x3mm and 100mm 16 guage vertical post complete in all respect.	Sqm	26.1484	9519.46	248918.647864
					GRAND TOTAL:	Rs1,414,222.99

Scope of Work

EAPIR WORKS



Price Schedule

For Individual Jobs

#	Job Title	Quantity	Unit Price (PKR)	Total Price (PKR)	Delivery Location	Delivery Period / Year	Country of Origin
1							
2							

For Lots

#	Lot Title	Total Lot Price (PKR)	Country of Origin
1	[Lot 1 Title]		





General Conditions of Contract

A. General

1. Definitions

1.1. Unless the context otherwise requires, the following terms whenever used in this Contract shall have the same meaning and shall be interpreted as indicated

1.1.1. “Applicable Law” means the laws and any other instruments having the force of law in the Government’s Country, or in such other country as may be specified in the Special Conditions of the Contract (SC), as they may be issued and in force from time to time;

1.1.2. “The Contract” means an agreement enforceable by law;

1.1.3. “The Contract Price” means the price payable to the Contractor under the Contract for the full and proper performance of its contractual obligations;

1.1.4. “The Services” means the work to be performed by the Contractor pursuant to this Contract and as prescribed in the Specifications and Schedule of Activities included in the Contractor’s Bid;

1.1.5. “Ancillary Services” means those services ancillary to the provision of Services, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Contractor covered under the Contract;

1.1.6. “GCC” means the General Conditions of Contract contained in this section;

1.1.7. “SCC” means the Special Conditions of Contract by which the GCC may be amended or supplemented;

1.1.8. “Day” means calendar day unless indicated otherwise;

1.1.9. “Effective Date” means the date on which this Contract comes into force and effect;

1.1.10. “The Contractor” means the individual or corporate body whose Bids to provide the Services has been accepted by the Procuring Agency;

1.1.11. “The Project Site,” where applicable, means the place or places named in Bid Data Sheet and technical Specifications;

1.1.12. “Government” means the Government of Pakistan;

1.1.13. “Local Currency” means the currency of Pakistan;

1.1.14. “In Writing” means communicated in written form with proof of receipt;

1.1.15. “Completion Date” means the date of completion of the Services by the Contractor as certified by the Procuring Agency;

1.1.16. “Foreign Currency” means any currency other than the currency of the country of the Procuring Agency;

1.1.17. "Party" means the Procuring Agency or the Contractor, as the case may be, and "Parties" means both of them;

1.1.18. "Service" means any object of procurement other than goods or works;

1.1.19. "Subcontractor" means any entity to which the Bidder subcontracts any part of the Services.

2. Applicable Law

2.1. The contract shall be governed and interpreted in accordance with the laws of Pakistan, unless otherwise specified in SCC.

3. Language

3.1. The Contract as well as all correspondence and documents relating to the Contract exchanged between the Contractor and the Procuring Agency, shall be written in the **English language** unless otherwise stated in the SCC. Supporting documents and printed literature that are part of the Contract may be in another language provided these are accompanied by an accurate translation of the relevant passages in English, in which case, for purposes of interpretation of the Contract, this translation shall govern.

4. Notices

4.1. Any notice, request, or consent made pursuant to this Contract shall be in writing and shall be deemed to have been made when delivered in person to an authorized representative of the Party to whom the communication is addressed, or when sent by registered mail, telex, telegram, or facsimile to such Party at the address specified in the SCC.

5. Location

5.1. The Services shall be performed at such locations as the Procuring Agency may approve and as specified in SCC.

5.2. A {DOCUMENTS}

6. Authorized Representatives / Authority of Member in charge

6.1. Any action required or permitted to be taken, and any document required or permitted to be executed, under this Contract by the Procuring Agency or the Contractor may be taken or executed by the officials specified in the SCC.

B. Commencement, Completion, Modification, and Termination of Contract

7. Effectiveness of Contract

7.1. This Contract shall come into effect on the date the Contract is signed by both parties and such other later date as may be stated in the SCC.

8. Commencement of Services

8.1. The Contractor shall confirm availability of Key Experts and begin carrying out the Services not later than the number of days after the Effective Date specified in the SCC.

9. Program schedule

9.1. Before commencement of the Services, the Contractor shall submit to the Procuring Agency for approval a Program showing the general methods, arrangements, order and timing for all activities. The Services shall be carried out in accordance with the approved Program as updated.

10. Starting Date/Expiration Date

10.1. The Contractor shall start carrying out the Services Five (05) days after the date the Contract becomes effective, or at such other date as may be specified in the SCC.

10.2. Unless terminated earlier pursuant to Clause **GCC 14** hereof, this Contract shall expire at the end of such time period after the Effective Date as specified in the SCC.

11. Entire Agreement

11.1. This Contract contains all covenants, stipulations and provisions agreed by the Parties. No agent or representative of either Party has authority to make, and the Parties shall not be bound by or be liable for, any statement, representation, promise or agreement not set forth herein.

12. Modification

12.1. Any modification or variation of the terms and conditions of this Contract, including any modification or variation of the scope of the Services, may only be made by written agreement between the Parties. However, each Party shall give due consideration to any modification(s) or variation(s) made by the other Party.

12.2. In cases of any modification(s) or variation(s), the prior written consent of the Procuring Agency is required.

13. Force Majeure

13.1. Definition

For the purposes of this Contract, "Force Majeure" means an event which is beyond the reasonable control of a Contractor and which makes a Contractor's performance of its obligations under the Contract impossible or so impractical as to be considered impossible under the circumstances.

13.2. No Breach of Contract

The failure of a Party to fulfill any of its obligations under the contract shall not be considered to be a breach of, or default under, this Contract in so far as such inability arises from an event of Force Majeure, provided that the Party affected by such an event (a) has taken all reasonable precautions, due care and reasonable alternative

measures in order to carry out the terms and conditions of this Contract, and (b) has informed the other Party as soon as possible about the occurrence of such an event.

13.3. Extension of Time

Any period within which a Contractor shall, pursuant to this Contract, complete any action or task, shall be extended for a period equal to the time during which such Party was unable to perform such action as a result of Force Majeure.

13.4. Payments

During the period of their inability to perform the Services as a result of an event of Force Majeure, the Contractor shall be entitled to continue to be paid under the terms of this Contract, as well as to be reimbursed for additional costs reasonably and necessarily incurred by them during such period for the purposes of the Services and in reactivating the Service after the end of such period.

14. Termination

14.1. By the Procuring Agency

The Procuring Agency may terminate this Contract in case of the occurrence of any of the events specified in paragraphs (a) through (e) of this Clause. In such an occurrence the Procuring Agency shall give at least thirty (30) calendar days' written notice of termination to the Contractor in case of the events referred to in (a) through (d); at least sixty (60) calendar days' written notice in case of the event referred to in (e);

14.1.1. If the Contractor fails to remedy a failure in the performance of its obligations hereunder, as specified in a notice of suspension;

14.1.2. If the Contractor becomes (or, if the Contractor consists of more than one entity, if any of its members becomes) insolvent or bankrupt or enter into any agreements with their creditors for relief of debt or take advantage of any law for the benefit of debtors or go into liquidation or receivership whether compulsory or voluntary;

14.1.3. If the Contractor fails to comply with any final decision reached as a result of arbitration proceedings;

14.1.4. If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less than sixty (60) calendar days;

14.1.5. If the Procuring Agency, in its sole discretion and for any reason whatsoever, decides to terminate this Contract;

14.2. By the Contractor

The Contractor may terminate this Contract, by not less than thirty (30) calendar days' written notice to the Procuring Agency, in case of the occurrence of any of the events specified in paragraphs (a) through (d) of this Clause.

14.2.1. If the Procuring Agency fails to pay any money due to the Contractor pursuant to this Contract and not subject to dispute within forty-five (45) calendar days after receiving written notice from the Contractor that such payment is overdue;

14.2.2. If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less than sixty (60) calendar days;

14.2.3. If the Procuring Agency fails to comply with any final decision reached as a result of arbitration;

14.2.4. If the Procuring Agency is in material breach of its obligations pursuant to this Contract and has not remedied the same within forty-five (45) days (or such longer period as the Bidder may have subsequently approved in writing) following the receipt by the Procuring Agency of the Contractor's notice specifying such breach.

C. Obligations of the Contractor

15. General

15.1. Standard of Performance

15.1.1. The Contractor shall perform the Services and carry out the Services with all due diligence, efficiency and economy, in accordance with generally accepted professional standards and practices, and shall observe sound management practices, and employ appropriate technology and safe and effective equipment, machinery, materials and methods. The Contractor shall always act, in respect of any matter relating to this Contract or to the Services, as a faithful adviser to the Procuring Agency, and shall at all times support and safeguard the Procuring Agency's legitimate interests in any dealings with the third parties;

15.1.2. The Contractor shall employ and provide such qualified and experienced Experts and Sub-Contractors as are required to carry out the Services.

15.2. Law Applicable to Services

The Contractor shall perform the Services in accordance with the Contract and in accordance with the Law of Pakistan and shall take all practicable steps to ensure that any of its Experts and Sub-Bidders, comply with the Applicable Law.

16. Conflict of Interests

16.1. Contractor Not to Benefit from Commissions and Discounts

The remuneration of the Contractor shall constitute the Contractor's sole remuneration in connection with this Contract or the Services, and the Contractor shall not accept for their own benefit any trade commission, discount, or similar payment in connection with activities pursuant to this Contract or to the Services or in the discharge of their obligations under the Contract, and the Contractor shall use their best efforts to ensure that the Personnel, any Subcontractors, and agents of either of them similarly shall not receive any such additional remuneration.

16.2. Contractor and Affiliates Not to be Otherwise Interested in Project

The Contractor agree that, during the term of this Contract and after its termination, the Contractor and its affiliates, as well as any Subcontractor and any of its affiliates, shall be disqualified from providing Services (other than the Services and any continuation thereof) for any project resulting from or closely related to the Services.

16.3. Prohibition of Conflicting Activities

Neither the Bidder nor its Subcontractors nor the Personnel shall engage, either directly or indirectly, in any of the following activities:

- 16.3.1. during the term of this Contract, any business or professional activities in the Government's country which would conflict with the activities assigned to them under this Contract;
- 16.3.2. during the term of this Contract, neither the Contractor nor their Subcontractors shall hire public employees in active duty or on any type of leave, to perform any activity under this Contract;
- 16.3.3. after the termination of this Contract, such other activities as may be specified in the SCC.

17. Insurance to be Taken Out by the Contractor

17.1. The Contractor(a) shall take out and maintain, and shall cause any Subcontractors to take out and maintain, at its (or the Sub-contractors', as the case may be) own cost but on terms and conditions approved by the Procuring Agency, insurance against the risks, and for the coverage, as shall be specified in the SCC; and (b) at the Procuring Agency's request, shall provide evidence to the Procuring Agency showing that such insurance has been taken out and maintained and that the current premiums have been paid.

18. Contractor's Actions Requiring Procuring Agency's Prior Approval

18.1. The Contractor shall obtain the Procuring Agency's prior approval in writing before taking any of the following actions:

- 18.1.1. appointing such members of the Personnel not provided by the Contractor;
- 18.1.2. changing the Program of activities; and
- 18.1.3. any other action that may be specified in the SCC.

19. Reporting Obligations

19.1. The Contractor shall submit to the Procuring Agency the reports and documents in the numbers, and within the periods as prescribed by the Procuring Agency.

20. Liquidated Damages

20.1. Payments of Liquidated Damages

The Contractor shall pay liquidated damages to the Procuring Agency at the rate per day stated in the SCC for each day that the Completion Date is later than the Intended Completion Date. The total amount of liquidated damages shall not exceed the amount defined in the SCC. The Procuring Agency may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.

20.2. Correction for Over-payment

If the Intended Completion Date is extended after liquidated damages have been paid, the Procuring Agency shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The

Contractor shall be paid interest on the overpayment, calculated from the date of payment to the date of repayment, at the rates specified in SCC.

20.3. Lack of performance penalty

If the Contractor has not corrected a Defect within the time specified in the Procuring Agency's notice, a penalty for Lack of performance will be paid by the Contractor. The amount to be paid will be calculated as a percentage of the cost of having the Defect corrected, assessed as specified in the Contractor

21. Performance Guarantee

21.1. Within the time stipulated in the acceptance letter from the Procuring Agency, the successful Bidder shall furnish the Performance Guarantee in shape and amount **specified in SCC.**

21.2. The proceeds of the Performance Guarantee shall be payable to the Procuring agency as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.

21.3. The Performance Guarantee shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring agency and shall be in the acceptable form as specified in SCC.

21.4. The Performance Guarantee will be discharged by the Procuring agency and returned to the Supplier not later than thirty (30) days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless otherwise **specified in SCC.**

22. Sustainable Procurement

22.1. The Contractor shall conform to the sustainable procurement contractual provisions, if and as specified in the SCC.

D. Contractor's Personnel

23. Description of Personnel

23.1. The titles, agreed job descriptions, minimum qualifications, and estimated periods of engagement in the carrying out of the Services of the Contractor's Key Personnel. The Key Personnel listed by title as well as by name are hereby approved by the Procuring Agency.

24. Removal and / or Replacement of Personnel

24.1. Except as the Procuring Agency may otherwise agree, no changes shall be made in the Key Personnel. If, for any reason beyond the reasonable control of the Contractor, it becomes necessary to replace any of the Key Personnel, the Contractor shall provide as a replacement a person of equivalent or better qualifications.

24.2. If the Procuring Agency finds that any of the Personnel have (i) committed serious misconduct or have been charged with having committed a criminal action, or (ii) have reasonable cause to be dissatisfied with the performance of any of the Personnel, then the Contractor shall, at the Procuring Agency's written request specifying the grounds thereof, provide as a replacement a person with qualifications and experience acceptable to the Procuring Agency.

24.3. The Contractor shall have no claim for additional costs arising out of or incidental to any removal and/or replacement of Personnel.

E. Obligations of the Procuring Agency

25. Change in the Applicable Law

25.1. If, after the date of this Contract, there is any change in the Applicable Law with respect to taxes and duties which increases or decreases the cost of the Services rendered by the Contractor, then the remuneration and reimbursable expenses otherwise payable to the Contractor under this Contract shall be increased or decreased accordingly by agreement between the Parties, and corresponding adjustments shall be made to the amounts referred in the SCC.

26. Services and Facilities

26.1. The Procuring Agency shall make available to the Contractor and the Experts, for the purposes of the Services and free of any charge, the services, facilities and property described in the Terms of Reference, at the times and in the manner specified in the Terms of Reference.

26.2. In case that such services, facilities and property shall not be made available to the Contractor, the Parties shall agree on (i) any time extension that it may be appropriate to grant to the Contractor for the performance of the Services, (ii) the manner in which the Contractor shall procure any such services, facilities and property from other sources, and (iii) the additional payments, if any, to be made to the Contractor as a result thereof.

F. Payments to the Contractor

27. Contract Price

27.1. The price payable shall be in Pakistani Rupees unless otherwise specified in the SCC.

28. Terms and Conditions of Payment

28.1. Payments will be made to the Contractor according to the payment schedule stated in the SCC and as per actual invoice submitted by the Contractor.

28.2. Unless otherwise stated in the SCC, the advance payment shall be made against the provision by the Contractor of a bank guarantee for the same amount, and shall be valid for the period stated in the SCC. Any other payment shall be made after the conditions listed in the SCC for such payment have been met, and the Contractor have submitted an invoice to the Procuring Agency specifying the amount due.

29. Quality Control Identifying Defects

29.1. The principle and modalities of Inspection of the Services by the Procuring Agency shall be as indicated in the SCC. The Procuring Agency shall check the Contractor's performance and notify him of any Defects that are

found. Such checking shall not affect the Contractor's responsibilities. The Procuring Agency may instruct the Contractor to search for a Defect and to uncover and test any service that the Procuring Agency considers may have a Defect. Defect Liability Period is as defined in the SCC.

29.2. A {INSPECTION}

30. Correction of Defects, and Lack of Performance Penalty

30.1. The Procuring Agency shall give notice to the contractor of any Defects before the end of the Contract. The Defects liability period shall be extended for as long as Defects remain to be corrected.

30.2. Every time notice a Defect is given; the contractor shall correct the notified Defect within the length of time specified by the Procuring Agency's notice.

30.3. If the contractor has not corrected a Defect within the time specified in the Procuring Agency's notice, the Procuring Agency will assess the cost of having the Defect corrected, the contractor will pay this amount, and a Penalty for Lack of Performance.

31. Settlement of Disputes Amicable Settlement

31.1. The Parties shall use their best efforts to settle amicably all disputes arising out of or in connection with this Contract or its interpretation.

32. Dispute Settlement

32.1. Arbitration

If any dispute of any kind whatsoever shall arise between the procuring agency and the contractor in connection with or arising out of the Contract, including without prejudice to the generality of the foregoing, any question regarding its existence, validity or termination, or the execution of the contract, the parties shall seek to resolve any such dispute or difference by mutual consultation. If the parties fail to resolve such a dispute or difference even after negotiations or mediation, then the dispute shall be referred within fourteen (14) days in writing by either party to the Arbitrator, with a copy to the other party.

Any dispute in respect of which a notice of intention to commence arbitration has been given, in accordance with **GCC sub-clause 32.1**, shall be finally settled by arbitration. Arbitration may be commenced prior to or after completion of the Contract. Arbitration proceedings shall be conducted in accordance with Arbitration Act 1940. Notwithstanding any reference to arbitration herein, the parties shall continue to perform their respective obligations under the Contract unless otherwise agreed. The Procuring Agency shall continue to pay the Contractor any undisputed amounts due under the Contract during the resolution of any dispute.



Special Conditions of Contract

SECTION VIII. SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses.

Number of GC Clause

Amendments of, and Supplements to, Clauses in the General Conditions of Contract

Number of GC Clause 1

Definitions

The Procuring Agency is: IESCo Civil Division (Islamabad Electric Supply Company (IESCO)), Executive Engineer Street 63 G-8/1, Islamabad Capital Territory

The Supplier is:

The title of the subject procurement is: NCB-7 LOT WISE TENDER NOTICE FROM LOT NO. 54 TO LOT NO 82

Number of GC Clause 2

Applicable/Governing Law:

The Contract shall be interpreted in accordance with the laws of Islamic Republic of Pakistan

Number of GC Clause 3

Language:

The language of the Contract, all correspondence and communications to be given, and all other documentation to be prepared and supplied under the Contract shall be in **English**.

Number of GC Clause 4

Notices:

The addresses for the notices are:

Procuring Agency:

IESCo Civil Division (Islamabad Electric Supply Company (IESCO)), Executive Engineer
Street 63 G-8/1, Islamabad Capital Territory
+92-319-599-1415
xen.civil@yahoo.com

Contractor/ Bidder:

[Name, address and telephone number]

The Contractor/ Bidder's Representative(s)

[Name, address, telephone number and e-mail address]

Number of GC Clause 6.1

The Authorized Representatives are:

For the Procuring Agency:

IESCo Civil Division (Islamabad Electric Supply Company (IESCO)), Executive Engineer
Street 63 G-8/1, Islamabad Capital Territory
+92-319-599-1415
xen.civil@yahoo.com

For the Bidder:

Name:

Designation:

Address:

Number of GC Clause 7

Effectiveness of the contract

The Contractor/Bidder shall be effective within days from the date of signature of the Contract by both parties

Number of GC Clause 8

Commencement of Contract:

The Contractor/Bidder shall provide Non-Consultancy Services from the effective date of contract.

Number of GC Clause 10.2

Expiration of Contract:

The time period shall be

Number of GC Clause 14

Termination

In the event of termination of the contract due to any reason as already defined in the General Conditions of Contract, the Bidder shall be responsible for providing to the Authority the Goods till the time of alternate arrangements.

Number of GC Clause 16

Conflict of Interest:

The Procuring Agency reserves the right to determine on a case-by-case basis whether the Bidder should be disqualified from providing goods or services due to a conflict of a nature described in Clause GCC 17.

Number of GC Clause 20

Liquidated Damages

If the Bidder fails to provide services as required under the contract or in case of any data loss/data breach or any incident compromising the data security or other such failures related to any services, the Bidder shall pay to the Procuring Agency as Liquidated Damages at a rate of **0.10% to 10.00%** of the Contract value, in accordance with the extent of performance failure & the cost of investigating such incidents as judged by the Authority.

Number of GC Clause 21

Performance Guarantee:

The amount of performance guarantee shall be **10.00%** of the contract price in acceptable form of **Pay Order, Call at Deposit, Bank Guarantee**

Number of GC Clause 27

Currency of Payment:

All the payment to be released to the contractor/Bidder shall be in Pakistani Rupees.

Number of GC Clause 28

Payment terms:

Payment will be made to the Bidder against the procured Goods and services according to the actual invoice or running bills submitted by the Bidder against the services provided within the time given in the conditions of the contract.

Number of GC Clause 29

Identifying Defects:

The Authority reserves the right at any time to inspect the premises of the provider to inspect the goods and monitor the goods being provided.

Inspections & Tests Requirements

For being Brand New, bearing relevant reference numbers of the equipment (Certificate from supplier)

For Physical Fitness having No Damages (Certificate from supplier)

For the Country of Origin as quoted by the Supplier (Certificate from manufacturer)

For conformance to specifications and performance parameters, through Prior to delivery inspection (Inspection Report by Procurement Committee / Inspection Team)

For successful operation at site after complete installation, testing and commissioning of the equipment (Installation, Testing and Commissioning Report by Procurement Committee / Inspection Team)

Delivery & Documents

Copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;

Original and two copies of the usual transport document (for example, a negotiable bill of lading, a non-negotiable sea waybill, an inland waterway document, an air waybill, a railway consignment note, a road consignment note, or a multimodal transport document) which the buyer may require to take the goods;

Copies of the packing list identifying contents of each package;

Insurance Certificate;

Manufacturer's or Supplier's Valid Warranty Certificate;

Inspection Certificate issued by the Nominated Inspection Agency (if any), and the Supplier's Factory Inspection Report;

Certificate of Origin.

The above documents would be required even if the equipment has already been imported and is available with the supplier ex-stock

Number of GC Clause 31

Following is the guidance for Dispute Resolution

- i. If any dispute of any kind whatsoever shall arise between the Authority and the Bidder in connection with or arising out of the Contract... (full clause unchanged)
- ii. At future of negotiation the dispute shall be resolved through mediation...
- iii. At failure of mediation, arbitration under Arbitration Act 1940...
- iv. Cost sharing equally...
- v. Proceedings may commence before/after completion...

Notwithstanding any reference to the arbitration herein, the parties shall continue to perform their respective obligations under the Contract.

Rules of procedure for arbitration proceedings:

Any dispute between the Authority and a Bidder shall be referred to arbitration under the laws of Pakistan including Arbitration Act 1940.

Place of Arbitration and Award:

The arbitration shall be conducted in English language and place shall be Islamabad. The award shall be final and binding.



Bid Securing Declaration

Form 9: Bid Securing Declaration

Date: *[insert date (as day, month and year)]*

Bid No.: **P115522**

To: **IESCo Civil Division (Islamabad Electric Supply Company (IESCO)), Executive Engineer Street 63 G-8/1, Islamabad Capital Territory**

We, the undersigned, declare that:

We understand that, according to your conditions, Bids must be supported by a Bid Securing Declaration.

We accept that we will be blacklisted and henceforth cross debarred for participating in respective category of public procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration, however without indulging in corrupt and fraudulent practices, if we are in breach of our obligation(s) under the Bid conditions, because we:

1. have withdrawn or modified our Bid during the period of Bid Validity specified in the Form of Bid;
2. Disagreement to arithmetical correction made to the Bid price; or
3. having been notified of the acceptance of our Bid by the Procuring Agency during the period of Bid Validity, (i) failure to sign the contract if required by Procuring Agency to do so or (ii) fail or refuse to furnish the Performance Security or to comply with any other condition precedent to signing the contract specified in the Bidding Documents.

We understand this Bid Securing Declaration shall expire if we are not the successful

Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) twenty-eight (28) days after the expiration of our Bid.



Contract Form

SECTION IX: CONTRACT FORMS

THIS AGREEMENT made the ____ day of _____ 20____ between **IESCo Civil Division (Islamabad Electric Supply Company (IESCO))**, Executive Engineer Street 63 G-8/1, Islamabad Capital Territory

(hereinafter called “the Procuring Agency”) of the one part and [name of Bidder] of [city and country of Bidder] (hereinafter called “the Bidder”) of the other part:

WHEREAS the Procuring Agency invited Bids for provision of goods, viz., **NCB-7 LOT WISE TENDER NOTICE FROM LOT NO. 54 TO LOT NO 82 (P115522)** and has accepted a Bids by the Bidder for the provision of Goods in the sum of [contract price in words and figures] (hereinafter called “the Contract Price”).

NOW THIS CONTRACT WITNESSETH AS FOLLOWS:

1. In this Contract words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

2. The following documents shall be deemed to form and be read and construed as part of this Contract, In the event of any ambiguity or conflict between the Contract Documents listed below, the order of precedence shall be the order in which the Contract Documents are listed below:-

1. This form of Contract;
2. the Form of Bids and the Price Schedule submitted by the Bidder;
3. the Schedule of Requirements;
4. the Technical Specifications;
5. the Special Conditions of Contract;
6. the General Conditions of the Contract;
7. the Procuring Agency’s Letter of Acceptance; and
8. [add here: any other documents]

3. In consideration of the payments to be made by the Procuring Agency to the Bidder as hereinafter mentioned, the Bidder hereby covenants with the Procuring Agency to provide the Goods related services and to remedy defects therein in conformity in all respects with the provisions of the Contract.

4. The Procuring Agency hereby covenants to pay the Bidder in consideration of the provision of Goods and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Contract to be executed in accordance with their respective laws the day and year first above written.


Signed, sealed, delivered by _____ the _____ (for the Procuring Agency)

Witness to the signatures of the Procuring Agency:

.....

Signed, sealed, delivered by _____ the _____ (for the Procuring Agency)

Witness to the signatures of the Bidder:





Integrity Pact

Integrity Pact

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC. PAYABLE BY THE SUPPLIERS OF GOODS, SERVICES & WORKS IN CONTRACTS WORTH RS.10.00 MILLION OR MORE

Contract

Number: Contract

Value: Contract Title:

Dated:

[Name of Supplier] hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Pakistan or any administrative subdivision or agency thereof or any other entity owned or controlled by it (GoP) through any corrupt business practice.

Without limiting the generality of the foregoing [Name of Supplier] represents and warrants that it has fully declared the brokerage, commission, fee etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultations fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoP, except that which has been expressly declared pursuant hereto.

[Name of Supplier] certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with GoP and has not taken any action or will not take any action to circumvent the above declaration, representative or warranty.

[Name of Supplier] accepts full responsibility and strict liability for making and false declaration, not making full disclosure, misrepresenting fact or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other right and remedies available to GoP under any law, contract or other instrument, be voidable at the option of GoP.

Notwithstanding any rights and remedies exercised by GoP in this regard, [Name of Supplier] agrees to indemnify GoP for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to GoP in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by [Name of Supplier] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoP.



Performance Guarantee Form

Performance Guarantee Form

To: **IESCo Civil Division (Islamabad Electric Supply Company (IESCO)), Executive Engineer Street 63 G-8/1, Islamabad Capital Territory**

WHEREAS *[name of Bidder]* (hereinafter called “the Bidder”) has undertaken, in pursuance of Contract No. *[reference number of the contract]* dated *[insert date]* for provision of Goods(hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the Bidder shall furnish you with a Bank Guarantee by a reputable bank for the sum specified therein as security for compliance with the Bidder’s performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the Bidders guarantee:

THEREFORE, WE hereby affirm that we are Guarantors and responsible to you, on behalf of the Bidder, up to a total of *[amount of the guarantee in words and figures]*, and we undertake to pay you, upon your first written demand declaring the Bidder to be in default under the Contract and without cavil or argument, any sum or sums within the limits of *[amount of guarantee]* as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until the: *[insert date]*

Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]





Annexure

No Annexure Defined.





Procurement Forms



