

LOCAL PURCHASE DIVISION – PAKISTAN NAVY

TERMS & CONDITIONS FOR INVITATION TO TENDERS TO BE OPENED ON 13-10-2026

1. ALL FIRMS (REGISTERED / UN REGISTERED) REQUIRED TO PAY TENDER FEES @ RS 500/- PER QUOTATION IN SHAPE OF BANK DRAFT / PAY ORDER/ CROSS CHEQUE / ONLINE TRANSFER (NON REFUNDABLE) IN FAVOUR OF "PN NONPUBLIC FUND LP DIVISION IT FUND ACCOUNT" (ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586)
2. IN CASE OF ONLINE PAYMENT, PROOF OF ONLINE DEPOSIT IN ACCOUNT NO. PK04 MEZN 0001 7001 0321 0586 IS TO BE ATTACHED WITH RELEVANT QUOTATION.
3. FURTHERMORE, ALL NON REGISTERED FIRMS ARE TO PAY BG @ 5% OF THE PURCHASE ORDER VALUE, IN SHAPE OF PAY ORDER / BANK DRAFT VALID FOR SIX (6) MONTHS. THEREAFTER PURCHASE ORDER WILL BE ISSUED.
4. TO AVOID PAYMENT OF BG, ALL NON REGISTERED FIRMS ARE ENCOURAGED TO GET THEMSELF REGISTER WITH HQ COMLOG. FOR DETAILS PLEASE CONTACT SO CONTRACT ON 021-48506138.

5. STANDARD DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND IMPORTED ITEMS IS 45 DAYS.

6. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

7. FOR ANY QUERY FIRM MAY CONTACT LOCAL PURCHASE DIVISION, THROUGH TELEPHONE, VIA EMAIL OR WHATSAPP

EMAIL: clp@paknavy.gov.pk, localpurchasedivision@gmail.com

PHONE: 021-48508524, 48508828,

WHATSAPP NO. 92-322-0188121 (Message Only)

TENDER BULLETIN

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	SRP93204	ETHYLENE GLYCOL (OSAKA COOLENT PK	6850ZO6547476 / ETHYLENE GLYCOL COOLENT (ANTI FREEZE)		100 / LITER	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION -</u> NASA ANTI FREEZ COOLANT (MAKE:KOREA),2.5LTR PACKINGMEET GM 1899M & 1825M ASTM D-3306 & D-4340 CUMMINS& CATERPILLER D/E CONTAINS ETHYLENE GLYCOL, RUST INHIBITOR IN PURIFIED WATER+BITTERIING AGENT3. 5PPM <u>GENERAL SPECIFICATION -</u> NASA ANTI FREEZ COOLANT (MAKE:KOREA),2.5LTR PACKINGMEET GM 1899M & 1825M ASTM D-3306 & D-4340 CUMMINS& CATERPILLER D/E CONTAINS ETHYLENE GLYCOL, RUST INHIBITOR IN PURIFIED WATER+BITTERIING AGENT3. 5PPM	
2	DPK110962		9150705129215 / LUB-OIL-SAE 20W-50 API SL (Packing 04 liters & 20 LTRS))	MT-VEHICALES FOR PETROL ENGINE	500 / LITER			PK	CALTEX PAKISTAN		<u>TECHNICAL SPECIFICATION -</u> DEFSTAN 01-005 ISSUE 20. VISCOSITY TOLERANCE LIMIT ATTACHED IN WIMS PROFILE. <u>GENERAL SPECIFICATION -</u> DEFSTAN 01-005 ISSUE 20. VISCOSITY TOLERANCE LIMIT ATTACHED IN WIMS PROFILE.	
3	DPC110627	F20-8	1365795148070 / MEMBRANE PROTECT CHAMICAL	RO PLANT YSD	280 / LITER	NO DATA AVAILAB LE		UK	SOURCE OF AVAILIBILI TY:M/S KHAS	tds/brochur e is required	<u>TECHNICAL SPECIFICATION -</u> NO DATA AVAILAB LE <u>GENERAL SPECIFICATION -</u> NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									TRADING CO. PHONE: 6947735 CELL: 0300-8999847.			
4	DPC110823	D 4985	6850006641409 / ANTIFREEZE	D/G	30 / LITER	NO DATA AVAILABLE		US	JOHN DEERE , DEERE & COMPANY MOLINE IC61265-8098 PH 309-765-8000	tds/brochure is required	TECHNICAL SPECIFICATION - COOLANT ADDITIVES GENERAL SPECIFICATION - COOLANT ADDITIVES	
5	DPC110754	SALT-X	6850013851430 / Corrosion removing compound		6 / BOX	-		3609 SCOTT FUTRELL DR., CHARLOTTE, NC	INNOVATIVE CHEMICALS INC DBA INNO-CHEM	tds/brochure is required	TECHNICAL SPECIFICATION - AS PER TP GENERAL SPECIFICATION - AS PER TP	
6	DPC110749	DEFSTAN 68-30/1 OF 1974	0474502204834 / CHLORINATED LIME, TECHNICAL 30% MIN available CHLORINE (25 KG Packing)		2000 / KILOGRAMME					tds/brochure is required	TECHNICAL SPECIFICATION - DEFSTAN 68-30/1 OF 1974 OEM COC DATE OF MANUFACTURING & EXPIRY OEM TEST CERTIFICATE/ FATS/ CERTIFICATION/ APPROVAL AS APPLICABLE GENERAL SPECIFICATION - DEFSTAN 68-30/1 OF 1974 OEM COC DATE OF MANUFACTURING & EXPIRY OEM TEST CERTIFICATE/ FATS/ CERTIFICATION/ APPROVAL AS APPLICABLE	
7	DPK110874	bitzer b5.2	9150123927064 / LUBRICATING OIL, REFRIGERANT COMPRESSOR		30 / LITER	915101-14				tds/brochure is required	TECHNICAL SPECIFICATION - FLASH POINT 190C KINEMATIC VISCOSITY 20C 122 40C 39 50C 22.7 10 LITERS PACKING. GENERAL SPECIFICATION - FLASH POINT 190C KINEMATIC VISCOSITY 20C 122 40C 39 50C 22.7 10 LITERS PACKING.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
8	DNM111166	SCH-603H	5999715118206 / SINGLE ACTING HOLLOW CYLINDER WITH ACCESSORIES 60 TONS	HOLLOW CYLINDER	1 / EACH/NUMBER					TDS BROCHURE IS REQUIRED FOR END USER ACCEPTANCE.	<u>TECHNICAL SPECIFICATION -</u> single acting /spring return 60 ton (600kn) pressure 700b (10,000 psi) stroke length 75-150 mm hollow plunger oil c 0.7-1.5 ltr accessories: quick coupler dust cap base plate /saddle hose connection fitting carry case <u>GENERAL SPECIFICATION -</u> single acting /spring return 60 ton (600kn) pressure 700b (10,000 psi) stroke length 75-150 mm hollow plunger oil c 0.7-1.5 ltr accessories: quick coupler dust cap base plate /saddle hose connection fitting carry case	
9	DPC110757	NO DATA AVAILABLE	6850785031104 / CONTACT CLEANER SPRAYER ELECTRONIC PERO 857/PHILIPS 200MLCLEANER(UNIVERSAL DEGREASER) (OEM = PERFECTS	REQUIREMENT FOR PNS NASR	59 / EACH/NUMBER					tds/brochure is required	<u>TECHNICAL SPECIFICATION -</u> MAKE: AEROSOL MODEL: 390 363/0 0 NON OILY GRADE : DEGREASER CLEANER OEM : PHILIPS SOURCE OF AVAILABILITY: VOLCK AEROSOL COMPANY, INDUSTRIELAAN 15 B-8520 KUURNE BELGIUM TEL: 0032/56351723 FAX: 0032/56353069 VIDE PNS RAH NAWARD LETTER 300/NWD/1111 DATED 9 DEC 13. <u>GENERAL SPECIFICATION -</u> MAKE: AEROSOL MODEL: 390 363/0 0 NON OILY GRADE : DEGREASER CLEANER OEM : PHILIPS SOURCE OF AVAILABILITY: VOLCK AEROSOL COMPANY, INDUSTRIELAAN 15 B-8520 KUURNE BELGIUM TEL: 0032/56351723 FAX: 0032/56353069 VIDE PNS RAH NAWARD LETTER 300/NWD/1111 DATED 9 DEC 13.	
10	DPC110782	0473-473157	6850992248070 / CAPSULE WATER DETECTION	MAINTENANCE, INSTRUMENT MEASURE, RECORD	12 / TUBE					tds/brochure is required	<u>TECHNICAL SPECIFICATION -</u> NO DATA AVAILABLE <u>GENERAL SPECIFICATION -</u> NO DATA AVAILABLE	
11	DPC110742	NO DATA AVAILABLE	6840705055634 / Insecticide Heotachlore-	FOR INSECT KILLING	20 / LITER					tds/brochure is required	<u>TECHNICAL SPECIFICATION -</u> ACTIVE INGREDIENCE (A.1) FIPRONIL 25 % EC W/V GROUP:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			32-1-EC/AgEnda 25 Percent EC								PHENYL PYRAZOLE PACKING: 01 Ltr bottle PLASTIC WITH REGISTERED LABEL GENERAL SPECIFICATION - ACTIVE INGREDIENCE (A.1) FIPRONIL 25 % EC W/V GROUP: PHENYL PYRAZOLE PACKING: 01 Ltr bottle PLASTIC WITH REGISTERED LABEL	
12	DPC110 662	24137	6810002270410 / ISOPROPYL ALCOHOL (SIGMA ALDRICH 24137) (2.5 Liter Packing)		15 / GALLON					tds/brochure is required	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
13	DPC110 658	BTC	6505998993111 / ACID CITRATE DEXTRO	SEWAGE PLANT	70 / LITER	GAMAZY ME BTC		UNITOR Chemicals AS 589945-r(12x1L) P.O.Box 15 N-3141 kjøpmannskjær NORWAY Tel: +47 33351500 Fax: +47 33351505 Email: unitor.chemicals@unitor.com	UNITOR CHEMICALS AS	tds/brochure is required	TECHNICAL SPECIFICATION - Form: Liquid Appearance: Green Density: 1.0 pH, in Conc.: 9 GENERAL SPECIFICATION - Form: Liquid Appearance: Green Density: 1.0 pH, in Conc.: 9	
14	DNH111 262		4120705051919 / AIR CONDITIONER 1.5 TON SPLIT TYPE COMPLETE	SELF	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - GREE, GENERAL, LG, MITSUBISHI, DAIKIN (INVERTER BASED SPLIT TYPE ACs MAY BE PREFERRED FOR NORTH REGION ONLY) GENERAL SPECIFICATION - GREE, GENERAL, LG, MITSUBISHI, DAIKIN (INVERTER BASED SPLIT TYPE ACs MAY BE PREFERRED FOR NORTH REGION ONLY)	