



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

1	OF	2
RFQ No	RF20109SI	
DATE	13.10.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018651

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

29.10.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: DISPENSING UNIT PAINT WORKS AT RETAIL OUTLETS-CENTRAL REGION

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
1	<u>DU PAINT CENTRAL REGION</u>	<u>PSO House</u>				
1.01	<u>Dispensing Unit Paint</u> Dispensing Unit Paint Works at PSO Retail Outlets "Cleaning surface and applying two coats of spray paint, approx. 50 micron of black or white paint (depending on original paint) and Green Paint of PSO Design on Dispensing Unit (Deco or equivalent). Job also includes: Covering of graphics and display panels portion of DU." Removing old/existing graphics, cleaning surface and pasting new PSO Preparation of DUs for paint by removing any dents, repairing of rivets applying steel putting where required to fill up the gaps/cavities to ensure smooth surface. Providing and applying fresh spray auto paint with PSO scheme by means of 5HP Compressor maintaining 10 bar pressure		EA	160		
1.02	<u>Dispensing Unit Graphics</u> Graphics on Dispensing Units at PSO Retail Outlets Job also includes: Removing old/existing graphics, cleaning surface and pasting new PSO standard graphics (3M or Equivalent) on both sides of Dispensing Unit small panel- 7 inch diameter, large panel- 9 inch diameter and Pasting Zero Meter stickers, however scheme to be communicated by PSO concerned Engineer on handing over.		EA	160		



Pakistan State Oil Company Limited

PSO House, Khayaban-e-Iqbal, Clifton, Karachi-75600, Pakistan
Telephone (021) 9203866-85 Fax (021) 9203796

PAGE

2	OF	2
RFQ No	RF20109SI	
DATE	13.10.2026	

REQUEST FOR QUOTATION

(THIS IS PRICE ENQUIRY-NOT AN ORDER)

SAP No.6100018651

Company PSO Dummy Vendor
PAKISTAN

QUOTATION REQUIRED

ON
(Date)

29.10.2026

BY
(Time)

Please quote your best price for all items of following specifications. Please read the instructions attached herewith Rs. _____ EARNEST MONEY %
PO/DD NO. _____

Title: DISPENSING UNIT PAINT WORKS AT RETAIL OUTLETS-CENTRAL REGION

S.No.	Description/Specifications	Location	Unit	Qty	Unit Price Rs.	Amount Rs.
	TERMS AND CONDITIONS: 1. All material tools and labors charges are the part of the scope. 2. All transportation charges at the part of the scope. 3. Job completion time is 90 Days after the PO issuance to contractor via email/SAP Ariba. 0.1% to 10% of the bill to charge as per day penalty in case of delay by the contractor. 4. Thickness of applied paint must not be less than 100 microns. Arrangement of Calibrated (Validity Expiration not less than 4months). Alcometer for paint thickness inspection is the sole responsibility of the contractor. 5. The PSO approved latest artwork to be pasted. contractor to obtain latest art work from concerned DE. 6. The Contractor is required to get the paint approved from the concerned Engineer before the start of the work. Only brands of company approved specs are applicable. 7. The contractor will share step by step pictures of the works with Concerned Engineer after: 1. Surface preparation, 2. Applying putty, 3. Applying Single coat<(>,<)> 4. Applying double coat. The engineer will allow the contractor for proceeding in the next step after verifying the pictures. 8. Contractor will be responsible for the removal / disposal of debris outside retail outlet premises as per the instruction of the engineer in charge. 9. Contractor will provide adequate and fully functional PPEs to all workers and ensure their proper safety. All material, tools and labor charges are included in the scope. 10. The contractor must insure to cordon off the specific area and implement LOTO where work will progress and must take all necessary measures to ensure safety of outlet operations, staff and customers.					